

	Environmental Management Bureau
	<b>Regional Environmental Laboratory Region VIII</b>
	Brgy. Baras, Palo, Leyte
<b>Certificate of Analysis</b>	

Department: ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-AMBIENT SECTION

Name/Source:	Priority or other recreational waters		
Address/Location:	Maripipi & Almeria Biliran, and Carigara Leyte		
Sampled by:	J.Quinto, L.Fuentes		
Date Arrived:	February 21, 2022 @ 5:05 PM	Date Acknowledged:	February 21, 2022 @ 5:11 PM
Date Analyzed:	February 21, 2022 @ 5:17 PM	Date Reported:	February 24, 2022 @ 5:00 PM

Chain of custody no.	Lab sample no.	Time of Collection	Sample type	Sample Information
2022-050	2208-164	February 21, 2022 @ 12:01 PM	seawater	water sample placed in 250-mL sterilized glass bottle labeled "Sambawan Island Stn.1"
	2208-165	February 21, 2022 @ 12:04 PM	seawater	water sample placed in 250-mL sterilized glass bottle labeled "Sambawan Island Stn.2"
	2208-166	February 21, 2022 @ 12:29 PM	seawater	water sample placed in 250-mL sterilized glass bottle labeled "Agta Beach Resort"
	2208-167	February 21, 2022 @ 3:40 PM	seawater	water sample placed in 250-mL sterilized glass bottle labeled "Karigusa Beach"

Environmental conditions during analysis:

Relative humidity: 48.4%

Temperature: 21.9 °C


CHARACTERISTICS:

Parameters	Lab sample no.			
	164	165	166	167
Fecal coliform, MPN/100 mL	<1.8	<1.8	3.3 x 10 <sup>3</sup>	1.8 x 10 <sup>3</sup>

Method Used: Fecal coliform - Multiple Tube Fermentation Technique


Reference: Standard Methods for the Examination of Water and Wastewater, 23rd ed., 2017, AHA, AWWA, WEF

Remarks 1. This certificate of analysis is based on the sample as received by this office.  
2. This certificate of analysis shall not be reproduced in full, without written approval from issuing laboratory.

Analyzed by:  
  
**REBEKAH V. SUPERALES**  
Technical Manager, Microbiology

Certified by:  
  
**APRILYN R. DAÑAS, RCh**  
Laboratory Manager  
Reg. No. 0011659

Approved by:  
  
**MANUEL J. SACEDA JR.**  
OIC - Chief EMED

Noted by:  
  
**REYNALDO B. BARRA**  
OIC - Regional Director

Laboratory Unit  
Email: [embr8lab@yahoo.com](mailto:embr8lab@yahoo.com)

cc Laboratory  
Sampler  
Records Unit