
	<p>Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU DENR Compound, Jones St. Tacloban City, Philippines</p>	
<p>NOTICE OF VIOLATION</p>		

JAN 28 2022

DENR-PAB Case No. 08-00002-22-W

DAGPIN INTEGRATED FARM
Brgy. Maganhan, Baybay City

Thru: **JAMESLEY JOHN C. DAGPIN**
Managing Head

ENVIRONMENTAL MANAGEMENT BUREAU
RELEASED BY: [Signature]
DATE: 2-8-22
TIME: 4:55 PM

Sir/Madame:

This notice is being served upon you for alleged violation of **R.A 9275** otherwise known as the **Philippine Clean Water Act of 2004**, based upon the inspection conducted by the technical personnel of the Clearance and Permitting Division – Air Water Permitting Section (CPD-AWPS) of this Office last **15 October 2021**.

ACTS CONSTITUTING THE VIOLATION

Finding/s	Prohibited Act/s
Operating a facility that discharges regulated water pollutants without a valid wastewater Discharge Permit , since 15 October 2021 .	Violation of Section 27 (c) of R.A 9275 in relation to Section 28 of the same Act, and in relation further to Pollution Adjudication Board Resolution No. 01, Series of 2019 .


Pursuant to **Pollution Adjudication Board Resolution No. 02, Series of 2020**, otherwise known as the **Interim Guidelines of the Pollution Adjudication Board during the Public Health Emergency due to COVID-19**, you are hereby required to explain in writing, duly subscribed before a Notary Public, **within fifteen (15) days from receipt hereof**, your defense/position to the alleged violation which is punishable by a fine of **Nineteen Thousand Five Hundred Pesos (P19,500.00) for every year of violation** of the above cited prohibited act and to show cause why no Order should be issued against you, directing immediate cessation of the project operation

Please submit a hard copy of your written explanation to this Office, as well as an electronic copy of the same to **embr8_records@emb.gov.ph**, copy furnished **legalunitembr8@gmail.com**, to expedite the submission.

Please be informed that failure to submit the position paper on or before the period prescribed above shall mean a waiver of your right to contest the findings of the report and present evidence on your defense and the case may be decided based on evidence on record.

Please be guided accordingly.

Very truly yours,


ENGR. REYNALDO B. BARRA
OIC-Regional Director



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
ENVIRONMENTAL MANAGEMENT BUREAU REGION 8
DENR Compound, Brgy. 2, Tacloban City

AIR AND WATER SURVEY REPORT

A. Date of Survey: October 15, 2021

B. Company's General Information:

Name of Company: Dagpin Integrated Farm
Address of Company: Brgy. Maganhan, Baybay City

Date Established: 2014
Geolocation:
10.68273, 124.83529
Production Capacity: 400

Industry Type: Piggery/Livestock

No. of employees: 5
Managing Head: Jamesley John C. Dagpin
Responsible Person(s) Contacted:
Name: Roy Gumanlay

Contact No.: 09173271211

Position: Leadman/ Caretaker

C. Does the establishment operate at the time of survey?

(/) YES, Actual Production Capacity: 400 heads
() NO, Reason:

D. Operating time: 8 hours/day 7 days/month 12 months/year

E. Does the establishment have the following environmental permits/certificates?

Permits/Certificates	YES	NO	N/A	Remarks
Environmental Compliance Certificate (ECC)	/			ECC reference number. ECC-R08-1309-0116
Wastewater Discharge Permit		/		
Permit to Operate			/	

F. Does the establishment have an Air Pollution Source Equipment (APSE)? () YES (/) NO
If YES, please fill up the table provided.

Name of APSI	Qty	Rated Capacity (KW, Hp, etc.)	Year Installed	Type of Fuel and Fuel Consumption (kg/hr or L/hr.)	Rated Material Output (kg/hr or MTon/hr)	APCD	Stack / Exhaust Diameter (inches)	Operational Status
N/A								

G. Is there a source of water supply?

(/) YES, Please specify:
() NO

Estimated Daily Water Consumption: 0.757 m³

H. Does the establishment generate wastewater?

() YES (/) NO

If YES, please fill up the table provided.

Wastewater Generation	Estimated Flow, m ³ /day	Remarks
Process wastewater		
Washing/cleaning of equipment	0.5	
Cooling process		
Domestic wastes		
Others, pls. specify:	0.257	
Total volume of generated wastewater	0.757	

- I. Does the establishment recycle/reuse its wastewater/effluent?
 () YES, Volume flow of recycled/reused wastewater/effluent: 0.0
 (/) NO

- J. Does the establishment have a Wastewater Treatment Facility (WTF)? (/) YES () NO
 If YES, please fill up the table provided.

No. of Units	Description of the WTF	Remarks
2	Settling Pond	

- K. Does the establishment have a wastewater/effluent discharge? (/) YES () NO
 If YES, please fill up the table provided.

WTF	Description of the Discharge Outlet	Name of the Receiving Water Body	Remarks
Settling Pond	Canal		

Findings and Observations:

- At the time of inspection piggery farm is operational.
- As per information by the caretaker, their current operating capacity is approximately 400 heads of pigs.
- The piggery farm has no wastewater discharge permit for their wastewater generation.

Recommendations:

- For issuance of Notice of Violation against **Dagpin Integrated Farm** for operating without valid Discharge Permit, in violation of **Paragraph (c), Section 27 of RA 9275** or "**The Philippine Clean Water Act of 2004**" and in relation to **Pollution Adjudication Board Resolution No. 01, Series of 2019**.


Prepared by:


 LAURENCE G. DENZON / AIKEE C. SILLEZA
 ENGR. II EMS II


Concurred by:


 HENNENCY G. HAYAG, PME
 Chief, AWPS

Approved by:


 MARIBEL B. MUNSAYAC
 Chief, CPD

Noted by:


 REYNALDO B. BARRA, PME
 OIC. Regional Director