







TWIST_LIGHT_LOOP_SWEATER is a light and airy ribbed raglan sweater with cables and an elegant decreasing detail along the sleeves.

The sweater is worked in the round from top to bottom. The neckband is worked first, and then short rows are made to shape the neck opening. Then the piece is worked in the round in ribbing with raglan increases on the yoke and cables on both the body and sleeves. The sleeves are shaped and finished with decreases.

Sizes_
XS (S) M (L) XL (XXL)

Measurements_
Circumference_ 112 (117) 122 (132) 137 (142) cm
Length_ 52 (52) 54 (54) 56 (56) cm, measured from under the neckband on the back piece.
The sweater has a generous positive ease of approx. 30 cm, with less ease for the bigger sizes.
The model shown in this pattern is size S with a positive ease of 31 cm.

Materials_
Silk Mohair 25 g / 212 m from Isager ***or*** Kid Seta 25 g / 210 m from Gepard ***or*** Soft Silk Mohair 25 g / 225 m from Knitting for Olive ***or*** *Tilia* 25 g / 210 m from Filcolana.
225 (250) 275 (300) 325 (350) g
Take care that the sweater is worked with 2 strands of the yarn quality.
The given yarn amount is for the entire amount required.
The model shown in the pattern is worked with Silk Mohair col. 57 from Isager and Soft Silk Mohair col. Elderflower from Knitting for Olive.

Needles_
4 mm circular needles (40, 60 and/or 80/100 cm), together with DPNs in the same size – unless using Magic Loop method.
3.5 mm circular needles (40 and 80 or 100 cm)
Cable needle

Gauge_
20 sts x 28 rows in ribbing (k3, p2) on 4 mm needles = 10 x 10 cm after washing and blocking.

Abbreviations_
BOR = beginning of the round
k = knit
p = purl
tog = together
rnd(s) = round(s)
pm = place marker
m = marker
sm = slip marker
sl = slip
tbl = through the back loop
RS = right side
WS = wrong side
pw = purl-wise
wyif = with yarn held in front of the work
wyib = with yarn held behind the work

Increases_
M1L_ knit left-leaning increase – insert the left needle from the front under the strand between the stitches and knit it (through the back loop).
M1R_ knit right-leaning increase – insert the left needle from the back under the strand between the stitches and knit it (through the front loop).
M1L-P_ purl left-leaning increase – insert the left needle from the front under the strand between the stitches and purl it (through the back loop).
M1R-P_ purl right-leaning increase – insert the left needle from the back under the strand between the stitches and purl it (through the front loop).

Decreases_
K2tog_ knit right-leaning decrease – knit 2 stitches together.
SSK_ knit left-leaning decrease - SSK improved – slip the first stitch knit-wise, slip the next stitch purl-wise, insert the left needle through the stitches from left to right and knit them together through the back loops.

p2tog_ purl right-leaning decrease – purl 2 stitches together
p2tog tbl_ purl left-leaning decrease– purl 2 stitches together through the back loop

Short rows_
Short rows are worked according to the German Short Rows technique.
When the pattern says **turn**, you will need to turn the work and slip the first stitch. Pull the yarn up over the needle and pull on the yarn so that you create a double stitch/stitch with 2 “legs”. Hold the yarn tight and continue working. When you come across the double stitch again later, you will work both “legs” together as one stitch.

Chart for cables_
Can be found at the end of the pattern.



OTHER LOOPS

Neck_
Cast 120 (120) 120 (140) 140 (140) st onto 3.5 mm circular needles (40 cm) with Italian cast on in ribbing (k1, p1).

The first 2 rows immediately after the cast-on row are worked back and forth as follows:

Row 1_ *k1, sl1 pw wyif* repeat from *to* until 2 sts before end of row, k1, p1.
Row 2_ *k1, sl1 pw wyif* repeat from *to* until end of row.

Now the work is joined, insert marker for BOR and work 2 rnds in double knitting as follows:

Rnd 1_ work *k1, sl1 pw wyif* repeat from *to* the whole rnd.
Rnd 2_ work *sl1 pw wyib, p1* repeat *to* the whole rnd.

The 4 rows/rnds in double knitting create a tubular edge, which gives a beautiful finish to the neckband. It will leave a hole which gives the possibility for adding a knitting elastic, if necessary – this can keep the neckband in place over time, so that it stays nice.

Work ribbing in the round (k1, p1) until the ribbing measures 2.5 cm.

Yoke_
Change to 4 mm circular needles (40 cm) *(change to longer circular needles as the piece grows).*

Now the ribbing is established (k3, p2) as follows:
Work: p1, * k3, p2* repeat from *to* until 4 sts before marker, k3, p1.

Insert 8 markers for raglan division as follows:

Pm (M1) after 14 (14) 14 (19) 19 (19) sts – *right back piece*, pm (M2) after 7 sts – *right back raglan*, pm (M3) after 18 sts – *right sleeve*, pm (M4) after 7 sts – *right front raglan*, pm (M5) after 28 (28) 28 (38) 38 (38) sts – *front piece,* pm (M6) after 7 sts – *left front raglan,* pm (M7) after 18 sts – *left sleeve*, pm (M8) after 7 sts – *left back raglan*, after 14 (14) 14 (19) 19 (19) sts, m is for BOR– *left back piece*.

Now work short rows and raglan increases.
Note: Along the way, the ribbing pattern (k3, p2) will be irregular after increases are made, but this will be corrected after the increases are completed.

Row 1_ (RS) work ribbing to M1, **M1R-P**, sm, ribbing to M2, sm, **M1L-P**, k3, **turn.**
Row 2_ (WS) work as the sts show to 3 sts after M7, **turn.**
Row 3_ (RS) work to M7, **M1R-P**, sm, ribbing to M8, sm, **M1L-P**, ribbing to M1, **M1R-P**, sm, ribbing to M2, sm, **M1L-P,** ribbing to 3 sts before M3, **turn.**
Row 4_ (WS) work as the sts show to 3 sts before M6, **turn.**
Row 5_ (RS) work ribbing to M7, **M1R-P**, sm, ribbing to M8, sm, **M1L-P**, ribbing to M1, **M1R,** sm, ribbing to M2, sm, **M1L**, ribbing to M3, **M1R-P**, sm, ribbing to M4, sm, **M1L-P**, k3, **turn.**
Row 6_ (WS) work as the sts show to 3 sts after M5, **turn.**
Row 7_ (RS) work ribbing to M5, **M1R-P**, sm, ribbing to M6, sm, **M1L-P**, ribbing to M7, **M1R**, sm, ribbing to M8, sm, **M1L**, ribbing to BOR.

Now all short rows have been worked, and 16 increases are made = 136 (136) 136 (156) 156 (156) sts on the needle.

Work in the rnd in ribbing and work raglan increases as follows:

Rnd 1_ work ribbing to M3, **M1R-P**, sm, ribbing to M4, sm, **M1L-P**, ribbing to M5, **M1R-P**, sm, ribbing to M6, sm, **M1L-P,** ribbing.
Rnd 2_ work as the sts show.
Rnd 3_ work ribbing to M3, **M1R**, sm, ribbing to M4, sm, **M1L**, ribbing to M5, **M1R**, sm, ribbing to M6, sm, **M1L,** ribbing.
Rnd 4_ work as the sts show.
Rnd 5_ work ribbing to M1, **M1R,** sm, ribbing to M2, sm, **M1L**, ribbing to M3, **M1R**, sm, ribbing to M4, sm, **M1L,** work ribbing to M5, **M1R**, sm, ribbing to M6, sm, **M1L**, ribbing to M7, **M1R**, sm, ribbing to M8, sm, **M1L**, ribbing.
Rnd 6_ work as the sts show.
Rnd 7_ work as **rnd 5.**
Rnd 8_ work as the sts show.

You have now worked 24 increases = 160 (160) 160 (180) 180 (180) sts on the needle.

Remove the BOR marker. Work to M1 – M1 is now the BOR marker.

In the next section all raglan-markers are now referred to as just *m*.

Now markers for the cables will be inserted (*cm*) denoted with another color than those used for the raglan increases.

Insert markers so that there are: 2 markers for each sleeve, 2 markers for the front and 2 markers for the back. The markers are placed so that there are 18 sts between each marker and the cable panel is centered.

Continue in the rnd in ribbing, and at the same time work raglan increases on every other rnd, and work cables according to the chart.

Work as follows:

Rnd 1_ * sm, work to m, sm, **M1L-P**, ribbing to cm, sm, work the chart to cm, sm, ribbing to m, **M1R-P*** repeat from *to* another 3 times.
Rnd 2_ work as the sts show and work the chart between the cm-s.
Rnd 3_ work as **rnd 1_**
Rnd 4_ work as the sts show and work the chart between the cm-s.
Rnd 5_ *sm, work to m, sm, **M1L**, ribbing to cm, sm, work the chart to cm, sm, ribbing to m, **M1R*** repeat *to* another 3 times.
Rnd 6_ work ribbing as the sts show and work the chart between cm-s.
Rnd 7_ work as **rnd 5_**
Rnd 8_ work ribbing as the sts show and work the chart between cm-s.
Rnd 9_ work as **rnd 5_**
Rnd 10_ work ribbing as the sts show and work the chart between cm-s.

You have now worked 40 increases = 200 (200) 200 (220) 220 (220) sts on the needle.

Repeat **rnds 1-10_** another 5 (6) 6 (6) 7 (7) times = 400 (440) 440 (460) 500 (500) sts on the needle.

Body_
Now the work is divided into body and sleeves. The sleeve sts will be placed to rest while the body is finished. Make a note of where you last worked the chart- this will be referred to later when you work the sleeves.
Work as follows (remove raglan markers along the way):

Work ribbing to 1 st before M2, place the sts up to and including 1 st after M3 to rest on the left needle = 90 (100) 100 (100) 110 (110) sts – *right sleeve,* cast on 10 (5) 10 (10) 5 (10) new sts with backwards loop method in extension to the back piece, work ribbing and work the chart between the cm-s across the front piece to 1 st before M6, place the sts on hold up to and including 1 st after M7 to rest = 90 (100) 100 (100) 110 (110) sts – *left sleeve,* cast on 10 (5) 10 (10) 5 (10) new sts with backwards loop method in extension to the front piece. Work ribbing and work the chart between the cm-s across the back piece = 240 (250) 260 (280) 290 (300) sts on the needle.

Pm for BOR between the new sts on the right side.

Now work in the rnd in ribbing as the sts show and work the chart between cm-s. The new sts on the sides are worked into the ribbing pattern.

Work to and including row 25 (25) 25 (25) 25 (25) of the third chart repeat.

Change to 3.5 mm needles.

Work 6 (6) 8 (8) 8 (8) rnds in ribbing as the sts show.

Bind off as the sts show – k over k and p over p.



Sleeves_
Sleeves are worked in the rnd on 4 mm (40 cm) needles.

Place the resting sleeve sts back onto the needle, pick up 2 sts before the new cast-on sts for the front/back, pick up 10 (5) 10 (10) 5 (10) sts in the new cast-on sts for the front/back, pick up 2 sts before the sts on the left needle = 104 (109) 114 (114) 119 (124) sts on the needle.

Pm for BOR between the new sts and work the first rnd as follows:
Work in the rnd in ribbing and work the chart between cm-s to 1 st before the first picked-up st, work **p2tog tbl, p2tog**, work 8 (3) 8 (8) 3 (8) sts into the ribbing pattern, work **p2tog tbl, p2tog** = 100 (105) 110 (110) 115 (120) sts on the needle.

Now work the sleeve in the rnd in ribbing and work the chart between cm-s. Work to and including row 25 (25) 25 (25) 25 (25) of the chart. Then work in ribbing until the sleeve, measured from the bottom of the neckline on the outside of the sleeve, is 49 (50) 51 (49) 50 (47) cm, or until desired length – the sleeve from here will be 21 (21) 21 (21) 21 (25) cm longer.

Now work the decreasing detail down the sleeve.
Slip both cm-s 2 sts to the side, so that they are placed on the other side of the p-sts. There are now 22 sts between the cm-s.

Work as follows:

Rnd 1_ sm, work ribbing until 2 sts before cm, **SSK**, sm, ribbing to cm, sm, **k2tog**, ribbing.
Rnd 2_ work ribbing as the sts show
Rnd 3_ work as **rnd 1_**
Rnd 4_ work ribbing as the sts show
Rnd 5_ work ribbing to 2 sts before cm, **p2tog tbl**, sm, ribbing to cm, sm, **p2tog**, ribbing.
Rnd 6_ work ribbing as the sts show
Rnd 7_ work as **rnd 5_**
Rnd 8_ work ribbing as the sts show
Rnd 9_ work as **rnd 1_**
Rnd 10_ work ribbing as the sts show.

You have now worked 10 decreases = 90 (95) 100 (100) 105 (110) sts on the needle.

Repeat **rnds 1-10_** another 5 (5) 5 (5) 5 (6) times = 40 (45) 50 (50) 55 (50) sts on the needle.
Bind off as the sts show – k over k and p over p.


Assembly_
Weave in all ends.
Wash and block the sweater.

Happy loops.

Share your #twist_light_loop_sweater on instagram.


Other Loops ©COPYRIGHT 2025.
This pattern is only for private use and may not be copied, re-sold or shared.

Chart for cables_
The chart is read on the right side from the right to left and from bottom to top. On the wrong side, the chart is read from left to right and from bottom to top.
The repeat is 18 sts x 52 (52) 54 (54) 56 (56) rows and is repeated from there. *Note: increases are always worked on an **uneven** rnd.*



P on RS, k on WS

K on RS, p on WS



Place 5 sts onto a cable needle in front of the work, k3 sts from the left needle, place the 2 p sts from the cable needle back onto the left needle, p2 sts from the left needle, k3 sts from the cable needle.