OTHER LOOPS

TWIST_LOOP_SWEATER









OTHER LOOPS

TWIST_LOOP_SWEATER is a classic, rib stitch raglan sweater with elegant cable details and a pretty decrease sequence on the sleeves.

The sweater is worked in the round from the top down. After having finished the neck hem, you will work short rows to form the neck opening and continue in rib stitch, making raglan increases on the yoke and cables on the body and sleeves. The sleeves are shaped with a sequence of increases and finished with a rib hem.

Sizes_
XS (S) M (L) XL (XXL)
The sizes are made to fit personal chest measurements of 80-85 (85-90) 90-95 (95-100) 100-110 (110-120) cm / approx. 31.5-33.5 (33.5-35.5) 35.5-37.5 (37.5-39.5) 39.5-43.5 (43-47.25) inches.

Measurements_
Finished chest_ 99 (103) 108 (116) 121 (126) cm / approx. 39 (40.5) 42.5 (45.5) 47.5 (49.5) inches.
Length_ 56 (57) 58 (59) 60 (61) cm / approx. 22 (22.5) 22.75 (23.25) 23.5 (24) inches, measured at the back of the sweater from below the neck hem.
The sweater has a positive ease of approx. 10-20 cm / 4-8 inches. Choose a size that has a finished chest measurement of approx. 10-20 cm more than your body measurement.

Materials_
1 strand of No. 15 – 100% Merino Wool from Önling, 50 g / 175 m
400 (400) 450 (550) 550 (600) g
Held together with
1 strand of No. 10 – 70% Mohair, 30% Silk from Önling, 25 g / 210 m
150 (175) 200 (200) 200 (225) g
Held together with
1 strand of No. 12 – 55% Wool, 45% Cotton from Önling, 115 g / 800 m
2 (2) 2 (2) 2 (3) cones.

Alternative Yarn

1 strand of No. 20 – 100 Shetland wool from Önling, 50 g / 225 m
350 (400) 450 (500) 550 (550) g
Held together with
1 strand of No. 10 – 70% Mohair, 30% Silk from Önling, 25 g / 210 m
150 (175) 200 (200) 200 (225) g
Held together with
1 strand of No. 12 – 55% Wool, 45% Cotton from Önling, 115 g / 800 m
2 (2) 2 (2) 2 (3) cones.

Recommended Needles_
4.5 mm / US 7 circular needle (40 and 60 cm / 16 and 24 inches and/or 80/100 cm / 32/40 inches) and 4 mm / US 6 circular needle (40 and 60 cm / 16 and 24 inches and/or 80/100 cm / 32/40 inches) and 3.5 mm / US 4 circular needle (40 cm / 16 inches).
Cable needle.

Gauge_
22 sts x 28 rows of rib stitch (k3, p2) on needle size 4.5 mm / US 7 = 10x10 cm / 4x4 inches after washing and blocking.

Abbreviations_
k = knit
p = purl
r = row
st = stitch
tog = together
rd = round
pm = place marker
mm = move marker

Increasing_
l-inc_ left-leaning knit increase – with the lefthand needle, pick up the strand between stitches from the front and knit it through the back loop.
r-inc_ right-leaning knit increase – with the lefthand needle, pick up the strand between stitches from the back and knit it (through the front loop).

l-inc-p_ left-leaning purl increase – with the lefthand needle, pick up the strand between stitches from the front and purl it through the back loop.
r-inc-p_ right-leaning purl increase – with the lefthand needle, pick up the strand between stitches from the back and purl it (through the front loop).

Decreasing_
r-dec_ right-leaning knit decrease – knit 2 sts together.
l-dec_ left-leaning knit decrease - SSK improved – slip 1 st knitwise, slip the next st purlwise, insert the lefthand needle through the 2 sts from left to right and knit them together through the back loops.

r-dec-p_ right-leaning purl decrease – purl 2 sts together.
l-dec-p_ left-leaning purl decrease – purl 2 sts together through the back loops.

Short Rows_
Short rows are worked using the 'German Short Rows' method.

Cable Chart _
See the last page of this pattern.



Neck Hem_
Cast on 120 (120) 120 (140) 140 (140) sts loosely on 40 cm / 16-inch circular needle size 3.5 mm / US 4.

Pm at beginning of rd.

Work round in rib stitch (k1, p1) until the neck hem measures 7 cm / approx. 2.75 inches.

Fold the rib hem double and work the next round together with the cast-on edge, following the procedure below:

With the lefthand needle, pick up 1 st from the cast-on edge and knit it together with the first st on the lefthand needle. Repeat from * to * to end of rd.

Make sure that the rib hem does not twist and that your stitches are sufficiently loose to ensure that the neck opening will not get too tight.

Yoke_
Change to circular needle size 4.5 mm / US 7 (40 cm / 16 inches). Change to longer circular needles as you get more stitches.

Now the rib stitch pattern is set up (k3, p2) at the same time as markers are placed to mark raglan increases. Work: p1, *k3, p2*, repeat from * to * to 1 st before beg of rd marker, p1.

Sizes
XS (S) M (-) - (-)
At the same time, place 1 marker after respectively 14 sts (M1), 7 sts (M2) *(M1 and M2 mark the right back raglan),* 18 sts (M3), 7 sts (M4) *(M3 and M4 mark the right front raglan),* 28 sts (M5), 7 sts (M6) *(M5 and M6 mark the left front raglan),* 18 sts (M7), 7 sts (M8) *(M7 and M8 mark the left back raglan), 14 sts (* beginning of rd).

Sizes
- (-) - (L) XL (XXL)
At the same time, place 1 marker after 19 sts (M1), 7 sts (M2) *(M1 and M2 mark the right back raglan),* 18 sts (M3), 7 sts (M4) *(M3 and M4 mark the right front raglan),* 38 sts (M5), 7 sts (M6) *(M5 and M6 mark the left front raglan),* 18 sts (M7), 7 sts (M8) *(M7 and M8 mark the left back raglan), 19 sts (* beginning of rd).

Now work short rows and raglan increases.

Row 1_ (right side) Work rib stitch to M1, **r-inc-p**, mm, rib to M2, mm, **l-inc-p**, k3, **turn.**
Row 2_ (wrong side) Work as the stitches show to 3 sts after M7, **turn.**
Row 3_ (right side) Work to M7, **r-inc-p**, mm, rib stitch to M8, mm, **l-inc-p**, rib stitch to M1, **r-inc-p**, mm, rib stitch to M2, mm, **l-inc-p,** rib stitch to 3 sts before M3, **turn.**
Row 4_ (wrong side) Work as the stitches show to 3 sts before M6, **turn.**
Row 5_ (right side) Work rib stitch to M7, **r-inc-p**, mm, rib stitch to M8, mm, **l-inc-p**, rib stitch to M1, **r-inc**, mm, rib stitch to M2, mm, **l-inc**, rib stitch to M3, **r-inc-p**, mm, rib stitch to M4, mm, **l-inc-p**, k3, **turn.**
Row 6_ (wrong side) Work as the stitches show to 3 sts after M5, **turn.**
Row 7_ (right side) Work rib stitch to M5, **r-inc-p**, mm, rib stitch to M6, mm, **l-inc-p**, rib stitch to M7, **r-inc**, mm, rib stitch to M8, mm, **l-inc**, rib stitch to beg of rd marker.

You have now finished your short rows and worked 16 increases = 136 (136) 136 (156) 156 (156) sts.

Now work rib stitch pattern in the round and continue the raglan increases as follows:
The first 2 increases are purled, the next 3 are knitted.
Note: In the process, the rib stitch pattern (k3, p2) will become irregular; this will even out after each of the increase sections.

Round 1_ Work rib stitch to M3, **r-inc-p**, mm, rib stitch to M4, mm, **l-inc-p**, rib stitch to M5, **r-inc-p**, mm, rib stitch to M6, mm, **l-inc-p**, rib stitch.
Round 2_ Work rib stitch to M3, **r-inc**, mm, rib stitch to M4, mm, **l-inc**, rib stitch to M5, **r-inc**, mm, rib stitch to M6, mm, **l-inc,** rib stitch.
Round 3_ Work as the stitches show.
Round 4_ Work rib stitch to M1, **r-inc**, mm, rib stitch to M2, mm, **l-inc**, rib stitch to M3, **r-inc**, mm, rib stitch to M4, mm, **l-inc**, rib stitch to M5, **r-inc**, mm, rib stitch to M6, mm, **l-inc**, rib stitch to M7, **r-inc**, mm, rib stitch to M8, mm, **l-inc**, rib stitch.
Round 5_ Work as the stitches show.
Round 6_ As **Round 4**
Round 7_ Work as the stitches show.

You have now finished the first increase section and have 160 (160) 160 (180) 180 (180) sts.

The next step is placing cable markers (M-cab); use a different type or different color of markers than those used for marking raglan seams, to make it easier to distinguish between them.
Place cable markers as follows:

Sizes
XS (S) M (-) - (-)
5 sts afterM2, 5 sts before M3, 10 sts after M4, 10 sts before M5, 5 sts after M6, 5 sts before M7, 10 sts after M8, 10 sts before M1, remove beg of rd marker. Your new beg of rd is M1; work rib stitch to M1. There are 18 sts between M-cab and M-cab.

Sizes
- (-) - (L) XL (XXL)
5 sts after M2, 5 sts before M3, 15 sts after M4, 15 sts before M5, 5 sts after M6, 5 sts before M7, 15 sts after M8, 15 sts before M1, remove beg of rd marker. Your new beg of rd is M1; work rib stitch to M1. There are 18 sts between M-cab and M-cab.

Continue working rib stitch in the round, working raglan increases on every second rd and following the chart for cables on body and sleeves.

Work as follows:
Rd 1_ Work rib stitch to M2, mm, **l-inc-p**, rib stitch to M-cab, mm, follow the chart to M-cab, mm, rib stitch to M3, **r-inc-p**, mm, rib stitch to M4, mm, **l-inc-p**, rib stitch to M-cab, mm, follow the chart to M-cab, mm, rib stitch to M5, **r-inc-p**, mm, rib stitch to M6, mm, **l-inc-p**, rib stitch to M-cab, mm, follow the chart to M-cab, mm, rib stitch to M7, **r-inc-p**, mm, rib stitch to M8, mm, **l-inc-p**, rib stitch

M-cab, follow the chart to M-cab, mm, rib stitch to M1, **r-inc-p.**
Rd 2_ Work rib stitch as the stitches show while following the chart directions between M-cab and M-cab.
Rd 3_ As **Rd 1.**
Rd 4_ Work rib stitch as the stitches show while following the chart directions between M-cab and M-cab.
Rd 5_ Work rib stitch to M2 , mm, **l-inc**, rib stitch to M-cab, mm, follow the chart to M-cab, mm, rib stitch to M3, **r-inc**, mm, rib stitch to M4, mm, **l-inc**, rib stitch to M-cab, mm, follow the chart to M-cab, mm, rib stitch to M5, **r-inc**, mm, rib stitch to M6, mm, **l-inc**, rib stitch to M-cab, mm, follow the chart to M-cab, mm, rib stitch to M7, **r-inc**, mm, rib stitch to M8, mm, **l-inc**, rib stitch to M-cab, follow the chart to M-cab, mm, rib stitch to M1, **r-inc.**
Rd 6_ Work rib stitch as the stitches show while following the chart directions between M-cab and M-cab.
Rd 7_ As **Rd 5.**
Rd 8_ Work rib stitch as the stitches show while following the chart directions between M-cab and M-cab.
Rd 9_ As **Rd 5.**
Rd 10_ Work rib stitch as the stitches show while following the chart directions between M-cab and M-cab.

You have now worked 40 increases = 200 (200) 200 (220) 220 (220) sts.

Repeat **Rounds 1-10** another 5 (6) 6 (6) 7 (7) times = 400 (440) 440 (460) 500 (500) sts.



Body_
Divide the yoke into body and sleeves, letting the sleeve stitches rest while finishing the body.
Make a note of how far in the chart you have gotten; you will need to continue from that point when finishing the sleeves later. Continue as follows:

Work rib stitch to 1 st before M2 and place the stitches on the lefthand needle, up to and including 1 st after M3, to rest on a stitch holder or piece of scrap yarn. 90 (100) 100 (100) 110 (110) sts *(right sleeve)*.
Cast on 10 (5) 10 (10) 5 (10) new stitches using backward loop cast-on in continuation of the back panel stitches. Work rib stitch as the stitches show while following the chart between M-cab and M-cab over the front panel up to 1 st before M6, place the stitches on the lefthand needle, up to and including 1 st after M7, to rest on a stitch holder or piece of scrap yarn. 90 (100) 100 (100) 110 (110) sts *(left sleeve)*. Cast on 10 (5) 10 (10) 5 (10) new stitches using backward loop cast-on in continuation of the front panel stitches. Work rib stitch as the stitches show while following the chart between M-cab and M-cab over the back panel. Remove the raglan markers as you pass them = 240 (250) 260 (280) 290 (300) sts.
Place a new beg of rd marker between the new sts of the right armhole.

Continue working rib stitch in the round as the stitches show while following the chart between M-cab and M-cab. Fit the new armhole stitches into the rib stitch pattern.

Work up to and including round 28 (32) 36 (36) 40 (44) of the third repeat of the chart.
If you want your sweater shorter, stop after the 2nd cycle of the chart and then continue the rib stitch pattern (k3, p2) to the desired length and then work the rib hem as described below.

Change to needle 4 mm / US 6.

Work a rib stitch hem in the round (k1, p1) until it measures 5 (5) 5 (6) 6 (6) cm / approx. 2 (2) 2 (2.5) 2.5 (2.5) inches.

Next rd_ *K1, slip 1 st purlwise with yarn in front*, repeat from * to * to end of rd.
Last rd_ *Slip 1 st purlwise with yarn in front, p1*, repeat from * to * to end of rd.

Bind off using Italian Bind-Off.

Sleeves_
The sleeve is worked in the round on a 40 cm / 16-inch circular needle size 4.5 mm / US 7.

Place the resting sleeve stitches back on the needle. Pick up 10 (5) 10 (10) 5 (10) new stitches in the stitches that you cast on in continuation of the front/back panel. 100 (105) 110 (110) 115 (120) sts.
Place a beg of rd marker between the new picked-up stitches.

Work the sleeve in the round as the stitches show, following the chart between M-cab and M-cab. The new stitches at the armhole are fitted into the rib stitch pattern.

Continue until you have repeated the chart 2 times in total. Continue working the sleeve in rib stitch until your sleeve, measured from beneath the neck hem, measures 47 (49) 50 (50) 51 (49) cm / approx. 18.5 (19.5) 19.75 (19.75) 20 (19.5) inches or desired length. From here your sleeve will be 26 (26) 26 (27) 27 (30) cm / approx. 10.25 (10.25) 10.25

(10.5) 10.5 (11.75) inches longer.

Now start decreasing on the sleeve.

Move each of your M-cabs 2 st to the side to the other side of the purl stitches they are next to. You now have 22 sts between M-cab and M-cab.

Continue as follows:

Rd 1_ Work rib stitch to 2 m before marker, **l-dec**, mm, rib stitch to marker, mm, **r-dec**, rib stitch.
Rd 2_ Work rib stitch as the stitches show.
Rd 3_ As **Rd 1.**
Rd 4_ Work rib stitch as the stitches show.
Rd 5_ Work rib stitch to 2 sts before marker, **l-dec-p**, mm, rib stitch to marker, mm, **r-dec-p**, rib stitch.

Rd 6_ Work rib stitch as the stitches show.
Rd 7_ As **Rd 5**
Rd 8_ Work rib stitch as the stitches show.
Rd 9_ As **Rd 1**
Rd 10_ Work rib stitch as the stitches show.

You have now worked 10 decreases = 90 (95) 100 (100) 105 (110) sts.

Repeat **Rounds 1-10** another 4 (4) 4 (4) 4 (5) times = 50 (55) 60 (60) 65 (60) sts.

Work 4 rds of rib stitch, removing the M-cab markers.

Change to needle 4 mm / US 6.

Sizes
XS (-) M (L) - (XXL)
Work in the round in rib stitch (k1, p1).

Sizes
- (S) - (-) XL (-)
Knit 2 tog, *p1, k1 * repeat from * to * to 1 st before beg of rd marker, p1.
Work in the round in rib stitch (k1, p1).

Continue until the rib cuff measures 5 (5) 5 (6) 6 (6) cm / approx. 2 (2) 2 (5.25) 5.25 (5.25) inches.


Next rd_ *K1, slip 1 st purlwise with yarn in front*, repeat from * to * to end of rd.
Last rd_ *Slip 1 st purlwise with yarn in front, p1*, repeat from * to * to end of rd.

Bind off using Italian Bind-Off.

Finishing_
Weave in all ends.
Wash and block the sweater.
I recommend threading a knitting elastic inside the folded-down neck hem; this will keep the hem firm and in place.

You are most welcome to share your #twist_loop_sweater on Instagram

Happy Loops!



Cable Chart_
On the right side, the chart is read from right to left and from the bottom up. On the wrong side from left to right and from the bottom up.
The pattern repeat is 18 sts X 52 rows which are then repeated.
*Note: Increases are always worked on **odd** rounds*

Purl on the right side, knit on the wrong side

Knit on the right side, purl on the wrong side



Place 5 sts on a cable needle in front of the knitting, knit 3 sts from the lefthand needle, place the 2 purl sts from the cable needle back on the lefthand needle, purl 2 sts from the lefthand needle, knit 3 sts from the cable needle

Other Loops ©COPYRIGHT 2022
This pattern is only for private use and may not be copied, resold or shared.
www.otherloops.com / Instagram_ @otherloops