MELTING SHIRT

Yarn 1 : Gepard Kid Seta 1230
Yarn 2 : Gepard Kid Seta 401

Test knitters
@cormammu_knitter
@hannah_loop33
@knit.ssae.230
@tarae.shop

MELTING SHIRT

The “Melting Shirt” begins by knitting the back panel first,
then picking up stitches along the shoulder to knit each front panel.
For convenience, the pockets are made before starting the sleeves.
Stitches are picked up at the armhole, and the sleeves are knit.
The sleeve edges are then sewn to the body’s underarm edges.
The button band, collar, sleeve cuffs, and bottom i-cord are worked separately.

Yarn
Gepard Kid Seta
(70% Super kid mohair, 30% Shappe silk)
25 g ± 210 m / **knit with yarn held double**
*Held double in the same color or Held double in two colors

Needles and Notions
Two sets of 4 mm needles (main needles), 3.75 mm needles, 3.75 mm DPNs, Stitch markers, stitch holder, Tapestry needle, 8(8)9(9) buttons 1.5 cm diameter

Gauge(4 mm needles)
10 x 10(cm) / 22 sts X 29 rows
*Measurements were taken after washing.

How to Read the Chart
Odd rows are right-side (RS) rows and are worked from right to left.
Even rows are wrong-side (WS) rows and are worked from left to right.
Rows are worked from bottom to top.

Each part specifies whether the starting row is RS or WS,
and the chart indicates the starting point (Start).
Follow these instructions accordingly.



All directional instructions in the pattern
(right front panel, left armhole, etc.) are based on when worn.
Since multiple needle sizes are used,
pay attention to the points where the needle size changes.
If there is no mention of needle size when moving to the next step within a Part,
use the same needle size as in the previous step of that Part.

The copyright for this design belongs to @grey_level_knitter and
can only be accessed by the person who purchased it.
Any modification, commercial use, or distributions are prohibited.



positive ease
Since this garment is designed to have an oversized fit,
specific ease measurements are not provided.

Yarn 1: Gepard Kid Seta / 25 g ± 210 m
Yarn 2: Gepard Kid Seta / 25 g ± 210 m
knit with yarn held double

1	Yarn 1 1516 m (**7.3** balls) Yarn 2 1516 m (**7.3** balls)	**2** Yarn 1 1594 m (**7.6** balls) Yarn 2 1594 m (**7.6** balls)
3	Yarn 1 1684 m (**8.1** balls) Yarn 2 1684 m (**8.1** balls)	**4** Yarn 1 1771 m (**8.5** balls) Yarn 2 1771 m (**8.5** balls)

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



Part. 1 Upper Back Panel

Part. 1 - 1

Using 4 mm needles.
Cast on **112(118)124(130)** stitches using the long-tail cast-on method.

The row where the stitches are cast on counts as row 1.
Work following the chart from row 2 (WS) of **Part. 1 - 1.**

RS: Knit WS: Purl	K3tog	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	SSK	
Backward loop cast-on	SSSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
K2tog	no stitch	
	Cast off	



SIZE 1(2)



SIZE 3(4)

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



Part. 1 Upper Back Panel

Part. 1 - 2

Continue from Part. 1 - 1, working according to the chart instructions for **Part. 1 - 2.**
Begin at the even row on the WS.
After working to the **56(58)60(62)**th stitch of row **41(43)47(49)**,
slip the remaining 68(72)76(80) stitches onto a stitch holder.
Finish working the last row of the chart, then cast off. Cut the yarn.

Part. 1 - 3

Begin at the odd row on the RS.
With a new yarn, work according to the chart instructions for **Part. 1 - 3**.
Finish working the last row of the chart, then cast off. Cut the yarn.

RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.

Work on the RS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle.
Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.



Size 1



Size 2

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



Part. 1 Upper Back Panel

Part. 1 - 2

Continue from Part. 1 - 1, working according to the chart instructions for **Part. 1 - 2.**
Begin at the even row on the WS.
After working to the **56(58)60(62)**th stitch of row **41(43)47(49)**,
slip the remaining 68(72)76(80) stitches onto a stitch holder.
Finish working the last row of the chart, then cast off. Cut the yarn.

Part. 1 - 3

Begin at the odd row on the RS.
With a new yarn, work according to the chart instructions for **Part. 1 - 3**.
Finish working the last row of the chart, then cast off. Cut the yarn.

RS: Knit WS: Purl	K3tog	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	SSK	
Backward loop cast-on	SSSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
K2tog	no stitch	
	Cast off	



Size 3



Size 4

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



Part. 2

Part. 2 Lower Back Panel

Part. 2 - 1 Welt

Step 1: Using 4mm needles, pick up **112(118)124(130)** stitches from the RS of the first row of Part. 1.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **112(118)124(130)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.



RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.

Work on the RS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle.
Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 2 - 2

After completing the welt, turn the work. Starting from the RS odd row,
knit 25(25)25(25) rows in stockinette stitch flat. End on the RS.

Part. 2 - 3

Work according to the chart instructions for **Part. 2 - 3**.
Begin at the even row on the WS. End on the RS.
Part. 2 - 2 ~ Part. 2 - 3 / Completed a total of 47 rows.

Part. 2 - 4

Begin at the even row on the WS.
Knit 91(95)97(101) rows in stockinette stitch flat. End on the WS.
Part. 2 - 2 ~ Part. 2 - 4 / Completed a total of 138(142)144(148) rows.

Part. 2 - 5

Begin at the odd row on the RS. Work according to the chart instructions for **Part. 2 - 5**.
Place all stitches on hold. Cut the yarn.
Part. 2 - 2 ~ Part. 2 - 5 / Completed a total of 170(174)176(180) rows.



SIZE 1(2)3(4)



SIZE 1(2)3(4)



Part. 3 Right Front Panel

Part. 3 - 1 Welt

Step 1: Using 4mm needles, pick up **40(42)44(46)** stitches from the RS of the right shoulder edge of Part. 1.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **40(42)44(46)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.



Part. 3 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work according to the chart instructions for **Part. 3 - 2**. End on the RS.

Part. 3 - 3

Begin at the even row on the WS.
Knit 22(24)26(28) rows in stockinette stitch flat. End on the RS.
Part. 3 - 2 ~ Part. 3 - 3 / Completed a total of 61(63)65(67) rows.

RS: Knit WS: Purl	K3tog	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	SSK	
Backward loop cast-on	SSSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
K2tog	no stitch	
	Cast off	



SIZE 1



SIZE 2

KNITTING BEAUTY OF PROCESS HANDCRAFT
GREY LEVEL
INNER PEACE



Part. 3 Right Front Panel

Part. 3 - 1 Welt

Step 1: Using 4mm needles, pick up **40(42)44(46)** stitches from the RS of the right shoulder edge of Part. 1. Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **40(42)44(46)** stitches with 4mm needles from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.



Part. 3 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work according to the chart instructions for **Part. 3 - 2**. End on the RS.

Part. 3 - 3

Begin at the even row on the WS.
Knit 22(24)26(28) rows in stockinette stitch flat. End on the RS.
Part. 3 - 2 ~ Part. 3 - 3 / Completed a total of 61(63)65(67) rows.

RS: Knit WS: Purl	K3tog	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	SSK	
Backward loop cast-on	SSSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
K2tog	no stitch	
	Cast off	



SIZE 3



SIZE 4

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



Part. 3 Right Front Panel

Part. 3 - 4
Begin at the even row on the WS. Work according to the chart instructions for **Part. 3 - 4**.
End on the WS.
Part. 3 - 2 ~ Part. 3 - 4 / Completed a total of 82(84)86(88) rows.

Part. 3 - 5
Begin at the odd row on the RS. **Knit 70(74)78(82) rows in stockinette stitch flat.**
End on the WS.
Part. 3 - 2 ~ Part. 3 - 5 / Completed a total of 152(158)164(170) rows.

Part. 3 - 6
Begin at the odd row on the RS. Work according to the chart instructions for **Part. 3 - 6**.
End on the WS. Place all stitches on hold. Cut the yarn.
Part. 3 - 2 ~ Part. 3 - 6 / Completed a total of 184(190)196(202) rows.

RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.

Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.



SIZE 1(2)3(4)



SIZE 1(2)3(4)

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull.
A double stitch is created.

Work on the RS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull.
A double stitch is created.

Part. 4 Left Front Panel

Part. 4 - 1 Welt

Step 1: Using 4mm needles, pick up **40(42)44(46)** stitches from the RS of the left shoulder edge of Part. 1.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **40(42)44(46)** stitches with 4mm needles from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.



Part. 4 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work according to the chart instructions for **Part. 4 - 2**.
This part of the chart includes a section where the pocket's placement is pre-marked using purl stitches.
End on the WS.



SIZE 1

KNITTING BEAUTY OF PROCESS HANDCRAFT
GREY LEVEL
INNER PEACE



RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull.
A double stitch is created.

Work on the RS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull.
A double stitch is created.

Part. 4 Left Front Panel

Part. 4 - 1 Welt

Step 1: Using 4mm needles, pick up **40(42)44(46)** stitches from the RS of the left shoulder edge of Part. 1.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **40(42)44(46)** stitches with 4mm needles from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.





Part. 4 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work according to the chart instructions for **Part. 4 - 2**.
This part of the chart includes a section where the pocket's placement is pre-marked using purl stitches.
End on the WS.



SIZE 2

KNITTING BEAUTY OF PROCESS HANDCRAFT
GREY LEVEL
INNER PEACE



RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull.
A double stitch is created.

Work on the RS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull.
A double stitch is created.

Part. 4 Left Front Panel

Part. 4 - 1 Welt

Step 1: Using 4mm needles, pick up **40(42)44(46)** stitches from the RS of the left shoulder edge of Part. 1.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **40(42)44(46)** stitches with 4mm needles from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.



Part. 4 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work according to the chart instructions for **Part. 4 - 2**.
This part of the chart includes a section where the pocket's placement is pre-marked using purl stitches.
End on the WS.



SIZE 3

KNITTING BEAUTY OF PROCESS HANDCRAFT
GREY LEVEL
INNER PEACE



RS: Knit
WS: Purl

RS: Purl
WS: Knit

Backward loop cast-on

K2tog

K3tog

SSK

SSSK

no stitch

Cast off

Work on the WS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull.
A double stitch is created.

Work on the RS up to the stitch marked with the symbol.
Turn work. Bring the yarn to the front.
Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull.
A double stitch is created.

Part. 4 Left Front Panel

Part. 4 - 1 Welt

Step 1: Using 4mm needles, pick up **40(42)44(46)** stitches from the RS of the left shoulder edge of Part. 1.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **40(42)44(46)** stitches with 4mm needles from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.



Part. 4 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work according to the chart instructions for **Part. 4 - 2**.
This part of the chart includes a section where the pocket's placement is pre-marked using purl stitches.
End on the WS.



SIZE 4

KNITTING
HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



Part. 4 왼쪽 가슴판

Part. 4 - 3

Begin at the odd row on the RS. **Knit 64(66)68(70) rows in stockinette stitch flat.**
End on the WS.
Part. 4 - 2 ~ Part. 4 - 3 / Completed a total of 152(158)164(170) rows.

Part. 4 - 4

Begin at the odd row on the RS. Work according to the chart instructions for **Part. 4 - 4**.
End on the WS. Place all stitches on hold. Cut the yarn.
Part. 4 - 2 ~ Part. 4 - 4 / Completed a total of 184(190)196(202) rows.

RS: Knit WS: Purl	K3tog	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	SSK	
Backward loop cast-on	SSSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
K2tog	no stitch	
	Cast off	



SIZE 1(2)3(4)



Part. 5 Pocket

Part. 5 - 1 top edge of the pocket

Using 3.75 mm needles.

Using the Judy's Magic Cast On technique, cast on 32 stitches on each needle, making a total of **64 stitches**. The row in which the stitches are cast on is counted as Row 1.



Turn both needles half a turn to the right.



RS: Knit WS: Purl	K3tog	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	SSK	
Backward loop cast-on	SSSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
K2tog	no stitch	
	Cast off	



Step 1: RS 0.5 row

Slip off the lower needle and knit all 32 stitches on the upper needle.



There are 32 stitches on the right needle, and 32 stitches held on the cable below.



Turn the right needle half a turn to the right and then hold it in the left hand.



Step 2: WS 0.5 row

Slip off the lower needle and knit all 32 stitches on the upper needle.



There are 32 stitches on the right needle, and 32 stitches held on the cable below.



Turn the right needle half a turn to the right and then hold itin the left hand.



Push the upper needle into the stitches.



This part counts '1 row' as a combination of one RS 0.5 row and one WS 0.5 row.

Repeat 'Step 1 ~ Step 2' **once more**. Change to **4mm needles.**
Repeat 'Step 1 ~ Step 2' **7 more** times
to create a total of 10 rows(Include the cast-on row) of double knitting fabric.
Work on the RS, K2tog across all 32 stitches on each of the two needles held side by side to the end of the row.
(This is row 11 on the chart below.)

Part. 5 - 2 Pocket bottom

Begin working from **row 12(WS)** of the chart following the chart instructions.
Place all stitches on hold. Cut the yarn.





Part. 5 - 3 Join the pocket to the left front panel.

Using 3.75 mm needles. Work according to the pocket placement marked by purl stitches in Part 4.
Pick up **106 stitches** by inserting the needle through the edge stitches of the pocket and the purl stitches on the left front panel together. Cut the yarn.
The 106 stitches picked up in this way are called the 'set-up row'.
Following the adjacent diagram, cast on 3 stitches using the backward loop cast-on in front of the set-up row stitches.



Work the 3-stitch i-cord in the same order as the stitches were picked up.

Step 1: 2K, K2tog tbl(The last stitch on the right needle + one stitch from the set-up row.)
Step 2: Move all stitches onto the left needle.
Repeat 'Step 1 ~Step 2' until all stitches from the set-up row are used up.

Cast off all stitches on the inside (WS) of the i-cord.



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 6 Right Sleeve

Part. 6 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 6 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 58(51)56(59) stitches onto the right needle.
From the **59(52)57(60)th** stitch,
work following the chart instructions of **Part. 6 - 2A** and **Part. 6 - 2B**.



SIZE 1

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 24th stitch of row 103,
then place all 24 stitches on the right needle onto a stitch holder.

Work 8 KFB stitches starting from the 25th stitch.
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
(There are a total of 32 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)



Slip all the stitches held on the stitch holder in Part. 6 - 2A onto the needle.
Begin at the even row on the WS.

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 6 Right Sleeve

Part. 6 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 6 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 58(51)56(59) stitches onto the right needle.
From the **59(52)57(60)th** stitch,
work following the chart instructions of **Part. 6 - 2A** and **Part. 6 - 2B**.



SIZE 2

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 24th stitch of row 105,
then place all 24 stitches on the right needle onto a stitch holder.

Work 8 KFB stitches starting from the 25th stitch.
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
(There are a total of 32 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)



Slip all the stitches held on the stitch holder in Part. 6 - 2A onto the needle.
Begin at the even row on the WS.

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)

KNITTING HANDCRAFT BEAUTY OF PROCESS GREY LEVEL INNER PEACE



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 6 Right Sleeve

Part. 6 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 6 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 58(51)56(59) stitches onto the right needle.
From the **59(52)57(60)th** stitch,
work following the chart instructions of **Part. 6 - 2A** and **Part. 6 - 2B**.



SIZE 3

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 26th stitch of row 107,
then place all 26 stitches on the right needle onto a stitch holder.

Work 8 KFB stitches starting from the 27th stitch.
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
(There are a total of 34 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)



Slip all the stitches held on the stitch holder in Part. 6 - 2A onto the needle.
Begin at the even row on the WS.

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)

KNITTING HANDCRAFT BEAUTY OF PROCESS GREY LEVEL INNER PEACE



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn once counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 6 Right Sleeve

Part. 6 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 6 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 58(51)56(59) stitches onto the right needle.
From the **59(52)57(60)th** stitch,
work following the chart instructions of **Part. 6 - 2A** and **Part. 6 - 2B**.



SIZE 4

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 28th stitch of row 109,
then place all 28 stitches on the right needle onto a stitch holder.

Work 8 KFB stitches starting from the 29th stitch.
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
(There are a total of 36 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)



Slip all the stitches held on the stitch holder in Part. 6 - 2A onto the needle.
Begin at the even row on the WS.

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)

KNITTING HANDCRAFT BEAUTY OF PROCESS GREY LEVEL INNER PEACE



RS: Knit WS: Purl	Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
RS: Purl WS: Knit	
Backward loop cast-on	
K2tog	
SSK	Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.
Slip (knitwise)	
Slip(purlwise)	
no stitch	

Part. 7 Left Sleeve

Part. 7 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 7 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 43(43)43(44) stitches onto the right needle.
From the **44(44)44(45)th** stitch,
work following the chart instructions of **Part. 7 - 2A** and **Part. 7 - 2B**.

KFB Knit Front Back : Knit into the front of the stitch,
then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 54th stitch of row 103. (Includes 8 KFB stitches.)
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
Slip the remaining 24 stitches on the left needle onto a stitch holder.
(There are a total of 32 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)



SIZE 1



Slip all the stitches held on the stitch holder in Part. 7 - 2A onto the needle.
Begin at the odd row on the RS.
Slip 8(8)8(8) stitches onto the right needle.
Begin working from the **9(9)9(9)th** stitch.

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 7 Left Sleeve

Part. 7 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 7 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 43(43)43(44) stitches onto the right needle.
From the **44(44)44(45)th** stitch,
work following the chart instructions of **Part. 7 - 2A** and **Part. 7 - 2B**.

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 54th stitch of row 105. (Includes 8 KFB stitches.)
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
Slip the remaining 25 stitches on the left needle onto a stitch holder.
(There are a total of 33 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)



SIZE 2



Slip all the stitches held on the stitch holder in Part. 7 - 2A onto the needle.
Begin at the odd row on the RS.
Slip 8(8)8(8) stitches onto the right needle.
Begin working from the **9(9)9(9)th** stitch.

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)

KNITTING HANDCRAFT BEAUTY OF PROCESS GREY LEVEL INNER PEACE



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 7 Left Sleeve

Part. 7 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 7 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 43(43)43(44) stitches onto the right needle.
From the **44(44)44(45)th** stitch,
work following the chart instructions of **Part. 7 - 2A** and **Part. 7 - 2B**.

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 56th stitch of row 107. (Includes 8 KFB stitches.)
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
Slip the remaining 27 stitches on the left needle onto a stitch holder.
(There are a total of 35 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)



SIZE 3



Slip all the stitches held on the stitch holder in Part. 7 - 2A onto the needle.
Begin at the odd row on the RS.
Slip 8(8)8(8) stitches onto the right needle.
Begin working from the **9(9)9(9)th** stitch.

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)

KNITTING BEAUTY OF PROCESS GREY LEVEL HANDCRAFT INNER PEACE



- RS: Knit / WS: Purl
- RS: Purl / WS: Knit
- Backward loop cast-on
- K2tog
- SSK
- Slip (knitwise)
- Slip(purlwise)
- no stitch
- Work on the WS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needle to right needle. Wrap the yarn counterclockwise and gently pull. A double stitch is created.
- Work on the RS up to the stitch marked with the symbol. Turn work. Bring the yarn to the front. Slip one stitch purlwise from left needl to right needle. Wrap the yarn once counterclockwise and bring it back to the front and gently pull. A double stitch is created.

Part. 7 Left Sleeve

Part. 7 - 1 Welt

Step 1: Using 4mm needles.
Following the adjacent diagram, on the RS,
along the armhole line edge stitches or rows,
evenly pick up a total of **120(124)128(132)** stitches
by repeating 'pick up 2~3 sts, skip 1 stitch'.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **120(124)128(132)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.





Part. 7 - 2

After completing the welt, turn the work. Begin at the odd row on the RS.
Work flat, as with the back panel and front panel.
Slip 43(43)43(44) stitches onto the right needle.
From the **44(44)44(45)th** stitch,
work following the chart instructions of **Part. 7 - 2A** and **Part. 7 - 2B**.

KFB Knit Front Back : Knit into the front of the stitch, then without slipping it off the needle, knit into the back loop of the same stitch.

Work to the 58th stitch of row 109. (Includes 8 KFB stitches.)
Slip **only the stitches created by knitting into the back loop during the KFB** onto a stitch holder and place them on hold.
Slip the remaining 28 stitches on the left needle onto a stitch holder.
(There are a total of 36 stitches held on the stitch holder.)

Finish working the last row of the chart, then cast off. Cut the yarn.
(SSSK for the last three stitches when casting off.)





Slip all the stitches held on the stitch holder in Part. 7 - 2A onto the needle.
Begin at the odd row on the RS.
Slip 8(8)8(8) stitches onto the right needle.
Begin working from the **9(9)9(9)th** stitch.

Finish working the last row of the chart, then cast off. Cut the yarn.
(K3tog for the first three stitches when casting off.)

SIZE 4

KNITTING BEAUTY OF PROCESS HANDCRAFT
GREY LEVEL
INNER PEACE



Part. 8 Joining side seams

Join from the sleeve edge, passing through the underarm to the side seam. (It is also acceptable to start at the side seam and finish at the sleeve edge.)
Use the seaming/joining method you are most comfortable with.

Part. 9, 10 Cuffs

Part. 9 - 1, Part. 10 - 1 Welt

Step 1: Using 4mm needles. Begin at the odd row on the RS. Pick up stitches for the cuff along the edge of the sleeve. Pick up one stitch per stitch, a total of **64(64)68(68)** stitches.
(The total number excludes 2 stitches used as seam allowance in Part. 8)
Purl across the entire row. Knit across the entire row. Purl across the entire row. Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **64(64)68(68)** stitches with 4mm needles from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.

Part. 9 - 2, Part. 10 - 2 Cuffs

Using 4mm needles.

The 64(64)68(68) stitches after completing the welt are called the 'set-up row'.

Following the adjacent diagram, cast on 27 stitches using the **Tubular Cast On** method in front of the set-up row stitches.



Work the cuff in double knitting, making buttonholes according to the instructions below

This part counts **'1 row'**
as a combination of one RS 0.5 row and one WS 0.5 row.

RS 0.5row : (K, Slwyif) x 13, K2tog tbl, TW
WS 0.5row : (Slwyif, K) x 13, Slwyif, TW
*Slwyif : Bring the yarn to the front, slip the stitch purlwise.
*K2tog tbl : Two stitches together through the back loop.
(The last stitch on the right needle +
one stitch from the set-up row.)
*TW : Turn work

2-Row Buttonhole



① (K, Slwyif) x 7, TW
② (K, Slwyif) x 7, TW
③ (K, Slwyif) x 7, Cut the yarn
④ With new yarn, (K, Slwyif) x 6, K2tog tbl, TW
⑤ (Slwyif, K) x 6, Slwyif, TW
⑥ (K, Slwyif) x 6, K2tog tbl, TW
⑦ (Slwyif, K) x 13, Slwyif, TW

***Last row**
After completing the RS 0.5 row,do not work the WS 0.5 row. Cut the yarn. Instead, transfer all stitches to the left needle and bind off using Italian Bind Off with a new yarn.



SIZE 1(2)3(4)

KNITTING BEAUTY OF PROCESS GREY LEVEL HANDCRAFT INNER PEACE



Part. 11 Buttonband of the right front panel

Part. 11 - 1 Welt

Step 1: Using 4mm needles. Following the adjacent diagram, on the right front panel's RS,
Repeat picking up 4 stitches every 5 rows until a total of **128(132)138(143)** stitches are picked up.
(Pick up 1 sts per row x 4, Skip 1 row)
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **128(132)138(143)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.



Part. 11 - 2 Buttonband

Using 3.75 mm needles.

The 128(132)138(143) stitches after completing the welt
are called the 'set-up row'.

Following the adjacent diagram, cast on 13 stitches
using the **backward loop cast-on**
in front of the set-up row stitches.
(not tubular cast-on)



Work the double-knit buttonband from the bottom of the shirt to the top,
making buttonholes according to the instructions below.

This part counts **'1 row'**
as a combination of one RS 0.5 row and one WS 0.5 row.



RS 0.5row : (K, Slwyif) x 6, K2tog tbl, TW
WS 0.5row : (Slwyif, K) x 6, Slwyif, TW

*Slwyif : Bring the yarn to the front, slip the stitch purlwise.
*K2tog tbl : Two stitches together through the back loop.
(The last stitch on the right needle +
one stitch from the set-up row.)
*TW : Turn work

2-Row Buttonhole



① (K, Slwyif) x 3, TW
② (K, Slwyif) x 3, TW
③ (K, Slwyif) x 3, Cut the yarn
④ With new yarn, (K, Slwyif) x 3, K2tog tbl, TW
⑤ (Slwyif, K) x 3, Slwyif, TW
⑥ (K, Slwyif) x 3, K2tog tbl, TW
⑦ (Slwyif, K) x 6, Slwyif, TW



SIZE 1(2)



SIZE 3(4)



Part. 12 Buttonband of the left front panel

Part. 12 - 1 Welt

Step 1: Using 4mm needles. Following the adjacent diagram, on the left front panel's RS,
Repeat picking up 4 stitches every 5 rows until a total of **128(132)138(143)** stitches are picked up.
(Pick up 1 sts per row x 4, Skip 1 row)
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **128(132)138(143)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches
from Step 1 and Step 2.



Part. 12 - 2 Buttonband

Using 3.75 mm needles.

The 128(132)138(143) stitches after completing the welt
are called the 'set-up row'.

Following the adjacent diagram, cast on 13 stitches
using the **backward loop cast-on**
in front of the set-up row stitches.
(not tubular cast-on)



Work the double-knit buttonband from the top of the shirt to the bottom,
according to the instructions below.

RS 0.5row : (K, Slwyif) x 6, K2tog tbl, TW
WS 0.5row : (Slwyif, K) x 6, Slwyif, TW



SIZE 1(2)3(4)

KNITTING HANDCRAFT BEAUTY OF PROCESS GREY LEVEL INNER PEACE

Part. 13 Neckband and collar

Part. 13 - 1 Welt

Step 1: Slip 7 sts from the top of the right front panel button band onto a needle.
Following the adjacent diagram, on the RS, along the neck line edge stitches or rows,
evenly pick up a total of **90(98)105(112)** stitches. There are a total of **97(105)112(119)** stitches on the needle.
Purl across the entire row. Knit across the entire row. Purl across the entire row.
Place all stitches on hold. Cut the yarn.
Step 2: Work on the WS. Pick up **97(105)112(119)** stitches with 4mm needles
from the seam created in Step 1. Purl across the entire row.
Step 3: Work on the WS. Work P2tog across the entire row incorporating the stitches from Step 1 and Step 2.

Part. 13 - 2 Neckband

Using 3.75 mm needles.

The 97(105)112(119) stitches after completing the welt are called the 'set-up row'.
Following the adjacent diagram, cast on 9 stitches using the **Tubular Cast On** method
in front of the set-up row stitches. Work the double-knit neckband,
increasing and decreasing stitches and making buttonholes according to the instructions below.

①RS: (K, Slwyif) x 4, K2tog tbl, TW
②WS: (Slwyif, K) x 4, Slwyif, TW
③RS: (K, Slwyif) x 4, K2tog tbl, TW
④WS: (Slwyif, K) x 4, Slwyif, TW
⑤RS: K, Slwyif, M1L, (K, Slwyif) x 3, K2tog tbl, TW
⑥WS: (Slwyif, K) x 3, Slwyif, M1R, Slwyif, K, Slwyif, TW
⑦RS: (K, Slwyif) x 3, TW
⑧WS: (K, Slwyif) x 3, TW
⑨RS :K, Slwyif, M1L, K, Slwyif, K, Slwyif, Cut the yarn.
⑩RS: With new yarn, (K, Slwyif) x 2, K2tog tbl, TW
⑪WS: (Slwyif, K) x 2, Slwyif, TW
⑫RS: (K, Slwyif) x 2, K2tog tbl, TW
⑬WS: (Slwyif, K) x 4, Slwyif, M1R, Slwyif, K, Slwyif



This part counts **'1 row'**
as a combination of one RS 0.5 row
and one WS 0.5 row.



*Slwyif : Bring the yarn to the front, slip the stitch purlwise.
*K2tog tbl : Two stitches together through the back loop.
(The last stitch on the right needle + one stitch from the set-up row.)
*TW : Turn work
*LHN : Left hand needle

After completing ⑬ above, repeat this ①,②
until 5 stitches remain on the set-up row.
①RS 0.5row : (K, Slwyif) x 6, K2tog tbl, TW
②WS 0.5row : (Slwyif, K) x 6, Slwyif, TW

Using the remaining 5 stitches from the set-up row, work according to the instructions below.
①RS: K, Slwyif, Rearrange 4 sts on the LHN(P P K K), SSK, Sl2wyif, (K, Slwyif) x 3, K2tog tbl, TW
②WS: (Slwyif, K) x 3, Slwyif, k2tog, Slwyif, K, Slwyif, TW
③RS: (K, Slwyif) x 5, K2tog tbl, TW
④WS: (Slwyif, K) x 5, Slwyif, TW
⑤RS: K, Slwyif, Rearrange 4 sts on the LHN(P P K K), SSK, Sl2wyif, (K, Slwyif) x 2, K2tog tbl, TW
⑥WS: (Slwyif, K) x 2, Slwyif, k2tog, Slwyif, K, Slwyif, TW
⑦RS: (K, Slwyif) x 4, K3tog tbl(Use the last 2 sts of the set-up row), Slip all stitches to the LHN, Cut the yarn.
⑧RS : Italian Bind Off with a new yarn.

Part. 13 - 3 Collar

Using 3.75 mm needles.
On the WS, pick up stitches along the neckband edge following the adjacent diagram on every row.



***Pick up stitches simultaneously on both needles following the adjacent diagram.**



After picking up the last stitch, use the backward loop cast-on on the needle positioned at the back to create one more stitch.
This is to balance the stitch count on both needles.

Using 3.75 mm needles. Work the collar in the round.
Begin knitting from the stitches positioned on the RS side of the neckband.
Place the main marker, knit all stitches on the RS side of the neckband,
place the marker 2, knit all stitches on the WS side of the neckband.

The circular knitting setup is complete. Now, work following the instructions below.
Step 1: Slip the main marker, K to marker 2, slip marker 2, K to the main marker.
Step 2: Slip the main marker, K2, M1L, K until two stitches remain before marker 2,
M1R, K2, slip marker 2, K2, M1L, K until two stitches remain before main marker , M1R, K2
Step 3: Slip the main marker, K to marker 2, slip marker 2, K to the main marker.
Repeat 'Step 1 ~ Step 3' **4 more times** (a total of 5 times).

Purl all stitches located on the WS side of the neckband on the inside of the circular work where
the purl stitches are visible (from the main marker to marker 2).
Turn the work to show the WS side of the neckband. Graft the collar to finish.



Part. 14 I-cord edging at the shirt hem

Using 3.75 mm needles.
Start picking up stitches from the RS side at the bottom of the left front panel.
The row difference occurring during this process can be disregarded.

① Move all the stitches of the button band onto the right needle. With new yarn, pick up 2 sts from the welt.
② K all the stitches on the holder.
③ Pick up one stitch per row. At the vertex where the front and back panels of the shirt meet, skip one row.
④ K all the stitches on the holder.
⑤ Pick up one stitch per row. At the vertex where the front and back panels of the shirt meet, skip one row.
⑥ K all the stitches on the holder.
⑦ Pick up 2 sts from the welt, Pick up 7 sts from the button band.
Cut the yarn. The stitches picked up in this way are called the 'set-up row'.
Following the adjacent diagram, cast on 3 stitches
using the **backward loop cast-on** in front of the set-up row stitches.



Using 3.75 mm needles. Work the 3-stitch i-cord in the same order as the stitches were picked up.

Step 1: 2K, K2tog tbl(The last stitch on the right needle + one stitch from the set-up row.)
Step 2: Move all stitches onto the left needle.
Repeat 'Step 1 ~Step 2' until all stitches from the set-up row are used up.

Cast off all stitches on the inside (WS) of the i-cord.

KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE

Blocking Guide

After washing the finished 'Melting Shirt', block it by pinning it on a blocking mat.
Since the yarn used is prone to felting, machine spinning for water removal is not recommended.

Mohair garments have a tendency to stretch excessively when wet.
During blocking, rather than leaving the garment stretched, make sure to shape it to match the dimensions indicated in the pattern's size chart.
Shape the garment by gently gathering its various sections, similar to scooping sand, and adjust it to match the dimensions specified in the size chart.

Areas with many details and important shapes—like the collar, wrist cuffs, pockets,
and the i-cord at the hem—are greatly influenced by how you shape them during blocking.
Therefore, it's best to pin these parts firmly to hold their shape.

Once the shirt is fully dry,
attach the buttons to complete the garment.



KNITTING HANDCRAFT
BEAUTY OF PROCESS
GREY LEVEL
INNER PEACE