PCB DOCUMENTATION

CUSTOMER: BLUES

PROJECT: SWAN-C_V4

FAE CODE: 2021-0248

DATE: 13/09/2021


VUSB
VBAT
GND
EN
TX2
RX2
D13
RTS2
D12
CTS2
D11
TX3
D10
RX3
D9
RTS3
D8
CTS3
D7
D6
SCL
D5
SDA
SCL2
QI3
SDA2
QI2
QEN
QI1
QCS
QI0
QCLK
RST
3V3
VIN
GND
A0
D0
A1
D1
A2
D2
A3
D3
A4
D4
A5
GND
A6
SCK
A7
MO
D14
SI
D15
MI
RX
SO
TX
CS
SCL3
RTS
SDA3
CTS
RX0
TX0
SWAN CARRIER 1.6


Z
Y
X


X
Y
Z


RST
3V3
GND
VIN
D0
A0
D1
A1
D2
A2
D3
A3
D4
A4
GND
A5
SCK
A6
MOSI
A7
MISO
D14
CS
D15
RTS
RX
CTS
TX
RX0
SCL3
TX0
SDA3
VUSB
GND
VBAT
EN
RX2
TX2
RTS2
D13
CTS2
D12
TX3
D11
RX3
D10
RTS3
D9
CTS3
D8
D6
D7
D5
SCL
SCL2
SDA
SDA2
QIO3
QEN
QIO2
QCS
QIO1
QCLK
QIO0
SWAN CARRIER 1.6


20210248-V4





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name	SWAN	Board name	SWAN CARRIER
Designer	G. Boschini	Approved	M.Gregis
Project Code	2021-0248	Customer	BLUES
Internal Code	-	Code	-

Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy
Mail: info@fae.technology Tel: +39 035738130

Rev.	Size Page	Scale	Data
4	A3	1:1	13/09/2021





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1
			Data: 13/09/2021





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1 / Data: 13/09/2021





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1
			Data: 13/09/2021





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Rev.: 4	Size Page: A3	Scale: 1:1	Data: 13/09/2021

Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy
Mail: info@fae.technology Tel: +39 035738130





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1 / Data: 13/09/2021



DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1 / Data: 13/09/2021





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1 / Data: 13/09/2021





DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy Mail: info@fae.technology Tel: +39 035738130	Rev.: 4	Size Page: A3	Scale: 1:1 / Data: 13/09/2021

Put PCB data code and/or manufacturer logo

on BOTTOM side



DRILL CHART: TOP to BOTTOM

ALL UNITS ARE IN MILLIMETERS

FIGURE	FINISHED SIZE	TOLERANCE	TYPE	QTY
·	0.254	+0.075/-0.075	PLATED	10
□	1.0	+0.075/-0.075	PLATED	64
⬡	2.54	+0.075/-0.075	NON-PLATED	4



DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.624 MM

TOP and BOTTOM thickness layer shown in the image above contains +20um (from IPC-A-600 Class 2) of plating

IMPEDANCE CONTROL TABLE

LAYER	TRACE [MM]	SPACING [MM]	IMPEDANCE SINGLE-ENDED	IMPEDANCE DIFFERENTIAL	TOLLERANCE

MANUFACTURING SPECIFICATIONS

BOARD SIZE (XxYxZ)	55x45x1.6mm	IPC-6012 - IPC-A-600	CLASS 2
BOARD TOLLERANCE (X|Y|Z)	+-/0.2 | +/-0.2 | +/-10%	E-TESTING	YES
NO.OF LAYERS	2	UL-MARKING	YES
BASE COPPER OUTSIDE	18um	MICROVIA (hole < 100um)	NO
BASE COPPER INSIDE	-	BLIND VIA	NO
FINISH	HAL	BURIED VIA	NO
SOLDER COLOR	MATTE BLACK	VIA FILL/VIA IN PAD	NO
SILKSCREEN COLOR	WHITE	MIN. VIA SIZE	0.254mm
DIELECTRIC MATERIAL	FR4-TG150	MIN.TRACE SPACING	0.2mm
IMPEDANCE CONTROL	NO	OUTER LAYER MIN.TRACE WIDTH	0.2mm
CTI	175V	INNER LAYER MIN.TRACE WIDTH	-

FAE TECHNOLOGY

Project name: SWAN			Board name: SWAN CARRIER
Designer: G. Boschini			Approved: M.Gregis
Project Code: 2021-0248			Customer: BLUES
Internal Code: -			Code: -
Rev.: 4	Size Page: A3	Scale: 1:1	Data: 13/09/2021

Via C. Battisti 136, 24025, Gazzaniga (Bg), Italy
Mail: info@fae.technology Tel: +39 035738130