

Alin's Notebook

No. 0001 — October 2027

Copyright © 2026 Alin Catalin Tanase

Education, Fun and Culture		
1. News	15. Ski Resorts, Ice and Roller Rinks	29. Stand-up Comedy
2. Amusement and Theme Parks	16. Resorts, Spas and Public Swimming Pools	30. Sudoku and Crosswords
3. Chess Puzzle	17. Guided Tours	31. Gaming Lounges
4. National and City Parks	18. Theaters	32. Animal Shelters
5. Hiking Trails	19. Aquariums and Dolphinariums	33. Public Libraries
6. Natural Monuments and Landmarks	20. Magic and Mentalism Shows	34. Museums and Exhibitions
7. Religious and Historical Buildings	21. Bowling Alleys and Billiards	35. Art Galleries
8. Botanical Gardens	22. Book Fairs	36. Operas, Ballet and Philharmonics
9. Zoological Parks	23. Dancing Tutorials and Classes	37. Planetariums and Observatories
10. Karting Circuits	24. Fashion Festivals and Events	38. Aviation Exhibitions and Air Shows
11. Golf and Country Clubs	25. Cabaret Shows	39. Online Databases
12. Sports Events Calendar	26. Cinemas. Television and Radio	41. Public Holidays
13. Cycling and Jogging	27. Concerts Calendar	42. First Aid and Survival
14. Rafting, Boating and Yachting	28. Circus Shows Calendar	43. Emergencies, Helplines and Prefixes
Transport and Accommodation		
44. Risk, Incompetence and Corruption	54. Packing and Shipping Services	64. Animal Grooming and Accommodation
45. Disasters and Pollution	55. Pest Control Services (Fumigation)	65. Barbers, Hairdressers and Hairstylists
46. Weather and Climate	56. Luggage Storage	66. Laundromats and Cleaning Services
47. Tides and Currents	57. Free Wi-fi	67. Restaurants and Guesthouses
48. Time Zones	58. Auto Workshops	68. Bakeries, Pastries, and Confectioneries
49. eSIM/SIM PrePay Cards	59. Public Toilets and Free Drinking Water	69. Gym and Fitness Centers
50. Traffic Info	60. Hospitals and Clinics	70. Mountain Lodges, Huts and Shelters
51. Public Transport	61. Pharmacies	71. Stud farms
52. Car Washes	62. Kindergartens, Nurseries and Afterschools	72. Where To Travel ?
53. Distance Table	63. Nannies and Babysitters	73. International Telegrams
Business		
74. Environmental Organizations	84. Auctions and Tenders	94. VAT and Local Money
75. Natural Resources and Energy	85. Copy Centers	95. Charitable Organizations and Volunteering
76. Economic Statistics	86. Banking and Insurance	96. Food Waste Prevention
77. International Institutions	87. Classic Cars	97. Assistance and Aid for Students
78. Regional Institutions	88. Plant Protection Organizations	98. Designers, Tailors, and Shoemakers
79. European Institutions	89. Animal Protection Organizations	99. Lapidaries and Jewelers
80. Local Institutions	90. Consumer Protection Organizations	100. Craftsmen and Janitors
81. Trade Shows and Conventions	91. Agriculture and Rural Institutions	101. Electronics and Home Appliance Repair
82. Flea and Street Markets	92. Business Registers	102. Associations and Trade Unions
83. Guides and Tutorials	93. Architects	103. Products Catalog

If I get sick and if i don't finish my work, please continue so that all people in the world have a chance to escape poverty without wasting finite resources.

Chess Puzzle

Fide Handbooks <https://handbook.fide.com/>Tournaments <https://chess-results.com>Online Chess **Spotting online cheaters is tough. Just head to your local park and play chess with friends.**

Chess Puzzle 0001 (White Moves Next)

8								
7								
6								
5								
4								
3								
2								
1								
	A	B	C	D	E	F	G	H

Chess Puzzle Solution 0001 in Alin's Notebook No. 0002

Send a nickname, optional your federation, a puzzle and a solution to our email address: [alinsnotebookchess \[at \] gmail.com](mailto:alinsnotebookchess@gmail.com)

If the chess puzzle and solution are interesting, we will publish them in one of the future editions of Salonului 9 magazine.

Public Holidays	
January 1	New Year's Day
January 2	Day after New Year's Day
January 6	Romanian Orthodox Church Calendar - Baptism of Jesus - Boboteaza
January 7	Romanian Orthodox Church Calendar - Synaxis of Saint John the Baptist
January 24	Union of the Romanian Principalities
-	Romanian Orthodox Church Calendar - Good Friday - The Last Day of Friday Before Easter
-	Romanian Orthodox Church Calendar - First and Second Day of Easter (Sunday and Monday)
May 1	Labor Day
June 1	Children's Day
-	Romanian Orthodox Church Calendar - First and Second Day after Pentecost (Sunday and Monday)
-	Romanian Orthodox Church Calendar - Assumption of Mary
November 24	Romanian Orthodox Church Calendar - Saint Andrew's Day
December 1	National Day of Romania
December 25 and 26	Romanian Orthodox Church Calendar - First and Second Day of Christmas

Romania's public holidays are established in accordance with **Romanian Law No. 53 of January 24, 2003, Title III, Article 134(1)**

Romania's Official Gazette No. 345, May 18, 2011 (monitoruloficial.ro)

You can find the Romanian Orthodox Church Calendar at the web address calendar.patriarhia.ro

Note: Romanian banks are closed on public holidays

First Aid and Survival	
Man-Made Disasters	Natural Disasters

VAT and Local Money	
Banknotes	In circulation - 1 leu, 5 lei, 10 lei, 20 lei, 50 lei, 100 lei, 200 lei
Coins	In circulation - 1 ban, 5 bani, 10 bani, 50 lei, 50 bani
VAT	Standard Rate 21% (Reduced Rate 11%, 9%)

Romania's VAT rates are established in accordance with Romanian Law No. 141 of July 25, 2025, Article II (42)

Romania's Official Gazette No. 699, July 25, 2025 (monitoruloficial.ro)

Products

Note: If you don't understand this catalog without seeing pictures, it's not for you.

Note: Your company must be authorized to buy products and animals. (We do not accept requests from speculators)

Note: Supplier must allow clients to order samples before they decide to order large quantities.

Note: The catalog is based on the Harmonized System (HS).

Tomorrow probably a new animal species will be found in some forest on Earth or on another planet, a law will be voted or it will be abolished or a new technology or standard will be invented.

Each country has it's own standards and laws.

It's like an "open world game". it's impossible to add all products, plants and animals in our catalog.

Please send your technical specs / quality parameters for all products you need.

You might say: "I want a duck, HS code 010513 !" Then we will ask: "What kind of duck ?" You will need to provide all the parameters — color, weight, breed, size, age, and so on. If you don't know the HS code for your product, we will help you find it.

1. Water

Notes:
INFO FOR SUPPLIERS:
Documents :
Suppliers must have accredited laboratory test results as proof of safety issued by authorized government agencies for all products. (Private laboratory test results are not accepted. If the products are poisoned intentionally, it's an act of war !)
Suppliers for these products must be authorized by food safety organizations, they must have proof of HACCP plan or HACCP accredited certificate
Packaging and Storage:
The products must be packaged according to food safety standards in recyclable or biodegradable food grade packaging
Frozen* means between -20 and -18° C, Cold* means between 2 and 4° C, Cool* means between 8 and 15° C, Room temperature* means between 15 and 20° C
The relative humidity (RH) must be under or equal to maximum allowed by exporter-importer governments, the products must be transported and stored according to manufacturer's instructions
Before we sign a contract and send you the PET, Carton or Glass bottles, we will request proof that you can recycle. The garbage should not end up in the ocean or landfills. If you own a boat, yacht, cruise or other marine vessel send proof you can collect and sort the plastic, carton and glass at sea.
At this moment in time, according to Romanian government decision no. 1074/2021 all S.G.R. packaging has a 0.5 RON tax, when we send the products from Romania or from other countries that have a similar tax to your company, you have to bear the cost of this tax. It's a tax that importers-buyers can not recover. (e.g. You can not send back on the territory of Romania waste to recover this tax, it is forbidden by law. This type of tax is also in Germany, U.S.A. and other countries.). All taxes and costs are supported by the client.
Note: According to Section 3.1.3, CXS 108-1981, the transport of natural mineral waters in bulk containers for packaging or for any other process before packaging is prohibited.
INFO FOR CLIENTS:
Instructions :
You must send brand name, package colors, design, text, type of water and any other useful info.
Bottled Water
220110 – Bottled Mineral Water
220110-0001 - Naturally carbonated natural mineral water (with natural CO2 from source)

220110-0002 - Natural mineral water fortified with carbon dioxide from the source (with artificially added CO2 from source)
220110-0003 - Non-carbonated natural mineral water (with no CO2)
220110-0004 - Decarbonated natural mineral water (with artificially removed CO2)
220110-0005 - Carbonated spring water (with artificially added food-grade CO2 from another origin)

2. Peat, Humus and Organic Fertilizers

Notes:
INFO FOR SUPPLIERS:
Location: Peat must be obtain from authorized bogs.
Health and Safety : Note: We do not accept suppliers from regions with disease outbreaks. (That means if you have diseases like Covid, Ebola virus, Swine flu, Mad Cow disease in your region we will not accept any meat or animal origin products from your company, even if your government tells us there is no problem, we must verify.) The products must not be extracted from animal or human <u>cemeteries</u> . The manure will not be sanitized (heat treatment of at least 70°C for min. 1 hour). Note: Manure is a animal by-product, it must comply with EU and national legislation of each country, even in transit. (e.g. Regulation (EU) 2019/1009)
Transport: We have to figure out a way to send to you. Mostly farmers have the logistics to transport manure. Manure contains impurities, farmers will not waste energy to remove them. These products are considered bio weapons , it's going to be very difficult to export. Exporting - importing meat and animal byproducts is very complex. e.g. Only a few countries are allowed to import meat and animal byproducts inside the EU Some countries can refuse the manure without any justification. Verify if your country allows manure to be imported.
Documents: Suppliers must send all documents, technical dossier, datasheets, inspection certificates, intellectual property documents, how to and where to use instruction manuals, products origin, warranty, declarations of conformity and so on. Quantity of peat and humus must be according to EN 12580.
INFO FOR CLIENTS:
Instructions : As client you will have to pay for mandatory microbiological and chemical laboratory analysis.
Soil
270300 - Peat (including peat litter), whether or not agglomerated
270300-0001 - ISO 8157 + ISO 14688-1 – Fresh Moldy Odour – Fibrous – Peat - Very Organic – Black - Fibrous structure, easily recognizable plant structure, retains some strength
270300-0002 - ISO 8157 + ISO 14688-1 – Fresh Moldy Odour – Pseudo-Fibrous - Peat - Very Organic – Black - Mixture of fibres and amorphous paste
270300-0003 - ISO 8157 + ISO 14688-1 – Fresh Moldy Odour – Amorphous - Peat - Very Organic – Black - No visible plant structure, mushy consistency
Organic Fertilizers
310100 - Fertilizers, animal or vegetable; whether or not mixed together; fertilizers, produced by the mixing or chemical treatment of animal or vegetable products
310100-0001 - Horse manure (Equus caballus)
310100-0002 - Donkey manure (Equus asinus)
310100-0003 - Sheep manure (Ovis aries)
310100-0004 - Goat manure (Capra hircus)
310100-0005 - Pig manure (Sus domesticus)

310100-0006 - Chicken manure (<i>Gallus domesticus</i>)
310100-0007 - Turkey manure (<i>Meleagris gallopavo</i>)
310100-0008 - Goose manure (<i>Anser domesticus</i>)
310100-0009 - Mallard duck manure (<i>Anas platyrhynchos</i>)
310100-0010 - Muscovy duck manure (<i>Cairina moschata</i>)
310100-0011 - Cow manure (<i>Bos taurus</i>)
310100-0012 - Non-sorted manure (Mixed)
270300-0013 - ISO 8157 + ISO 14688-1 – Top Soil or Humus - Plant remains,living organisms and their excretions together with inorganic constituents

3. Living plants

Notes:
INFO FOR SUPPLIERS:
Note: With current technology it's not possible to add all plants in the world. Example of a few databases: newyork.plantatlas.usf.edu/Search.aspx naturalhistory2.si.edu/botany/micronesia/index.htm https://www.ipni.org/
Soil : The soil must be fertile and according to needs of each crop. (e.g. Do not plant wheat in shady areas or on sandy soils used for vineyards. You will waste energy and money.) It's forbidden to deforest land to make room for farm land. The soil will need to be clean and not contaminated. (The land must not be close to cities, industrial zones, quarries, mines, garbage dumps or other polluted areas. The land needs to be inspected and tested. You need to have Soil Laboratory Tests Results.)
Seeds : The seeds used by farmers must be certified by accredited organizations - institutions.
Sustainability : We prefer suppliers that diversify their gardens-farms with varieties instead of cultivars. Cultivars are more vulnerable to disease. We like suppliers that build sustainable ecosystems. Priority is given to suppliers that prevent desertification. Products obtained in greenhouses heated with wood or polluting sources are not accepted.
Water: The water must come from sustainable sources. The water used to irrigate or to clean the products must not be contaminated. Suppliers must not use chlorinated or toxic water to irrigate. (Industrial, Laboratory, Swimming Pool, Tap Water without treatment is not allowed.) It's forbidden to use Nuclear Reactor Cooling or Heavy Water even if treated. To clean the products suppliers must use only potable chlorinated tap water or potable water from wells. (CXG 100-2023) Suppliers must have document proof that the water used is clean and that they have the right to use the water to irrigate and/or to clean the products. (e.g. Utility Bill, Contract with Water Pumping Station, Land Ownership or Land Rent Documents, Water Laboratory Tests Results)
Fertilizers, Pesticides and Growth Regulators The fertilizers used must be preferably organic and not synthetic . If it's organic it must not be of human origin. If it's synthetic it must be from a sustainable source and eco friendly. (You need to have Fertilizers Laboratory Tests Results.) Suppliers are allowed to use Repellent Plants and Local Animal Predators to repel pests. (You can even use Recorded Sounds of predators.) The Pesticides must be traceable and approved by International and National Institutions. (Don't throw away the packaging, take pictures of packaging for proof) Suppliers are not allowed to use pesticides without recommendations from a Local Phytosanitary Institution via Public Bulletin / Notice. Suppliers must figure out solutions for how to farm the products without using pesticides. There are many farmers around the world that overspray crops with pesticides. Where possible, avoid pesticides. Note: Suppliers need to have plans and monitoring documents for all pesticides and fertilizers they will use. (e.g. On 10/11/2034 i sprayed my

plants with 1000ml of Solution XYZ according to "Local Phytosanitary Institution" Bulletin Nr. 355 - 13/10/2034)				
Do not throw packaging on land or in waters. (Dispose of packaging properly)				
Applying ethephon (2-chloroethylphosphonic acid), ethylene gas or other stimulating chemicals is forbidden, even if the chemicals are approved by countries around the world.				
Tools:				
To farm the land, suppliers can use [hand tools] or [horse and plow] or [high-tech equipment]. The tools and equipment must be environmentally friendly and energy efficient. Governments around the world offer many subsidies and financing to farmers.				
Food Safety :				
If suppliers sort, wash, clean, package, label and grade food products they are food operators not farmers. They must also have food safety agency documents. For European Union all equipment - machinery must be according to Regulation (EC) nr. 852/2004.				
The products must have low humidity, minimum contaminants and no foreign smell.				
The products must not be irradiated. (e.g. Codex Stan 106-1983)				
Suppliers must have accredited laboratory test results as proof of safety issued by authorized government agencies for all products. (Private laboratory test results are not accepted. If the products are poisoned intentionally, it's an act of war !)				
Documents :				
In European Union most live plants need a plant passport before they are put on the market				
INFO FOR CLIENTS:				
The client company must also specify in advance, before cultivation and harvest:				
The period when you need these products.				
The variety you need from official plant variety databases-catalogues (No GMO allowed !), optional: Send plant(s) DNA fingerprints and products samples				
The calories content per 100g for food products				
Plant smell, taste, and other organoleptic properties				
Did you know ?				
Durum wheat is a drought tolerant plant, it has high demand in North Africa and other countries in the Mediterranean basin. People use it to make Semolina, Cus Cus, Pasta and other products that do not expire fast in regions with hot weather. Not all people can afford refrigerators in areas where there is scarcity of infrastructure, money, resources.				
Olea europaea L. has many Synonyms. Scientists don't know yet what olives are cultivars and what olives are varieties. Table olives are big and have small pits compared to olives used for oil production.				
The coconut [cultivar or variety] can be tall or hybrid or dwarf. More info about coconuts you can also find on the International Coconut Community website. Coconut with Endocarp - It has the shell. Coconut with Exocarp and Mesocarp - It has the outer skin, the husk and the shell.				
Some species have many cultivars / varieties.				
Cocoa does not have many cultivars / varieties. Example: Criollo, Forastero, Trinitario, Nacional, Amelonado, Contamana, Curaray, Guiana, Iquitos, Marañon, Nanay, Purús.				
INFO ABOUT PLANT:				
Cultivation :				
The seeds - bulbs - seedlings - cuttings are treated ?	When to plant seeds - bulbs - seedlings - cuttings ?	Seeds - bulbs - seedlings - cuttings expiration dates and how fast do you need to plant them ?	How to plant the seeds - bulbs - seedlings - cuttings ?	Planting hole diameter ?
Where to plant the seeds - bulbs - seedlings - cuttings ? (Ideal Location) ?	Is the plant sensitive to hail and storms ?	Soil pH ?	What type of soil does the plant prefer ?	Plant maximum height it will reach ?
Plant lighting requirements ? (e.g. Full Sun or Partial Shade or Full Shade)	Row spacing ?	Planting depth ?	Plant hardiness-climate zone ?	Plant maximum temperature limit ?
Seeds - bulbs - seedlings - cuttings origin ?	Companion plants ?	Plant symbiotic with another plant ?	Fruit changes color on the sunny or shaded side ?	Types of fertilizers needed ?
Plant Watering :				
How much water is needed	How much water is needed	Plant watering schedule ?	Plant roots moisture	Type of water used ? (e.g.

at planting ?	after planting ?		preference (Wet or Dry) ?	Rain water or Tap water)
Pollination and Plant Propagation :				
Plant varieties catalog name ? Is the plant genetically modified (GMO) ?	Plant needs pollinators ?	Natural or artificial pollination ?	Types of pollinators recommended ?	Plant self-fertile variety or requires pollinators ?
Plant propagation procedure ?	Plant flowering period ?	Flower size and color ?	Plant weather conditions needed for flowering period ?	Fallen flower petals uses ?
Plant Cold Weather Protection :				
Plant dormancy-hibernation period ?	Plant is frost resistant ?	Repotting: Garden to Pots allowed ?	Plant protection during winter recommendations ?	Plant needs pruning ? If yes, when ? Plant pruning procedure ?
Grafting :				
Plant needs grafting ? If yes, when ?		Plant rootstock type ?	Plant grafting procedure ?	
Plant Care, Diseases and Pests :				
Plant possible diseases ?	Plant disease resistance ?	Plant disease tolerance ?	Plant known pests ?	Garden calendar ?
Plant / Fruit tree trunk needs to be painted with lime ? When ?	Plant attracts or repels pests ?	Plant known pathogens ? (e.g. Powdery mildew)		
Harvesting :				
When does the plant bear fruit after planting ?	Crops type ? (e.g. Perennial or Cool-Season or Warm-Season or Evergreen - Indoor Crops)	The plant or fruit stains clothes and/or skin ?	Ripening period and when to harvest ?	Plant uses ? (e.g. Ornamental or Edible)
Plant edible parts ? (e.g. Fruits)	How to eat the edible parts of the plant ? (e.g. Fresh or Processed)	Other post-harvest uses for the plant and its fruits ?	Storage and preservation post-harvest ?	
Product, Taste and Smell Description :				
Plant description ? (e.g. leaves, stem, bark, root, flower)	Plant life cycle and lifespan ? (e.g. Annual or Biennial or Perennial)	Plant flower description ?	Plant leaves shape and description ?	Plant stem and bark description ?
Plant root description ?	Plant fruit skin description ?	Plant fruit pulp description ?	Plant fruit size ?	Plant fruit pigmentation (color) ?
Plant seeds or kernels description ?	Taste description ?	Smell description ?		
Allergies and Toxicology :				
The plant and its pollen cause allergies ?		The plant is poisonous or irritant ?	Known treatments / antidote ?	
Living plants				
060220 - Trees, shrubs and bushes - Grafted or not - Of kinds which bear edible fruit or nuts				
060220-0001 - [Continental and/or Temperate and/or Subtropical] - Deciduous Trees – Edible				
060220-0002 - [Continental and/or Temperate and/or Subtropical] - Deciduous Shrubs – Edible				
060220-0003 - [Continental and/or Temperate and/or Subtropical] - Evergreen Trees – Edible				
060220-0004 - [Continental and/or Temperate and/or Subtropical] - Evergreen Shrubs – Edible				
060220-0005 - [Continental and/or Temperate and/or Subtropical] - Vines – Edible				
060220-0006 - [Tropical and/or Dry] - Evergreen Palm Trees – Edible				
060220-0007 - [Tropical and/or Dry] - Evergreen Trees – Edible				
060220-0008 - [Tropical and/or Dry] - Evergreen Shrubs – Edible				
060220-0009 - [Tropical and/or Dry] - Deciduous Trees – Edible				
060220-0010 - [Tropical and/or Dry] - Deciduous Shrubs – Edible				

060220-0011 - [Tropical and/or Dry] - Vines – Edible
060230 - Rhododendrons and Azaleas - Grafted or not
060230-0001 - [Continental and/or Temperate and/or Subtropical] - Deciduous Shrubs – Not Edible
060230-0002 - [Continental and/or Temperate and/or Subtropical] - Evergreen Shrubs – Not Edible
060230-0003 - [Tropical and/or Dry] - Evergreen Shrubs – Not Edible
060230-0004 - [Tropical and/or Dry] - Deciduous Shrubs – Not Edible
060240 - Roses - Grafted or not
060240-0001 - [Continental and/or Temperate and/or Subtropical] - Deciduous Shrubs – Not Edible
060240-0002 - [Continental and/or Temperate and/or Subtropical] - Evergreen Shrubs – Not Edible
060240-0003 - [Tropical and/or Dry] - Evergreen Shrubs – Not Edible
060240-0004 - [Tropical and/or Dry] - Deciduous Shrubs – Not Edible
060290 - Other Plants - Grafted or not
060290-0001 - [Continental and/or Temperate and/or Subtropical] - Deciduous Trees – Edible or Not
060290-0002 - [Continental and/or Temperate and/or Subtropical] - Deciduous Shrubs – Edible or Not
060290-0003 - [Continental and/or Temperate and/or Subtropical] - Conifers Trees – Edible or Not
060290-0004 - [Continental and/or Temperate and/or Subtropical] - Evergreen Trees – Edible or Not
060290-0005 - [Continental and/or Temperate and/or Subtropical] - Evergreen Giant Grass – Edible or Not
060290-0006 - [Continental and/or Temperate and/or Subtropical] - Evergreen Shrubs – Edible or Not
060290-0007 - [Continental and/or Temperate and/or Subtropical] - Vegetables, Flowers and Herbs – Edible or Not
060290-0008 - [Continental and/or Temperate and/or Subtropical] - Lichens, Mosses and Ferns – Edible or Not
060290-0009 - [Continental and/or Temperate and/or Subtropical] - Vines – Edible or Not
060290-0010 - [Tropical and/or Dry] - Evergreen Palm Trees – Edible or Not
060290-0011 - [Tropical and/or Dry] - Evergreen Giant Grass – Edible or Not
060290-0012 - [Tropical and/or Dry] - Evergreen Trees – Edible or Not
060290-0013 - [Tropical and/or Dry] - Evergreen Shrubs – Edible or Not
060290-0014 - [Tropical and/or Dry] - Deciduous Trees – Edible or Not
060290-0015 - [Tropical and/or Dry] - Deciduous Shrubs – Edible or Not
060290-0016 - [Tropical and/or Dry] - Vegetables, Flowers and Herbs – Edible or Not
060290-0017 - [Tropical and/or Dry] - Lichens, Mosses and Ferns – Edible or Not
060290-0018 - [Tropical and/or Dry] - Succulent Plants – Edible or Not
060290-0019 - [Tropical and/or Dry] - Vines – Edible or Not

4. Live animals

Notes:
INFO FOR SUPPLIERS:
Location : Raising cattle, camelids, sheep, and goats must be strictly limited to unpolluted mountain regions. However, it is permissible to raise camels in unpolluted desert areas.
Animal Cruelty: If you or your employees abandon or harm animals, you will be blacklisted for life immediately upon the discovery of evidence. All animals must be well fed, the animals must not be wounded, scared, beaten, abused or psychologically stressed. (e.g. Verbal Abuse, Cursing at the animals, or Intimidating them is forbidden.) Verifying potential suppliers and clients for violence against animals is a mandatory policy required by regional laws or organizations during pet sales. All potential clients and suppliers will be verified. Potential clients and suppliers must not assign tasks to live animals that are highly difficult, impossible, or stressful. Suppliers must have documents evidence that the animals are captured in season and not in time of prohibition. Suppliers must have documents evidence that the tools they used to capture the animals are legal and sustainable.

Caregiving :

All animals must be well-groomed, sheared, have their hooves trimmed (or be properly hoof-maintained), and be well-cared for.

Potential clients and suppliers must provide verifiable proof of adequate and long-term feeding, watering, transporting, and sheltering capabilities for live animals.

All animals can be microchipped or tagged, but not branded.

Potential clients and suppliers must provide proof that the food and water for live animals is clean, fresh and not contaminated.

Potential suppliers and clients are required to equip each animal with the appropriate harness and gear.

New clients receive the animals' play toys free of charge.

Health and Safety :

All animals must have good teeth, must not be sick, weak or malnourished.

We do not accept suppliers from regions with disease outbreaks. (That means if you have diseases like Covid, Ebola virus, Swine flu, Mad Cow disease in your region we will not accept any live animal, meat or animal origin products from your company, even if your government tells us there is no problem, we must verify.)

We do not accept sick or infected animals, animals allowed to eat garbage, abused or bruised or injured animals, newly born, pregnant animals, animals with calfs under 1 year, animals with high fat deposits, stressed animals, castrated under 4 months male animals, not well rested animals, animals handled with electric prodders, animals living in unhygienic and overcrowded conditions, animals not transported in clean-disinfected-washed-ventilated specialized vehicles, animals transported in overcrowded vehicles, animals transported more then 50-100km from place of origin. (Uncastrated animals must have high genetic value)

Suppliers are not allowed to mix live animals with dead animals. (For Fish and Seafood, Suppliers must have documents evidence that the products are from today's catch, not from last week, that also means do not stock products until we have signed permission from clients to go at sea to capture the products.)

For all products in this category you must have documents that you raised the animals according to international food safety - food hygiene - biosecurity standards.

Suppliers must have documents evidence that the animals do not contain antibiotics, parasites - pathogens, heavy metals, toxic chemicals.

Suppliers must have documents evidence that the animals are not radioactive and that they do not come from contaminated areas like Chernobyl.

Suppliers must have documents evidence that the ice used to keep the Arctic animals cold comes from potable water that is clean without any impurities.

Suppliers must have documents evidence that the water from the fishing - aquaculture area is clean, not contaminated.

Suppliers must have documents evidence that the water in the area where they captured - farmed the animals is clean with zero pollution. (No matter if the animals come from fishing or aquaculture)

Sustainability :

Suppliers should use fishing boats and vehicles without engines where possible. Trawling, poisons, dynamite, nets and traps is not sustainable.

Animals legal size, stocks and status will be checked before the contracts are signed. (Laws, rules and regulations change all the time, today legal size limit can be 25cm+, tomorrow 45cm+ and after tomorrow it can be on the endangered species list and so on. Imagine we are on a spaceship called Earth that is traveling in space. For the spaceship to reach it's destination we must use our resources wisely, else future generations will have nothing to eat.)

Transport :

All live animals must never be transported to environments where they cannot safely acclimate or where climate-controlled infrastructure cannot support them. (e.g. You can't send a polar bear to the desert)

In most countries it's forbidden to export live animals.

Exporting - importing live animals, meat and animal byproducts is very complex. e.g. Only a few countries are allowed to import live animals, meat and animal byproducts inside the EU

Suppliers must go at sea only when there is clear sky and sunny, depending on FAO region where they fish. (Beaufort scale)

Documents :

Suppliers must have accredited laboratory test results as proof of safety issued by authorized government agencies for all animals. (Private laboratory test results are not accepted. If the animals are poisoned intentionally, it's an act of war !)

The animals must be graded according to importer's country legislation and client needs.

Suppliers must have documents evidence that they are allowed / authorized to capture the animals and that they are not overfishing in international waters (e.g. proof you didn't steal the fish from other countries territorial waters)

Suppliers must have documents evidence that the water in the area where they farmed the products is clean with zero pollution. Do not add impurities and/or additives.

INFO FOR CLIENTS:
Responsibility :
If the animal injures or kills someone, the owner is responsible, and you can't request a refund.
Instructions
For more information about animals, check encyclopedias. There is too much information about each species to put in the catalog.
Reproduction :
Not all eggs are fertile, the chicken is alive it can lay eggs.
Animal Genetic Resources
010121 - Horses; live, pure-bred breeding animals
010121-0001 - Male or Female - Pure-bred - Horse (Equus caballus)
010129 - Horses; live, other than pure-bred breeding animals
010129-0001 - Male or Female - Mixed-breed - Horse (Equus caballus)
010130 - Asses; live
010130-0001 - Male or Female - Pure-bred or Mixed-breed - Donkey (Equus asinus)
010221 - Cattle; live, pure-bred breeding animals
010221-0001 - Male or Female - Pure-bred - Cow or Bull or Ox (Bos taurus)
010221-0002 - Male or Female - Pure-bred - Yak (Bos grunniens)
010221-0003 - Male or Female - Pure-bred - Zebu (Bos indicus)
010221-0004 - Male or Female - Pure-bred - Gayal (Bos frontalis)
010229 - Cattle; live, other than pure-bred breeding animals
010229-0001 - Male or Female - Mixed-breed - Cow or Bull or Ox (Bos taurus)
010229-0002 - Male or Female - Mixed-breed - Yak (Bos grunniens)
010229-0003 - Male or Female - Mixed-breed - Zebu (Bos indicus)
010229-0004 - Male or Female - Mixed-breed - Gayal (Bos frontalis)
010231 - Buffalo; live, pure-bred breeding animals
010231-0001 - Male or Female - Pure-bred - Water Buffalo (Bubalus bubalis)
010239 - Buffalo; live, other than pure-bred breeding animals
010239-0001 - Male or Female - Mixed-breed - Water Buffalo (Bubalus bubalis)
010310 - Swine; live, pure-bred breeding animals
010310-0001 - Male or Female - Pure-bred - Pig (Sus domesticus)
010391 - Swine; live, other than pure-bred breeding animals, weighing less than 50kg
010391-0001 - Male or Female - Weighing less than 50kg - Mixed-breed - Pig (Sus domesticus)
010392 - Swine; live, other than pure-bred breeding animals, weighing 50kg or more
010392-0001 - Male or Female - Weighing 50kg or more - Mixed-breed - Pig (Sus domesticus)
010410 - Sheep; live
010410-0001 - Male or Female - Pure-bred or Mixed-breed - Sheep (Ovis aries)
010420 - Goats; live
010420-0001 - Male or Female - Pure-bred or Mixed-breed - Goat (Capra hircus)
010511 - Poultry; live, fowls of the species Gallus domesticus, weighing not more than 185g
010511-0001 - Male or Female - Weighing not more than 185g - Pure-bred or Mixed-breed - Chicken or Rooster (Gallus domesticus)
010512 - Poultry; live, turkeys, weighing not more than 185g
010512-0001 - Male or Female - Weighing not more than 185g - Pure-bred or Mixed-breed - Turkey (Meleagris gallopavo)
010513 - Poultry; live, ducks, weighing not more than 185g
010513-0001 - Male or Female - Weighing not more than 185g - Pure-bred or Mixed-breed - Mallard duck (Anas platyrhynchos)
010513-0002 - Male or Female - Weighing not more than 185g - Pure-bred or Mixed-breed - Muscovy duck (Cairina moschata)
010514 - Poultry; live, geese, weighing not more than 185g

010514-0001 - Male or Female - Weighing not more than 185g - Pure-bred or Mixed-breed - Goose (Anser domesticus)
010594 - Poultry; live, fowls of the species Gallus domesticus, weighing more than 185g
010594-0001 - Male or Female - Weighing more than 185g - Pure-bred or Mixed-breed - Chicken or Rooster (Gallus domesticus)
010599 - Poultry; live, ducks, geese and turkeys, weighing more than 185g
010599-0001 - Male or Female - Weighing more than 185g - Pure-bred or Mixed-breed - Mallard duck (Anas platyrhynchos)
010599-0002 - Male or Female - Weighing more than 185g - Pure-bred or Mixed-breed - Muscovy duck (Cairina moschata)
010599-0003 - Male or Female - Weighing more than 185g - Pure-bred or Mixed-breed - Goose (Anser domesticus)
010599-0004 - Male or Female - Weighing more than 185g - Pure-bred or Mixed-breed - Turkey (Meleagris gallopavo)
010613 - Mammals; live, camels and other camelids (Camelidae)
010613-0001 - Male or Female - Pure-bred or Mixed-breed - Llama (Lama glama)
010613-0001 - Male or Female - Pure-bred or Mixed-breed - Alpaca (Lama pacos)
010613-0001 - Male or Female - Pure-bred or Mixed-breed - Vicuña (Lama vicugna)
010613-0001 - Male or Female - Pure-bred or Mixed-breed - Arabian Camel (Camelus dromedarius)
010613-0001 - Male or Female - Pure-bred or Mixed-breed - Bactrian Camel (Camelus bactrianus)
010641 - Insects; live, bees
010641-0001 - Queen and Nucs - Bee Colony (Apis mellifera)
Explanatory note for 010410 : You must prove you are a licensed beekeeper.
Ornamental Live Fish
030111 – Freshwater ornamental fish
030119 – Other ornamental fish
Other Live Fish
030119 – Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita)
030211-0001 - Brown Trout - Source: Aquaculture (Salmo trutta)
030211-0002 - Rainbow trout - Source: Aquaculture (Oncorhynchus mykiss)
030211-0003 - Cutthroat trout - Source: Aquaculture (Oncorhynchus clarkii)
030211-0004 - Golden trout - Source: Aquaculture (Oncorhynchus aguabonita)
030193 - Carp (Cyprinus spp., Carassius spp., Ctenopharyngodon idellus, Hypophthalmichthys spp., Mylopharyngodon piceus, Labeo spp.)
030193-0001 - Common Carp - Source: Aquaculture (Cyprinus carpio)
030193-0002 - Crucian Carp - Source: Aquaculture (Carassius carassius)
030193-0003 - Grass Carp - Source: Aquaculture (Ctenopharyngodon idella or Ctenopharyngodon idellus)
030193-0004 - Bighead Carp - Source: Aquaculture (Hypophthalmichthys nobilis or Hypophthalmichthys mantschuricus)
030193-0005 - Black Carp - Source: Aquaculture (Mylopharyngodon piceus)
030193-0005 - Catla - Source: Aquaculture (Labeo catla)
Explanatory note for 010410 : Other common carp names: Cyprinus bithynicus or Cyprinus chinensis or Cyprinus elatus or Cyprinus hungaricus or Cyprinus melanotus or Cyprinus nordmannii or Cyprinus nudus or Cyprinus atrovirens or Cyprinus regina or Cyprinus regius or Cyprinus rex or Cyprinus rexcyprinorum or Cyprinus rondeletii or Cyprinus viridescens or Cyprinus vittatus or Cyprinus specularis or Cyprinus macrolepidotus or Cyprinus mahuensis or Cyprinus coriaceus or Cyprinus conirostris or Cyprinus carpio specularis or Cyprinus carpio oblongus or Cyprinus carpio monstrosus or Cyprinus carpio monstrosus or Cyprinus carpio lacustris or Cyprinus carpio lacustris or Cyprinus carpio fluviatilis or Cyprinus carpio elongatus or Cyprinus carpio chilia or Cyprinus carpio caspicus or Cyprinus carpio anatolicus Other crucian carp names: Cyprinus charax or Cyprinus moles or Cyprinus acuminatus or Carassius gibelio
030195 - Southern bluefin tuna (Thunnus maccoyii)
030195-0005 - Southern Bluefin Tuna - Source: Aquaculture (Thunnus maccoyii)
030199 - Other
030199-0001 - Sockeye Salmon - Source: Aquaculture (Oncorhynchus nerka)
030199-0002 - Pink Salmon - Source: Aquaculture (Oncorhynchus gorbuscha)

030199-0003 - Chum Salmon - Source: Aquaculture (<i>Oncorhynchus keta</i>)
030199-0004 - Chinook Salmon - Source: Aquaculture (<i>Oncorhynchus tshawytscha</i>)
030199-0005 - Coho Salmon - Source: Aquaculture (<i>Oncorhynchus kisutch</i>)
030199-0006 - Masu Salmon - Source: Aquaculture (<i>Oncorhynchus masou</i>)
030199-0007 - European Plaice - Source: Aquaculture (<i>Pleuronectes platessa</i>)
030199-0008 - Dover Sole - Source: Aquaculture (<i>Solea solea</i>)
030199-0009 - Adriatic Sole - Source: Aquaculture (<i>Solea impar</i> or <i>Pegusa impar</i>)
030199-0010 - Senegalese Sole - Source: Aquaculture (<i>Solea senegalensis</i>)
030199-0011 - Turbot - Source: Aquaculture (<i>Scophthalmus maximus</i> or <i>Psetta maxima</i> or <i>Scophthalmus ponticus</i>)
030199-0012 - Brill - Source: Aquaculture (<i>Scophthalmus rhombus</i>)
030199-0013 - Yellowfin Tuna - Source: Aquaculture (<i>Thunnus albacares</i>)
030199-0014 - Atlantic Bluefin Tuna - Source: Aquaculture (<i>Thunnus thynnus</i>)
030199-0015 - Pacific Chub Mackerel - Source: Aquaculture (<i>Scomber japonicus</i>)
030199-0016 - Cobia - Source: Aquaculture (<i>Rachycentron canadum</i>)
030199-0017 - Pollack - Source: Aquaculture (<i>Pollachius pollachius</i>)
030199-0018 - Shire Tilapia - Source: Aquaculture (<i>Oreochromis shiranus</i>)
030199-0019 - Wami Tilapia - Source: Aquaculture (<i>Scophthalmus rhombus</i>)
030199-0020 - Nile Tilapia - Source: Aquaculture (<i>Scophthalmus rhombus</i>)
030199-0021 - Sabaki Tilapia - Source: Aquaculture (<i>Scophthalmus rhombus</i>)
030199-0022 - Wels Catfish - Source: Aquaculture (<i>Silurus glanis</i>)
030199-0023 - Amur Catfish - Source: Aquaculture (<i>Silurus asotus</i>)
030199-0024 - Pangas Catfish - Source: Aquaculture (<i>Pangasius pangasius</i>)
030199-0025 - Blunt-toothed African Catfish - Source: Aquaculture (<i>Clarias ngamensis</i>)
030199-0026 - African Catfish - Source: Aquaculture (<i>Clarias gariepinus</i>)
030199-0027 - Mudfish - Source: Aquaculture (<i>Clarias anguillaris</i>)
030199-0028 - Philippine Catfish - Source: Aquaculture (<i>Clarias batrachus</i>)
030199-0029 - Hong Kong Catfish - Source: Aquaculture (<i>Clarias fuscus</i>)
030199-0030 - Channel Catfish - Source: Aquaculture (<i>Ictalurus punctatus</i>)
030199-0031 - Blue Catfish - Source: Aquaculture (<i>Ictalurus furcatus</i>)
030199-0032 - Spotted Snakehead - Source: Aquaculture (<i>Channa punctata</i>)
030199-0033 - Giant Snakehead - Source: Aquaculture (<i>Channa micropeltes</i>)
030199-0034 - Nile Perch - Source: Aquaculture (<i>Lates niloticus</i>)
030199-0035 - Spotted Seabass - Source: Aquaculture - (<i>Dicentrarchus punctatus</i>)
030199-0036 - Gilt-head Seabream - Source: Aquaculture - (<i>Sparus aurata</i>)
030199-0037 - Yellowfin Bream - Source: Aquaculture - (<i>Acanthopagrus australis</i>)
030199-0038 - Picnic Seabream - Source: Aquaculture - (<i>Acanthopagrus berda</i>)
030199-0039 - Northern pike - Source: Aquaculture - (<i>Esox lucius</i>)
030199-0040 - Zander or Eurasian pike perch - Source: Aquaculture - (<i>Sander lucioperca</i>)
030199-0041 - European perch - Source: Aquaculture - (<i>Perca fluviatilis</i>)
030199-0042 - Vimba - Source: Aquaculture - (<i>Vimba vimba</i>)
030199-0043 - Eurasian Rudd - Source: Aquaculture - (<i>Scardinius erythrophthalmus</i>)
030199-0044 - Common Bream - Source: Aquaculture - (<i>Abramis brama</i>)
030199-0045 - Common Roach - Source: Aquaculture - (<i>Rutilus rutilus</i>)
030199-0046 - Common Bleak - Source: Aquaculture - (<i>Alburnus alburnus</i>)
030199-0047 - Eurasian Tench - Source: Aquaculture - (<i>Tinca tinca</i>)
030199-0048 - White Bream - Source: Aquaculture - (<i>Blicca bjoerkna</i>)

030199-0049 - Eurasian Asp - Source: Aquaculture - (<i>Aspius aspius</i> or <i>Leuciscus aspius</i>)
030199-0050 - European Chub - Source: Aquaculture - (<i>Squalius cephalus</i>)
030199-0051 - Sable fish - Source: Aquaculture - (<i>Anoplopoma fimbria</i>)
030199-0052 - John's Snapper - Source: Aquaculture - (<i>Lutjanus johnii</i>)
030199-0053 - Striped Bass - Source: Aquaculture - (<i>Morone saxatilis</i>)
030199-0054 - Black Sea Bass - Source: Aquaculture - (<i>Centropristis striata</i>)
030199-0055 - Barramundi - Source: Aquaculture - (<i>Lates calcarifer</i>)
030199-0056 - Flathead Mullet - Source: Aquaculture - (<i>Mugil cephalus</i>)
030199-0057 - White Trevall - Source: Aquaculture - (<i>Pseudocaranx Dentex</i>)
030199-0058 - European Flounder - Source: Aquaculture - (<i>Platichthys flesus</i>)
030199-0059 - Sabrefish or Sichel - Source: Aquaculture - (<i>Pelecus cultratus</i>)
030199-0060 - Longfin Yellowtail - Source: Aquaculture - (<i>Seriola rivoliana</i>)
030199-0061 - Squaretail Mulle - Source: Aquaculture - (<i>Ellochelon vaigiensis</i> or <i>Liza vaigiensis</i>)
030199-0062 - Brook Trout or Saltwater Charr - Source: Aquaculture - (<i>Salvelinus fontinalis</i>)
Live Crustaceans
030631 - Crustaceans; live, rock lobsters and other sea crawfish (<i>Palinurus</i> spp., <i>Panulirus</i> spp., <i>Jasus</i> spp.), in shell
030631-0001 - California Spiny Lobster - Source: Aquaculture - (<i>Panulirus japonicus</i>)
030633 - Crustaceans; live, crabs, in shell
030633-0001 - Giant Mud Crab - Source: Aquaculture - (<i>Scylla serrata</i>)
030633-0002 - Orange Mud Crab - Source: Aquaculture - (<i>Scylla olivacea</i>)
030636 - Crustaceans; live, shrimps and prawns excluding cold-water varieties, in shell
030636-0001 - Giant Tiger Shrimp - Source: Aquaculture (<i>Penaeus monodon</i>)
030636-0002 - Whiteleg Shrimp - Source: Aquaculture (<i>Penaeus vannamei</i>)
030636-0003 - Brown Tiger Prawn - Source: Aquaculture (<i>Penaeus esculentus</i>)
030636-0004 - Green Tiger Prawn - Source: Aquaculture (<i>Penaeus semisulcatus</i>)
030636-0005 - Banana Prawn - Source: Aquaculture (<i>Penaeus merguensis</i>)
030636-0006 - Eastern King Shrimp - Source: Aquaculture (<i>Penaeus plebejus</i>)
030636-0007 - Kuruma Prawn - Source: Aquaculture (<i>Penaeus japonicus</i>)
030636-0008 - Greasyback Shrimp - Source: Aquaculture (<i>Metapenaeus ensis</i>)
030636-0009 - Eastern School Shrimp - Source: Aquaculture (<i>Metapenaeus macleayi</i>)
030636-0010 - Indian White Shrimp - Source: Aquaculture (<i>Penaeus indicus</i>)
030636-0011 - Northern White Shrimp - Source: Aquaculture (<i>Penaeus setiferus</i>)
030636-0012 - Louisiana Crawfish - Source: Aquaculture (<i>Procambarus clarkii</i>)
030636-0013 - Australian Redclaw Crayfish - Source: Aquaculture (<i>Cherax Quadricarinatus</i>)
Live Molluscs
030711 - Molluscs; oysters, in shell, live
030711-0001 - Pacific Pearl Oyster - Source: Aquaculture (<i>Pinctada margaritifera</i>)
030711-0002 - Pacific Oyster - Source: Aquaculture (<i>Magallana gigas</i> or <i>Crassostrea gigas</i>)
030711-0003 - Chilean Flat Oyster - Source: Aquaculture (<i>Ostrea chilensis</i>)
030711-0004 - European Flat Oyster - Source: Aquaculture (<i>Ostrea edulis</i>)
030711-0005 - Mangrove Cupped Oyster - Source: Aquaculture (<i>Crassostrea rhizophorae</i>)
030721 - Molluscs; scallops, in shell, including queen scallops, of the genera <i>Pecten</i> , <i>Chlamys</i> or <i>Placopecten</i> , live
030721-0001 - Dry Great Scallop or St. Jacques - Source: Aquaculture (<i>Pecten maximus</i>)
030721-0002 - Dry Commercial Scallop - Source: Aquaculture (<i>Pecten fumatus</i>)
030721-0003 - Queen Scallop - Source: Aquaculture (<i>Aequipecten opercularis</i>)
030721-0004 - Peruvian Calico Scallop - Source: Aquaculture (<i>Argopecten purpuratus</i>)

030721-0005 - Pacific Calico Scallop - Source: Aquaculture (<i>Argopecten ventricosus</i>)
030721-0006 - Variegated Scallop - Source: Aquaculture (<i>Mimachlamys varia</i>)
030721-0007 - Large Weathervane Scallop - Source: Aquaculture (<i>Mizuhopecten yessoensis</i>)
030731 - Molluscs; mussels (<i>Mytilus</i> spp., <i>Perna</i> spp.), in shell, live
030721-0001 - Mediterranean Mussel - Source: Aquaculture (<i>Mytilus galloprovincialis</i>)
030721-0002 - Chilean Mussel - Source: Aquaculture -(<i>Mytilus chilensis</i>)
030721-0003 - Blue Mussel - Source: Aquaculture (<i>Mytilus edulis</i>)
030721-0004 - New Zealand Green-Lipped Mussel - Source: Aquaculture (<i>Perna canaliculus</i>)
030742 - Molluscs; cuttle fish and squid, live
030742-0001 - Common cuttlefish - Source: Aquaculture (<i>Sepia officinalis</i>)
030771 - Molluscs; clams, cockles and ark shells (families Arcidae, Arctiidae, Cardiidae, Donacidae, Hiatellidae, Mactridae, Mesodesmatidae, Myidae, Semelidae, Solecurtidae, Solenidae, Tridacnidae and Veneridae), in shell, live
030771-0001 - Butter Clam - Source: Aquaculture (<i>Saxidomus gigantea</i>)
030771-0002 - Hard Clam - Source: Aquaculture (<i>Mercenaria mercenaria</i>)
030771-0003 - Soft-Shell Clam - Source: Aquaculture (<i>Mya arenaria</i>)
030771-0004 - Common Clam - Source: Aquaculture (<i>Cerastoderma edule</i>)
030771-0005 - Pacific Geoduck - Source: Aquaculture (<i>Panopea generosa</i>)
Other Live Aquatic Invertebrates
030821 - Aquatic invertebrates; sea urchins (<i>Paracentrotus lividus</i>), live
030821-0001 - Edible Stony Purple Sea Urchin - Source: Aquaculture (<i>Paracentrotus lividus</i>)
* Other Aquatic Plants and Animals
050800 - Animal products; coral and similar materials, shells of molluscs, crustaceans, echinoderms, cuttle-bone, unworked or simply prepared but not cut to shape, powder and waste thereof
050800-0001 - Common Cuttlefish Cuttlebone - Source: Aquaculture - Not for human consumption (<i>Sepia officinalis</i>)
050800-0002 - Cnidaria - Anthozoa - Hexacorallia - Scleractinia [Stony coral] - Source: Aquaculture - For coral reefs restauration
050800-0003 - Cnidaria - Anthozoa - Hexacorallia - Antipatharia [Black coral] - Source: Aquaculture - For coral reefs restauration
050800-0004 - Cnidaria - Anthozoa - Octocorallia - Malacalcyonacea [Soft coral] - Source: Aquaculture - For coral reefs restauration
050800-0005 - Cnidaria - Anthozoa - Octocorallia - Scleralcyonacea [Soft coral] - Source: Aquaculture - For coral reefs restauration
Explanatory note for 050800: Suppliers must have documents evidence that the source for corals is Aquaculture. Corals need CITES N - Reintroduction or introduction into the wild - permits also. The corals must be alive. Corals around the world are endangered do to climate change. If you want your children to eat fish in the future, you need to help with coral reefs restoration. Clients must specify the coral species name and location on the shallow-water or deep ocean seabed where they want the products to be delivered. After we verify with a marine biologist if location is ok, the corals will be delivered at specified location by clients.
121221 - Seaweeds and other algae; fit for human consumption, fresh, chilled, frozen or dried, whether or not ground
121221-0001 - Dulse - Source: Aquaculture - For human consumption (<i>Palmaria palmata</i>)
121221-0002 - Sea lettuce - Source: Aquaculture - For human consumption (<i>Ulva intestinalis</i>)
121221-0003 - Atlantic Wakame - Source: Aquaculture - For human consumption (<i>Alaria esculenta</i>)
121221-0004 - Kombu or Sugar Kelp - Source: Aquaculture - For human consumption (<i>Saccharina latissima</i>)
121221-0005 - Hijiki - Source: Aquaculture - For human consumption (<i>Sargassum fusiforme</i>)
If it's not in the list you have time to try to find ways to farm it via aquaculture. To see if it's fished or farmed visit: fish-commercial-names.ec.europa.eu/fish-names/aquatic-resources_en .

5. Metals

Notes:
INFO FOR SUPPLIERS:
Location : Foundries must be placed next to mines, recycling centers, and/or close to water with backup systems to prevent pollution. Normally the Steel Mill and the Rolling Mill are in the same location, but technology changes in time and other countries or companies find ways to reduce energy costs and so on.
Efficiency and Pollution : The products will not be accepted if the suppliers use obsolete - improvised equipment and tools. Suppliers must accept small orders also (e.g. 1 kilogram) From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety : Client company and supplier workers must have protective clothing and equipment according to international and national legislation. The suppliers must guarantee that the products do not contain inside them or on the surface or release dangerous chemicals for humans, animals, plants and the environment. (e.g. Leftover acid from pickling that can hurt the hands of people that touch the metals) Suppliers must guarantee that products neither contain, carry on their surface, nor release substances - radiation hazardous to human health, animal welfare, plant life, or the environment (e.g. Gamma radiation). Extracted or manufactured products by slave workers is not accepted.
Sustainability : Suppliers should use scrap metal instead of ores. Concentrates-ores should be used only as a last resort. The products must not contain additives that will prevent the user to recycle his scrap metal. (e.g. Additives intentionally used to increase the melting point so that it is not efficient to melt the scrap in the user's country due to higher electricity costs. In this case, the recycling company in the user's country will need to send the scrap metal back to the supplier, allowing them to profit unsustainably again.) All furnaces must be electric, and the energy source renewable. The foundries and workshops must always be clean, and the cooling system efficient. (Electric means Arc or Induction or Plasma)
Storage and Packaging : Suppliers must store and handle the products properly. Products that are not protected from corrosion-rust-oxidation, damage, scratches, moisture are not accepted. Suppliers must etch or engrave the products so the handlers can identify them easy. Suppliers should not use permanent marker !
Documents : Client companies must send the technical dossier with all inspection documents, destructive (DT) and non destructive testing results (NDT), technical drawing, datasheets, manuals, climate zones where products can be used, standards, particle size, the grade for each product and exact chemical composition. Also all parts must be counted and easy to identify.
Security : Semifinished products will be sent to locations where the manufacturing cost is cheaper. It's not logical to sent raw materials for civilian applications in countries-locations where manufacturing cost is more expensive. (When companies afford to process - manufacture metals at a very expensive cost, it probably means their countries are preparing for war) Most metals have dual-use applications, before we can export them we have to verify if they need special export-import licences and so on. The client company must pay all expenses for the armed escorts and undercover intelligence that will accompany the shipment. Once you sign the handover documents, when the products arrive at your location, the armed escorts and undercover intelligence will complete their mission and your security team will be responsible for storage and safety of the products.
INFO FOR CLIENTS:
Instructions : The client company must send tehcnical drawing(s) and datasheets so the manufacturers understand what are the needs. You need to do laboratory analysis to determine a chemical composition, each country has it's own standard, we are not payed to monitor all the standards in the world. The client company must specify the type, size, standards for copper foil, insulating - backing materials. The ccl's must be according to IEC 61249. The copper clad laminates and backing material must be halogen-free and compliant with RoHS Directive 2002/95/EC. The copper foil must be under 0.1mm according too ISO 197-3. For 760511, 760519, 760521, 760529 the wire is not for aeronautical applications, electrical or welding purposes. For EN 1386 tread plate and sheet the patterns must be according to Figure 1 - Two bars or Figure 2 - Five bars or Figure 3 - Diamond or Figure 4 - Rice grain or Figure 5 - Almond.

Magnesium is very dangerous to machine; only specialized professionals should work with this material. As a final user, you want the finished product, not a semi-finished product made from magnesium. **Unwrought** magnesium refers to magnesium that is in its basic, primary metallic form as it comes from the extraction and smelting process, before it has been subjected to any further mechanical working like rolling, drawing, forging, extruding, or machining. **Magnesium finished products are lighter than aluminum but they must be coated or anodized; furthermore, these products must be protected from rain, snow and moisture. For 810490** if the alloy to be used is not specified in ISO 23694 or ISO 23700, the alloy designation and temper shall be in accordance with ISO 3116:2019 or be agreed upon between the supplier and purchaser and stated in the order. Product measurements depends on the alloy used in the manufacturing process.

Titanium like Magnesium it's flammable and very dangerous to machine; only specialized professionals should work with this material. As a final user, you want the finished product, not a semi-finished product made from titanium.

Did you know :

Stainless steel must have max 1.2% Carbon and at least 10.5% Chromium. Stainless steel is a vey complex material that requires a lot of energy to process, make sure you have cheap energy, the proper machinery, equipment and skilled labour before you buy stainless steel..

Welding in Space is dangerous !

"**Profile**" means all types [Unequal angle bar, Equal angle bar, T, Unequal U, Equal U, H, L and other profiles

All Copper alloys not specified means [All Copper-tin grades, All Copper-nickel grades, All Copper-aluminium grades, All Copper-chromium grades and so on - standards change in time].

EN 13602 does not include wire for enamelling (winding wire, magnet wire), for electronic application, for contact wire and for electric traction.

Stainless Steel

721891 - Steel, stainless; semi-finished products, of rectangular (other than square) cross-section

721891-0001 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Billets or blooms - ferritic corrosion resisting stainless steel

721891-0002 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Billets or blooms - martensitic or precipitation hardening corrosion resisting stainless steel

721891-0003 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Billets or blooms - austenitic corrosion resisting stainless steel

721891-0004 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Billets or blooms - austenitic-ferritic corrosion resisting stainless steel

721891-0005 - EN 10088-1 - All grades - Continuous casting - Billets or blooms - ferritic heat resisting stainless steel

721891-0006 - EN 10088-1 - All grades - Continuous casting - Billets or blooms - austenitic or austenitic-ferritic heat resisting stainless steel

721891-0007 - EN 10088-1 - All grades - Continuous casting - Billets or blooms - martensitic creep resisting stainless steel

721891-0008 - EN 10088-1 - All grades - Continuous casting - Billets or blooms - austenitic creep resisting stainless steel

721899 - Steel, stainless; semi-finished products, other than of rectangular cross-section

721899-0001 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Slabs - ferritic corrosion resisting stainless steel

721899-0002 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Slabs - martensitic or precipitation hardening corrosion resisting stainless steel

721899-0003 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Slabs - austenitic corrosion resisting stainless steel

721899-0004 - EN 10088-1,2,3,4,5 - All grades - Continuous casting - Slabs - austenitic-ferritic corrosion resisting stainless steel

721899-0005 - EN 10088-1 - All grades - Continuous casting - Slabs - ferritic heat resisting stainless steel

721899-0006 - EN 10088-1 - All grades - Continuous casting - Slabs - austenitic or austenitic-ferritic heat resisting stainless steel

721899-0007 - EN 10088-1 - All grades - Continuous casting - Slabs - martensitic creep resisting stainless steel

721899-0008 - EN 10088-1 - All grades - Continuous casting - Slabs - austenitic creep resisting stainless steel

721931 - Steel, stainless; flat-rolled, width 600mm or more, cold-rolled or cold-reduced, of a thickness of 4.75mm or more

721931-0001 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - wide strip coil - width 600mm or more - thickness of 4.75mm or more but less than 6mm

721931-0002 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - plate - width 600mm or more - thickness of 4.75mm or more but less than 6mm

721932 - Steel, stainless; flat-rolled, width 600mm or more, cold-rolled, of a thickness of 3mm or more but less than 4.75mm

721932-0001 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - wide strip coil - width 600mm or more - thickness of 3mm or more but less than 4.75mm

721932-0002 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - plate - width 600mm or more - thickness of 3mm or more but less than 4.75mm

721933 - Steel, stainless; flat-rolled, width 600mm or more, cold-rolled, of a thickness exceeding 1mm but less than 3mm

721933-0001 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - wide strip coil - width 600mm or more -

thickness exceeding 1mm but less than 3mm
721933-0002 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - sheet - width 600mm or more - thickness exceeding 1mm but less than 3mm
721934 - Steel, stainless; flat-rolled, width 600mm or more, cold-rolled, of a thickness of 0.5mm or more but not exceeding 1mm
721934-0001 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - wide strip coil - width 600mm or more - thickness of 0.5mm or more but not exceeding 1mm
721934-0002 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - sheet - width 600mm or more - thickness of 0.5mm or more but not exceeding 1mm
721935 - Steel, stainless; flat-rolled, width 600mm or more, cold-rolled, of a thickness of less than 0.5mm
721935-0001 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - wide strip coil - width 600mm or more - thickness of less than 0.5mm
721935-0002 - EN 10259 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - sheet - width 600mm or more - thickness of less than 0.5mm
722020 - Steel, stainless; flat-rolled, width less than 600mm, cold-rolled
722020-0001 - EN 10258 + EN 10088-2 - All stainless steel grades - Cold-rolled flat products - narrow strip - width under 600mm - stainless steel
722220 - Steel, stainless; bars and rods, cold-formed or cold-finished
722220-0001 - EN 10088-3,5 - All stainless steel grades - Continuously cold-formed - Bars or rods
722240 - Steel, stainless; angles, shapes and sections
722240-0001 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - U sections
722240-0002 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - I sections
722240-0003 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - Taper flange I sections
722240-0004 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - H sections
722240-0005 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - T sections
722240-0006 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - L equal angles
722240-0007 - EN 10088-3,5 - All stainless steel grades - Continuously hot-rolled or cold-formed - L unequal angles
722300 - Steel, stainless; wire
722300-0001 - EN 10088-3,5 - All stainless steel grades - Round wire
722300-0002 - EN 10263-5 - All stainless steel grades - Round wire - For cold heading and cold extrusion
722300-0003 - EN 10264-4 - All stainless steel grades - Round wire - For ropes
722300-0004 - EN 10270-3 - All stainless steel grades - Round wire - For springs
730441 - Steel, stainless; cold-drawn or cold-rolled (cold-reduced), tubes and pipes of circular cross-section
730441-0001 - EN 10216-5 - Cold-finished CFD - Uncoated or Coated - Stainless steel grades - Seamless (S) - Steel tubes - Tolerance Class [D3 or D4] and [T3 or T4] - For pressure and corrosion resisting purposes at [room or low or elevated] temperatures
730441-0002 - EN 10216-5 - Cold-finished CFA - Uncoated or Coated - Stainless steel grades - Seamless (S) - Steel tubes - Tolerance Class [D3 or D4] and [T3 or T4] - For pressure and corrosion resisting purposes at [room or low or elevated] temperatures
730441-0003 - EN 10216-5 - Cold-finished CFG - Uncoated or Coated - Stainless steel grades - Seamless (S) - Steel tubes - Tolerance Class [D3 or D4] and [T3 or T4] - For pressure and corrosion resisting purposes at [room or low or elevated] temperatures
730441-0004 - EN 10216-5 - Cold-finished CFP - Uncoated or Coated - Stainless steel grades - Seamless (S) - Steel tubes - Tolerance Class [D3 or D4] and [T3 or T4] - For pressure and corrosion resisting purposes at [room or low or elevated] temperatures
730441-0005 - EN 10297-2 - Cold-finished - Uncoated or Coated - Stainless steel grades - Seamless (S) - Steel tubes - For mechanical and general engineering purposes
730640 - Steel, stainless; tubes, pipes and hollow profiles, welded, of circular cross-section, n.e.c. in chapter 73
730640-0001 - EN 10217-7 - Cold or Hot-finished - Stainless steel grades - [Automatic Arc Welding or LBW] - Steel tubes - [TC1 or TC2] - Outside diameter under < 406.4mm - With specified low temperature properties - For pressure purposes
730640-0002 - EN 10312 - Cold or Hot-finished - Stainless steel grades - [Automatic Arc Welding or LBW] - Steel tubes - [Series 1 or Series 2] - Outside diameter between 6 - 267mm - For the conveyance of aqueous liquids including water for human consumption
730640-0003 - EN 10296-2 - Cold or Hot-finished - Uncoated - Stainless steel grades - [Automatic Arc Welding or LBWL] - Steel tubes - Outside diameter under < 406.4mm - For mechanical and general engineering purposes
730640-0004 - EN 10357 - Cold or Hot-finished - Uncoated - Stainless steel grades - [Longitudinally Fusion Welded] - Steel tubes - [TC1 or TC2] - Series A - Outside diameter between 13 - 254mm - For the food and chemical industry
730640-0005 - EN 10357 - Cold or Hot-finished - Uncoated - Stainless steel grades - [Longitudinally Fusion Welded] - Steel tubes - [TC1

or TC2] - Series B - Outside diameter between 12 - 52mm - For the food and chemical industry
730640-0006 - EN 10357 - Cold or Hot-finished - Uncoated - Stainless steel grades - [Longitudinally Fusion Welded] - Steel tubes - [TC1 or TC2] - Series C - Outside diameter between 17.2 - 114.3mm - For the food and chemical industry
730640-0007 - EN 10357 - Cold or Hot-finished - Uncoated - Stainless steel grades - [Longitudinally Fusion Welded] - Steel tubes - [TC1 or TC2] - Series D - Outside diameter between 25 - 101.6mm - For the food and chemical industry
730721 - Steel, stainless; tube or pipe fittings, flanges, of stainless steel
730721-0001 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Elbow - Equal - Table 7
730721-0002 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Cross - Equal - Table 7
730721-0003 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Tee - Equal - Table 7
730721-0004 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Elbow - Equal 45 Degrees - Table 8
730721-0005 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Elbow - Male and Female Equal - Table 9
730721-0006 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Tee - Reducing On The Branch - Table 10
730721-0007 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Socket - Type Heavy - Table 11
730721-0008 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Half Socket - Type Heavy - Table 11
730721-0009 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Socket - Equal Type Medium - Table 12
730721-0010 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Half Socket - Equal Type Medium - Table 12
730721-0011 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Reducing Socket - Table 13
730721-0012 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Hexagonal Nipple - Equal - Table 14
730721-0013 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Hexagonal Bush - Table 15
730721-0014 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Square Head Plug - Table 16
730721-0015 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Hexagon Head Plug - Table 17
730721-0016 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Socket Union - Table 18
730721-0017 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Hexagon Backnut - Table 19
730721-0018 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Cap - Table 20
730721-0019 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Single Longscrew - Table 21
730721-0020 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Double Longscrew - Table 21
730721-0021 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Pipe Nipple - Table 22
730721-0022 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Running Nipple - Table 23
730721-0023 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Close Nipple - Table 23
730721-0024 - EN 10241 - All Stainless Steel Grades - Threaded Pipe Fittings - Barrel Nipple - Table 23
Copper, aluminium, alumina, zinc and tin
281820 - Aluminium oxide; other than artificial corundum
281820-0001 Crushed powder - ISO 2926 - Calcined Alumina - min 99% Al ₂ O ₃
281820-0002 Crushed powder - ISO 2926 + ISO 17500 - Smelter-Grade Alumina - min 98% Al ₂ O ₃
740311 - Copper; refined, unwrought, cathodes and sections of cathodes
740311-0001 - EN 1978 - All grades - Cathode - Copper content higher than 99,85 % - for melting
740313 - Copper; refined, unwrought, billets
740313-0001 - EN 1976 - All grades - Continuous casting - Billet - Copper content higher than 99,85 %
740321 - Copper; copper-zinc base alloys (brass) unwrought
740321-0001 - EN 1982 - All Copper-zinc grades - Continuous casting - Billet or ingot
740322 - Copper; copper-tin base alloys (bronze) unwrought
740322-0001 - EN 1982 - All Copper-tin grades - Continuous casting billet or ingot
740329 - Copper; copper alloys n.e.c. in heading no. 7403 (other than master alloys of heading no. 7405)
740329-0001 - EN 1982 - All Copper-nickel grades - Continuous casting - Billet or ingot
740329-0002 - EN 1982 - All Copper-aluminium grades - Continuous casting - Billet or ingot
740329-0003 - EN 1982 - All Copper-chromium grades - Continuous casting - Billet or ingot
740500 - Copper; master alloys of copper

740500-0001 - EN 1981 - All grades - Copper master alloy - for melting
760110 - Aluminium; unwrought, (not alloyed)
760110-0001 - EN 576 - All designations - Aluminium ingot - for melting
760120 - Aluminium; unwrought, alloys
760120-0001 - EN 1780-1,2,3 - All grades - Aluminium ingot - for melting
790112 - Zinc; unwrought, (not alloyed), containing by weight less than 99.99% of zinc
790112-0001 - EN 13283 - ZSA - Secondary zinc ingot - zinc content 98,5% - for melting
790112-0002 - EN 13283 - ZS1 - Secondary zinc ingot - zinc content 98,0% - for melting
790112-0003 - EN 13283 - ZS2 - Secondary zinc ingot - zinc content 97,5% - for melting
790120 - Zinc; unwrought, alloys
790120-0001 - EN 1774 - All grades - Zinc ingot - zinc content under 97,5% - for melting
800110 - Tin; unwrought, not alloyed
800110-0001 - EN 610 - All grades - Tin ingot - for melting
740710 - Copper; bars, rods and profiles, of refined copper
740710-0001 - EN 12163 - All Low alloyed and Phosphorus-containing copper grades - Round or Square or Hexagonal or Octagon - Rod
740710-0002 - EN 12164 - All Low alloyed and Phosphorus-containing copper grades - Round or Square or Hexagonal or Octagon - Rod - For free machining purposes
740710-0003 - EN 12167 - All Low alloyed and Phosphorus-containing copper grades - L section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740710-0004 - EN 12167 - All Low alloyed and Phosphorus-containing copper grades - T section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740710-0005 - EN 12167 - All Low alloyed and Phosphorus-containing copper grades - U section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740710-0006 - EN 12167 - All Low alloyed and Phosphorus-containing copper grades - Rectangular Bar - width between 6 - 120mm and thicknesses between 3 - 60 mm
740710-0007 - EN 13601 - All Copper grades - Rectangular Bar - width between 3 - 250mm and thicknesses between 2 - 40 mm
740710-0008 - EN 13601 - All Copper grades - Round or Square or Hexagonal - Rod - width across-flats between 2 - 160mm
740710-0009 - EN 12167 - All Copper grades - Profile - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter - For electrical purposes
740710-0010 - EN 12168 - All Copper grades - Hollow Rod - outside diameter less than 80 mm and wall thickness greater than 2mm - For free machining purposes
740721 - Copper; bars, rods and profiles, of copper-zinc base alloys (brass)
740721-0001 - EN 12163 - All Copper-zinc grades - Round or Square or Hexagonal or Octagon - Rod
740710-0002 - EN 12164 - All Copper-zinc grades - Round or Square or Hexagonal or Octagon - Rod - For free machining purposes
740721-0003 - EN 12167 - All Copper-zinc grades - L section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740721-0004 - EN 12167 - All Copper-zinc grades - T section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740721-0005 - EN 12167 - All Copper-zinc grades - U section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740721-0006 - EN 12167 - All Copper-zinc grades - Rectangular Bar - width between 6 - 120mm and thicknesses between 3 - 60 mm
740721-0007 - EN 12168 - All Copper-zinc grades - Hollow Rod - outside diameter less than 80 mm and wall thickness greater than 2mm - For free machining purposes
740729 - Copper; bars, rods and profiles, of copper alloys (other than copper-zinc base alloys)
740729-0001 - EN 12163 - All Copper alloys not specified - Round or Square or Hexagonal or Octagon - Rod
740729-0002 - EN 12164 - All Copper alloys not specified - Round or Square or Hexagonal or Octagon - Rod - For free machining purposes
740729-0003 - EN 12167 - All Copper alloys not specified - L section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740729-0004 - EN 12167 - All Copper alloys not specified - T section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter

740729-0005 - EN 12167 - All Copper alloys not specified - U section - with a cross-section which would fit within a circumscribing circle of a maximum 180 mm diameter
740729-0006 - EN 12167 - All Copper alloys not specified - Rectangular Bar - width between 6 - 120mm and thicknesses between 3 - 60 mm
740729-0007 - EN 12168 - All Copper alloys not specified - Hollow Rod - outside diameter less than 80 mm and wall thickness greater than 2mm - For free machining purposes
740811 - Copper; wire, of refined copper, of which the maximum cross-sectional dimension exceeds 6mm
740811-0001 - EN 12166 - All Copper grades - Round or Square or Rectangular or Hexagonal or Octagonal or Profiled Wire - For general purposes - maximum cross-sectional dimension exceeds 6mm
740811-0002 - EN 13601 - All Copper grades - Round or Square or Rectangular or Hexagonal Wire - For general electrical purposes - widths across-flats between 2 - 25mm or thicknesses between 6 - 12 mm
740811-0003 - EN 13605 - All Copper grades - Solid or Hollow - Profiled wire - For electrical purposes - Maximum cross-sectional dimension which would fit within a circumscribing circle between 6mm - 180 mm diameter
740819 - Copper; wire, of refined copper, of which the maximum cross-sectional dimension is 6mm or less
740819-0001 - EN 12166 - All Copper grades - Round or Square or Rectangular or Hexagonal or Octagonal or Profiled Wire - For general purposes - maximum cross-sectional dimension less then 6mm
740819-0002 - EN 13601 - All Copper grades - Round or Square or Rectangular or Hexagonal Wire - For general electrical purposes - widths across-flats between 2 - 25mm or thicknesses between 0.5 - 6 mm
740819-0003 - EN 13602 - All Copper grades - Round Wire - For the manufacture of electrical conductors - cross-sectional dimension between 0.04 - 5mm
740819-0004 - EN 13605 - All Copper grades - Solid or Hollow - Profiled wire - For electrical purposes - Maximum cross-sectional dimension which would fit within a circumscribing circle less than 6mm diameter
740821 - Copper; wire, of copper-zinc base alloys (brass)
740821-0001 - EN 12166 - All Copper-zinc grades - Round or Square or Rectangular or Hexagonal or Octagonal or Profiled Wire - For general purposes
740822 - Copper; wire, of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)
740822-0001 - EN 12166 - All Copper-nickel or Copper-nickel-zinc grades - Round or Square or Rectangular or Hexagonal or Octagonal or Profiled Wire - For general purposes
740829 - Copper; wire, of copper alloys (other than copper-zinc base alloys, copper-nickel base alloys or copper-nickel-zinc base alloys)
740829-0001 - EN 12166 - All Copper alloys not specified - Round or Square or Rectangular or Hexagonal or Octagonal or Profiled Wire - For general purposes
740911 - Copper; strip, of a thickness exceeding 0.15mm, of refined copper, in coils
740911-0001 - EN 1172 - All Copper grades - Strip - width up to and including 1 250 mm and thickness between 0.4 - 1 mm - For building purposes - In coils
740911-0002 - EN 1652 - All Copper grades - Strip - thickness between 0.15 - 5 mm - For general purposes - In coils
740911-0003 - EN 1653 - All Phosphorus-containing copper grade - Strip - thickness between 0.15 - 5 mm - For boilers, pressure vessels and hot water storage units - In coils
740911-0004 - EN 1758 - grade Cu-DLP (CW023A) - Strip - width up to and including 100 mm and thickness between 0.15 - 2 mm - For lead frames - In coils
740911-0005 - EN 13599 - All Copper grades - Strip - thickness between 0.15 - 5 mm - For electrical purposes - In coils
740919 - Copper; plates and sheets, of a thickness exceeding 0.15mm, of refined copper, not in coils
740919-0001 - EN 1172 - All Copper grades - Sheet - width up to and including 1 250 mm and thickness between 0.4 - 1 mm - For building purposes
740919-0002 - EN 1652 - All Copper grades - Sheet - thickness between 0.15 - 10 mm - For general purposes
740919-0003 - EN 1652 - All Copper grades - Plate - thickness between 10 - 25 mm - For general purposes
740919-0004 - EN 1653 - All Phosphorus-containing copper grade - Sheet - thickness between 0.15 - 10 mm - For boilers, pressure vessels and hot water storage units
740919-0005 - EN 1653 - All Phosphorus-containing copper grade - Plate - thickness between 10 - 25 mm - For boilers, pressure vessels and hot water storage units
740919-0006 - EN 13599 - All Copper grades - Sheet - thickness between 0.15 - 10 mm - For electrical purposes
740919-0007 - EN 13599 - All Copper grades - Plate - thickness between 10 - 25 mm - For electrical purposes
740921 - Copper; strip, of a thickness exceeding 0.15mm, of copper-zinc base alloys (brass), in coils
740921-0001 - EN 1652 - All Copper-zinc grades - Strip - thickness between 0.15 - 5 mm - For general purposes - In coils

740921-0002 - EN 1653 - All Copper-zinc grades - Strip - thickness between 0.15 - 5 mm - For boilers, pressure vessels and hot water storage units - In coils
740921-0003 - EN 1654 - All Copper-zinc grades - Strip - width up to and including 350 mm and thickness between 0.15 - 1 mm - For springs and connectors - In coils
740929 - Copper; plates and sheets, of a thickness exceeding 0.15mm, of copper-zinc base alloys (brass), not in coils
740929-0001 - EN 1652 - All Copper-zinc grades - Sheet - thickness between 0.15 - 10 mm - For general purposes
740929-0002 - EN 1652 - All Copper-zinc grades - Plate - thickness between 10 - 25 mm - For general purposes
740929-0003 - EN 1653 - All Copper-zinc grades - Sheet - thickness between 0.15 - 10 mm - For boilers, pressure vessels and hot water storage units
740929-0004 - EN 1653 - All Copper-zinc grades - Plate - thickness between 10 - 25 mm - For boilers, pressure vessels and hot water storage units
740931 - Copper; strip, of a thickness exceeding 0.15mm, of copper-tin base alloys (bronze), in coils
740931-0001 - EN 1652 - All Copper-tin grades - Strip - thickness between 0.15 - 5 mm - For general purposes - In coils
740931-0002 - EN 1654 - All Copper-tin grades - Strip - width up to and including 350 mm and thickness between 0.15 - 1 mm - For springs and connectors - In coils
740931-0003 - EN 1758 - grade CuSn0.15 (CW117C) - Strip - width up to and including 100 mm and thickness between 0.15 - 2 mm - For lead frames - In coils
740939 - Copper; plates and sheets, of a thickness exceeding 0.15mm, of copper-tin base alloys, not in coils
740939-0001 - EN 1652 - All Copper-tin grades - Sheet - thickness between 0.15 - 10 mm - For general purposes
740939-0002 - EN 1652 - All Copper-tin grades - Plate - thickness between 10 - 25 mm - For general purposes
740940 - Copper; plates, sheets and strip, of a thickness exceeding 0.15mm, of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)
740940-0001 - EN 1652 - All Copper-nickel grades- Strip - thickness between 0.15 - 5 mm - For general purposes - In coils
740940-0002 - EN 1652 - All Copper-nickel grades - Sheet - thickness between 0.15 - 10 mm - For general purposes
740940-0003 - EN 1652 - All Copper-nickel grades - Plate - thickness between 10 - 25 mm - For general purposes
740940-0004 - EN 1653 - All Copper-nickel grades - Strip - thickness between 0.15 - 10 mm - For boilers, pressure vessels and hot water storage units - In coils
740940-0005 - EN 1653 - All Copper-nickel grades - Sheet - thickness between 0.15 - 10 mm - For boilers, pressure vessels and hot water storage units
740940-0006 - EN 1653 - All Copper-nickel grades - Plate - thickness between 10 - 25 mm - For boilers, pressure vessels and hot water storage units
740940-0007 - EN 1654 - All Copper-nickel grades - Strip - width up to and including 350 mm and thickness between 0.15 - 1 mm - For springs and connectors - In coils
740990 - Copper; plates, sheets and strip, of a thickness exceeding 0.15mm, of copper alloys (other than copper-zinc base alloys, copper-tin base alloys, copper-nickel base alloys or copper-nickel-zinc base alloys)
740990-0001 - EN 1652 - All Copper alloys not specified - Strip - thickness between 0.15 - 5 mm - For general purposes - In coils
740990-0002 - EN 1652 - All Copper alloys not specified - Sheet - thickness between 0.15 - 10 mm - For general purposes
740990-0003 - EN 1652 - All Copper alloys not specified - Plate - thickness between 10 - 25 mm - For general purposes
740990-0004 - EN 1653 - All Copper alloys not specified - Strip - thickness between 0.15 - 10 mm - For boilers, pressure vessels and hot water storage units - In coils
740990-0005 - EN 1653 - All Copper alloys not specified - Sheet - thickness between 0.15 - 10 mm - For boilers, pressure vessels and hot water storage units
740990-0006 - EN 1653 - All Copper alloys not specified - Plate - thickness between 10 - 25 mm - For boilers, pressure vessels and hot water storage units
740990-0007 - EN 1654 - All Copper alloys not specified - Strip - width up to and including 350 mm and thickness between 0.15 - 1 mm - For springs and connectors - In coils
740990-0008 - EN 1758 - grade CuFe2P (CW107C) - Strip - width up to and including 100 mm and thickness between 0.15 - 2 mm - For lead frames - In coils
741021 - Copper; foil, backed with paper, paperboard, plastics or similar backing material, of a thickness (excluding any backing) not exceeding 0.15mm, of refined copper
741021-0007 - IEC 61249-2-21 - Copper clad laminate (CCL) - Single Sided or Double Sided - Copper foil thickness not exceeding 0.10mm
741110 - Copper; tubes and pipes, of refined copper

741110-0001 - EN 12449 - All Phosphorus-containing copper grades - Seamless round tube - outside diameter 3 - 450mm and wall thickness between 0.3 - 20mm - For general purposes
741110-0002 - EN 12451 - All Phosphorus-containing copper grades - Seamless round tube - outside diameter 6 - 76mm and wall thickness between 0.5 - 3mm - For heat exchangers
741110-0003 - EN 12452 - All Phosphorus-containing copper grades - Seamless rolled finned tube - outside diameter 6 - 35mm and wall thickness between 1 - 3mm and fin height up to 1.5mm - For heat exchangers
741110-0004 - EN 13600 - All Copper grades - Seamless round tube - outside diameter 3 - 450mm and wall thickness exceeding 0.3mm - For electrical purposes - In straight lengths
741110-0005 - EN 13600 - All Copper grades - Seamless round tube - outside diameter 3 - 30mm and wall thickness exceeding 0.3mm - For electrical purposes - In level wound coils
741110-0006 - EN 13600 - All Copper grades - Seamless square and rectangular tube - outside diameter 5 - 150mm and wall thickness between 0.5 - 10mm - For electrical purposes
741121 - Copper; tubes and pipes, of copper-zinc base alloys (brass)
741121-0001 - EN 12449 - All Copper-zinc grades - Seamless square and rectangular tube - outside diameter 5 - 150mm and wall thickness between 0.3 - 20mm - For general purposes
741121-0002 - EN 12451 - All Copper-zinc grades - Seamless round tube - outside diameter 6 - 76mm and wall thickness between 0.5 - 3mm - For heat exchangers
741121-0003 - EN 12452 - All Copper-zinc grades - Seamless rolled finned tube - outside diameter 6 - 35mm and wall thickness between 1 - 3mm and fin height up to 1.5mm - For heat exchangers
741122 - Copper; tubes and pipes, of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)
741122-0001 - EN 12449 - All Copper-nickel grades - Seamless round tube - outside diameter 3 - 450mm and wall thickness between 0.3 - 20mm - For general purposes
741122-0002 - EN 12451 - All Copper-nickel grades - Seamless round tube - outside diameter 6 - 76mm and wall thickness between 0.5 - 3mm - For heat exchangers
741122-0003 - EN 12452 - All Copper-nickel grades - Seamless rolled finned tube - outside diameter 6 - 35mm and wall thickness between 1 - 3mm and fin height up to 1.5mm - For heat exchangers
741129 - Copper; tubes and pipes, of copper alloys (other than copper-zinc, copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel-silver))
741129-0001 - EN 12449 - All Copper alloys not specified - Seamless round tube - outside diameter 3 - 450mm and wall thickness between 0.3 - 20mm - For general purposes
741129-0002 - EN 12451 - All Copper alloys not specified - Seamless round tube - outside diameter 6 - 76mm and wall thickness between 0.5 - 3mm - For heat exchangers
760410 - Aluminium; (not alloyed), bars, rods and profiles
760410-0001 - EN 754-1,2,3 - All not alloyed aluminium grades >99.95% - Cold drawn round bar - diameter between 3-100mm
760410-0002 - EN 754-1,2,4 - All not alloyed aluminium grades >99.95% - Cold drawn square bar - widths across flats between 3-100mm
760410-0003 - EN 754-1,2,5 - All not alloyed aluminium grades >99.95% - Cold drawn rectangular bar - thicknesses between 2 - 60 mm and widths between 5 - 200 mm
760410-0004 - EN 754-1,2,6 - All not alloyed aluminium grades >99.95% - Cold drawn hexagonal bar - widths across flats between 3 - 80 mm
760410-0005 - EN 755-1,2,3 - All not alloyed aluminium grades >99.95% - Extruded round bar - diameter between 8-320mm
760410-0006 - EN 755-1,2,4 - All not alloyed aluminium grades >99.95% - Extruded square bar - widths across flats between 10-220mm
760410-0007 - EN 755-1,2,5 - All not alloyed aluminium grades >99.95% - Extruded rectangular bar - thicknesses between 2 - 240 mm and widths between 10 - 600 mm
760410-0008 - EN 755-1,2,6 - All not alloyed aluminium grades >99.95% - Extruded hexagonal bar - widths across flats between 10 - 220 mm
760410-0009 - EN 755-1,2,9 - All aluminium alloys grades - Extruded solid profile - Cross section contained within a circumscribing circle less than 800 mm diameter
760421 - Aluminium; alloys, hollow profiles
760421-0001 - EN 755-1,2,9 - All aluminium alloys grades - Extruded hollow profile - Cross section contained within a circumscribing circle less than 800 mm diameter
760429 - Aluminium; alloys, bars, rods and profiles, other than hollow
760429-0001 - EN 754-1,2,3 - All aluminium alloys grades - Cold drawn round bar - diameter between 3-100mm
760429-0002 - EN 754-1,2,4 - All aluminium alloys grades - Cold drawn square bar - widths across flats between 3-100mm
760429-0003 - EN 754-1,2,5 - All aluminium alloys grades - Cold drawn rectangular bar - thicknesses between 2 - 60 mm and widths

between 5 - 200 mm
760429-0004 - EN 754-1,2,6 - All aluminium alloys grades - Cold drawn hexagonal bar - widths across flats between 3 - 80 mm
760429-0005 - EN 755-1,2,3 - All aluminium alloys grades - Extruded round bar - diameter between 8-320mm
760429-0006 - EN 755-1,2,4 - All aluminium alloys grades - Extruded square bar - widths across flats between 10-220mm
760429-0007 - EN 755-1,2,5 - All aluminium alloys grades - Extruded rectangular bar - thicknesses between 2 - 240 mm and widths between 10 - 600 mm
760429-0008 - EN 755-1,2,6 - All aluminium alloys grades - Extruded hexagonal bar - widths across flats between 10 - 220 mm
760429-0009 - EN 755-1,2,9 - All aluminium alloys grades - Extruded solid profile - Cross section contained within a circumscribing circle less than 800 mm diameter
760511 - Aluminium; (not alloyed), wire, maximum cross-sectional dimension exceeds 7mm
760511-0001 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn round wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760511-0002 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn square wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760511-0003 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn hexagonal wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760511-0004 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn rectangular wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760519 - Aluminium; (not alloyed), wire, maximum cross-sectional dimension is 7mm or less
760519-0001 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn round wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760519-0002 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn square wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760519-0003 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn hexagonal wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760519-0004 - EN 1301-1,2,3 - All not alloyed aluminium grades >99.95% - Drawn rectangular wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760521 - Aluminium; alloys, wire, maximum cross-sectional dimension exceeding 7mm
760521-0001 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn round wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760521-0002 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn square wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760521-0003 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn hexagonal wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760521-0004 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn rectangular wire - cross-sectional dimension exceeds 7mm - for general engineering applications - In coils
760529 - Aluminium; alloys, wire, maximum cross-sectional dimension is 7mm or less
760529-0001 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn round wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760529-0002 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn square wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760529-0003 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn hexagonal wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760529-0004 - EN 1301-1,2,3 - All aluminium alloys grades - Drawn rectangular wire - cross-sectional dimension less than 7mm - for general engineering applications - In coils
760611 - Aluminium; plates, sheets and strip, thickness exceeding 0.2mm, (not alloyed), rectangular (including square)
760611-0001 - EN 485-1,2,3 - All not alloyed aluminium grades >99.95% - Hot-rolled - Sheet - thicknesses between 2.5 - 6mm
760611-0002 - EN 485-1,2,3 - All not alloyed aluminium grades >99.95% - Hot-rolled - Plate - thicknesses between 6 - 400mm
760611-0003 - EN 485-1,2,4 - All not alloyed aluminium grades >99.95% - Cold-rolled - Sheet - thicknesses between 2.5 - 6mm
760611-0004 - EN 485-1,2,4 - All not alloyed aluminium grades >99.95% - Cold-rolled - Plate - thicknesses between 6 - 50mm
760611-0005 - EN 485-1,2,4 - All not alloyed aluminium grades >99.95% - Cold-rolled - Strip - thicknesses between 0.2 - 2.5mm - In coils
760611-0006 - EN 1386 - All not alloyed aluminium grades >99.95% - Cold-rolled - Tread sheet - thicknesses between 2.5 - 6mm - width up to 2500mm - length up to 14000mm

760611-0007 - EN 1386 - All not alloyed aluminium grades >99.95% - Cold-rolled - Tread plate - thicknesses between 6 - 20mm - width up to 2500mm - length up to 14000mm
760611-0008 - EN 14121 - All not alloyed aluminium grades >99.95% - Cold-rolled - Sheet - thicknesses between 2.5 - 6mm - For electrotechnical applications
760611-0009 - EN 14121 - All not alloyed aluminium grades >99.95% - Cold-rolled - Plate - thicknesses between 6 - 150mm - For electrotechnical applications
760611-0010 - EN 14121 - All not alloyed aluminium grades >99.95% - Cold-rolled - Strip - thicknesses between 0.2 - 2.5mm - For electrotechnical applications – In coils
760612 - Aluminium; plates, sheets and strip, thickness exceeding 0.2mm, alloys, rectangular (including square)
760612-0001 - EN 485-1,2,3 - All aluminium alloys grades - Hot-rolled - Sheet - thicknesses between 2.5 - 6mm
760612-0002 - EN 485-1,2,3 - All aluminium alloys grades - Hot-rolled - Plate - thicknesses between 6 - 400mm
760612-0003 - EN 485-1,2,4 - All aluminium alloys grades - Cold-rolled - Sheet - thicknesses between 2.5 - 6mm
760612-0004 - EN 485-1,2,4 - All aluminium alloys grades - Cold-rolled - Plate - thicknesses between 6 - 50mm
760612-0005 - EN 485-1,2,4 - All aluminium alloys grades - Cold-rolled - Strip - thicknesses between 0.2 – 2.5mm – In coils
760612-0006 - EN 1386 - All aluminium alloys grades - Cold-rolled - Tread sheet - thicknesses between 2.5 - 6mm - width up to 2500mm - length up to 14000mm
760612-0007 - EN 1386 - All aluminium alloys grades - Cold-rolled - Tread plate - thicknesses between 6 - 20mm - width up to 2500mm - length up to 14000mm
760612-0008 - EN 14121 - All aluminium alloys grades - Cold-rolled - Sheet - thicknesses between 2.5 - 6mm - For electrotechnical applications
760612-0009 - EN 14121 - All aluminium alloys grades - Cold-rolled - Plate - thicknesses between 6 - 150mm - For electrotechnical applications
760612-0010 - EN 14121 - All aluminium alloys grades - Cold-rolled - Strip - thicknesses between 0.2 - 2.5mm - For electrotechnical applications – In coils
760691 - Aluminium; plates, sheets and strip, thickness exceeding 0.2mm, not alloyed, (not rectangular or square)
760691-0001 - EN 851 - All not alloyed aluminium grades >99.95% - Hot or Cold-rolled - Circle - thicknesses between 0.2 - 12mm and diameter between 100 to 1600mm - For the production of culinary utensils
760691-0002 - EN 941 - All not alloyed aluminium grades >99.95% - Hot or Cold-rolled - Circle - thicknesses between 0.2 - 12mm and diameter between 100 to 1000mm - For general applications
760691-0003 - EN 941 - All not alloyed aluminium grades >99.95% - Hot or Cold-rolled - Sawing or shearing - Circle - thicknesses between 0.2 - 200mm and diameter up to 3500mm - For general applications
760692 - Aluminium; plates, sheets and strip, thickness exceeding 0.2mm, alloys, (not rectangular or square)
760692-0001 - EN 851 - All aluminium alloys grades - Hot or Cold-rolled - Circle - thicknesses between 0.2 - 12mm and diameter between 100 to 1600mm - for the production of culinary utensils
760692-0002 - EN 941 - All aluminium alloys grades - Hot or Cold-rolled - Blanking - Circle - thicknesses between 0.2 - 12mm and diameter between 100 to 1000mm - For general applications
760692-0003 - EN 941 - All aluminium alloys grades - Hot or Cold-rolled - Sawing or shearing - Circle - thicknesses between 0.2 - 200mm and diameter up to 3500mm - For general applications
760711 - Aluminium; foil, (not backed), rolled (but not further worked), of a thickness not exceeding 0.2mm
760711-0001 - EN 546-1,2,3,4 - All grades - Single or double rolled - aluminium converter foil - gauge range between 6 µm to 200 µm - In coils
760711-0002 - EN 546-1,2,3,4 - All grades - Single or double rolled - aluminium consumer/household foil - gauge range between 10 µm to 24 µm - In coils
760711-0003 - EN 546-1,2,3,4 - All grades - Single rolled - aluminium container foil - gauge range 35 µm to 200 µm - In coils
760810 - Aluminium; tubes and pipes, not alloyed
760810-0001 - EN 754-1,2,7 - All not alloyed aluminium grades >99.95% - Cold drawn seamless round tube - Outside diameter 3 - 350mm
760810-0002 - EN 754-1,2,7 - All not alloyed aluminium grades >99.95% - Cold drawn seamless non-round tube - Cross section contained within a circumscribing circle between 8mm - 300 mm diameter
760810-0003 - EN 754-1,2,8 - All not alloyed aluminium grades >99.95% - Cold drawn porthole round tube - Outside diameter 3 - 350mm
760810-0004 - EN 754-1,2,8 - All not alloyed aluminium grades >99.95% - Cold drawn porthole non-round tube - Cross section contained within a circumscribing circle between 8mm - 300 mm diameter
760810-0005 - EN 755-1,2,7 - All not alloyed aluminium grades >99.95% - Extruded seamless round tube - Outside diameter 8 - 450mm
760810-0006 - EN 755-1,2,7 - All not alloyed aluminium grades >99.95% - Extruded seamless non-round tube - Cross section contained within a circumscribing circle between 10mm - 350 mm diameter

760810-0007 - EN 755-1,2,8 - All not alloyed aluminium grades >99.95% - Extruded porthole round tube - Outside diameter 8 - 450mm
760810-0008 - EN 755-1,2,8 - All not alloyed aluminium grades >99.95% - Extruded porthole non-round tube - Cross section contained within a circumscribing circle between 10mm - 350 mm diameter
760810-0009 - EN 13958 - All not alloyed aluminium grades >99.95% - Extruded porthole round tube - Outside diameter 2 – 50mm – In coils
760820 - Aluminium; tubes and pipes, alloys
760820-0001 - EN 754-1,2,7 - All aluminium alloys grades - Cold drawn seamless round tube - Outside diameter 3 - 350mm
760820-0002 - EN 754-1,2,7 - All aluminium alloys grades - Cold drawn seamless non-round tube - Cross section contained within a circumscribing circle between 8mm - 300 mm diameter
760820-0003 - EN 754-1,2,8 - All aluminium alloys grades - Cold drawn porthole round tube - Outside diameter 3 - 350mm
760820-0004 - EN 754-1,2,8 - All aluminium alloys grades - Cold drawn porthole non-round tube - Cross section contained within a circumscribing circle between 8mm - 300 mm diameter
760820-0005 - EN 755-1,2,7 - All aluminium alloys grades - Extruded seamless round tube - Outside diameter 8 - 450mm
760820-0006 - EN 755-1,2,7 - All aluminium alloys grades - Extruded seamless non-round tube - Cross section contained within a circumscribing circle between 10mm - 350 mm diameter
760820-0007 - EN 755-1,2,8 - All aluminium alloys grades - Extruded porthole round tube - Outside diameter 8 - 450mm
760820-0008 - EN 755-1,2,8 - All aluminium alloys grades - Extruded porthole non-round tube - Cross section contained within a circumscribing circle between 10mm - 350 mm diameter
760820-0009 - EN 13958 - All aluminium alloys grades - Extruded porthole round tube - Outside diameter 2 – 50mm – In coils
Other metals like magnesium, titanium, tantalum are expensive, complex to manufacture and very difficult to recycle. Lead, antimony, cobalt are very toxic. Other metals are used for alloying “steel - other metals” and so on.
811292 - Gallium, germanium, hafnium, indium, niobium (columbium); articles thereof, unwrought, including waste and scrap, powders
811292-0001 - Gallium – 4N (99.99%) - Ingot - Cas No. 7440-55-3
811292-0002 - Gallium – 5N (99.999%) - Ingot - Cas No. 7440-55-3
811292-0003 - Gallium – 6N (99.9999%) - Ingot - Cas No. 7440-55-3
811292-0004 - Gallium – 7N (99.99999%) - Ingot - Cas No. 7440-55-3
811292-0005 - Gallium – 8N (99.999999%) - Ingot - Cas No. 7440-55-3
811292-0006 - Gallium – 9N (99.9999999%) - Ingot - Cas No. 7440-55-3
811292-0007 - ASTM B1002 - Indium – 3N (99.9%) - Ingot - Cas No. 7440-74-6
811292-0008 - ASTM B1002 - Indium – 4N (99.99%) - Ingot - Cas No. 7440-74-6
811292-0009 - ASTM B1002 - Indium – 4N5 (99.995%) - Ingot - Cas No. 7440-74-6
811292-0010 - ASTM B1002 - Indium – 5N (99.999%) - Ingot - Cas No. 7440-74-6
811292-0011 - ASTM B1002 - Indium – 6N (99.9999%) - Ingot - Cas No. 7440-74-6
811292-0012 - ASTM B1002 - Indium – 6N5 (99.99995%) - Ingot - Cas No. 7440-74-6
811292-0013 - ASTM B391 - Niobium – Unalloyed – Grade R04210-Type 2 – Ingot – For commercial applications - Cas No. 7440-58-6
811299 - Gallium, germanium, hafnium, indium, niobium (columbium), rhenium and vanadium; articles thereof, other than unwrought including waste and scrap and powders
811299-0001 - ASTM B776 - Hafnium – Grade R3 – Strip or Sheet or Plate – For commercial applications - Cas No. 7440-58-6
811299-0002 - ASTM B737 - Hafnium – Grade R3 – Rod diameter between 9.5 - 25 mm – For commercial applications - Cas No. 7440-58-6
811299-0003 - ASTM B737 - Hafnium – Grade R3 – Wire diameter less tha 9.5 mm – For commercial applications - Cas No. 7440-58-6
810320 - Tantalum; unwrought, including bars and rods obtained simply by sintering, powders
810320-0001 - ISO 13782 - Unalloyed - [Sintered] - Tantalum - grade RO5200b - ASTM F560 (shape) Sheet - width greater than > 150mm - thicknesses between 0.13 - 4.75mm - For surgical implant applications
810320-0002 - ISO 13782 - Unalloyed - [Sintered] - Tantalum - grade RO5200b - ASTM F560 (shape) Rod - Round or Hexagonal or Octagonal - diameter between 3.15 - 63.5mm - For surgical implant applications
810320-0003 - ISO 13782 - In coils or Spools or Reels - Unalloyed - [Sintered] - Tantalum - grade RO5200b - ASTM F560 (shape) Wire - diameter less than 3.15mm - For surgical implant applications
810390 - Tantalum; articles n.e.c. in heading no. 8103
810390-0001 - ISO 13782 - Unalloyed - [Electron beam] or [Vacuum-arc cast] - Tantalum - grade RO5200a - ASTM F560 (shape) Sheet - width greater than > 150mm - thicknesses between 0.13 - 4.75mm - For surgical implant applications
810390-0002 - ISO 13782 - Unalloyed - [Electron beam] or [Vacuum-arc cast] - Tantalum - grade RO5200a - ASTM F560 (shape) Rod -

Round or Hexagonal or Octagonal - diameter between 3.15 - 63.5mm - For surgical implant applications
810390-0003 - ISO 13782 - Unalloyed - [Electron beam] or [Vacuum-arc cast] - Tantalum - grade RO5200a - ASTM F560 (shape) Wire - diameter less than 3.15mm - For surgical implant applications - In coils or Spools or Reels
810411 - Magnesium; unwrought, containing at least 99.8% by weight of magnesium
810411-0001 - EN 12421 - Unwrought - All cast unalloyed magnesium grades >99.8% - Ingots or Castings (Semi-finished)
810419 - Magnesium; unwrought, containing less than 99.8% by weight of magnesium
810419-0001 - EN 12421 - Unwrought - All cast unalloyed magnesium grades <99.8% - Ingots or Castings (Semi-finished)
810419-0002 - EN 1559-1,5 + EN 1753 - Unwrought - All cast alloyed magnesium grades <99.8% - Ingots or Castings (Semi-finished)
810419-0003 - EN 1559-1,5 + EN 12438 - Unwrought - All cast alloyed magnesium grades <99.8% - Ingots For Cast Anodes or Anode Castings (Semi-finished)
810490 - Magnesium; articles n.e.c. in heading no. 8104
810490-0001 - ISO 3116 + ISO 23694 - Wrought - Alloyed magnesium - All grades - Extruded round bar (Semi-finished) For general engineering applications
810490-0002 - ISO 3116 + ISO 23694 - Wrought - Alloyed magnesium - All grades - Extruded square bar (Semi-finished) - For general engineering applications
810490-0003 - ISO 3116 + ISO 23694 - Wrought - Alloyed magnesium - All grades - Extruded rectangular bar (Semi-finished) - For general engineering applications
810490-0004 - ISO 3116 + ISO 23694 - Wrought - Alloyed magnesium - All grades - Extruded hexagonal bar (Semi-finished) - For general engineering applications
810490-0005 - ISO 3116 + ISO 23694 - Wrought - Alloyed magnesium - All grades - Extruded hollow tube (Semi-finished) - For general engineering applications
810490-0006 - ISO 3116 + ISO 23700 - Wrought - Alloyed magnesium - All grades - Rolled Plate (Semi-finished)
810490-0007 - ISO 3116 + ISO 23700 - Wrought - Alloyed magnesium - All grades - Rolled Sheet (Semi-finished)
810890 - Titanium; other than unwrought, n.e.c. in heading no. 8108
810890-0001 - ISO 7217 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-worked billet
810890-0002 - ISO 7217 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-worked round bar
810890-0003 - ISO 7217 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-worked square bar
810890-0004 - ISO 7217 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-worked rectangular bar
810890-0005 - ISO 7217 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-worked hexagonal bar
810890-0006 - ISO 7209 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-rolled Strip - thicknesses between 0.2 – 5mm – In coils
810890-0007 - ISO 7209 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-rolled Sheet - thicknesses between 0.2 - 5mm
810890-0008 - ISO 7209 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-rolled Plate - thicknesses between 5 - 200mm
810890-0009 - ISO 21334 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Cold-rolled Strip - thicknesses between 0.3 - 4.5mm - For welded tubes – In coils
810890-0010 - ISO 18762 - Wrought - Unalloyed or Alloyed - Titanium - All grades - Welded tubes - Outside diameter less than 88.9mm - For condensers and heat exchangers – In coils

6. Carbon

Notes :
INFO FOR SUPPLIERS:
Efficiency and Pollution :
Do not throw leftovers on land or in waters. (Dispose of leftovers properly)
The suppliers must have documents proof that all leftover chemicals used in manufacturing the products are recyclable. In most countries manufacturers are still dumping chemicals in rivers, lakes or in the oceans.
Most rubber accelerators and plasticizers are highly toxic. Also "tire and road wear particles (TRWPs)" are extremely harmful to health and the environment. We accept only suppliers and clients that use environmentally friendly solutions to vulcanize rubber.
Enzymes are replacing inorganic catalysts because they increase reaction rates significantly faster.
The charcoal must not contain any additives, binders or other chemicals. The charcoal must be produced only from accidentally fallen wood and not from endangered species, also it must not result from deforestation. Oak tree wood use is forbidden.
From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781

("Ecodesign Regulation")

Health and Safety :

Extracted or manufactured industrial products by slave workers is not accepted.

Client company and supplier workers must have protective clothing and equipment according to international and national legislation.

Suppliers must not use azo dyes. (We will verify if you used azo dyes, don't cheat !)

Pickling preparations for metal surfaces are mostly acids that they make at same location where they manufacture the products. It's not a good idea to transport sodium hydroxide, acids - toxic chemicals.

Essential oils are dangerous; they could contain treated citrus peel with pesticides, toxic chemicals, and could cause allergies. Also children will try to drink essential oils.

Graphene and carbon nanoparticles pose health risks. Therefore, these products should only be handled by professionals.

In European Union all "Food contact materials" must be according to EU Regulation 1935/2004/EC.

In European Union the products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH).

Sustainability :

Suppliers are not allowed to add any additives to deteriorate the products faster or to make people sick. (To force people to buy again and again the same low quality products.)

Storage and Packaging :

You can't store this products for long time, they expire. Do not buy to stock this products, buy them only when you need them.

All products in this section must not be stored outside. Store in dry containers away from electricity, oxides and volatile materials. Activated carbon is not allowed to be sent via air transport.

For predosed products, after removing the product from package, the package must still be functional so the client can handle and transport to product in the same package if needed.

For all products the packaging must be non-toxic recyclable.

Transport :

Transporting large quantities of industrial chemicals and synthetic resins is very dangerous. Local production minimizes the hazards of international transport.

Industrial chemicals and synthetic resins can not be sent via postal services providers.

The products must be transported, handled, stored with care and according to manufacturer instructions.

Documents :

Suppliers must send technical dossier, inspection certificates, how to use manuals, datasheet, warranty, declarations of conformity, safety datasheet and so on.

Quality :

Purity decreases over time due to a quantum effect called decoherence.

If you need glue to fix a product, it means the product is not very well designed.

Graphene's surface area far exceeds that of carbon black.

Carbon black is easily confused with graphene.

Suppliers must demonstrate each product characteristics and they must also specify all hidden defects before purchase.

INFO FOR CLIENTS:

Instructions:

Client company must send data sheets, particle size, quantity, raw material, safety datasheets, pictures and other helpful details so the manufacturers understand what are the needs. Clients must specify type of additives, suppliers should use, to increase products quality.

Buy minimum quantity to test product(s) and after if you like the product buy more.

Graphene can be grown on different (sheets) substrates (e.g. Copper, Nickel, Silicon, PET etc). Nanomaterials can be manufactured using organic and inorganic compounds. Carbon is a very abundant element in the Universe.

In the United States, Charles Goodyear discovered the vulcanization process for rubber. While a high surface carbon black area enhances product durability, it demands more specialized, costly equipment for processing.

Graphite

250410 - Graphite; natural, in powder or in flakes

250410-0001 - Dry - Natural - Flake graphite - Flakes - greater than or equal >= 90% Carbon - CAS No: 7782-42-5

250410-0002 - Dry - Natural - Amorphous graphite - Powder - between 40 - 85% Carbon - CAS No: 7782-42-5
250490 - Graphite; natural, in other forms, excluding powder or flakes
250490-0001 - Dry - Natural - Vein graphite - Lumps - greater than or equal >= 98% Carbon (Very hard to find) - CAS No: 7782-42-5
Carbon
280300 - Carbon; Other forms of carbon n.e.c
280300-0001 - ISO/TS 80004-13 - Monolayer graphene (1LG) - [1 layer] - CAS No: 1034343-98-0 - On different substrates
280300-0002 - ISO/TS 80004-13 - Epitaxial graphene - [1 layer] - CAS No: 1034343-98-0 - On silicon carbide substrate
280300-0003 - ISO/TS 80004-13 - Bilayer graphene (2LG) - [2 layer] - CAS No: 1034343-98-0 - On different substrates
280300-0004 - ISO/TS 80004-13 - Twisted bilayer graphene (tBLG) - [2 layer] - CAS No: 1034343-98-0 - On different substrates
280300-0005 - ISO/TS 80004-13 - Twisted few-layer graphene (t(n+m)LG) - [≤ 10 layers] - CAS No: 1034343-98-0 - On different substrates
280300-0006 - ISO/TS 80004-13 - Trilayer graphene (3LG) - [3 layer] - CAS No: 1034343-98-0 - On different substrates
280300-0007 - ISO/TS 80004-13 - Few-layer graphene (FLG) - [≤ 10 layers] - CAS No: 1034343-98-0 - On different substrates
280300-0008 - ISO/TS 80004-13 - Graphene nanoplatelet (GNP) - [≤ 10 layers] - CAS No: 1034343-98-0 - On different substrates
280300-0009 - ISO/TS 80004-13 - Graphene oxide (GO) - [≤ 10 layers] - CAS No: 1034343-98-0 - In powder form
280300-0010 - ISO/TS 80004-13 - Reduced graphene oxide (rGO) - [≤ 10 layers] - CAS No: 1034343-98-0 - In powder form
280300-0011 - ISO/TS 80004-3 - Single-walled (SWCNT) Carbon nanotube - CAS No: 308068-56-6 - In powder form
280300-0012 - ISO/TS 80004-3 - Multi-Walled (MWCNT) Carbon nanotube - CAS No: 308068-56-6 - In powder form
280300-0013 - ISO/TS 80004-3 - Double-wall (DWCNT) Carbon nanotube - CAS No: 308068-56-6 - In powder form
280300-0014 - ISO/TS 80004-3 - Carbon nanoribbon - CAS No: 1034343-98-0 - On different substrates
280300-0015 - ISO/TS 80004-3 - Carbon quantum dot (GQD) - CAS No: 7440-44-0 - In different solutions
280300-0015 - ASTM D1765 - Carbon Black - CAS No: 1333-86-4 - For use in rubber industry
380210 - Carbon; activated
380210-0001 - EN 12903 – Dry - Raw Material: Coconut Shells - Powder - Activated Carbon - CAS No. 7440-44-0 - Used for the treatment of water intended for human consumption
380210-0002 - EN 12903 – Dry - Raw Material: Wood - Powder - Activated Carbon - CAS No. 7440-44-0 - Used for the treatment of water intended for human consumption
380210-0003 - EN 12915-1 – Dry - Raw Material: Coconut Shells - Virgin - Granular - Activated Carbon - CAS No. 7440-44-0 - Used for the treatment of water intended for human consumption
380210-0004 - EN 12915-1 – Dry - Raw Material: Wood - Virgin - Granular - Activated Carbon - CAS No. 7440-44-0 - Used for the treatment of water intended for human consumption
380210-0006 - EN 15799 – Dry - Raw Material: Coconut Shells - Powder - Activated Carbon - Used for treatment of swimming pool water
380210-0007 - EN 15799 – Dry - Raw Material: Wood - Powdered - Activated Carbon - Used for treatment of swimming pool water
440290 - Wood; charcoal of wood other than bamboo (including shell or nut charcoal), whether or not agglomerated
440290-0001 - EN 1860-2 – Dry - Table grill charcoal - Carbon at least > 75% - Moisture less than < 8% - No Larger than 40mm (Small)
440290-0002 - EN 1860-2 – Dry - Barbecue charcoal - Carbon at least > 75% - Moisture less than < 8% - No Larger than 150mm (Medium)
440290-0003 - EN 1860-2 – Dry - Restaurant charcoal - Carbon at least > 75% - Moisture less than < 8% - No Larger than 200mm (Big)

7. Minerals

Notes :
INFO FOR SUPPLIERS:
Location :
Warning ! We must do due diligence for these products to verify if origin is from sustainable sources, even if you have documents. If you need these minerals on Mars or on other planets, you are probably the Count of Monte Cristo's great ancestor. On other planets they use "In-Situ Resource Utilization (ISRU)", that means they use the resources they find in space or on other planets to "build" things. But sometimes you can't find all the building blocks you need, it's a reason why we have export – import.
Efficiency and Pollution :
The products must not contain any PVC, toxic chemicals or materials. Also don't try to fake natural products !
The products will not be accepted if the suppliers use obsolete - improvised equipment and tools.

From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")

Health and Safety :

We must verify if suppliers use child labor, if they respect work labor laws, if suppliers pay salaries on time and so on.

Client company and supplier workers must have protective clothing and equipment according to international and national legislation.

All products must not be contaminated with asbestos or other dangerous minerals - chemicals

In European Union clay products must also be according with Regulation (EC) No 1223/2009 if used in cosmetic products.

In European Union some products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH).

Sustainability :

Suppliers are not allowed to add any additives to deteriorate the products faster. (To force people to buy again and again the same low quality products.)

Storage and Packaging :

For predosed products, after removing the product from package, the package must still be functional so the client can handle and transport to product in the same package if needed.

For all products the packaging must be non-toxic recyclable or biodegradable packaging.

Transport :

Slabs, blocks, tiles are fragile. They must be transported, handled, stored with care and according to manufacturer instructions.

Minerals will be sent to locations where the manufacturing cost is cheaper. It's not logical to send raw materials for civilian applications in countries-locations where manufacturing cost is more expensive. (When companies afford to process - manufacture products at a very expensive cost, it probably means their country is preparing for war)

Suppliers must specify the maximum weight allowed.

Documents :

Suppliers must send technical dossier with laboratory test results, health risks info, inspection certificates, how to install manuals, how to use - transport - store - handle info, how to clean, cut and take care of products, technical datasheet, safety datasheet, warranty, declarations of conformity, place of origin and any info authorities may need. In most countries the documents must be translated also.

Quality :

The client company must specify the Standard according to the construction law where the product will be used.

With the help of corrupt authorities some "people" use materials for low seismic zones in high seismic areas.

The products must not be coloured / painted to try cheat the clients.

All products must be dry, they must have minimum moisture content.

The products must withstand heavy traffic, heat and usage

If some of the products in the list do not have CE Marking, conformity must be assessed by EU accredited notified bodies according to Regulation (EC) No 765/2008.

Suppliers must manufacture the products according to client company specifications

Suppliers must demonstrate each product characteristics and they must also specify all hidden defects before purchase.

All construction products must be according with Regulation (EU) No 305/2011. ("For the marketing of construction products")

For aggregates the sieves used must be according to client company specifications. (e.g. Basic set 4/8, 8/16, 16/32.5, 32.5/63 mm)

The aggregates must contain minimum fine particles and no foreign matter. (Suppliers need to remove the fine particles from the gravel e.g. washing the gravel with Washplants). The products must not release dangerous substances. The aggregates must not crack due to freezing and thawing, a petrographic examination can be done to identify the rocks. The rocks must be hard and durable. (e.g. Sedimentary rocks with glacial and/or fluvial origin. If sedimentary rocks are very far or if clients needs aggregates for special projects, crushed igneous and/or metamorphic rocks can be used.).

Sources for natural borates will be Argentina, Peru, USA and Chile.

According to CXS 150-1985 **the maximum and minimum levels used for the iodisation of food grade salt shall be established by national health authorities.** For food grade table salt no traces of heavy metals or harmful impurities are allowed. [e.g. Lead, Mercury, Cadmium, Arsenic]. The distribution network for food grade table salt should be efficient and quick to reduce the interval between iodisation and consumption of salt. Iodized table salt has a shelf life. Iodisation with iodide (KI or NaI) or iodate (KIO3) must be done at destination by client according to his country legislation. Universal salt iodisation (USI) has not been adopted in several European countries. Zootechnical and iodized table salt can not be exported legally in some countries. That means, the Azalai camel train, caravan is obsolete according to some politicians. If client needs artisanal salt he needs to specify the name. [e.g. Dead Sea salt, Asin Tibuok, Fleur de sel, Jukyeom salt, Murray River salt, Tavira salt, Sel de Guerande, Alaea salt etc]

Installation : Only professional - specialized workers should install this products.
INFO FOR CLIENTS:
Instructions : The client company must send measurements he needs for the products. (technical drawing, type of rocks, product color [white, yellow, gray etc], granulation size, particle shape, datasheets, intellectual property documents and any other useful info) We don't know what colors manufactures will have on stock when you request a quote, if you have pictures or videos of the product please send them or we will send you pictures or videos so you choose the products you need. Please consult an architect and a interior designer before you buy this products. Sand is very abundant on Earth. Silica sand is a more refined product. For glass industry silica sand quality, manufacturers use national or their own standards. (e.g. STAS 9203-76) For example you can combine micronised limestone and graphene to get CoMLaG concrete and so on. Portland cement is not environment friendly and it's not energy efficient. Pozzolan cements are better then portland, the romans invented a pozzolan concrete. For 253090 mineral pigments client company must send sample, particle size, shade, if pigment will be used for fresco or watercolors or oil painting, maximum impurities, additives, fillers and binders used, opacity: transparent or translucent or opaque, tinting strength, lightfastness, drying time, datasheets, safety datasheets and as much info as possible about the products, so the manufacturers understand what are the needs. Quality of these pigments can be determined using EN 71, ISO 787 and ISO 18314 series.
Monumental or building stone
680100 - Stone; setts, curbstones and flagstones, of natural stone (except slate)
680100-0001 - Flagstones
680100-0002 - Setts or Cobble stones
680210 - Tiles, cubes and similar articles; whether or not rectangular (including square), largest surface area of which is capable of being enclosed in square, side less than 7cm, coloured granules, chippings, powder
680210-0001 - Marble stone tiles or cubes - sides less than 7cm
680210-0002 - Pebbles tiles or cubes - sides less than 7cm
680221 - Marble, travertine and alabaster; simply cut or sawn, with a flat or even surface
680221-0001 - Carrara Marble - Block or Slab
680221-0002 - Marble - Block or Slab
680221-0003 - Travertine - Block or Slab
680223 - Granite; articles thereof, simply cut or sawn, with a flat or even surface
680223-0001 - Granite - Block or Slab
680229 - Stone; monumental or building stone, n.e.c. in item no. 6802.2, articles thereof, simply cut or sawn, with a flat or even surface
680229-0001 - Basalt - Block or Slab
680229-0002 - Tuff - Block or Slab
680229-0003 - Porphyry - Block or Slab
680229-0004 - Andesite - Block or Slab
680229-0005 - Sandstone - Block or Slab
680229-0006 - Limestone - Block or Slab
680229-0007 - Quartzite - Block or Slab
680300 - Slate, worked; and articles of slate or of agglomerated slate
680300-0001 - Slate - Block or Slab or Tiles
Calcareous stones
252010 - Gypsum; anhydrite
252010-0001 - Dry - Anhydrite Powder - CAS No. 7778-18-9 (CaSO₄)
252100 - Limestone flux; limestone and other calcareous stone, of a kind used for the manufacture of lime or cement
252100-0001- Dry - Limestone flux - CAS No. 7778-18-9 (CaSO₄) - For use in iron and steel industry
Sand, pebbles, gravel, broken or crushed stone
250510 - Sands; natural, silica and quartz sands, whether or not coloured
250510-0001 - EN 12620+A1 - Dry - Not-crushed - Natural aggregate - Quartz Sand - Size 0/4 [between 0-4 mm] - CAS No. 14808-60-7 (SiO₂ > 95%) - For use in concrete

250510-0002 - EN 12904 - Dry - Not-crushed - Type 1 - Silica Sand - Size 0/5.6 [between 0-5.6 mm] - CAS No. 14808-60-7 (SiO ₂ > 96%) - For treatment of water intended for human consumption
250510-0003 - Dry - Not-crushed - Natural aggregate - Silica sand - Size 0/4 [between 0-4 mm] - CAS No. 14808-60-7 (SiO ₂ > 99%) - For use in the glass industry
251710 - Pebbles, gravel, broken or crushed stone; of a kind commonly used for concrete aggregates, for road metalling or for railway or other ballast, shingle and flint, whether or not heat-treated
251710-0001 - EN 12620+A1 - Dry - Not-crushed - Sedimentary rocks - Natural aggregate - Gravel - Size between 4-63 mm - Particle density > 2000 kg/m ³ - For use in concrete
251710-0002 - EN 12620+A1 - Dry - Crushed - Igneous and/or metamorphic rocks - Natural aggregate - Gravel - Size between 4-63 mm - Particle density > 2000 kg/m ³ - For use in concrete
251710-0003 - EN 13055 [EN 13055-1,2] - Dry - Not-crushed - Sedimentary rocks - Lightweight natural aggregate - Gravel - Size between 4-63 mm - Particle density < 2000 kg/m ³
251710-0004 - EN 13055 [EN 13055-1,2] - Dry - Crushed - Igneous and/or metamorphic rocks - Lightweight natural aggregate - Gravel - Size between 4-63 mm - Particle density < 2000 kg/m ³
251710-0005 - EN 13242 - Dry - Not-crushed - Sedimentary rocks - Natural aggregate - Gravel - Size between 4-63 mm - Particle density > 2000 kg/m ³ - For unbound and hydraulically bound materials - Road layer: Under the surface course
251710-0006 - EN 13242 - Dry - Not-crushed - Limestone residue rocks - Manufactured aggregate - Gravel - Size between 4-80 mm - Particle density > 2000 kg/m ³ - For unbound and hydraulically bound materials - Road layer: Under the surface course
251710-0007 - EN 13242 - Dry - Crushed - Igneous and/or metamorphic rocks - Natural aggregate - Gravel - Size between 4-63 mm - Particle density > 2000 kg/m ³ - For unbound and hydraulically bound materials - Road layer: Under the surface course
251710-0008 - EN 13043 - Dry - Not-crushed - Sedimentary rocks - Natural aggregate - Gravel - Size between 4-63 mm - Particle density > 2000 kg/m ³ - For use in bituminous mixtures and surface treatments - Road layer: Surface course
251710-0009 - EN 13043 - Dry - Crushed - Igneous and/or metamorphic rocks - Natural aggregate - Gravel - Size between 4-63 mm - Particle density > 2000 kg/m ³ - For use in bituminous mixtures and surface treatments - Road layer: Surface course
251710-0010 - EN 13383-1,2 - Dry - Crushed - Sedimentary rocks - Natural armourstone - Coarse grading: [CP45/125 or CP63/180 or CP90/250 or CP45/180 or CP90/180] - For use in hydraulic structures and other civil engineering works
251710-0011 - EN 13383-1,2 - Dry - Crushed - Sedimentary rocks - Natural armourstone - Light grading - category A: [LMA5/40 or LMA10/60 or LMA40/200 or LMA60/300 or LMA15/300] - For use in hydraulic structures and other civil engineering works
251710-0012 - EN 13383-1,2 - Dry - Crushed - Sedimentary rocks - Natural armourstone - Light grading - category B: [LMB5/40 or LMB10/60 or LMB40/200 or LMB60/300 or LMB15/300] - For use in hydraulic structures and other civil engineering works
251710-0013 - EN 13383-1,2 - Dry - Crushed - Sedimentary rocks - Natural armourstone - Heavy grading - category A: [HMA300/1000 or HMA1000/3000 or HMA3000/6000 or HMA6000/10000 or HMA10000/15000] - For use in hydraulic structures and other civil engineering works
251710-0014 - EN 13383-1,2 - Dry - Crushed - Sedimentary rocks - Natural armourstone - Heavy grading - category B: [HMB300/1000 or HMB1000/3000 or HMB3000/6000 or HMB6000/10000 or HMB10000/15000] - For use in hydraulic structures and other civil engineering works
Clays
250700 - Kaolin and other kaolinic clays; whether or not calcined
250700-0001 - Dry - Hydrated kaolin - Color: White - CAS No. 1332-58-7 (Hydrated - Aluminum Silicate)
250700-0002 - Dry - Calcined kaolin - Color: White - CAS No. 92704-41-1 (Calcined - Aluminum Silicate)
250810 - Clays (excluding expanded clays of heading no. 6806); bentonite, whether or not calcined
250810-0001 - Dry - Bentonite - Swelling - CAS No. 1302-78-9 (Sodium Bentonite)
250810-0002 - Dry - Fuller's earth - Non-swelling - CAS No. 8031-18-3 (Calcium Bentonite)
250850 - Clays (excluding expanded clays of heading no. 6806); andalusite, kyanite and sillimanite, whether or not calcined
250850-0001 - Dry - Andalusite - CAS No. 12183-80-1 - For use in refractory industry
250850-0002 - Dry - Kyanite - CAS No. 1302-76-7 - For use in refractory industry
250850-0003 - Dry - Sillimanite - CAS No. 12141-45-6 - For use in refractory industry
250860 - Clays (excluding expanded clays of heading no. 6806); mullite
250860-0001 - Dry - Mullite - CAS No. 1302-93-8 - For use in refractory industry
Fertilizer minerals
251010 - Natural calcium phosphates, natural aluminium calcium phosphates and phosphatic chalk; unground
251010-0001 - Unground - Dry - Phosphate rock - greater than or equal >= 30% P ₂ O ₅ [BPL >= 65%] - Crushed powder
251020 - Natural calcium phosphates, natural aluminium calcium phosphates and phosphatic chalk; ground

251020-0001 - Ground - Dry - Phosphate rock - greater than or equal $\geq$ 30% P ₂ O ₅ [BPL $\geq$ 65%] - Crushed powder
252800 - Natural borates and concentrates thereof (whether or not calcined), but not including borates separated from natural brine; natural boric acid containing $\leq$ 85 % of H ₃ BO ₃ calculated on the dry weight
252800-0001 - Dry - Calcium borate - Colemanite - greater than or equal $\geq$ 37% B ₂ O ₃ - Crushed powder
252800-0002 - Dry - Sodium-calcium borate - Ulexite - greater than or equal $\geq$ 37% B ₂ O ₃ - Crushed powder
252800-0003 - Dry - Sodium borate - Kernite - greater than or equal $\geq$ 31% B ₂ O ₃ - Crushed powder
252800-0004 - Dry - Sodium borate - Tincal - greater than or equal $\geq$ 25% B ₂ O ₃ - Crushed powder
252921 - Fluorspar; containing by weight 97% or less of calcium fluoride
252921-0001 - Dry - Acid grade Fluorite - greater than $>$ 97% CaF ₂ - Crushed powder
252922 - Fluorspar; containing by weight more than 97% of calcium fluoride
252922-0001 - Dry - Metallurgical grade Fluorite - between 60-96% CaF ₂ - Crushed powder
253020 - Kieserite, epsomite (natural magnesium sulphates)
253020-0001 - Dry - Kieserite - 25% MgO + 50-55% SO ₃ - Crushed powder
253020-0002 - Dry - Epsom salt or Epsomite - 16% MgO + 33% SO ₃ - Crushed powder
Pigments
253090 - Mineral substances; n.e.c. in chapter 25
253090-0001 - Dry - ISO 1248 - CAS 64294-91-3 - PY43 Yellow Iron Oxide
253090-0002 - Dry - ISO 1248 - CAS 1309-37-1 - PR102 Red Iron Oxide
253090-0003 - Dry - ISO 1248 - CAS 12713-03-0 - PB7 Brown Iron Oxide
253090-0004 - Dry - ISO 1248 - CAS 12227-89-3 - PBk11 Mars Black (Iron Oxide)
253090-0005 - Dry - ISO 10601 - CAS 1317-60-8 - Micaceous Iron Oxide - [Grade A or B] (Specular Haematite)
253090-0006 - Dry - CAS 1344-98-5 - PG23 Green Earth (Terre Verte - Glauconite)
253090-0007 - Dry - CAS 57455-37-5 - PB29 Ultramarine Blue (Lapis Lazuli - Lazurite)
Salt
250100 - Salt (including table salt and denatured salt); pure sodium chloride whether or not in aqueous solution; sea water
250100-0001 - Dry - Salt solution mining - CXS 150-1985 - Iodized table salt - With or without anticaking agent - minimum 97% NaCl
250100-0002 - Dry - Evaporated salt - CXS 150-1985 - Iodized sea salt - With or without anticaking agent - minimum 97% NaCl
250100-0003 - Dry - Rock salt - CXS 150-1985 - Non-iodized salt - Without anticaking agents - minimum 97% NaCl - For preserving
250100-0004 - EN 16811-1 - Dry - Salt for winter maintenance - minimum 98% NaCl
250100-0005 - EN 16811-1 - Brine for winter maintenance - between 18 - 26% NaCl
Pumice stone and Other minerals
250900 - Chalk
250900-0001 - Dry - Natural - Chalk - Powder - greater than or equal $\geq$ 97% CaCO ₃ - For classroom dustless chalk manufacturing
251310 - Pumice stone, whether or not heat treated
251310-0001 - Dry - Felsic - Naturally calcined - Pumice - Crushed [bimsies] - CAS No. 1332-09-8
251310-0002 - Dry - Felsic - Naturally calcined - Pumice - Not Crushed Stone - CAS No. 1332-09-8
251320 - Emery, natural corundum, natural garnet and other natural abrasives, whether or not heat-treated
251320-0001 - Dry - Natural - Not heat treated - Corundum - Crushed - CAS No. 1302-74-5
251320-0002 - Dry - Natural - Naxos emery [smirigli] - Crushed - CAS No. 12415-34-8
251810 - Dolomite, not calcined or sintered; including dolomite roughly trimmed, or merely cut by sawing or otherwise into blocks or slabs of rectangular (including square) shape
251810-0001 - Dry - Natural - Not heat treated - Dolomite - Block or Slab - 21.8% MgO + 30.4% CaO + 47.8% CO ₂ - CAS No. 16389-88-1
251810-0002 - Dry - Natural - Not heat treated - Dolomite - Powder - 21.8% MgO + 30.4% CaO + 47.8% CO ₂ - CAS No. 16389-88-1
252510 - Mica; crude and rifted into sheets or splittings
252510-0001 - Dry - Natural - Mica [Muscovite] - Sheet - Thickness $>$ 200 μ m - CAS No. 1318-94-1 - Edges roughly trimmed and bevelled
252910 - Feldspar
252910-0001 - Dry - Natural - Feldspar - Powder - CAS No. 68476-25-5 - For ceramics or glass industry

253010 - Perlite; unexpanded

253010-0001 - Dry - Natural - Not heat treated - Unexpanded - Perlite - Crushed - Density aprx. 1100 kg/m3 - CAS No. 130885-09-5

8. Furniture and Musical Instruments

Notes :

INFO FOR SUPPLIERS:

Location :

Warning ! We must do due diligence for these products to verify if origin is from sustainable sources, even if you have documents.

All products must not have Amazon rainforest origin and they must be PEFC and/or FSC certified.

Even if the wood is certified as supplier you must send photos and coordinates of area where you harvested the wood – logs. The wood and wood products must be according to Regulation (EU) No 995/2010.

Efficiency and Pollution :

The wood source must not be from threatened or endangered genus and/or species

Preferably, the wood, chips, dust source should come from accidental sources only. (e.g. lightning strikes, storms, cyclones, tornadoes, hurricanes, drought, other natural disasters, fallen branches etc)

The raw materials must be used properly. (e.g. Do not use wood to make furniture for public use. Coniferous wood has a tendency to crack should be avoided for furniture.)

The products will not be accepted if the suppliers use obsolete - improvised equipment and tools.

All products will be custom-made according to client's specifications.

All components-parts must be recyclable, compatible, interchangeable and easy to repair.

For furniture kits instructions manuals must be easy to read and drawings must be understandable. The kits must be made with minimum components-parts. (Don't ask people to assemble 50-100 components). Furniture packaging must specify visible total number of components-parts.

All products must be easy to clean (e.g. water, juice, food, coffee, urine, blood spills etc)

Suppliers of wood pulp must have their own clean renewable energy power plants.

The suppliers must have documents proof that all leftover chemicals used in manufacturing the products are recyclable. In most countries manufacturers are still dumping chemicals in rivers, lakes or in the oceans.

From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")

Health and Safety :

The adhesive - binder for boards and panels must not contain urea formaldehyde or melamine-formaldehyde (MF) or Phenol formaldehyde (PF), according to ISO 12460-1 / EN 13986 Annex B, the products must be E1, formaldehyde emissions must not exceed 0.124 mg/m3.

The products must not contain any toxic chemicals, heavy metals and / or radioactive materials.. The wood for furniture must be stained not painted. The wood must be treated with non-toxic products. (Wood for furniture is a luxury product, you need to highlight the quality of the wood)

Furniture upholstery filling must be hygienic and treated. The filling must not make the products saggy. The filling must not be toxic or flammable.

Client company and supplier workers must have protective clothing and equipment according to international and national legislation.

In European Union some products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH).

Sustainability :

Suppliers are not allowed to add any additives or natural pests to deteriorate the products faster. (e.g. termites, woodworms, carpenter ants and so on. To force people to buy again and again the same low quality products.)

Documents :

Suppliers must send technical dossier, inspection certificates, intellectual property documents, technical datasheets, safety datasheets, how to use, assemble – install – maintain – tune and where to use manuals, list with all components-parts, how to clean, wash and take care of product, how to handle, store and transport, warranty, declarations of conformity, accredited laboratory test results as proof of safety and quality, furniture weight limits laboratory test results and so on.

Transport:

Suppliers must also provide cases, boxes, transport, handling, packing, unpacking, assembly and disassembly if needed.

Quality :

The furniture must be durable but light. (e.g. So it's easy for old people to clean their homes or for young people that want to move.)

Suppliers must use only high quality materials. The wood used must be dry not green, clean, with no cracks or other defects. All materials must have documents proof that they come from sustainable sources.
All wood products including wood panels must be used in interior (indoor). The products must be protected from moisture, insects, fungi and fire. Softboard SB-GP EXT and Hardboard HB-GP EXT can be used in exterior conditions.
Some products need CE Marking, conformity must be assessed by EU accredited notified bodies according to Regulation (EC) No 765/2008.
Suppliers must provide parts, cleaning materials and consumables each time is needed.
The upholstery fabrics must be according to EN 14465. The upholstered furniture must be fire tested according EN 1021. The client company must specify the Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes].
The beds must be made according to EN 1725, but the beds must support bariatric people weighing over 110 kg also. For bariatric people, the beds must not make them feel very comfortable, they should realize they have a medical condition. The beds must include the mattress also. The upholstered beds bases and mattresses must be fire tested according EN 597. The mattresses must be according to EN 1725 + EN 1957.
Musical Instruments :
The final users must be allowed to visit the workshop and play the musical instruments before shipping. If the final user don't like the musical instruments, the craftsman must make new musical instruments until it matches with contract terms and quality parameters agreed without any extra payment.
Suppliers must offer international warranty, they must install, tune and repair the musical instruments whenever needed. The clients must schedule in advance if they need repair, maintenance or tuning.
Suppliers must loan musical instruments if the products in warranty need to be repaired.
We are not musical instruments specialists, we don't have a degree in music.
INFO FOR CLIENTS:
Instructions :
The final users must send proof they are students or they have accredited degrees in music for the musical instruments they want to buy.
The client must specify level quality of music instrument. (student, advanced, professional, maestro, concertmaster)
The client must specify type of materials and alloys the suppliers must use and if the final user is left or right handed.
If the products are in warranty, the final users must send pictures with musical instruments and video - audio recordings to the suppliers after each performance, so the craftsmen identify problems and fix them.
Client companies must specify if they want sculpted / carved wood products at demand.
Consult an interior designer before you buy these products.
Furniture and musical instruments has many possible combinations. Please send design, tyoe, colors, materials, size, type of alloys – materials, technical drawings, type of lock and standard (e.g. EN 1300), photos, brand name, model name, rooms photos datasheets, label design, countries where products will be used and any other useful info. The products must be durable, moisture-resistant, and fire-rated, with high seismic stability.
The upholstery fabrics must be according to EN 14465. The upholstered furniture must be fire tested according EN 1021. The client company must specify the Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes]
The client must specify if the outdoor tables should have hole for a parasol or not.
Clients must specify magnetic whiteboard size.
Did you know :
Oak is not a easy material to find, very few manufacturers have it on stock, it is also expensive.
Oak trees are needed by a lot of animals to survive !
Oak trees are oxygen factories, they make the air you breathe.
People should cut a oak only if it has important uses, it's a tree of life that can live for a very long time !
Bariatric chairs must support people weighing over 110 kg also.
Boards and Panels
441233 - Plywood; with sheets of wood only; not bamboo; each ply 6mm or less, with at least one outer ply of beech, birch, cherry, maple, oak, aspen or walnut
441233-0001 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of European Oak - Each ply 6mm or thinner - With sheets of wood only (Quercus robur)
441233-0002 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Northen Red Oak - Each ply 6mm or thinner - With sheets of wood only (Quercus rubra)
441233-0003 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Cherry - Each ply 6mm or

thinner - With sheets of wood only (<i>Prunus Avium</i>)
441233-0004 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Common walnut - Each ply 6mm or thinner - With sheets of wood only (<i>Juglans regia</i>)
441233-0005 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Sugar Maple - Each ply 6mm or thinner - With sheets of wood only (<i>Acer saccharum</i>)
441233-0006 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of European Beech - Each ply 6mm or thinner - With sheets of wood only (<i>Fagus sylvatica</i>)
441233-0007 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Silver Birch - Each ply 6mm or thinner - With sheets of wood only (<i>Betula pendula</i>)
441233-0008 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Downy Birch - Each ply 6mm or thinner - With sheets of wood only (<i>Betula pubescens</i>)
441233-0009 - ISO 2074 + ISO 1096 - Veneer plywood - Hardwood + Softwood - Minimum one outer ply of Eurasian Aspen - Each ply 6mm or thinner - With sheets of wood only (<i>Populus tremula</i>)
441294 - Blockboard, laminboard and battenboard (not bamboo, and other than plywood consisting only of sheets of wood each ply 6mm or thinner)
441294-0001 - ISO 2074 + ISO 1096 - Wood core plywood - Laminboard - Each ply 6mm or thinner - Hardwood + Softwood - With sheets of wood only - core [Strips of solid wood or veneer not wider than 7 mm]
441294-0002 - ISO 2074 + ISO 1096 - Wood core plywood - Blockboard - Each ply 6mm or thinner - Hardwood + Softwood - With sheets of wood only - core [Strips of solid wood more than 7 mm wide but not wide than 30 mm]
441294-0003 - ISO 2074 + ISO 1096 - Wood core plywood - Battenboard - Each ply 6mm or thinner - Hardwood + Softwood - With sheets of wood only - core [Strips of solid wood more than 30 mm wide]
Explanatory note for 441233, 441294 : a) Surface appearance classification must be according to ISO 2426-1, ISO 2426-2, ISO 2426-3 1. Plywood made of: Hardwood or Softwood 2. Appearance class: E or I or II or III or IV b) Form and shape must be according to ISO 2074: 1. Flat or Moulded c) Surface finish must be according to ISO 2074: 1. Unsanded plywood; 2. Sanded plywood (one side or two sides); 3. Touch-sanded plywood; 4. Scraped plywood; 5. Overlaid plywood (resin impregnated paper, plastic, resin film, metal, decorative paper); 6. Pre-finished plywood; 7. Textured plywood; 8. Veneered plywood; Mechanical properties linked with the type of application: 1. Plywood for non-structural uses (e.g. furniture, wall panelling); 2. Plywood for structural uses (e.g. wall sheathing, floor decking, and concrete forming); Exposure conditions according to ISO 12465 and ISO 12466-1,2 Bonding quality: 1. Class 1: for use in dry conditions; 2. Class 2: for use in tropical dry/humid conditions; 3. Class 3: for use in high humidity/exterior conditions; Specific treatments: 1. Biological durability (fungi, insects); 2. Moisture resistance; 3. Reaction to fire; Panel maximum moisture content must be according to: 1. ISO 16979 (e.g. max. 14 %) The client must specify the thickness x length x width of panels according to: 1. ISO 1954 and ISO 9426 For Veneer plywood: 1. Total number of plies (each ply 6mm or thinner - minimum 3 plies) The client must specify the genus and species of hardwood or softwood (e.g. <i>Quercus robur</i>) and according to ISO 24294: 1. [hardwood] = wood of trees that belongs to the botanical class Angiospermae, subclass Dicotyledonae 2. [softwood] = wood of trees that belongs to the botanical class Gymnospermae, subclass Coniferophytae

441011 - Particle board of wood, whether or not agglomerated with resins or other organic binding substances
441011-0001 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-GN REG - General purpose grade particleboard - For use in dry conditions
441011-0002 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-FN REG - Furniture grade particleboard - For use in dry conditions
441011-0003 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-LB REG - Load bearing particleboard - For use in dry conditions
441011-0004 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-HLB REG - Heavy-duty load bearing particleboard - For use in dry conditions
441011-0005 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-GP MR1 - General purpose grade particleboard - For use in temperate humid conditions
441011-0006 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-FN MR1 - Furniture particleboard - For use in temperate humid conditions
441011-0007 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-LB MR1 - Load bearing particleboard - For use in temperate humid conditions
441011-0008 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-HLB MR1 - Heavy-duty load bearing particleboard - For use in temperate humid conditions
441011-0009 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-GP MR2 - General purpose grade particleboard - For use in tropical humid conditions
441011-0010 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-FN MR2 - Furniture particleboard - For use in tropical humid conditions
441011-0011 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-LB MR2 - Load bearing particleboard - For use in tropical humid conditions
441011-0012 - ISO 17064 + ISO 16893 - Hardwood + Softwood - P-HLB MR2 - Heavy-duty load bearing particleboard - For use in tropical humid conditions
Explanatory note for 441011: Particleboard made of: Hardwood or Softwood Additional attribute classifications: 1. (F) - fungi resistant; 2. (I) - insect resistant; 3. (FR) - fire retardant; Panel maximum moisture content according to: ISO 16979 (e.g. max. 14 %) The client must specify the thickness x length x width of panels according to: ISO 16893 and ISO 9426 The client must specify: The genus and species of hardwood or softwood
441012 - Oriented strand board (OSB) of wood, whether or not agglomerated with resins or other organic binding substances
441012-0001 - ISO 17064 + ISO 16894 - Hardwood + Softwood - GP-REG - General purpose non-load-bearing - Oriented strand board (OSB) - For use in dry conditions
441012-0002 - ISO 17064 + ISO 16894 - Hardwood + Softwood - LB-REG - Load-bearing - Oriented strand board (OSB) - For use in dry conditions
441012-0003 - ISO 17064 + ISO 16894 - Hardwood + Softwood - LB-MR - Load-bearing - Oriented strand board (OSB) - For use in humid conditions
441012-0004 - ISO 17064 + ISO 16894 - Hardwood + Softwood - HLB-MR - Heavy duty load-bearing - Oriented strand board (OSB) - For use in humid conditions
Explanatory note for 441012: OSB made of: Hardwood or Softwood Panel maximum moisture content according to: ISO 16979 (e.g. max. 12 %) The client must specify the thickness x length x width of panels according to: ISO 16894 and ISO 9426 The client must specify: The genus and species of hardwood or softwood

44111X - Medium density fibreboard (MDF) : X = [441112 - of a thickness < 5 mm] or [441113 – thickness between 5 mm – 9 mm] or [441114 – thickness > 9 mm]
44111X-0001 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-GP REG - General purpose - Medium density fibreboard (MDF) - For use in dry conditions
44111X-0002 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-FN REG - Furniture grade - Medium density fibreboard (MDF) - For use in dry conditions
44111X-0003 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-BL REG - Building grade - Medium density fibreboard (MDF) - For use in dry conditions
44111X-0004 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-LB REG - Load bearing grade - Medium density fibreboard (MDF) - For use in dry conditions
44111X-0005 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-GP MR1 - General purpose - Medium density fibreboard (MDF) - For use in temperate humid conditions
44111X-0006 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-FN MR1 - Furniture grade - Medium density fibreboard (MDF) - For use in temperate humid conditions
44111X-0007 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-BL MR1 - Building grade - Medium density fibreboard (MDF) - For use in temperate humid conditions
44111X-0008 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-LB MR1 - Load bearing grade - Medium density fibreboard (MDF) - For use in temperate humid conditions
44111X-0009 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-GP MR2 - General purpose - Medium density fibreboard (MDF) - For use in tropical humid conditions
44111X-0010 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-FN MR2 - Furniture grade - Medium density fibreboard (MDF) - For use in tropical humid conditions
44111X-0011 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-BL MR2 - Building grade - Medium density fibreboard (MDF) - For use in tropical humid conditions
44111X-0012 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-LB MR2 - Load bearing grade - Medium density fibreboard (MDF) - For use in tropical humid conditions
44111X-0013 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-FN HMR - Furniture grade - Medium density fibreboard (MDF) - For use in high humid conditions
44111X-0014 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - MDF-BL HMR - Building grade - Medium density fibreboard (MDF) - For use in high humid conditions
441192 - Fibreboard (other than MDF) of a density exceeding 0.8g/cm ³ , of wood or other ligneous materials, bonded or not with resins or other organic substances
441192-0001 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - HDF-GP REG - General purpose grade - High-density fibreboard (HDF) - Density exceeding 0.8g/cm ³ - For use in dry conditions
441192-0002 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - HDF-BL REG - Building grade - High-density fibreboard (HDF) - Density exceeding 0.8g/cm ³ - For use in dry conditions
441192-0003 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - HDF-GP MR1 - General purpose grade - High-density fibreboard (HDF) - Density exceeding 0.8g/cm ³ - For use in humid temperate conditions
441192-0004 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - HDF-BL MR1 - Building grade - High-density fibreboard (HDF) - Density exceeding 0.8g/cm ³ - For use in humid temperate conditions
441192-0005 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - HDF-GP MR2 - General purpose grade - High-density fibreboard (HDF) - Density exceeding 0.8g/cm ³ - For use in humid tropical conditions
441192-0006 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - HDF-BL MR2 - Building grade - High-density fibreboard (HDF) - Density exceeding 0.8g/cm ³ - For use in humid tropical conditions
441192-0007 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - HB-GP REG - General purpose grade - Hardboard - Density exceeding 0.8g/cm ³ - For use in dry conditions
441192-0008 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - HB-GP MR - General purpose grade - Hardboard - Density exceeding 0.8g/cm ³ - For use in humid conditions
441192-0009 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - HB-GP HMR - General purpose grade - Hardboard - Density exceeding 0.8g/cm ³ - For use in high humid conditions
441192-0010 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - HB-GP EXT - General purpose grade - Hardboard - Density exceeding 0.8g/cm ³ - For use in exterior conditions
441192-0011 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - HB-LB REG - Load-bearing grade - Hardboard - Density exceeding 0.8g/cm ³ - For use in dry conditions
441192-0012 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - HB-LB MR - Load-bearing grade - Hardboard - Density exceeding 0.8g/cm ³ - For use in humid conditions

441193 - Fibreboard (other than MDF) of a density exceeding 0.5g/cm ³ but not 0.8g/cm ³ , of wood or other ligneous materials, bonded or not with resins or other organic substances
441193-0001 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-FN REG - Furniture grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in dry conditions
441193-0002 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-BL REG - Building grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in dry conditions
441193-0003 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-GP MR1 - General purpose grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in humid temperate conditions
441193-0004 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-FN MR1 - Furniture grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in humid temperate conditions
441193-0005 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-BL MR1 - Building grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in humid temperate conditions
441193-0006 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-GP MR2 - General purpose grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in humid tropical conditions
441193-0007 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - LDF-FN MR2 - Furniture grade - Low-density fibreboard (LDF) - Density exceeding 0.5g/cm ³ but not 0.8g/cm ³ - For use in humid tropical conditions
441194 - Fibreboard (other than MDF) of a density not exceeding 0.5g/cm ³ , of wood or other ligneous materials, bonded or not with resins or other organic substances
441194-0001 - ISO 17064 + ISO 16895 - Hardwood + Softwood - Dry-process - UDF-FN REG - Furniture grade - Ultra-low-density fibreboard (UDF) - Density not exceeding 0.5g/cm ³ - For use in dry conditions
441194-0002 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - SB-GP REG - General purpose grade - Softboard - Density not exceeding 0.4g/cm ³ - For use in dry conditions
441194-0003 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - SB-GP MR - General purpose grade - Softboard - Density not exceeding 0.4g/cm ³ - For use in humid conditions
441194-0004 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - SB-GP HMR - General purpose grade - Softboard - Density not exceeding 0.4g/cm ³ - For use in high humid conditions
441194-0005 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - SB-GP EXT - General purpose grade - Softboard - Density not exceeding 0.4g/cm ³ - For use in exterior conditions
441194-0006 - ISO 17064 + ISO 27769 - Hardwood + Softwood - Wet-process - SB-LB MR - Load-bearing grade - Softboard - Density not exceeding 0.4g/cm ³ - For use in humid conditions
Explanatory note for 441112, 441113, 441114, 441192, 441193, 441194:: OSB made of: Hardwood or Softwood Panel maximum moisture content according to: ISO 16979 (e.g. max. 12 %) The client must specify the thickness x length x width of panels according to: ISO 16895, ISO 27769 and ISO 9426 The client must specify: The genus and species of hardwood or softwood
Office Furniture
940130 - Seats; swivel with variable height adjustment, excluding medical, surgical, dental, veterinary or barber furniture
940130-0001 - EN 1335-1,2 - Type Ax - Swivel - Office Work Chair - With castors - With the largest range of adjustments
940130-0002 - EN 1335-1,2 - Type A - Swivel - Office Work Chair - With castors - With a large range of adjustments
940130-0003 - EN 1335-1,2 - Type B - Swivel - Office Work Chair - With castors - With a range of adjustments
940130-0004 - EN 1335-1,2 - Type C - Swivel - Office Work Chair - With castors - With limited adjustments
940310 - Furniture; metal, for office use
940310-0001 - EN 527-1,2 - Aluminium - Type A - Office Work Table or Desk - With height adjustable [The height can be changed by user during use]
940310-0002 - EN 527-1,2 - Aluminium - Type B - Office Work Table or Desk - With height selectable [The height can be adapted to the user at installation]
940310-0003 - EN 527-1,2 - Aluminium - Type C - Office Work Table or Desk - With fixed height
940310-0004 - EN 527-1,2 - Aluminium - Type D - Office Work Table or Desk - With limited height selectable or adjustable
940310-0005 - EN 16121 - Aluminium or Steel - Office Filing Cabinet - With or without lock

940310-0006 - EN 16121 - Aluminium or Steel - Office Cupboard - With or without lock
940330 - Furniture; wooden, for office use
940330-0001 - EN 527-1,2 - Wooden - Type A - Office Work Table or Desk - With height adjustable [The height can be changed by user during use]
940330-0002 - EN 527-1,2 - Wooden - Type B - Office Work Table or Desk - With height selectable [The height can be adapted to the user at installation]
940330-0003 - EN 527-1,2 - Wooden - Type C - Office Work Table or Desk - With fixed height
940330-0004 - EN 527-1,2 - Wooden - Type D - Office Work Table or Desk - With limited height selectable or adjustable
Household Furniture
940140 - Seats; convertible into beds, other than garden seats or camping equipment
940140-0001 - EN 13759 - Upholstered Convertible Sofa-Bed - With Wooden Frame - With Storage - For Domestic Use
940140-0002 - EN 13759 - Upholstered Convertible Corner Sofa-Bed - With Wooden Frame - With Storage - For Domestic Use
94016X - Seats; with wooden frames, X = [940161 - Upholstered] or [940169 - Not upholstered], (excluding medical, surgical, dental, veterinary or barber furniture)
94016X-0001 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Armchair - For Domestic Use
94016X-0002 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Dining Chair - For Domestic Use
94016X-0003 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Bariatric Chair - For Domestic Use
94016X-0004 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Windsor Chair - For Domestic Use
94016X-0005 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Ladderback Chair - For Domestic Use
94016X-0006 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Folding Chair - For Domestic Use
94016X-0007 - EN 1728 + EN 1022 - Upright Chair - With Wooden Frame - Stool Chair - For Domestic Use
940320 - Furniture; metal, other than for office use
940320-0001 - EN 581-1,2 - Metal Upright Chair - [Stainless Steel or Aluminium] - Outdoor - Dining Chair
940320-0002 - EN 581-1,2 - Metal Upright Chair - [Stainless Steel or Aluminium] - Outdoor - Bariatric Chair
940320-0003 - EN 581-1,2 - Metal Upright Chair - [Stainless Steel or Aluminium] - Outdoor - Folding Chair
940320-0004 - EN 581-1,3 - Metal Table - [Stainless Steel or Aluminium] - Outdoor - Dining Table
940340 - Furniture; wooden, for kitchen use
940340-0001 - EN 14749 - Kitchen - Worktop or Countertop - For Domestic Use
940340-0002 - EN 14749 - Kitchen - Sink Cabinet - For Domestic Use
940340-0003 - EN 14749 - Kitchen - Wall Hanging Cabinet - For Domestic Use
940340-0004 - EN 14749 - Kitchen - Cabinet Drawer- For Domestic Use
940340-0005 - EN 14749 - Kitchen - Cupboard - For Domestic Use
940340-0006 - EN 12521 - Kitchen - Table - For Domestic Use
940350 - Furniture; wooden, for bedroom use
940350-0001 - EN 1725 - Single Bed - Aprx. 80 x 200cm - For Domestic Use
940350-0002 - EN 1725 - Single Bed - Aprx. 90 x 200cm - For Domestic Use
940350-0003 - EN 1725 - Single Bed - Aprx. 100 x 200cm - For Domestic Use
940350-0004 - EN 1725 - Double Bed - Aprx. 120 x 200cm - For Domestic Use
940350-0005 - EN 1725 - Double Bed - Aprx. 140 x 200cm - For Domestic Use
940350-0006 - EN 1725 - Double Bed - Aprx. 150 x 200cm - For Domestic Use
940350-0007 - EN 1725 - Double Bed - Aprx. 160 x 200cm - For Domestic Use
940350-0008 - EN 1725 - Double Bed - Aprx. 180 x 200cm - For Domestic Use
940350-0009 - EN 14749 - Bedside Table - For Domestic Use
940350-0010 - EN 14749 - Drawer Chest - For Domestic Use
940350-0011 - EN 14749 - Wardrobe Closet - For Domestic Use
940350-0012 - EN 14749 - Sliding Door Wardrobe - For Domestic Use
940350-0013 - EN 14749 - TV Table - For Domestic Use
940350-0014 - EN 14749 - Dressing - For Domestic Use

940350-0015 - EN 1130 + EN 16890 - Crib - For Domestic Use
940360 - Furniture; wooden, other than for office, kitchen or bedroom use
940360-0001 - EN 14749 - Bathroom - Cabinet - For Domestic Use
940360-0002 - EN 14749 - Bathroom - Sink Cabinet - For Domestic Use
940360-0003 - EN 14749 - Living Room - Tall Display Cabinet - For Domestic Use
940360-0004 - EN 14749 - Living Room - Tall Cabinet - For Domestic Use
940360-0005 - EN 14749 - Living Room - Bookcase - For Domestic Use
940360-0006 - EN 14749 - Living Room - Cabinet - For Domestic Use
940360-0007 - EN 12521 - Living Room - Coffee Table - For Domestic Use
940360-0008 - EN 12521 - Living Room - Dining Table - For Domestic Use
940360-0009 - EN 12521 - Living Room - Conference Table - For Domestic Use
940360-0010 - EN 14749 - Hallway - Shoes Drawer - For Domestic Use
940360-0011 - EN 14749 - Hallway - Coat Hanger or Stand - For Domestic Use
94042X - Mattresses; X = [940421 - Cellular Rubber (Latex)] or [940429 - Springs]
94042X-0001 - EN 1725 + EN 1957 - Single Bed - Aprx. 80 x 200cm - For Domestic Use
94042X-0002 - EN 1725 + EN 1957 - Single Bed - Aprx. 90 x 200cm - For Domestic Use
94042X-0003 - EN 1725 + EN 1957 - Single Bed - Aprx. 100 x 200cm - For Domestic Use
94042X-0004 - EN 1725 + EN 1957 - Double Bed - Aprx. 120 x 200cm - For Domestic Use
94042X-0005 - EN 1725 + EN 1957 - Double Bed - Aprx. 140 x 200cm - For Domestic Use
94042X-0006 - EN 1725 + EN 1957 - Double Bed - Aprx. 150 x 200cm - For Domestic Use
94042X-0007 - EN 1725 + EN 1957 - Double Bed - Aprx. 160 x 200cm - For Domestic Use
94042X-0008 - EN 1725 + EN 1957 - Double Bed - Aprx. 180 x 200cm - For Domestic Use
961000 - Slates and boards; with writing or drawing surfaces, whether or not framed
961000-0001 - EN 14434 - Magnetic Whiteboard - Aprx. 45 x 30cm - For use with Marker
961000-0002 - EN 14434 - Magnetic Whiteboard - Aprx. 45 x 60cm - For use with Marker
961000-0003 - EN 14434 - Magnetic Whiteboard - Aprx. 60 x 90cm - For use with Marker
961000-0004 - EN 14434 - Magnetic Whiteboard - Aprx. 90 x 120cm - For use with Marker
961000-0005 - EN 14434 - Magnetic Whiteboard - Aprx. 90 x 150cm - For use with Marker
961000-0006 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 120cm - For use with Marker
961000-0007 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 150cm - For use with Marker
961000-0008 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 180cm - For use with Marker
961000-0009 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 200cm - For use with Marker
961000-0010 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 240cm - For use with Marker
961000-0011 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 300cm - For use with Marker
961000-0012 - EN 14434 - Magnetic Whiteboard - Aprx. 120 x 360cm - For use with Marker
961000-0013 - EN 14434 - Magnetic Whiteboard - Custom size - For use with Marker
Musical instruments
920110 - Musical instruments; pianos, upright, including automatic pianos
920110-0001 - Keyboard stringed - Upright piano
920110-0002 - Keyboard - Electric piano or organ
920120 - Musical instruments; pianos, grand
920120-0001 - Keyboard stringed - Grand piano
920190 - Musical instruments; harpsichords and other keyboard stringed instruments n.e.c. in heading no. 9201
920190-0001 - Keyboard stringed - Harpsichord
920190-0002 - Keyboard stringed - Spinet
920190-0003 - Keyboard stringed - Clavichord

920210 - Musical instruments; string, played with a bow (e.g. violins)
920210-0001 - Bow and string - Classical violin
920210-0002 - Bow and string - Baroque violin
920210-0003 - Bow and string - Electric violin
920210-0004 - Bow and string - Hardanger fiddler
920210-0005 - Bow and string - Haegeum
920210-0006 - Bow and string - Five string violin
920210-0007 - Bow and string - Viola
920210-0008 - Bow and string - Cello
920210-0009 - Bow and string - Double bass
920290 - Musical instruments; string, played other than with a bow (e.g. guitars and harps)
920290-0001 - String - Classical guitar
920290-0002 - String - Flat-top guitar
920290-0003 - String - Archtop guitar
920290-0004 - String - Steel guitar
920290-0005 - String - Electric guitar
920290-0006 - String - Bass guitar
920290-0007 - String - Ukulele
920290-0008 - String - Lute
920290-0009 - String - Mandolin
920290-0010 - String - Harp
920290-0012 - String - Tanpura
920290-0013 - String - Hammered Dulcimer
920290-0014 - String - Cimbalom
920510 - Musical instruments; brass-wind (e.g. trumpets), other than fairground organs and mechanical street organs
920510-0001 - Brass-wind - Saxophone
920510-0002 - Brass-wind - Horn
920510-0003 - Brass-wind - Trumpet
920510-0004 - Brass-wind - Trombone
920510-0005 - Brass-wind - Bass Trombone
920510-0006 - Brass-wind - Baritone horn
920510-0007 - Brass-wind - Euphonium
920510-0008 - Brass-wind - Tuba
920590 - Musical instruments; wind, other than brass, (eg. clarinet, bagpipes, pipe organs), other than fairground organs and mechanical street organs
920590-0001 - Wood-wind - Flute
920590-0002 - Wood-wind - Pan flute
920590-0003 - Wood-wind - Piccolo
920590-0001 - Wood-wind - Recorder
920590-0004 - Wood-wind - Single-reed - Clarinet
920590-0005 - Wood-wind - Single-reed - Bass clarinet
920590-0005 - Wood-wind - Single-reed - Taragot
920590-0006 - Wood-wind - Double-reed - Oboe
920590-0007 - Wood-wind - Double-reed - English horn
920590-0008 - Wood-wind - Double-reed - Bassoon
920590-0009 - Wood-wind - Double-reed - Contra Bassoon
920600 - Musical instruments; percussion (e.g. drums, xylophones, cymbals, castanets, maracas)

920600-0001 - Percussion - Drum kit
920600-0002 - Percussion - Electronic drums
920600-0003 - Percussion - Timpani
920600-0004 - Percussion - Snare drum
920600-0005 - Percussion - Bass drum
920600-0006 - Percussion - Xylophone
920600-0007 - Percussion - Glockenspiel
920600-0008 - Percussion - Triangle
920600-0009 - Percussion - Tambourine
920600-0010 - Percussion - Bongos
920600-0011 - Percussion - Congas
920600-0012 - Percussion - Hang drum / Handpan
920600-0013 - Percussion - Djembe african drum
920600-0014 - Percussion - Bodhran drum
920600-0015 - Percussion - Caribbean steel drum
920600-0016 - Percussion - Maracas
920600-0017 - Percussion - Chimes
920600-0018 - Percussion - Bells
920600-0019 - Percussion - Gong

9. Wickerwork and Wooden Ware

Notes:
INFO FOR SUPPLIERS:
Location :
Warning ! We must do due diligence for these products to verify if origin is from sustainable sources, even if you have documents.
The products must not have Amazon rainforest origin and they must be PEFC and/or FSC certified.
Note: Even if the wood is certified as supplier you must send photos and coordinates of area where you harvested the logs.
Efficiency and Pollution :
The wood source must not be from threatened or endangered genus and/or species.
Buy this products only if you need them, else it will be a waste of wood, materials and energy ! There are also composite materials, plastic, aluminum, steel products on the market.
Note: The wood, chips, dust source must be from accidental sources only. (storms, cyclones, tornadoes, hurricanes, lightning, fallen branches, fire, rain drought)
From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety :
The products must not contain any toxic chemicals. Food contact materials made ffrom wood must not contain any varnish, lacquer or colorants.
Documents :
Suppliers must send tehcnical dossier, inspection certificates, how to use and install manuals, how to clean and take care of products, warranty, declarations of conformity and so on.
Quality :
Note: The wood must be debarked. The wood source must be dried not green.
Hardwood must be [Platanus acerifolia] or [Platanus occidentalis] or [Populus tremula]
Most shoemakers make their own shoe lasts and they use plastic.
Wood clothes pegs must not stain the clothes. The wire for springs must be ISO 6931-1.
INFO FOR CLIENTS:

Instructions :
Frames are non standard and have many combinations for styles and colors. The client must send as much info as possible about the products. Client must send wood source name (e.g. Hardwood: Populus tremula), wood material type (e.g. solid wood or wood marquetry or inlaid wood or particle board or fibreboard or laminated wood or densified wood), type of wood treatment, tehcnical drawing(s), design, movement - style, shape, frame with or without glass, model name, color, size (e.g. ISO 216 Photo) and thickness so the manufacturers understand what are the needs. For cork the client must send tehcnical drawing(s), shape (e.g. debacked or roughly squared or rectangular or square or block or plate or sheet or strip or sharp-edged blank for corks or stoppers), size and thickness and as much info as possible about the products. For wickerwork and other products the client must send as much info as possible about. Client must send material name (e.g. Arundo donax), tehcnical drawing(s), design, movement - style, shape, colors, size and so on.
Did You Know :
In Portugal they harvest the bark of Cork trees between the end of spring - beginning of summer. It's the period when the bark is easy to remove.
Cork trees (Quercus suber) must be minimum 25 years old before the bark can be harvested by skilled workers.
Each Cork tree is harvested at 9 years intervals. At 25, 34, [43, 52, 61, 70 etc]
When the Cork is 25 years old they remove the "cortiça virgem" (virgin cork). The bark is used for tiles, floor coverings and other articles.
When the Cork is 34 years old they remove the "secondary cork". The bark is used for tiles, floor coverings and other articles.
The Cork tree must be minimum 43 years old to harvest the bark for making corks and stoppers. Second Reproduction Cork is used for corks or stoppers.
Cork trees live aprx. 150-200 years.
Wickerwork and Wooden Ware
441400 - Wooden frames; for paintings, photographs, mirrors or similar objects
441400-0001 - Non-Standard - Wooden Mirror Frame
441400-0002 - Non-Standard - Wooden Painting Frame
441400-0003 - Non-Standard - Wooden Poster Frame
441400-0004 - Non-Standard - Wooden Document Frame
441400-0005 - Non-Standard - Wooden Tabletop Photo Frame
441700 - Wood; tools, tool bodies, tool handles, broom or brush bodies and handles, boot and shoe lasts and trees, of wood
441700-0001 - Non-Standard - Wooden Spatula
441700-0002 - Non-Standard - Wooden Mallet
441700-0003 - Non-Standard - Wooden Maul
441700-0004 - Non-Standard - Wooden Clamp
441700-0005 - Non-Standard - Wooden Handle - For Garden Tools
441700-0006 - Non-Standard - Wooden Handle - For Hand Tools
441700-0007 - Non-Standard - Wooden Handle - For Broom
441700-0008 - Non-Standard - Wooden Handle - For Brush
441700-0009 - Non-Standard - Wooden Handle - For Paint Brush
441700-0010 - Non-Standard - Wooden Handle - For Knife
441700-0011 - Pair - Non-Standard - Wooden Shoe Trees
441990 - Tableware and kitchenware, of wood; not of bamboo
441990-0001 - Non-Standard - Wooden Hand-Carved Spoon
441990-0002 - Non-Standard - Wooden Turned Rolling Pin
442010 - Wood; statuettes and other ornaments of wood
442010-0001 - Non-Standard - Wooden Hand-Carved Statuette
442010-0002 - Non-Standard - Wooden Hand-Carved Ornament
442010-0003 - Non-Standard - Wooden Turned Ornament
442090 - Wood; marquetry and inlaid wood, wooden articles of furniture not falling in chapter 94
442090-0001 - Non-Standard - Wooden Marquetry Panel - For Furniture Making
442090-0002 - Non-Standard - Inlay Wood Panel - For Furniture Making
442199 - Wood; not of bamboo, articles n.e.c. in heading no. 4414 to 4420 (excluding clothes hangers)

442199-0001 - ISO 6931-1 - Wood Clothes Peg
450200 - Cork; natural cork, debarked or roughly squared, or in rectangular (including square) blocks, plates, sheets or strip, (including sharp-edged blanks for corks or stoppers)
450200-0001 - ISO 633 + ISO 1215 + ISO 2386 - Raw or Boiled - Second Reproduction Cork - Moisture content < 14 %
450200-0002 - ISO 633 + ISO 1215 + ISO 2386 - Raw - Virgin Cork - Moisture content < 14 %
450200-0003 - ISO 633 + ISO 1215 + ISO 2386 - Raw - First Reproduction Cork - Moisture content < 14 %
460121 - Plaiting materials, plaits and similar products of plaiting materials; mats, matting and screens, of bamboo
460121-0001 - Non-Standard - Dried Bamboo - Mat (Bambusa vulgaris)
460122 - Plaiting materials, plaits and similar products of plaiting materials; mats, matting and screens, of rattan
460122-0001 - Non-Standard - Dried Rattan - Mat (genus Calamus)
460129 - Plaiting materials, plaits and similar products of plaiting materials; mats, matting and screens, of vegetable materials other than bamboo or rattan
460129-0001 - Non-Standard - Dried Papyrus - Mat (Cyperus papyrus)
460129-0002 - Non-Standard - Dried Willow - Mat (genus Salix)
460129-0003 - Non-Standard - Dried Reed - Mat (genus Phragmites)
460129-0004 - Non-Standard - Dried Wild Reed - Mat (Arundo donax)
460129-0005 - Non-Standard - Dried Water Rush - Mat (Scirpus lacustris)
460129-0006 - Non-Standard - Dried Soft Rush - Mat (Juncus effusus)
Explanatory note for 460121,460122, 460129: When you send technical specs include: Mat size (width x length x thickness) Motifs-pattern design, CAD drawing or pictures and mat construction design style name We will ask you more questions if needed
460212 - Basketwork, wickerwork and other articles; of rattan, made directly to shape from plaiting materials or made up from goods of heading no. 4601
460212-0001 - Non-Standard - Dried Rattan - Picnic Basket
460212-0002 - Non-Standard - Dried Rattan - Shopping Basket
460212-0003 - Non-Standard - Dried Rattan - Laundry-Basket
460129-0004 - Non-Standard - Dried Rattan - Custom-Made Basket
460212-0005 - Non-Standard - Dried Rattan - Tray
460212-0006 - Non-Standard - Dried Rattan - Carpet-beater
460212-0007 - Non-Standard - Dried Rattan - Hanging Planter
460219 - Basketwork, wickerwork and other articles; of vegetable materials (not bamboo or rattan), made directly to shape from plaiting materials or made up from goods of heading no. 4601; articles of loofah
460219-0001 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Picnic Basket
460219-0002 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Shopping Basket
460219-0003 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Laundry-Basket
460219-0004 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Custom-Made Basket
460219-0005 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Tray
460219-0006 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Carpet-beater
460219-0007 - Non-Standard - [Dried Papyrus or Willow or Reed or Wild Reed or Water Rush or Soft Rush] - Hanging Planter

10. Paper and Paperboard Products

Notes :
INFO FOR SUPPLIERS:
Location :
Warning ! We must do due diligence for these products to verify if origin is from sustainable sources, even if you have documents.
The products must not have Amazon rainforest origin and they must be PEFC and/or FSC certified.

Efficiency and Pollution : Suppliers of wood pulp must have their own clean renewable energy power plants. The suppliers must have documents proof that all leftover chemicals used in manufacturing the products are recyclable. In most countries manufacturers are still dumping chemicals in rivers, lakes or in the oceans. From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation") Warning ! People have smartphones now. They write on paper only if needed.
Health and Safety : The products must not contain any toxic chemicals.
Sustainability : Suppliers are not allowed to add any additives to deteriorate the products faster. (To force people to buy again and again the same low quality products.)
Quality : According to Harmonized Tariff Nomenclature explanatory note, pulp is generally presented in baled sheets (whether or not perforated), wet or dry, but may sometimes be in slabs, in rolls or in the form of powder or flakes. Xuan paper absorbs moisture so you need to store it according to manufacturer specifications. The paper must be made in China. The tissue paper must be according to Standard ISO 4046-4 and ISO 12625-1. The paper correspondence envelopes must be made according to ISO 269 (withdrawn, still in use) or other standards.
INFO FOR CLIENTS:
Instructions: The client company can specify the type of hardwood and/or softwood the manufacturer should use for pulp making . [Most paper mills can bleach the pulp for you if you need this service, they can also make the paper. The client company can specify also the level of ISO brightness for the pulp according to Standard ISO 2470-1. The ISO brightness means also the bleaching level of the pulp. (NBHK = Northern bleached hardwood kraft and SBHK Pulp = Southern bleached mixed hardwood kraft and BHKP Pulp = Bleached hardwood kraft pulp. BHKP has many types of hardwood mixed in the pulp. GWP - Groundwood pulp is the oldest method used to make wood pulp. GWP is also very low quality pulp. For RBK pulp the mills do not sort the waste - scrap.) For paper and paperboard products the client company must specify the design, manufacturing standard, thickness, grammage, size, type of coating and so on. For tissue paper please specify ply number (e.g. 2-ply, 3-ply, 4-ply), sheets per roll, self-dissolving or regular, packaging type, embossing type and so on. For inspiration look at current products on the market, if the product is non-standard. All types of cardboard that enters in contact with food must be approved - certified. Quality of cardboard can only be determined by laboratory analysis. For corrugated fibreboards the client company must specify flute type [A, C, B, E] and wall type [1.Single face wall, 2. Double wall board, 3. Triple wall board]. To give you hints of possible corrugated boxes design combinations check 12th edition FEFCO Codes and the FEFCO-ESBO codes . For design the client company can send a FEFCO code or a custom template-design. (fefco.org) The client company can have fun making their own box or they can hire a professional packaging designer. The client company has to send the box design details so the manufacturing companies can understand the needs. For Non-corrugated paperboard check ECMA codes samples. (ecma.org)
Did you know: A4 for most office and home use printers is 210 x 297 mm. Smaller grammage means that you will save energy costs but the paper will have probably lower quality. Thermal-sensitive paper has many applications. (e.g. Vending machine, POS, ATM, Cash register, Medical devices and so on, Note: not for fax machines)
Wood Bark
440149 - Bark and production waste, scrap, rejects and residues
440149-0001 – Tree Bark (Different Species) - Not-Mixed
440149-0002 – Tree Bark (Different Species) - Mixed
Explanatory note for 440149 : It's forbidden to debark trees intentionally. Suppliers must have proof of origin. The bark must be from accidental sources only. (storms, cyclones, tornadoes, hurricanes, lightning, fallen branches, fire, rain drought). The bark must also be dry and not from endangered species . The client company must specify tree species.
Pulp
470100 - Wood pulp; mechanical wood pulp
470100-0001 - ISO 4046-2 - Mechanical Pulp - GWP Groundwood pulp (Unbleached)

470100-0002 - ISO 4046-2 - Mechanical Pulp - PGW Pressurised stone groundwood (Unbleached)
470100-0003 - ISO 4046-2 - Mechanical Pulp - RMP Refiner mechanical pulp (Unbleached)
470100-0004 - ISO 4046-2 - Mechanical Pulp - TMP - Thermo-mechanical pulp (Unbleached)
470311 - Wood pulp; chemical wood pulp, soda or sulphate, (other than dissolving grades), unbleached, of coniferous wood
470311-0001 - ISO 4046-2 - Unbleached Softwood Kraft Pulp
470319 - Wood pulp; chemical wood pulp, soda or sulphate, (other than dissolving grades), unbleached, of non-coniferous wood
470319-0001 - ISO 4046-2 - Unbleached Hardwood Kraft Pulp
470321 - Wood pulp; chemical wood pulp, soda or sulphate, (other than dissolving grades), semi-bleached or bleached, of coniferous wood
470321-0001 - ISO 4046-2 - Bleached Softwood Kraft Pulp (NBSK or SBSK pulp)
470329 - Wood pulp; chemical wood pulp, soda or sulphate, (other than dissolving grades), semi-bleached or bleached, of non-coniferous wood
470329-0001 - ISO 4046-2 - Bleached Hardwood Kraft Pulp (NBHK or SBHK pulp)
470500 - Wood pulp; obtained by a combination of mechanical and chemical pulping processes
470500-0001 - ISO 4046-2 - BCTMP - Bleached Chemi-Thermomechanical Pulp - Hardwood
470500-0002 - ISO 4046-2 - BCTMP - Bleached Chemi-Thermomechanical Pulp - Softwood
470620 - Pulp; of fibres derived from recovered (waste and scrap) paper or paperboard
470620-0001 - ISO 4046-2 - Bleached Kraft Pulp (RBK Pulp)
Paper and Paperboard
480100 - Newsprint; made of fibres obtained essentially by a chemi-mechanical process or of a weight, per m2, of more than 57g but not more than 65g, in rolls or sheets
480100-0001 Rolls or sheets - ISO 4046-4 - Newsprint - between 57g - 65g/m2 (from recycled paper)
480210 - Hand-made paper or paperboard
480210-0001 Xuan paper for calligraphy (Non-Standard)
480254 - Uncoated paper and paperboard (not 4801 or 4803); printing, writing or graphic, 10% or less by weight of mechanical or chemi-mechanical processed fibre, weighing less than 40g/m2, in rolls or sheets
480254-0001 - ISO 4046-4 - Uncoated unprinted - Lightweight paper - weighing less then 40g/m2 - Rolls or sheets
480254-0002 - ISO 4046-4 - Uncoated unprinted - Bible paper - weighing between 30-35g/m2 - Rolls or sheets
480254-0003 - ISO 4046-4 - Uncoated unprinted - Wrapping tissue - weighing between 12-30g/m2 - Rolls or sheets
480255 - Uncoated paper and paperboard (not 4801 or 4803); printing, writing or graphic, 10% or less by weight of mechanical or chemi-mechanical processed fibre, weighing 40g/m2 to 150g/m2, in rolls
480255-0001 - ISO 11108 - Uncoated unprinted - Archival paper - weighing between 70-150g/m2 - Rolls
480255-0002 - ISO 9706 - Uncoated unprinted - Paper for documents - weighing between 70-150g/m2 - Rolls
480255-0003 - EN 12281 - Uncoated unprinted - Copy paper for home use - weighing between 70-100g/m2 - Rolls
480256 - Uncoated paper and paperboard (not 4801 or 4803); printing, writing or graphic, 10% or less by weight of mechanical or chemi-mechanical processed fibre, weight 40-150g/m2, in sheets 435mm or less by 297mm or less (unfolded)
480256-0001 - ISO 11108 - Uncoated unprinted - Archival paper - weighing between 70-150g/m2 - under 435x297mm - Sheets
480256-0002 - ISO 9706 - Uncoated unprinted - Paper for documents - weighing between 70-150g/m2 - under 435x297mm - Sheets
480256-0003 - EN 12281 - Uncoated unprinted - Copy paper for home use - weighing between 70-100g/m2 - under 435x297mm - Sheets
480258 - Uncoated paper and paperboard (not 4801 or 4803); printing, writing or graphic, 10% or less by weight of mechanical or chemi-mechanical processed fibre, weighing more than 150g/m2
480258-0001 - ISO 4046-4 - Uncoated unprinted - Ivory board or bristol - weighing more than 150g/m2 - Rolls or sheets
480258-0002 - ISO 11108 - Uncoated unprinted - Archival paper - weighing between 150-225g/m2 - Rolls or sheets
480258-0003 - ISO 9706 - Uncoated unprinted - Paper for documents - weighing between 150-170g/m2 - Rolls or sheets
480262 - Uncoated paper and paperboard (not 4801 or 4803); over 10% by weight of mechanical or chemi-mechanical processed fibre, in sheets 435mm or less by 297mm or less (unfolded)
480262-0001 - ISO 4046-4 - Uncoated unprinted - Two-sided coloured paper - weighing between 75-90g/m2 - under 435x297mm - Sheets
Explanatory note for 480254, 480255, 480256, 480258, 480262 :

The World Customs Organization does not say the type of paper, could be many types of uncoated paper according to Standard ISO

4046-4. The client company must specify : The size according to ISO 216 or other standards The grammage and thickness according to ISO 536 and ISO 534
480300 - Tissue, towel, napkin stock or similar; for household or sanitary use, cellulose, wadding webs of cellulose fibres, in rolls exceeding 36cm in width or rectangular sheets with one side more than 36cm in unfolded state
480300-0001 - ISO 12625-1 - Tissue paper - weighing between 10-50g/m2 - Rolls exceeding 36cm in width
480300-0002 - ISO 12625-1 - Tissue paper - weighing between 10-50g/m2 - Rectangular sheets with one side more than 36cm in unfolded state
48041X - Kraft paper and paperboard; kraftliner, X = [480411 - Uncoated Unbleached] or [480419 - Uncoated Bleached], in rolls or sheets, other than that of heading no. 4802 or 4803
48041X-0001 - ISO 4046-4 - Kraft liner - weighing 115g/m2 - Rolls exceeding 36cm in width
48041X-0002 - ISO 4046-4 - Kraft liner - weighing 125g/m2 - Rolls exceeding 36cm in width
48041X-0003 - ISO 4046-4 - Kraft liner - weighing 200g/m2 - Rolls exceeding 36cm in width
48041X-0004 - ISO 4046-4 - Kraft liner - weighing 300g/m2 - Rolls exceeding 36cm in width
48041X-0005 - ISO 4046-4 - Kraft liner - weighing 400g/m2 - Rolls exceeding 36cm in width
48041X-0006 - ISO 4046-4 - Kraft liner - weighing 115g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48041X-0007 - ISO 4046-4 - Kraft liner - weighing 125g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48041X-0008 - ISO 4046-4 - Kraft liner - weighing 200g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48041X-0009 - ISO 4046-4 - Kraft liner - weighing 300g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48041X-0010 - ISO 4046-4 - Kraft liner - weighing 400g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48042X - Kraft paper and paperboard; sack kraft paper, X = [480421 - Uncoated Unbleached] or [480429 - Uncoated Bleached], in rolls or sheets, other than that of heading no. 4802 or 4803
48042X-0001 - ISO 4046-4 - Sack kraft paper - weighing 60g/m2 - Rolls exceeding 36cm in width
48042X-0002 - ISO 4046-4 - Sack kraft paper - weighing 70g/m2 - Rolls exceeding 36cm in width
48042X-0003 - ISO 4046-4 - Sack kraft paper - weighing 80g/m2 - Rolls exceeding 36cm in width
48042X-0004 - ISO 4046-4 - Sack kraft paper - weighing 100g/m2 - Rolls exceeding 36cm in width
48042X-0005 - ISO 4046-4 - Sack kraft paper - weighing 115g/m2 - Rolls exceeding 36cm in width
48042X-0006 - ISO 4046-4 - Sack kraft paper - weighing 60g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48042X-0006 - ISO 4046-4 - Sack kraft paper - weighing 70g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48042X-0006 - ISO 4046-4 - Sack kraft paper - weighing 80g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48042X-0006 - ISO 4046-4 - Sack kraft paper - weighing 100g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
48042X-0006 - ISO 4046-4 - Sack kraft paper - weighing 115g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480431 - Kraft paper and paperboard; uncoated, unbleached, weight 150g/m2 or less, in rolls or sheets, other than that of heading no. 4802 or 4803
480431-0001 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing less than 115g/m2 - Rolls exceeding 36cm in width
480431-0002 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing less than 115g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480439 - Kraft paper and paperboard; uncoated, bleached, weight 150g/m2 or less, in rolls or sheets, other than that of heading no. 4802 or 4803
480439-0001 - ISO 4046-4 - Uncoated bleached - Kraft paper - weighing less than 115g/m2 - Rolls exceeding 36cm in width
480439-0002 - ISO 4046-4 - Uncoated bleached - Kraft paper - weighing less than 115g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480441 - Kraft paper and paperboard; uncoated, unbleached, weight more than 150g/m2 but less than 225g/m2, in rolls or sheets, other than that of heading no. 4802 or 4803

480441-0001 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing between 150-225g/m2 - Rolls exceeding 36cm in width
480441-0001 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing between 150-225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480441-0001 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing between 185-225g/m2 - Rolls exceeding 36cm in width
480441-0001 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing between 185-225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480442 - Kraft paper and paperboard; uncoated, weight between 150 and 225g/m2, bleached uniformly throughout, more than 95% of total fibre content consists of chemically processed wood fibres, in rolls or sheets
480442-0001 - ISO 4046-4 - Uncoated bleached - Kraft paper - weighing between 150-225g/m2 - Rolls exceeding 36cm in width
480442-0002 - ISO 4046-4 - Uncoated bleached - Kraft paper - weighing between 150-225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480449 - Kraft paper and paperboard; uncoated, weight more than 150g/m2 but less than 225g/m2, in rolls or sheets, n.e.c. in item no. 4804.4, other than that of heading no. 4802 or 4803
480449-0001 - ISO 4046-4 - Uncoated - Other types of kraft paper - weighing between 150-225g/m2 - Rolls exceeding 36cm in width
480449-0002 - ISO 4046-4 - Uncoated - Other types of kraft paper - weighing between 150-225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480451 - Kraft paper and paperboard; uncoated, unbleached, weight 225g/m2 or more, in rolls or sheets, other than that of heading no. 4802 or 4803
480451-0001 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing more than 225g/m2 - Rolls exceeding 36cm in width
480451-0002 - ISO 4046-4 - Uncoated unbleached - Kraft paper - weighing more than 225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480451-0003 - IEC 641 or IEC 763 - Uncoated unbleached - Pressboard - weighing more than 225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480451-0004 - ISO 4046-4 - Uncoated unbleached - Food Grade Paperboard - weighing more than 225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480452 - Kraft paper and paperboard; uncoated, weight 225g/m2 or more, bleached uniformly throughout, more than 95% of total fibre content consists of chemically processed wood fibres, in rolls or sheets
480452-0001 - ISO 4046-4 - Uncoated bleached - Kraft paper or paperboard - weighing more than 225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480511 - Paper and paperboard; uncoated, semi-chemical fluting paper, rolls or sheets
480511-0001 - ISO 4046-4 - Uncoated - Semi-chemical fluting paper - weighing between 80-205g/m2 - Rolls exceeding 36cm in width
480524 - Paper and paperboard; uncoated, testliner (recycled linerboard), weight 150g/m2, or less, in rolls or sheets
480524-0001 - ISO 4046-4 - Uncoated - Testliner - weighing less than 150g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480525 - Paper and paperboard; uncoated, testliner (recycled linerboard), weight over 150g/m2, in rolls or sheets
480525-0001 - ISO 4046-4 - Uncoated - Testliner or boxboard - weighing more than 150g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480540 - Paper and paperboard; filter paper and paperboard, uncoated, in rolls or sheets
480540-0001 - ISO 4046-4 - Uncoated - Filter paper - Rolls exceeding 36cm in width
480540-0002 - ISO 4046-4 - Uncoated - Filter paper - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480591 - Paper and paperboard; uncoated, weight 150g/m2 or less, in rolls or sheets, n.e.c. in heading no.4805
480591-0001 - ISO 4046-4 - Uncoated - Blotting paper - weighing less than 150g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480592 - Paper and paperboard; uncoated, weight more than 150g/m2 but less than 225 g/m2, in rolls or sheets, n.e.c. in heading no. 4805
480592-0001 - ISO 4046-4 - Uncoated - Blotting paper - weighing between 150-225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480593 - Paper and paperboard; uncoated, weight 225/m2 or more, in rolls or sheets, n.e.c. in heading no. 4805
480593-0001 - ISO 4046-4 - Uncoated - Blotting paper - weighing between more than 225g/m2 - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480610 - Paper; vegetable parchment, in rolls or sheets
480610-0001 - ISO 4046-4 - Vegetable parchment - Rolls exceeding 36cm in width

480610-0002 - ISO 4046-4 - Vegetable parchment - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480620 - Paper; greaseproof papers, in rolls or sheets
480620-0001 - ISO 4046-4 - Greaseproof paper - Rolls exceeding 36cm in width
480620-0002 - ISO 4046-4 - Greaseproof paper - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480630 - Paper; tracing papers, in rolls or sheets
480630-0001 - ISO 4046-4 - Prepared translucent drawing paper - Rolls exceeding 36cm in width
480630-0002 - ISO 4046-4 - Prepared translucent drawing paper - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480630-0003 - ISO 4046-4 - Natural translucent drawing paper - Rolls exceeding 36cm in width
480630-0004 - ISO 4046-4 - Natural translucent drawing paper - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480640 - Paper; glassine and other glazed transparent or translucent papers, in rolls or sheets
480640-0001 - ISO 4046-4 - Glassine paper - Rolls exceeding 36cm in width
480640-0002 - ISO 4046-4 - Glassine paper - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
Explanatory note for 480610, 480620, 480630, 480640 : The grease resistance can be determined with ISO 16532 or other standards specified by client company. The client company must specify if the paper should be food or non-food grade. The client company must specify the thickness, grammage, size and type of coating. The products must not be coated - treated with PFAS.
480810 - Paper and paperboard; corrugated, whether or not perforated, in rolls or sheets, other than paper of heading 4803
480810-0001 - ISO 4046-4 - Corrugated fibreboard - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
480840 - Paper and paperboard; kraft paper, creped or crinkled, whether or not embossed or perforated, in rolls or sheets, other than paper of heading 4803
480840-0001 - ISO 4046-4 - Embossed - kraft paper - Rolls exceeding 36cm in width
480840-0002 - ISO 4046-4 - Embossed - kraft paper - Rectangular sheets with one side more than 36cm and the other side exceeding 15 cm in unfolded state
481141 - Paper and paperboard; self-adhesive, in rolls or sheets, other than goods of heading no. 4803, 4809, or 4810
481141-0001 - Paper masking tape - Rolls
481141-0002 - Other Self-Adhesive Paper tapes (not to be used as labels) - Rolls
481160 - Paper and paperboard; coated or impregnated with wax, paraffin wax, stearin, oil or glycerol, other than goods of heading no. 4803, 4809, or 4810
481160-0001 - ISO 4046-4 - Waxed paper (Natural wax) - Rolls
481160-0002 - ISO 4046-4 - Waxed paper (Natural wax) - Sheets
481160-0003 - ISO 4046-4 - Waxed paper (Synthetic wax) - Rolls
481160-0004 - ISO 4046-4 - Waxed paper (Synthetic wax) - Sheets
481190 - Paper, paperboard, cellulose wadding and webs of soft cellulose fibres; coated, impregnated, covered, surface-decorated or surface-coloured, n.e.c. in heading no. 4811, in rolls or sheets
481190-0001 - ISO 4046-4 - Thermal-sensitive paper - Rolls
481190-0002 - ISO 4046-4 - Thermal-sensitive paper - Sheets
Other Paper and Paperboard Products
481710 - Paper and paperboard; envelopes
481710-0001 - ISO 4046-4 - Paper correspondence envelopes B4 (250 x 353 mm - Colored, White or Kraft - 70-180g/m2)
481710-0002 - ISO 4046-4 - Paper correspondence envelopes B5 (250 x 176 mm - Colored, White or Kraft - 70-180g/m2)
481710-0003 - ISO 4046-4 - Paper correspondence envelopes B6 (125 x 176 mm - Colored, White or Kraft - 70-180g/m2)
481710-0004 - ISO 4046-4 - Paper correspondence envelopes C3 (324 x 458 mm - Colored, White or Kraft - 70-180g/m2)
481710-0005 - ISO 4046-4 - Paper correspondence envelopes C4M (318 x 229 mm - Colored, White or Kraft - 70-180g/m2)
481710-0006 - ISO 4046-4 - Paper correspondence envelopes CE4 (229 x 310 mm - Colored, White or Kraft - 70-180g/m2)

481710-0007 - ISO 4046-4 - Paper correspondence envelopes C64M (318 x 114 mm - Colored, White or Kraft - 70-180g/m2)
481710-0008 - ISO 4046-4 - Paper correspondence envelopes CE64 (114 x 310 mm - Colored, White or Kraft - 70-180g/m2)
481710-0009 - ISO 4046-4 - Paper correspondence envelopes C4 (324 x 229 mm - Colored, White or Kraft - 70-180g/m2)
481710-0010 - ISO 4046-4 - Paper correspondence envelopes C5 (162 x 229 mm - Colored, White or Kraft - 70-180g/m2)
481710-0011 - ISO 4046-4 - Paper correspondence envelopes C6/C5 (114 x 229 mm - Colored, White or Kraft - 70-180g/m2)
481710-0012 - ISO 4046-4 - Paper correspondence envelopes C6 (114 x 162 mm - Colored, White or Kraft - 70-180g/m2)
481710-0013 - ISO 4046-4 - Paper correspondence envelopes C7 (90 x 140 mm - Colored, White or Kraft - 70-180g/m2)
481710-0014 - ISO 4046-4 - Paper correspondence envelopes C7/C6 (81 x 162 mm - Colored, White or Kraft - 70-180g/m2)
481710-0015 - ISO 4046-4 - Paper correspondence envelopes E4 (280 x 400 mm - Colored, White or Kraft - 70-180g/m2)
481710-0016 - ISO 4046-4 - Paper correspondence envelopes EC45 (220 x 229 mm - Colored, White or Kraft - 70-180g/m2)
481710-0017 - ISO 4046-4 - Paper correspondence envelopes EC5 (115 x 229 mm - Colored, White or Kraft - 70-180g/m2)
481710-0018 - ISO 4046-4 - Paper correspondence envelopes E5 (115 x 220 mm - Colored, White or Kraft - 70-180g/m2)
481710-0019 - ISO 4046-4 - Paper correspondence envelopes E56 (155 x 155 mm - Colored, White or Kraft - 70-180g/m2)
481710-0020 - ISO 4046-4 - Paper correspondence envelopes DL / E65 (110 x 220 mm - Colored, White or Kraft - 70-180g/m2)
481710-0021 - ISO 4046-4 - Paper correspondence envelopes E6 (110 x 155 mm - Colored, White or Kraft - 70-180g/m2)
481710-0022 - ISO 4046-4 - Paper correspondence envelopes R7 (120 x 135 mm - Colored, White or Kraft - 70-180g/m2)
481710-0023 - ISO 4046-4 - Paper correspondence envelopes S4 (250 x 330 mm - Colored, White or Kraft - 70-180g/m2)
481710-0024 - ISO 4046-4 - Paper correspondence envelopes S5 (185 x 255 mm - Colored, White or Kraft - 70-180g/m2)
481710-0025 - ISO 4046-4 - Paper correspondence envelopes S65 (110 x 255 mm - Colored, White or Kraft - 70-180g/m2)
481710-0026 - ISO 4046-4 - Paper correspondence envelopes X5 (105 x 216 mm - Colored, White or Kraft - 70-180g/m2)
481710-0027 - ISO 4046-4 - Paper correspondence envelopes EX5 (155 x 216 mm - Colored, White or Kraft - 70-180g/m2)
481710-0028 - ISO 4046-4 - Paper correspondence envelopes (Custom size)
481710-0029 - Bubbles envelopes A11 (Int: 100 x 165 mm White or Kraft)
481710-0030 - Bubbles envelopes B12 (Int: 115 x 215 mm White or Kraft)
481710-0031 - Bubbles envelopes C13 (Int: 150 x 215 mm White or Kraft)
481710-0032 - Bubbles envelopes CD (Int: 175 x 165 mm White or Kraft)
481710-0033 - Bubbles envelopes D14 (Int: 180 x 265 mm White or Kraft)
481710-0034 - Bubbles envelopes E15 (Int: 215 x 265 mm White or Kraft)
481710-0035 - Bubbles envelopes F16 (Int: 220 x 340 mm White or Kraft)
481710-0036 - Bubbles envelopes G17 (Int: 230 x 340 mm White or Kraft)
481710-0037 - Bubbles envelopes H18 (Int: 270 x 360 mm White or Kraft)
481710-0038 - Bubbles envelopes I19 (Int: 295 x 445 mm White or Kraft)
481710-0039 - Bubbles envelopes K20 (Int: 345 x 470 mm White or Kraft)
481710-0040 - Bubbles envelopes (Custom size)
Explanatory note for 481710 : For [paper correspondence envelopes] the client company must specify: A. The flap type: [1. Bankers flap, 2. Announcement, 3. Window, 4. Commercial, 5. Square flap, 6. Wallet flap, 7. Policy, 8. Ticket, 9. Metal clasp, 10. Booklet, 11. Catalog / Hub, 12. Coin, 13. Square, 14. CD / DVD, 15. Cheese blade, 16. Pointed, 17. Monarch, 18. Scalloped, 19. Flip-stick, 20. Extension, 21. Custom flap - send drawing]; B. The sealing type: [1. Peel and seal, 2. Gummed, 3. Self seal, 4. Non-adhesive flap]; C. if the product is "window envelope without plastic" or "normal without a window";
481720 - Paper and paperboard; letter cards, plain postcards and correspondence cards
481720-0001 - ISO 4046-4 - Illustrated lettercard (Custom size or ISO 328:1974 - A6 105 mm X 148 mm)
481720-0002 - ISO 4046-4 - Illustrated postcard (Custom size or ISO 328:1974 - A6 105 mm X 148 mm)
481810 - Paper articles; toilet paper
481810-0001 - ISO 12625 - Toilet paper – 2-ply - Rolls

481810-0002 - ISO 12625 - Toilet paper – 3-ply - Rolls
481810-0002 - ISO 12625 - Toilet paper – 4-ply - Rolls
481820 - Paper articles; handkerchiefs, cleansing or facial tissues and towels
481820-0001 - ISO 12625 - Tissue kitchen towel – 2-ply - Rolls
481820-0002 - ISO 12625 - Tissue kitchen towel – 3-ply - Rolls
481820-0003 - ISO 12625 - Tissue kitchen towel – 4-ply - Rolls
481820-0004 - ISO 12625 - Pocket tissue handkerchief – 2-ply - Sheets
481820-0005 - ISO 12625 - Pocket tissue handkerchief – 3-ply - Sheets
481820-0006 - ISO 12625 - Pocket tissue handkerchief – 4-ply - Sheets
481820-0007 - ISO 12625 - Paper facial tissue in box – 2-ply - Sheets
481820-0008 - ISO 12625 - Paper facial tissue in box – 3-ply - Sheets
481820-0009 - ISO 12625 - Paper facial tissue in box – 4-ply - Sheets
481830 - Paper articles; tablecloths and serviettes, of paper, cellulose wadding or fibres
481830-0001 - ISO 12625 - Tissue tablecloths – 2-ply - Sheets
481830-0002 - ISO 12625 - Tissue tablecloths – 3-ply - Sheets
481830-0003 - ISO 12625 - Tissue tablecloths – 4-ply - Sheets
481830-0004 - ISO 12625 - Tissue serviettes – 2-ply - Sheets
481830-0005 - ISO 12625 - Tissue serviettes – 3-ply - Sheets
481830-0006 - ISO 12625 - Tissue serviettes – 4-ply - Sheets
481830-0007 - ISO 12625 - Tissue table napkins – 2-ply - Sheets
481830-0008 - ISO 12625 - Tissue table napkins – 3-ply - Sheets
481830-0009 - ISO 12625 - Tissue table napkins – 4-ply - Sheets
481910 - Paper and paperboard; cartons, boxes and cases, of corrugated paper or paperboard
481910-0001 - EN 14053 - Corrugated boxes
481920 - Paper and paperboard; folding cartons, boxes and cases, of non-corrugated paper or paperboard
481920-0001 - EN 14054 - Non-corrugated paperboard boxes
481930 - Paper and paperboard; sacks and bags of paper, paperboard, cellulose wadding or fibres, having a base of a width of 40cm or more
481930-0001 - ISO 6590-1 - Paper - open mouth - sewn - flat - sacks
481930-0002 - ISO 6590-1 - Paper - open mouth - sewn - gusseted - sacks
481930-0003 - ISO 6590-1 - Paper - valved - sewn - flat - sacks
481930-0004 - ISO 6590-1 - Paper - valved - sewn - gusseted - sacks
481930-0005 - ISO 6590-1 - Paper - open mouth - pasted - flat, hexagonal bottom - sacks
481930-0006 - ISO 6590-1 - Paper - open mouth - pasted - flat, turn over bottom - sacks
481930-0007 - ISO 6590-1 - Paper - open mouth - pasted - gusseted, rectangular bottom - sacks
481930-0008 - ISO 6590-1 - Paper - open mouth - pasted - gusseted, turn over bottom - sacks
481930-0009 - ISO 6590-1 - Paper - valved - pasted - flat, hexagonal ends - sacks
481930-0010 - ISO 6590-1 - Paper - valved - pasted - gusseted, rectangular ends - sacks
481930-0011 - EN 770 - Paper - Sacks for the transport of food aid
Explanatory note for 481930 : The sacks must have a base of a width of 40 cm or more.
481960 - Paper and paperboard; box files, letter trays, storage boxes and similar articles, used in offices, shops or the like of paper, paperboard, cellulose wadding or webs of cellulose fibres
481960-0001 - ISO 16245-A - Corrugated boxes - for storage of paper and parchment documents
481960-0002 - ISO 16245-B - Corrugated boxes - for storage of paper and parchment documents
481960-0003 - ISO 16245 - File covers - for storage of paper and parchment documents - weight more than 100g/m2
482110 - Paper and paperboard; labels or all kinds, printed

482110-0001 - Non-adhesive paper tags
482110-0002 - Non-adhesive paper product labels
482110-0003 - Non-adhesive other types of paper labels
Explanatory note for 482110 : Label design is creative. The client company should specify the paper type, thickness, grammage, size. The client must send the labels design details so the manufacturing companies can understand the needs. According to WCO explanatory notes, self-adhesive printed stickers designed to be used, for example, for publicity, advertising or mere decoration, e.g., “comic stickers” and “window stickers”, are excluded
482210 - Paper pulp, paper or paperboard; bobbins, spools, cops and similar supports, of a kind used for winding textile yarn (whether or not perforated or hardened)
482110-0001 - ISO 1809:1977 - Paper bobbins or tubes - for winding textile yarn
482290 - Paper pulp, paper or paperboard; bobbins, spools, cops and similar supports, other than of a kind used for winding textile yarn (whether or not perforated or hardened)
482290-0001 - Paper bobbins or tubes - for winding non-textile yarn
482369 - Paper and paperboard; trays, dishes, plates, cups and the like, of paper or paperboard other than of bamboo
482369-0001 - Food grade paper trays
482369-0002 - Food grade paper dishes or plates
482369-0003 - Food grade paper cups
482370 - Paper pulp; moulded or pressed articles or paper pulp
482370-0001 - Food grade egg trays
961900 - Sanitary towels (pads) and tampons, napkins and napkin liners for babies and similar articles, of any material
961900-0001 - Absorbent baby blanket - Pack
961900-0002 - Baby moist napkins - Pack
961900-0003 - Moist toilet tissue - Pack
961900-0004 - Intimate tissue - Pack
961900-0005 - Women menstrual pads - Pack
961900-0006 - Women daily liners pads - Pack
961900-0007 - Women tampons - Pack
961900-0008 - Adult diapers - Pack
961900-0009 - Baby diaper - boy 0-25kg - Pack
961900-0010 - Baby diaper - girl 0-25kg - Pack

11. Floor Coverings

Notes:
INFO FOR SUPPLIERS:
Location : For products made from animal hair or wool, suppliers must provide “animal origin by-products” safety documents. (e.g. It's forbidden to export goat hair from a region that has Ebola virus epidemic)
Efficiency and Pollution : Handmade rugs and carpets are more energy efficient, they last longer and they are easier to clean ! From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety : Suppliers must not use any azo dyes or toxic chemicals
Documents : Suppliers must provide instruction how to clean-wash the door mats, rugs and carpets
INFO FOR CLIENTS:

Instructions :
Please consult also a interior designer before you buy these products !
Did you know :
Carpets are used in low traffic areas, they are works of art, they have high quality and they are very expensive
Rugs are used in medium traffic areas like your home but they use them in churches and mosques also
Knotted carpets - are composed of a taut warp around which the pile threads are knotted or twisted in a complete turn round at least one warp thread, the pile threads being kept in place by the insertion of tightly woven weft threads.
Non-Knotted - means carpets in which the pile threads are simply looped under the warp threads without making a turn round them
The products are Non-Standard.
The difference between Axminster and Wilton is the weave method.
Carpets and other textile floor covering
570110 - Carpets and other textile floor coverings; knotted, of wool or fine animal hair, whether or not made up
570110-0001 - Handmade - Woven - Sheep wool - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Ovis aries)
570110-0002 - Handmade - Woven - Silk - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Bombyx mori)
570110-0003 - Handmade - Woven - Cashmere goat hair - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Capra hircus laniger)
570110-0004 - Handmade - Woven - Mohair from Angora goat - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Capra hircus aegagrus)
570110-0005 - Handmade - Woven - Yak hair - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Bos grunniens)
570110-0006 - Handmade - Woven - Arabian camel hair - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Camelus dromedarius)
570110-0007 - Handmade - Woven - Bactrian camel hair - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Camelus bactrianus)
570110-0008 - Handmade - Woven - Sheep wool - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Ovis aries)
570110-0009 - Handmade - Woven - Silk - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Bombyx mori)
570110-0010 - Handmade - Woven - Cashmere goat hair - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Capra hircus laniger)
570110-0011 - Handmade - Woven - Mohair from Angora goat - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Capra hircus aegagrus)
570110-0012 - Handmade - Woven - Yak hair - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Bos grunniens)
570110-0013 - Handmade - Woven - Arabian camel hair - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Camelus dromedarius)
570110-0014 - Handmade - Woven - Bactrian camel hair - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Camelus bactrianus)
570190 - Carpets and other textile floor coverings; knotted, of textile materials (other than wool or fine animal hair), whether or not made up
570190-0001 - Handmade - Woven - Cotton - <u>Carpet</u> - Low traffic - Knotted - for indoor use (Gossypium spp)
570190-0002 - Handmade - Woven - Cotton - <u>Rug</u> - Medium traffic - Knotted - for indoor use (Gossypium spp)
570210 - Carpets and other textile floor coverings; woven, (not tufted or flocked), whether or not made up, including kelem, schumacks, karamanie and similar hand-woven rugs
570210-0001 - Handmade - Woven - Sheep wool - Kelem <u>Carpet</u> - Low traffic - Non-Knotted - for indoor use (Ovis aries)
570210-0002 - Handmade - Woven - Sheep wool - Schumacks <u>Carpet</u> - Low traffic - Non-Knotted - for indoor use (Ovis aries)
570210-0003 - Handmade - Woven - Sheep wool - Kelem <u>Rug</u> - Medium traffic - Non-Knotted - for indoor use (Ovis aries)
570210-0004 - Handmade - Woven - Sheep wool - Schumacks <u>Rug</u> - Medium traffic - Non-Knotted - for indoor use (Ovis aries)
570210-0005 - Handmade - Woven - Sheep wool - Sileh <u>Rug</u> - Low traffic - Non-Knotted - for indoor use (Ovis aries)
570220 - Carpets and other textile floor coverings; woven, (not tufted or flocked), whether or not made up, of coconut fibres (coir)
570220-0001 - Handmade - Woven - Coconut fibres or coir - <u>Door mats</u> - Medium traffic - Non-Knotted - for outdoor and indoor use (Cocos nucifera)
570231 - Carpets and other textile floor coverings; woven, (not tufted or flocked), of wool or fine animal hair, of pile construction, not made up, n.e.c. in item no. 5702.10 or 5702.20
570231-0001 - Machine made - Woven - Sheep wool - British Axminster <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (Ovis aries)
570239 - Carpets and other textile floor coverings; woven, (not tufted or flocked), of textile materials (other than man-made, wool or fine animal hair), of pile construction, not made up, n.e.c. in item no. 5702.10 or 5702.20
570239-0001 - Machine made - Woven - Sisal - <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (Agave sisalana)
570239-0002 - Machine made - Woven - White jute - <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (Corchorus capsularis)

570239-0003 - Machine made – Woven - Red jute - <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (<i>Corchorus olitorius</i>)
570239-0004 - Machine made - Woven - Cotton - <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (<i>Gossypium spp</i>)
570239-0005 - Machine made - Woven - Abaca fibres - <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (<i>Musa textilis</i>)
570241 - Carpets and other textile floor coverings; woven, (not tufted or flocked), of wool or fine animal hair, of pile construction, made up, n.e.c. in item no. 5702.10 or 5702.20
570241-0001 - Machine made - Woven - Sheep wool - British Wilton or Brussels <u>Rugs</u> - Medium traffic - Of pile construction - for indoor use (<i>Ovis aries</i>)
570310 - Carpets and other textile floor coverings; tufted, of wool or fine animal hair, whether or not made up
570310-0001 - Hand-tufted or Hand-hooked - Sheep wool - <u>Rug</u> - Low traffic - for indoor use (<i>Ovis aries</i>)
Explanatory note for 570110, 570190, 570210, 570220, 570231, 570239, 570241, 570310: When you send tehcnical specs include: 1. Doormat or Rug or Carpet : size (width x length) 2. Rug or carpet edge : with fringes or without fringes 3. Motifs design, CAD drawing or pictures 4. Rug - Carpet - Doormat fibres used in the backing structure: e.g. Jute or Cotton or Goat hair or Polypropylene or Polyester or Other fibers 5. Rug - Carpet fibres used in the use surface : e.g. Sheep wool or Silk or Cashmere goat hair or Mohair or Yak hair or Arabian camel or Bactrian camel or Cotton 6. Rug construction design style name : e.g. Art Nouveau or or traditional style name: Afshar / Bakhshaish / Bakhtiari / Baluch / Bidjar / Gabbeh / Hamadan / Heriz / Isfahan / Kashan / Kashmir / Kerman / Mahal / Nain / Nepalese / Oriental / Oushak / Sarough / Tabriz / Tibetan / Turkish / Indian / Romanian and many more 7. We will ask you more questions if needed

12. Textiles

Notes:
INFO FOR SUPPLIERS:
Location : For products made from animal hair or wool, suppliers must provide “animal origin by-products” safety documents. (e.g. It's forbidden to export goat hair from a region that has Ebola virus epidemic)
Efficiency and Pollution : Suppliers must not pollute the waters and/or lands with animal, synthetic or artificial fibers even if there is no demand. The suppliers must use also recycled fibers where possible. Most nonwoven fabrics are very difficult to recycle and they are bad for the environment. From 19 July 2026, large companies across the EU are prohibited from destroying unsold clothes. The measure, introduced under the Ecodesign for Sustainable Products Regulation (ESPR), aims to prevent the waste of valuable products and the resources used to make them. From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety : Fibers from cloned animals are not accepted. Suppliers must have traceability documents for all the products they used to treat the animals for lice, flies, maggots, mites, scab and other parasites. We must verify if suppliers use child labor, if they respect work labor laws, if suppliers pay salaries on time and so on. Suppliers should use natural non-toxic insect repellents to counter damage from insects. (e.g. Lavender and/or thyme herbal sachets) Suppliers must not use azo dyes. (We will verify if you used azo dyes, don't cheat !) The suppliers must specify if the fabrics contain allergic - fibers, chemicals and/or pigments. The products must be washed and clean. The products must not be contaminated with smoke, tobacco, foreign smell, thorns, thistles, vegetable matter, seeds, dung, urine, dirt, blood, skin, meat, fat, toxic chemicals, parasites and/or pathogens. In European Union some products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH).
Storage and Packaging : The products must have recyclable protective packaging against heat, sunlight, moisture and insects. The products must be labeled and packaged according to client company specifications with recyclable and eco-friendly materials. Packages for yarn can be: hank, ball, donut, cone, skein, tube, pirn, cop, beam, cake, spool, bobbin and other standard shapes.

Packages for thread: bobbin, cop, spool, cone, v-cone, cocoon, card bobbin, container and so on.
Ropes shall be supplied in a package, so that it can be dispensed freely without entanglement of any kind. (specified also in ISO 9554)
Documents :
The supplier must send technical dossier, instructions manuals, how to use info, instruction how to clean-wash the products, type of detergent allowed, intellectual property documents, declaration of conformity. needle size info, datasheets and info about tools that can be used to cut the fabrics.
Quality :
The fibers must be from the same animal breeds and it must have same color. No mixed colors and/or breeds and/or crossbreeds fibers are permitted. (Do not mix the fibers !)
The suppliers must not try to fake wool, animal hair, silk or other expensive natural fibers. The suppliers must not mix wool with goat hair or dog hair or synthetic fibers and so on.
The fibers must be from same region of the animal. (e.g. Wool from the belly region of the animal must not be mixed with lower quality wool from around the tail)
The fibers must have similar length. The suppliers must not mix long fibers with short fibers.
All natural fibers products must be rootproof treated.
Wool and animal hair must be shorn.
"Staple" means "short" fibers
Note: The supplier must sell fabrics by measuring line or kg. (The measuring line and/or scale must be homologated-certified)
All products must be dry, they must have minimum moisture content. (e.g. To prevent cheating at scale)
Suppliers must have a color and sample chart for all products. [Color no. A1537 = color of thread on a color chart]
All products must be mint condition. Delivery companies employees must use white gloves when handling this products.
Security :
The client company must pay all expenses for the armed escorts and undercover intelligence that will accompany the expensive tapestries shipment. Once you sign the handover documents, when the products arrive at your location, the armed escorts and undercover intelligence will complete their mission and your security team will be responsible for storage and safety of the products.
INFO FOR CLIENTS:
Instructions :
The client company must specify the grading system, most countries have their own grading methods.
Please consult an interior designer or a personal stylist before you buy these products !
The client company must specify for what purpose the fabrics will be use. (e.g. clothing, upholstery, sacks or packings, carpets, tapestry, work clothing)
The client company must specify the color or if the products should be undyed. If the client company wants colored or printed fabrics he/she must send the color scheme, diagram-drawing-pattern-design.
The client company must specify fabric width x length, fabric thickness, [Fabric weight 450 g/m2], the [Loom Speed 500 picks/min], the [Fabric Length per Minute e.g. 0.7m/min] and the type of loom weaving machine or machine brand - model the manufacturers should use [e.g. shuttle - hand loom for traditional fabrics, shuttleless - projectile, shuttleless - flexible rapier, shuttleless - air jet, multi phase weaving machine or Toyoda JAT610]. (You need to specify exactly what you need so we can contact the right manufacturers, e.g. not all companies can make spider silk fabrics)
Did you know :
Thread count - Example meaning of count number - 29s/3 [Number 29s = Thickness of the thread], [Number 3 = Number of strands (ply)]
[10 Decitex = 1 TEX] or [30 TEX = 30g per 1000m] or [30 DEN (denier): 30g per 9000 metres] of yarn or thread [e.g. Thread on bobbin weighs: TEX 30]
Prêt-à-porte means casual and/or everyday use fabrics or clothing.
Haute couture means unique fabrics or clothing that are used for special occasions. (e.g. Expensive elegant custom-made clothing used by Movie Stars, Singers, Bands at Festivals, Parties or Concerts)
Like clothing the fashionable fabrics are based on season. Seasons [Fall - Winter], [Spring - Summer], [Resort], [Pre - Fall].
Like clothing, textile articles fashionable. Visit major fashion houses websites, a blanket can cost above EUR 5000.
Natural textile fibres
500200 - Silk; raw silk (not thrown)
500200-0001 - Skein - Reeled raw silk (Bombyx mori)

Explanatory note for 500200 :

Warning !

Raw silk is vulnerable to heat and/or sunlight. You can check fao.org Silk reeling and testing manual (fao.org/4/x2099e/x2099e00.htm) for more info about this product.

Most textile mills have their own spinning, dyeing, weaving and other machinery.

Most textile mills can make fibers, yarn, fabric and garments. If profitable the textile mills will sell this semifinished product to client companies around the world.

510121 - Wool; (not carded or combed), degreased, (not carbonised), shorn

510121-0001 - Merino degreased scoured sheep wool (Ovis aries)

510121-0002 - Lambs degreased scoured sheep wool (Ovis aries)

510121-0003 - Other breeds degreased scoured sheep wool (Ovis aries)

Explanatory note for 510121 :

Warning !

For wool the scouring process must be sustainable. The detergent - chemicals used for scouring the wool must be non-toxic. The leftover water must be recycled or used for farm irrigation after treatment. This wool will be used for carding and/or combing.

Textile yarn and thread of natural fibres

510910 - Yarn; of wool or of fine animal hair, containing 85% or more by weight of wool or fine animal hair, put up for retail sale

510910-0001 - Merino sheep wool 100% - Yarn - Waxed or unwaxed - Carded or Combed (Ovis aries)

510910-0002 - Other sheep breeds wool 100% - Yarn - Waxed or unwaxed - Carded or Combed (Ovis aries)

510910-0003 - Lambs wool 100% - Yarn - Waxed or unwaxed - Carded or Combed (Ovis aries)

510910-0004 - Cashmere goat hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Capra hircus laniger)

510910-0005 - Llama hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Lama glama)

510910-0006 - Alpaca hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Lama pacos)

510910-0007 - Vicuña hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Lama vicugna)

510910-0008 - Angora rabbit hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Oryctolagus cuniculus)

510910-0009 - Mohair hair from Angora goat 100% - Yarn - Waxed or unwaxed - Carded or Combed (Capra hircus aegagrus)

510910-0010 - Yak hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Bos grunniens)

510910-0011 - Arabian camel hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Camelus dromedarius)

510910-0012 - Bactrian camel hair 100% - Yarn - Waxed or unwaxed - Carded or Combed (Camelus bactrianus)

520710 - Cotton yarn; (not sewing thread), containing 85% or more by weight of cotton, put up for retail sale

520710-0001 - ISO 10290 - Cotton 100% - Yarn - Waxed or Unwaxed - Carded or Combed - Ring-spun - S or Z twist - For weaving

520710-0002 - ISO 10290 - Cotton 100% - Yarn - Waxed or Unwaxed - Carded or Combed - Ring-spun - S or Z twist - For knitting

520710-0003 - ISO 10290 - Cotton 100% - Yarn - Waxed or Unwaxed - Carded or Combed - Rotor-spun - S or Z twist - For weaving

520710-0004 - ISO 10290 - Cotton 100% - Yarn - Waxed or Unwaxed - Carded or Combed - Rotor-spun - S or Z twist - For knitting

520710-0005 - ISO 10290 - Cotton 100% - Yarn - Waxed or Unwaxed - Carded or Combed - Air-jet-spun - S or Z twist - For weaving

520710-0006 - ISO 10290 - Cotton 100% - Yarn - Waxed or Unwaxed - Carded or Combed - Air-jet-spun - S or Z twist - For knitting

530620 - Yarn; of flax, multiple (folded) or cabled

530620-0001 - Hackled flax fibres 100% - Yarn - Waxed or unwaxed - Combed (Linum usitatissimum)

530720 - Yarn; of jute or of other textile bast fibres, multiple (folded) or cabled

530720-0001 - White jute fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Corchorus capsularis)

530720-0002 - Red jute fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Corchorus olitorius)

530810 - Yarn; of coir

530810-0001 - Coconut or coir fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Cocos nucifera)

530890 - Yarn; of vegetable textile fibres n.e.c. in heading no. 5306, 5307 and 5308

530890-0001 - Kenaf fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Hibiscus cannabinus)

530890-0002 - Common nettle fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Urtica dioica)

530890-0003 - Sisal fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Agave sisalana)

530890-0004 - Abaca fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Musa textilis)
530890-0005 - Ramie fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Boehmeria nivea, Chinese grass)
530890-0006 - Yucca fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Yucca schidigera)
530890-0007 - Typha fibres 100% - Yarn - Waxed or unwaxed - Carded or Combed (Typha genus)
Explanatory note for 510910, 520710, 530620, 530810, 530890: For these products the client company can specify if the products should be handmade or machine made. If machine made according to ISO 139, ISO 1139, ISO 2061, ISO 2062 and/or other international standards, the client must specify if the yarn should be [Waxed or Unwaxed], [Carded or Combed], the length per "Package for yarn" and the standards that suppliers should use. For cotton yarn the client must specify also the species. (Gossypium barbadense or Gossypium hirsutum or Gossypium herbaceum or Gossypium arboreum).
Textile yarn and thread of man-made filaments or staple fibres
540110 - Sewing thread; of synthetic filaments, whether or not put up for retail sale
540110-0001 - EN 12590 - Continuous filament polyester - industrial thread
540110-0002 - EN 12590 - Air-jet textured polyester - industrial thread
540110-0003 - EN 12590 - False twist textured polyester - industrial thread
540110-0004 - EN 12590 - Polyester core and cotton sheath corespun - industrial thread
540110-0005 - EN 12590 - Polyester core and polyester staple spun sheath corespun - industrial thread
540110-0006 - EN 12590 - Continuous filament polyester - industrial thread
540110-0007 - EN 12590 - Continuous filament polyamide 6.6 - industrial thread
540110-0008 - EN 12590 - False twist textured polyamide 6.6 - industrial thread
540110-0009 - EN 12590 - Continuous filament and staple fibre aramid - industrial thread
540110-0010 - EN 12590 - Continuous filament polyester, staple fibre polyester and continuous filament polyamide 6.6 braids - for hand / machine stitching
550810 - Sewing thread; of synthetic staple fibres, whether or not put up for retail sale
550810-0001 - EN 12590 - Staple fiber polyester - industrial thread
Explanatory note for 540110, 550810: For these products the client company must also specify the percentage for each type of fiber material [e.g. Polyester 75%, Cotton 25%]. According to the Harmonized System (HS) the sewing thread must be put up on supports [e.g. reels, tubes] of a weight (including support) not exceeding 1000 g.
Woven fabrics of natural fibres other than cotton)
500720 - Silk; woven fabrics, containing 85% or more by weight of silk or of silk waste other than noil silk
500720-0001 - Handmade - Woven - Non-Standard - Between 85 - 100% Silk - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village)
500720-0002 - ISO 3572 - Woven - Between 85 - 100% Silk - Plain or Twill or Sateen or Satin Weave (Bombyx mori)
511XXX - Fabrics, woven; of carded wool or of carded fine animal hair, containing 85% or more by weight of wool or of fine animal hair, X = [511111 – Carded - Weight not exceeding 300g/m2] or [511119 - Carded - Weight exceeding 300g/m2] or [511211 – Combed - Weight not exceeding 200g/m2] or [511219 – Combed - Weight exceeding 200g/m2]
511XXX-0001 - Handmade - Woven - Non-Standard - Between 85 - 100% Wool or Fine animal hair - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village)
511XXX-0002 - Woven - ISO 3572 - between 85 - 100% Merino sheep wool - Plain or Twill or Sateen or Satin Weave
511XXX-0003 - Woven - ISO 3572 - between 85 - 100% Lambs wool - Plain or Twill or Sateen or Satin Weave
511XXX-0004 - Woven - ISO 3572 - between 85 - 100% Other sheep breeds wool - Plain or Twill or Sateen or Satin Weave
511XXX-0005 - Woven - ISO 3572 - between 85 - 100% Cashmere goat hair - Plain or Twill or Sateen or Satin Weave
511XXX-0006 - Woven - ISO 3572 - between 85 - 100% Llama hair - Plain or Twill or Sateen or Satin Weave
511XXX-0007 - Woven - ISO 3572 - between 85 - 100% Alpaca hair - Plain or Twill or Sateen or Satin Weave
511XXX-0008 - Woven - ISO 3572 - between 85 - 100% Vicuña hair - Plain or Twill or Sateen or Satin Weave
511XXX-0009 - Woven - ISO 3572 - between 85 - 100% Angora rabbit hair - Plain or Twill or Sateen or Satin Weave
511XXX-0010 - Woven - ISO 3572 - between 85 - 100% Mohair hair from Angora goat - Plain or Twill or Sateen or Satin Weave
511XXX-0011 - Woven - ISO 3572 - between 85 - 100% Yak hair - Plain or Twill or Sateen or Satin Weave
511XXX-0012 - Woven - ISO 3572 - between 85 - 100% Arabian camel hair - Plain or Twill or Sateen or Satin Weave

511XXX-0013 - Woven - ISO 3572 - between 85 - 100% Bactrian camel hair - Plain or Twill or Sateen or Satin Weave
53091X - Fabrics, woven; of flax, containing 85% or more flax, X = [530911 – Unbleached or Bleached] or [530919 - Colored, Pattern and/or Printed]
53091X-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Linen - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village)
53091X-0002 - Woven - ISO 3572 - between 85 - 100% Linen - Plain or Twill or Sateen or Satin Weave (Linum usitatissimum)
5310XX - Fabrics, woven; of jute or of other textile bast fibres of heading no. 5303, X = [531010 – Unbleached or Raw] or [531090 - Colored, Pattern and/or Printed]
531010-0001 - Handmade - Woven - Non-Standard - between 85 - 100% White jute - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Corchorus capsularis)
531010-0002 - Handmade - Woven - Non-Standard - between 85 - 100% Red jute - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Corchorus olitorius)
531100 - Fabrics, woven; of vegetable textile fibres n.e.c. in heading no. 5309 and 5310, woven fabrics of paper yarn
531100-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Coconut or coir fibres - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Cocos nucifera)
531100-0002 - Handmade - Woven - Non-Standard - between 85 - 100% Kenaf - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Hibiscus cannabinus)
531100-0003 - Handmade - Woven - Non-Standard - between 85 - 100% Common nettle - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Urtica dioica)
531100-0004 - Handmade - Woven - Non-Standard - between 85 - 100% Sisal - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Agave sisalana)
531100-0005 - Handmade - Woven - Non-Standard - between 85 - 100% Abaca - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Musa textilis)
531100-0006 - Handmade - Woven - Non-Standard - between 85 - 100% Ramie - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Boehmeria nivea, Chinese grass)
531100-0007 - Handmade - Woven - Non-Standard - between 85 - 100% Yucca - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Yucca schidigera)
531100-0008 - Handmade - Woven - Non-Standard - between 85 - 100% Typha - Traditional fabric (Client company must specify the Fabric Name, Region, Country and Village - Typha genus)
Woven fabrics of cotton - Unbleached cotton weighing not more than $\leq$ 200g/m²
52081X - Fabrics, woven; containing 85% or more by weight of cotton, unbleached, plain weave, X = [520811 – Weight not more than 100g/m ²] or [520812 - Weight between 100g - 200g/m ²]
52081X-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Unbleached (Client company must specify the Fabric Name, Region, Country and Village)
52081X-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Unbleached
520813 - Fabrics, woven; containing 85% or more by weight of cotton, unbleached, 3-thread or 4-thread twill, including cross twill, weighing not more than $\leq$ 200g/m ²
520813-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Unbleached - Weight not exceeding 200g/m ²
520819 - Fabrics, woven; containing 85% or more by weight of cotton, unbleached, of weaves n.e.c. in item no. 5208.1, weighing not more than $\leq$ 200g/m ²
520819-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Unbleached - Weight not exceeding 200g/m ²
Woven fabrics of cotton - Bleached cotton weighing not more than $\leq$ 200g/m²
52082Y - Fabrics, woven; containing 85% or more by weight of cotton, bleached, plain weave, Y = [520821 – Weight not more than 100g/m ²] or [520822 - Weight between 100g - 200g/m ²]
52082Y-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Bleached (Client company must specify the Fabric Name, Region, Country and Village)
52082Y-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Bleached
520823 - Fabrics, woven; containing 85% or more by weight of cotton, bleached, 3-thread or 4-thread twill, including cross twill, weighing not more than 200g/m ²
520823-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Bleached - Weight not exceeding 200g/m ²
520829 - Fabrics, woven; containing 85% or more by weight of cotton, bleached, of weaves n.e.c. in item no. 5208.2, weighing not more than 200g/m ²
520829-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Bleached - Weight not exceeding 200g/m ²
Woven fabrics of cotton - Dyed cotton weighing not more than $\leq$ 200g/m²

52083Z - Fabrics, woven; containing 85% or more by weight of cotton, dyed, plain weave, Y = [520831 – Weight not more than 100g/m2] or [520832 - Weight between 100g - 200g/m2]
52083Z-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Dyed (Client company must specify the Fabric Name, Region, Country and Village)
52083Z-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Dyed
520833 - Fabrics, woven; containing 85% or more by weight of cotton, dyed, 3-thread or 4-thread twill, including cross twill, weighing not more than 200g/m2
520833-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Dyed - Weight not exceeding 200g/m2
520839 - Fabrics, woven; containing 85% or more by weight of cotton, dyed, of weaves n.e.c. in item no. 5208.3 weighing not more than 200g/m2
520839-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Dyed - Weight not exceeding 200g/m2
Yarns of different colours cotton (pattern) weighing not more than ≤ 200g/m2
52084X - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, plain weave, Y = [520841 – Weight not more than 100g/m2] or [520842 - Weight between 100g - 200g/m2]
52084X-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Pattern - (Client company must specify the Fabric Name, Region, Country and Village)
52084X-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Pattern
520843 - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, 3-thread or 4-thread twill, including cross twill, weighing not more than 200g/m2
520843-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Pattern - Weight not exceeding 200g/m2
520849 - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, of weaves n.e.c. in item no. 5208.4, weighing not more than 200g/m2
520849-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Pattern - Weight not exceeding 200g/m2
Printed cotton weighing not more than ≤ 200g/m2
520851 - Fabrics, woven; containing 85% or more by weight of cotton, printed, plain weave, weighing not more than 100g/m2
520851-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Printed - Weight not exceeding 100g/m2
520852 - Fabrics, woven; containing 85% or more by weight of cotton, printed, plain weave, weighing more than 100g/m2 but not more than 200g/m2
520852-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Printed - Weight between 100g - 200g/m2
520859 - Fabrics, woven; containing 85% or more by weight of cotton, printed, of weaves n.e.c. in item no. 5208.5, weighing not more than 200g/m2
520859-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill or Sateen or Satin Weave</u> - Printed - Weight not exceeding 200g/m2
WCO made the HS hard to understand, probably due to corruption. If you need help, we can guide you.
Unbleached cotton weighing more than > 200g/m2
520911 - Fabrics, woven; containing 85% or more by weight of cotton, unbleached, plain weave, weighing more than 200g/m2
520911-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Unbleached - Weight exceeding 200g/m2 (Client company must specify the Fabric Name, Region, Country and Village)
520911-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Unbleached - Weight exceeding 200g/m2
520912 - Fabrics, woven; containing 85% or more by weight of cotton, unbleached, 3-thread or 4-thread twill, including cross twill, weighing more than 200g/m2
520912-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Unbleached - Weight exceeding 200g/m2
520849-0001 Woven - ISO 3572 - between 85 - 100% Cotton - Sateen or Satin Weave - Unbleached - Weight exceeding 200g/m2
520849-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Unbleached - Weight exceeding 200g/m2
Bleached cotton weighing more than > 200g/m2
520921 - Fabrics, woven; containing 85% or more by weight of cotton, bleached, plain weave, weighing more than 200g/m2
520921-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Bleached - Weight exceeding 200g/m2 (Client company must specify the Fabric Name, Region, Country and Village)
520921-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Bleached - Weight exceeding 200g/m2
520922 - Fabrics, woven; containing 85% or more by weight of cotton, bleached, 3-thread or 4-thread twill, including cross twill, weighing more than 200g/m2
520922-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Bleached - Weight exceeding 200g/m2

520929 - Fabrics, woven; containing 85% or more by weight of cotton, bleached, of weaves n.e.c. in item no. 5209.2, weighing more than 200g/m2
520929-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Bleached - Weight exceeding 200g/m2
Dyed cotton weighing more than > 200g/m2
520931 - Fabrics, woven; containing 85% or more by weight of cotton, dyed, plain weave, weighing more than 200g/m2
520931-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Dyed - Weight exceeding 200g/m2 (Client company must specify the Fabric Name, Region, Country and Village)
520931-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Dyed - Weight exceeding 200g/m2
520932 - Fabrics, woven; containing 85% or more by weight of cotton, dyed, 3-thread or 4-thread twill, including cross twill, weighing more than 200g/m2
520932-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Dyed - Weight exceeding 200g/m2
520939 - Fabrics, woven; containing 85% or more by weight of cotton, dyed, of weaves n.e.c. in item no. 5209.3, weighing more than 200g/m2
520939-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Dyed - Weight exceeding 200g/m2
Different colours cotton (pattern) weighing more than > 200g/m2
520941 - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, plain weave, weighing more than 200g/m2
520941-0001 - Handmade - Woven - Non-Standard - between 85 - 100% Cotton - <u>Plain Weave</u> - Traditional fabric - Pattern - Weight exceeding 200g/m2 (Client company must specify the Fabric Name, Region, Country and Village)
520941-0002 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Pattern - Weight exceeding 200g/m2
520942 - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, weighing more than 200g/m2, denim
520942-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Denim</u> - Weight exceeding 200g/m2
520943 - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, 3-thread or 4-thread twill, including cross twill, weighing more than 200g/m2
520943-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Pattern - Weight exceeding 200g/m2
520949 - Fabrics, woven; containing 85% or more by weight of cotton, of yarns of different colours, of weaves n.e.c. in item no. 5209.4, weighing more than 200g/m2
520949-0001 - Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Pattern - Weight exceeding 200g/m2
Printed cotton weighing more than > 200g/m2
520951 - Fabrics, woven; containing 85% or more by weight of cotton, printed, plain weave, weighing more than 200g/m2
520951-0001 Woven - ISO 3572 - between 85 - 100% Cotton - <u>Plain Weave</u> - Printed - Weight exceeding 200g/m2
520952 - Fabrics, woven; containing 85% or more by weight of cotton, printed, 3-thread or 4-thread twill, including cross twill, weighing more than 200g/m2
520952-0001 Woven - ISO 3572 - between 85 - 100% Cotton - <u>Twill Weave</u> - Printed - Weight exceeding 200g/m2
520959 - Fabrics, woven; containing 85% or more by weight of cotton, printed, of weaves n.e.c. in item no. 5209.5, weighing more than 200g/m2
520959-0001 Woven - ISO 3572 - between 85 - 100% Cotton - <u>Sateen or Satin Weave</u> - Printed - Weight exceeding 200g/m2
Woven fabrics of man-made filaments and staple fibres
540710 - Fabrics, woven; from high tenacity yarn, of nylon, other polyamides or of polyesters
540741-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Aramid - Plain or Twill or Sateen or Satin Weave - From high tenacity yarn
540741-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Plain or Twill or Sateen or Satin Weave - From high tenacity yarn
540741-0003 - Woven - ISO 2076 + ISO 3572 - Textured or Non-Textured - between 85 - 100% Polyester - Plain or Twill or Sateen or Satin Weave - From high tenacity yarn
540741 - Fabrics, woven; containing 85% or more by weight of filaments of nylon or other polyamides, unbleached or bleached
540741-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Plain Weave - Unbleached (Nylon)
540741-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Twill Weave - Unbleached (Nylon)
540741-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Sateen or Satin Weave - Unbleached (Nylon)
540741-0004 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Plain Weave - Bleached (Nylon)
540741-0005 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Twill Weave - Bleached (Nylon)

540741-0006 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Sateen or Satin Weave - Bleached (Nylon)
540742 - Fabrics, woven; containing 85% or more by weight of filaments of nylon or other polyamides, dyed
540742-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Plain Weave - Dyed (Nylon)
540742-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Twill Weave - Dyed (Nylon)
540742-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Sateen or Satin Weave - Dyed (Nylon)
540743 - Fabrics, woven; containing 85% or more by weight of filaments of nylon or other polyamides, of yarns of different colours
540743-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Plain Weave - Pattern (Nylon)
540743-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Twill Weave - Pattern (Nylon)
540743-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Sateen or Satin Weave - Pattern (Nylon)
540744 - Fabrics, woven; containing 85% or more by weight of filaments of nylon or other polyamides, printed
540744-0001 Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Plain Weave - Printed (Nylon)
540744-0002 Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Twill Weave - Printed (Nylon)
540744-0003 Woven - ISO 2076 + ISO 3572 - between 85 - 100% Polyamide 6.6 - Sateen or Satin Weave - Printed (Nylon)
540751 - Fabrics, woven; containing 85% or more by weight of textured polyester filaments, unbleached or bleached
540751-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Plain Weave - Unbleached
540751-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Twill Weave - Unbleached
540751-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Sateen or Satin Weave - Unbleached
540751-0004 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Plain Weave - Bleached (Nylon)
540751-0005 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Twill Weave - Bleached (Nylon)
540751-0006 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Sateen or Satin Weave - Bleached (Nylon)
540752 - Fabrics, woven; containing 85% or more by weight of textured polyester filaments, dyed
540752-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Plain Weave - Dyed
540752-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Twill Weave - Dyed
540752-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Sateen or Satin Weave - Dyed
540753 - Fabrics, woven; containing 85% or more by weight of textured polyester filaments, of yarns of different colours
540753-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Plain Weave - Pattern
540753-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Twill Weave - Pattern
540753-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Sateen or Satin Weave - Pattern
540754 - Fabrics, woven; containing 85% or more by weight of textured polyester filaments, printed
540751-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Plain Weave - Printed
540751-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Twill Weave - Printed
540751-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Textured polyester - Sateen or Satin Weave - Printed
540761 - Fabrics, woven; containing 85% or more by weight of non-textured polyester filaments
540761-0001 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Plain Weave - Unbleached
540761-0002 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Twill Weave - Unbleached
540761-0003 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Sateen or Satin Weave - Unbleached
540761-0004 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Plain Weave - Bleached
540761-0005 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Twill Weave - Bleached
540761-0006 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Sateen or Satin Weave - Bleached
540761-0007 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Plain Weave - Dyed
540761-0008 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Twill Weave - Dyed
540761-0009 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Sateen or Satin Weave - Dyed
540761-0010 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Plain Weave - Pattern
540761-0011 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Twill Weave - Pattern
540761-0012 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Sateen or Satin Weave - Pattern
540761-0013 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Plain Weave - Printed

540761-0014 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Twill Weave - Printed																		
540761-0015 - Woven - ISO 2076 + ISO 3572 - between 85 - 100% Non-Textured polyester - Sateen or Satin Weave - Printed																		
Explanatory note for [511111, 511119, 511211, 511219, 530911, 530919, 531010, 531090, 531100], [520811, 520812, 520813, 520819], [520821, 520822, 520823, 520829], [520831, 520832, 520833, 520839], [520841, 520842, 520843, 520849], [520851, 520852, 520859], [520851, 520852, 520859], [520911, 520912, 520919], [520921, 520922, 520929], [520931, 520932, 520939], [520941, 520942, 520943, 520949], [520951, 520952, 520959], [540710], [540741, 540742, 540743, 540744], [540751, 540752, 540754, 540761] : For machine-made products the client company must specify: 1. ISO 9354 - The weave code if possible according to the coding system 2. ISO 3572 - Weave construction (e.g. Denim or Denim + ISO 2076 elastane = Jeans) 3. Optional: ISO 7211-1,2,3,4,5,6 - Woven fabrics — Construction - Methods of analysis 4. ISO 1833 - Weave composition 5. ISO 13934-1 - The tensile properties 6. ISO 4920 - The resistance to surface wetting 7. ISO 105 - The resistance of the colour 8. EN 12127 - The mass per unit 9. ISO 14419 - The fabric oil repellency properties 10. ISO 9237 - Permeability of fabrics to air 11. ISO 6330 - Domestic washing and drying procedures for textile testing - Washing method 12. ISO 5077 - Determination of dimensional change in washing and drying 13. ISO 7000 - Graphical symbols that should be used on the label 14. ISO 12947-1,2 - Martindale determination of the abrasion resistance of fabrics by the Martindale method 15. ISO 6940 + ISO 6941 - Flame Retardancy - each country can have their own standard 16. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 17. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes] 18. And any other useful info Handmade fabrics are non-standard, very expensive and time consuming. A few Silk weaves names : [e.g. Damascus, Shantung, Habotai (Mulberry), Tussore, Georgette (type of Crêpe silk), Moiré, Taffeta, Satin, Faille, note that some companies also mix the silk with other fibers or the fabrics can be faked] A few Cotton weaves names : [e.g. Denim, Gingham, Mull, Waffle, Crêpe cotton, Moiré, Printed cotton, Gauze cotton] In some cases it's recommended to mix the natural fibers with reinforcement fibers, else the fabric would be too weak. Special fabrics <tr> <td>580110 - Fabrics; woven pile, of wool or fine animal hair, other than fabrics of heading no. 5802 or 5806</td></tr> <tr> <td>580110-0001 - Woven pile - EN 14465 - 100% Merino sheep wool - Cut warp pile loops - Plush - Upholstery fabrics</td></tr> <tr> <td>580110-0002 - Woven pile - EN 14465 - 100% Mohair hair from Angora goat - Cut warp pile loops - Plush - Upholstery fabrics</td></tr> <tr> <td>580121 - Fabrics; woven pile, of cotton, uncut weft pile fabrics, other than fabrics of heading no. 5802 or 5806</td></tr> <tr> <td>580121-0001 - Woven pile - EN 14465 - 100% Cotton - Closed weft pile loops - Épinglé - Upholstery fabrics</td></tr> <tr> <td>580122 - Fabrics; woven pile, of cotton, cut corduroy, other than fabrics of heading no. 5802 or 5806</td></tr> <tr> <td>580122-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft pile loops - Corduroy - Upholstery fabrics</td></tr> <tr> <td>580123 - Fabrics; woven pile, of cotton, weft pile fabrics other than uncut and corduroy, other than fabrics of heading no. 5802 or 5806</td></tr> <tr> <td>580123-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft pile loops - Velveteen - Upholstery fabrics</td></tr> <tr> <td>580126 - Fabrics; chenille, of cotton, other than fabrics of heading no. 5802 or 5806</td></tr> <tr> <td>580126-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft and/or warp pile loops - Chenille - Upholstery fabrics</td></tr> <tr> <td>580127 - Fabrics; woven pile, of cotton, warp pile fabrics, other than fabrics of heading no. 5802 or 5806</td></tr> <tr> <td>580127-0001 - Woven pile - EN 14465 - 100% Cotton - Cut warp pile loops - Velvet - Upholstery fabrics</td></tr> <tr> <td>580211 - Fabrics; terry towelling and similar woven terry fabrics, of cotton, unbleached, excluding narrow fabrics of heading no. 5806</td></tr> <tr> <td>580211-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp pile loops - Terry Fabric - Unbleached</td></tr> <tr> <td>580219 - Fabrics; terry towelling and similar woven terry fabrics, of cotton, bleached, excluding narrow fabrics of heading no. 5806</td></tr> <tr> <td>580219-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp pile loops - Terry Fabric - Bleached</td></tr> <tr> <td> Explanatory note for 580110, 580121, 580122, 580123, 580126, 580127, 580211, 580219 : The client company must specify: 1. ISO 6940 + ISO 6941 - Flame Retardancy - each country can have their own standard 2. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 3. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - </td></tr>	580110 - Fabrics; woven pile, of wool or fine animal hair, other than fabrics of heading no. 5802 or 5806	580110-0001 - Woven pile - EN 14465 - 100% Merino sheep wool - Cut warp pile loops - Plush - Upholstery fabrics	580110-0002 - Woven pile - EN 14465 - 100% Mohair hair from Angora goat - Cut warp pile loops - Plush - Upholstery fabrics	580121 - Fabrics; woven pile, of cotton, uncut weft pile fabrics, other than fabrics of heading no. 5802 or 5806	580121-0001 - Woven pile - EN 14465 - 100% Cotton - Closed weft pile loops - Épinglé - Upholstery fabrics	580122 - Fabrics; woven pile, of cotton, cut corduroy, other than fabrics of heading no. 5802 or 5806	580122-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft pile loops - Corduroy - Upholstery fabrics	580123 - Fabrics; woven pile, of cotton, weft pile fabrics other than uncut and corduroy, other than fabrics of heading no. 5802 or 5806	580123-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft pile loops - Velveteen - Upholstery fabrics	580126 - Fabrics; chenille, of cotton, other than fabrics of heading no. 5802 or 5806	580126-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft and/or warp pile loops - Chenille - Upholstery fabrics	580127 - Fabrics; woven pile, of cotton, warp pile fabrics, other than fabrics of heading no. 5802 or 5806	580127-0001 - Woven pile - EN 14465 - 100% Cotton - Cut warp pile loops - Velvet - Upholstery fabrics	580211 - Fabrics; terry towelling and similar woven terry fabrics, of cotton, unbleached, excluding narrow fabrics of heading no. 5806	580211-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp pile loops - Terry Fabric - Unbleached	580219 - Fabrics; terry towelling and similar woven terry fabrics, of cotton, bleached, excluding narrow fabrics of heading no. 5806	580219-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp pile loops - Terry Fabric - Bleached	Explanatory note for 580110, 580121, 580122, 580123, 580126, 580127, 580211, 580219 : The client company must specify: 1. ISO 6940 + ISO 6941 - Flame Retardancy - each country can have their own standard 2. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 3. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III -
580110 - Fabrics; woven pile, of wool or fine animal hair, other than fabrics of heading no. 5802 or 5806																		
580110-0001 - Woven pile - EN 14465 - 100% Merino sheep wool - Cut warp pile loops - Plush - Upholstery fabrics																		
580110-0002 - Woven pile - EN 14465 - 100% Mohair hair from Angora goat - Cut warp pile loops - Plush - Upholstery fabrics																		
580121 - Fabrics; woven pile, of cotton, uncut weft pile fabrics, other than fabrics of heading no. 5802 or 5806																		
580121-0001 - Woven pile - EN 14465 - 100% Cotton - Closed weft pile loops - Épinglé - Upholstery fabrics																		
580122 - Fabrics; woven pile, of cotton, cut corduroy, other than fabrics of heading no. 5802 or 5806																		
580122-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft pile loops - Corduroy - Upholstery fabrics																		
580123 - Fabrics; woven pile, of cotton, weft pile fabrics other than uncut and corduroy, other than fabrics of heading no. 5802 or 5806																		
580123-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft pile loops - Velveteen - Upholstery fabrics																		
580126 - Fabrics; chenille, of cotton, other than fabrics of heading no. 5802 or 5806																		
580126-0001 - Woven pile - EN 14465 - 100% Cotton - Cut weft and/or warp pile loops - Chenille - Upholstery fabrics																		
580127 - Fabrics; woven pile, of cotton, warp pile fabrics, other than fabrics of heading no. 5802 or 5806																		
580127-0001 - Woven pile - EN 14465 - 100% Cotton - Cut warp pile loops - Velvet - Upholstery fabrics																		
580211 - Fabrics; terry towelling and similar woven terry fabrics, of cotton, unbleached, excluding narrow fabrics of heading no. 5806																		
580211-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp pile loops - Terry Fabric - Unbleached																		
580219 - Fabrics; terry towelling and similar woven terry fabrics, of cotton, bleached, excluding narrow fabrics of heading no. 5806																		
580219-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp pile loops - Terry Fabric - Bleached																		
Explanatory note for 580110, 580121, 580122, 580123, 580126, 580127, 580211, 580219 : The client company must specify: 1. ISO 6940 + ISO 6941 - Flame Retardancy - each country can have their own standard 2. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 3. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III -																		

Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes] 4. Weight e.g. 500 gsm (g/m2) 5. And any other useful info
EN 14697 does not cover towels used in the health care sector - ENV 14237 or cabinet roller towels - EN 13569. In some cases it's recommended to mix the fibers with reinforcement fibers, else the fabric would be too weak.
Knitted or crocheted fabrics
600521 - Fabrics; warp knit (including those made on galloon knitting machines), other than those of headings 60.01 to 60.04, of cotton, unbleached or bleached
600521-0001 - ISO 8388 - 100% Cotton - Warp Knit Fabric - Unbleached or Bleached
600522 - Fabrics; warp knit (including those made on galloon knitting machines), other than those of headings 60.01 to 60.04, of cotton, dyed
600522-0001 - ISO 8388 - 100% Cotton - Warp Knit Fabric - Dyed
600523 - Fabrics; warp knit (including those made on galloon knitting machines), other than those of headings 60.01 to 60.04, of cotton, yarns of different colours
600523-0001 - ISO 8388 - 100% Cotton - Warp Knit Fabric - Pattern
600524 - Fabrics; warp knit (including those made on galloon knitting machines), other than those of headings 60.01 to 60.04, of cotton, printed
600524-0001 - ISO 8388 - 100% Cotton - Warp Knit Fabric - Printed
600610 - Fabrics; knitted or crocheted fabrics, other than those of headings 60.01 to 60.04, of wool or fine animal hair
600610-0001 - Handmade - Knitted or crocheted - 100% Merino sheep wool - Fabric (Ovis aries)
600610-0002 - Handmade - Knitted or crocheted - 100% Lambs wool - Fabric (Ovis aries)
600610-0003 - Handmade - Knitted or crocheted - 100% Other sheep breeds wool - Fabric (Ovis aries)
600610-0004 - Handmade - Knitted or crocheted - 100% Cashmere goat hair - Fabric (Capra hircus laniger)
600610-0005 - Handmade - Knitted or crocheted - 100% Llama hair - Fabric (Lama glama)
600610-0006 - Handmade - Knitted or crocheted - 100% Alpaca hair - Fabric (Lama pacos)
600610-0007 - Handmade - Knitted or crocheted - 100% Vicuña hair - Fabric (Lama vicugna)
600610-0008 - Handmade - Knitted or crocheted - 100% Angora rabbit hair - Fabric (Oryctolagus cuniculus)
600610-0009 - Handmade - Knitted or crocheted - 100% Mohair hair from Angora goat - Fabric (Capra hircus aegagrus)
600610-0010 - Handmade - Knitted or crocheted - 100% Yak hair - Fabric (Bos grunniens)
600610-0011 - Handmade - Knitted or crocheted - 100% Arabian camel hair - Fabric (Camelus dromedarius)
600610-0012 - Handmade - Knitted or crocheted - 100% Bactrian camel hair - Fabric (Camelus bactrianus)
Client company must specify the Fabric Name, Region, Country and Village. Handmade fabrics are non-standard , very expensive and time consuming.

13. Textile Articles

Notes:
INFO FOR SUPPLIERS:
Efficiency and Pollution :
The suppliers must use also recycled fibers where possible.
Most nonwoven fabrics are very difficult to recycle and they are bad for the environment.
From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety :
We must verify if suppliers use child labor, if they respect work labor laws, if suppliers pay salaries on time and so on.
The suppliers must specify if the fabrics contain allergic fibers, chemicals and/or pigments.
Suppliers must not use any azo dyes or toxic chemicals
The products must be washed and clean. The products must not be contaminated with smoke, tobacco, foreign smell, thorns, thistles, vegetable matter, seeds, dung, urine, dirt, blood, skin, meat, fat, toxic chemicals, parasites and/or pathogens.
In European Union some products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH).

Storage and Packaging :

The products must have recyclable protective packaging against heat, sunlight, moisture and insects.

The products must be labeled and packaged according to client company specifications with recyclable and eco-friendly materials.

Ropes shall be supplied in a package, so that it can be dispensed freely without entanglement of any kind. (specified also in ISO 9554)

Documents :

Suppliers must provide technical documents, intellectual property documents, declaration of conformity, datasheet, how to use info, instructions how to clean-wash the products.

Quality :

All products must be dry, they must have minimum moisture content.

The suppliers must not try to fake wool, animal hair, silk or other expensive natural fibers.

All natural fibers products must be rootproof treated.

All products must be mint condition. Delivery companies employees must use white gloves when handling this products.

Security :

The client company must pay all expenses for the armed escorts and undercover intelligence that will accompany the expensive tapestries shipment. Once you sign the handover documents, when the products arrive at your location, the armed escorts and undercover intelligence will complete their mission and your security team will be responsible for storage and safety of the products.

INFO FOR CLIENTS:**Instructions :**

The client company must specify if the products should be undyed. If the client company wants colored or printed fabrics he must send the color scheme, diagram-drawing-pattern-design.

Please consult also a interior designer before you buy these products !

Did you know :

Like clothing, textile articles are fashionable. Visit major fashion houses websites, a blanket can cost above EUR 5000.

Made-up textile articles

580500 - Tapestries; hand-woven, (Gobelins, Flanders, Aubusson, Beauvais and the like) and needle-worked tapestries (e.g. petit point, cross-stitch) whether or not made up

580500-0001 - Hand-woven - Tapestry - High-warp loom - Gobelins - For furnishing purposes

580500-0002 - Hand-woven - Tapestry - Low-warp loom - Aubusson - For furnishing purposes

580500-0003 - Hand-woven - Tapestry - Low-warp loom - Beauvais - For furnishing purposes

580500-0004 - Hand-woven - Tapestry - Low-warp loom - Flanders - For furnishing purposes

580500-0005 - Hand-woven - Tapestry - Others - For furnishing purposes

580500-0006 - Needle-worked - Tapestry - Petit point - For furnishing purposes

580500-0007 - Needle-worked - Tapestry - Cross-stitch - For furnishing purposes

580500-0008 - Needle-worked - Tapestry - Others - For furnishing purposes

Explanatory note for 600610:

For more info about **Gobelins and Beauvais** visit manufacturedesgobelins.fr. **Gobelins is a French institution it's not a company**, your government has to be a very good friend of France to make or to restore Tapestries for you. Handmade tapestries are non-standard, very expensive and time consuming. Client company must specify the Size, Material (e.g. silk, wool, metallised yarn), the Tapestry Technique Name (e.g. Beauvais), Region, Country and Village.

630120 - Blankets (other than electric blankets) and travelling rugs; of wool or fine animal hair

630120-0001 - Hand-woven or Machine-woven - Blanket - 100% Carded Merino sheep wool (Ovis aries)

630120-0002 - Hand-woven or Machine-woven - Blanket - 100% Carded Lambs wool (Ovis aries)

630120-0003 - Hand-woven or Machine-woven - Blanket - 100% Carded Other sheep breeds wool (Ovis aries)

630120-0004 - Hand-woven or Machine-woven - Blanket - 100% Carded Cashmere goat hair (Capra hircus laniger)

630120-0005 - Hand-woven or Machine-woven - Blanket - 100% Carded Llama hair (Lama glama)

630120-0006 - Hand-woven or Machine-woven - Blanket - 100% Carded Alpaca hair (Lama pacos)

630120-0007 - Hand-woven or Machine-woven - Blanket - 100% Carded Vicuña hair (Lama vicugna)

630120-0008 - Hand-woven or Machine-woven - Blanket - 100% Carded Angora rabbit hair (Capra hircus aegagrus)

630120-0009 - Hand-woven or Machine-woven - Blanket - 100% Mohair hair from Angora goat (Bos grunniens)
630120-0010 - Hand-woven or Machine-woven - Blanket - 100% Yak hair (Bos grunniens)
630120-0011 - Hand-woven or Machine-woven - Blanket - 100% Arabian camel hair (Camelus dromedarius)
630120-0012 - Hand-woven or Machine-woven - Blanket - 100% Bactrian camel hair (Camelus bactrianus)
630130 - Blankets (other than electric blankets) and travelling rugs; of cotton
630130-0001 - Hand-woven or Machine-woven - Blanket - 100% Egyptian cotton (Gossypium barbadense)
630130-0002 - Hand-woven or Machine-woven - Blanket - 100% Upland cotton (Gossypium hirsutum)
630130-0003 - Hand-woven or Machine-woven - Blanket - 100% Levant cotton (Gossypium herbaceum)
630130-0004 - Hand-woven or Machine-woven - Blanket - 100% Tree cotton (Gossypium arboreum)
630190 - Blankets and travelling rugs; n.e.c. in heading no. 6301
630190-0001 - Hand-woven or Machine-woven - Blanket - 100% Silk (Bombyx mori)
Explanatory note for 630120, 630130, 630190 : Blankets that have fringes are called travelling rugs. Handmade blankets are non-standard, very expensive and time consuming. Client company must specify the Size, Material (e.g. silk, wool, fine animal hair), Weight g/m2, the Design Style Name or if the blanket should be Personalized (e.g. hotel logo embroidered).
630221 - Bed linen; of cotton, printed, not knitted or crocheted
630221-0001 - Machine-woven - ISO 12952-1,2 - Bed linen - Pillowcase - 100% Cotton - Printed
630221-0002 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed sheet - 100% Cotton - Printed
630221-0003 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Cotton - Printed
630221-0004 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Cotton - Printed
630221-0005 - Machine-woven - ISO 12952-1,2 - Bed linen - Mattress cover - 100% Cotton - Printed
630221-0006 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed pad - 100% Cotton - Printed
630229 - Bed linen; of textile materials (other than cotton or man-made fibres), printed, not knitted or crocheted
630229-0001 - Machine-woven - ISO 12952-1,2 - Bed linen - Pillowcase - 100% Silk - Printed
630229-0002 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed sheet - 100% Silk - Printed
630229-0003 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Silk - Printed
630229-0004 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Silk - Printed
630231 - Bed linen; of cotton (not printed, knitted or crocheted)
630231-0001 - Machine-woven - ISO 12952-1,2 - Bed linen - Pillowcase - 100% Cotton - Dyed or Bleached
630231-0002 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed sheet - 100% Cotton - Dyed or Bleached
630231-0003 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Cotton - Dyed or Bleached
630231-0004 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Cotton - Dyed or Bleached
630231-0005 - Machine-woven - ISO 12952-1,2 - Bed linen - Mattress cover - 100% Cotton - Dyed or Bleached
630231-0006 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed pad - 100% Cotton - Dyed or Bleached
630239 - Bed linen; of textile materials other than cotton or man-made fibres (not printed, knitted or crocheted)
630239-0001 - Machine-woven - ISO 12952-1,2 - Bed linen - Pillowcase - 100% Silk - Dyed
630239-0002 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed sheet - 100% Silk - Dyed
630239-0003 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Silk - Dyed
630239-0004 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Silk - Dyed
630239-0005 - Machine-woven - ISO 12952-1,2 - Bed linen - Pillowcase - 100% Linen - Printed or Dyed or Bleached
630239-0006 - Machine-woven - ISO 12952-1,2 - Bed linen - Bed sheet - 100% Linen - Printed or Dyed or Bleached
630239-0007 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Linen - Printed or Dyed or Bleached
630239-0008 - Machine-woven - ISO 12952-1,2 - Bed linen - Duvet cover - 100% Linen - Printed or Dyed or Bleached
630251 - Table linen; of cotton, not knitted or crocheted
630251-0001 - Machine-woven - Table linen - Table cloth - 100% Cotton - Printed or Dyed or Bleached
630260 - Kitchen and toilet linen; of terry towelling or similar terry fabrics, of cotton
630260-0001 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp Pile loops - Terry Beach Towel - Printed or Dyed or Bleached
630260-0002 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp Pile loops - Terry Bath Towel - Printed or Dyed or Bleached

630260-0003 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp Pile loops - Terry Face Towel - Printed or Dyed or Bleached
630260-0004 - Woven pile - EN 14697 - 100% Twistless Cotton - Warp Pile loops - Terry Hand Towel - Printed or Dyed or Bleached
630391 - Curtains (including drapes) and interior blinds, curtain or bed valances; of cotton, not knitted or crocheted
630391-0001 - Machine-woven - Translucent - Curtains - 100% Cotton - Printed or Dyed or Bleached
630391-0002 - Machine-woven - Opaque - Drapes - 100% Cotton - Printed or Dyed or Bleached
630399 - Curtains (including drapes) and interior blinds, curtain or bed valances; of textile materials other than cotton or synthetic fibres, not knitted or crocheted
630399-0001 - Machine-woven - Translucent - Curtains - 100% Silk - Printed or Dyed or Bleached
630399-0002 - Machine-woven - Opaque - Drapes - 100% Silk - Printed or Dyed or Bleached
630419 - Bedspreads; not knitted or crocheted
630419-0001 - Machine-woven - ISO 12952-1,2 - Bedspreads or Coverlets - 100% Cotton - Printed or Dyed or Bleached
630419-0002 - Machine-woven - ISO 12952-1,2 - Matelassé - Bedspreads or Coverlets - 100% Cotton - Printed or Dyed or Bleached
630419-0003 - Machine-woven - ISO 12952-1,2 - Bedspreads or Coverlets - 100% Linen - Printed or Dyed or Bleached
Explanatory note for 630221, 630229, 630231, 630239, 630251, 630260, 630391, 630399, 630419 :
Client company must specify: The Size, Material (e.g. silk, linen or cotton), the Design Style Name or if the bed linen and / or towel should be Personalized (e.g. hotel logo embroidered). 1. Weight e.g. 500 gsm (g/m2) 2. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 3. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes] 4. ISO 6940 + ISO 6941 - Flame Retardancy - each country can have their own standard 5. Curtain or drapes heading type (e.g. Eyelet, Pencil pleat, Knife pleat etc) 6. And any other useful info In some cases it's recommended to mix the fibers with reinforcement fibers, else the fabric would be too weak. EN 14697 does not cover towels used in the health care sector - ENV 14237 or cabinet roller towels - EN 13569. The height of curtains and drapes is called drop.
630510 - Sacks and bags; of a kind used for the packing of goods, of jute or of other textile bast fibres of heading no. 5303
630510-0001 - EN 766 + EN 13432 - Sack - Jute fabric - Capacity up to 50kg - For the transport of food aid
630532 - Sacks and bags; of a kind used for the packing of goods, of man-made textile materials, flexible intermediate bulk containers
630532-0001 - ISO 21898 - Heavy-Duty - Reusable - Flexible intermediate bulk container [FIBCs or Big Bags] - Woven polypropylene PP - For non-dangerous goods
630532-0002 - ISO 21898 - Standard-duty - Reusable - Flexible intermediate bulk container [FIBCs or Big Bags] - Woven polypropylene PP - For non-dangerous goods
630532-0003 - ISO 21898 - Single-trip - Not Reusable - Flexible intermediate bulk container [FIBCs or Big Bags] - Woven polypropylene PP - For non-dangerous goods
630533 - Sacks and bags; of a kind used for the packing of goods, of man-made textile materials, of polyethylene or polypropylene strip or the like, not flexible intermediate bulk containers
630533-0001 - ISO 23560 - Flat - Sack - Woven polypropylene PP - Capacity 50kg - For bulk packaging of foodstuffs
630533-0002 - ISO 23560 - Gusseted - Sack - Woven polypropylene PP - Capacity 50kg - For bulk packaging of foodstuffs
630533-0003 - ISO 23560 - Flat - Sack - Woven polypropylene PP - Capacity 25kg - For bulk packaging of foodstuffs
630533-0004 - ISO 23560 - Gusseted - Sack - Woven polypropylene PP - Capacity 25kg - For bulk packaging of foodstuffs
Explanatory note for 630510, 630532, 630533 :
Client company must specify The Size, Material (e.g. Polypropylene), Weight, if the products should be Personalized (e.g. company logo). This products do not have insect-repellent treatment and they are not intended for use in hazardous explosive atmospheres e.g. IEC 61340-4-4
630622 - Tents; of synthetic fibres
630622-0001 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Single-Pole Tent - 100% Cotton
630622-0002 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Ridge Tent - 100% Cotton
630622-0003 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Frame Tent - 100% Cotton
630622-0004 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Dome Tent - 100%

Cotton
630622-0005 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Pyramid Tent - 100% Cotton
630622-0006 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Hoop Tent - 100% Cotton
630622-0007 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Single-hoop Tent - 100% Cotton
630622-0008 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Tunnel Tent - 100% Cotton
630622-0009 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Geodesic Tent - 100% Cotton
630622-0010 - ISO 5912 + ISO 7152 - Camping - Cat. A (lightweight) - Total weight of <2,5 kg per sleeping berth - Inflatable Tent - 100% Cotton
630622-0011 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Single-Pole Tent - 100% Cotton
630622-0012 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Ridge Tent - 100% Cotton
630622-0013 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Frame Tent - 100% Cotton
630622-0014 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Dome Tent - 100% Cotton
630622-0015 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Pyramid Tent - 100% Cotton
630622-0016 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Hoop Tent - 100% Cotton
630622-0017 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Single-hoop Tent - 100% Cotton
630622-0018 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Tunnel Tent - 100% Cotton
630622-0019 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Geodesic Tent - 100% Cotton
630622-0020 - ISO 5912 + ISO 7152 - Camping - Cat. B - Total weight of >2,5 kg per sleeping berth - Inflatable Tent - 100% Cotton
630710 - Cloths; floor cloths, dish-cloths, dusters and similar cleaning cloths
630710-0001 - Custom-made - 100% Cotton - Dish-cloth
630710-0002 - Custom-made - 100% Cotton - Floor-cloth
630710-0003 - Custom-made - 100% Cotton - Dusting cloth
630720 - Life-jackets and life-belts
630720-0001 - ISO 12402-5 - Pet Buoyancy aid - Performance level 50N
630720-0002 - ISO 12402-5 - Human Buoyancy aid - Performance level 50N
630720-0003 - ISO 12402-4 - Life-jacket - Performance level 100N
630720-0004 - ISO 12402-3 - Life-jacket - Performance level 150N
630720-0005 - ISO 12402-2 - Life-jacket - Performance level 275N
630720-0006 - ISO 12402-6 - Special application PFDs - Performance level 50N
630720-0007 - ISO 12402-6 - Special application PFDs - Performance level 100N
630720-0008 - ISO 12402-6 - Special application PFDs - Performance level 150N
630720-0009 - ISO 12402-6 - Special application PFDs - Performance level 275N
630790 - Textiles; made up articles (including dress patterns), n.e.c. in chapter 63, n.e.c. in heading no. 6307
630790-0001 - Custom-made - Garment bag
630790-0002 - Custom-made - Car cover
630790-0003 - Custom-made - Motorcycle cover
630790-0004 - Custom-made - Handknitted - Tea cosy cover
630790-0005 - Custom-made - Pincushion
630790-0006 - Custom-made - 100% Aramid - Laces with fitted ends
630790-0007 - Custom-made - 100% Cotton - Cheese-cloth - Food Contact Material
Explanatory note for 630622, 630710, 630720, 630790 :
Client company must specify : The Size, Material (e.g. Cotton or Aramid or Polyester), if the products should be Personalized (e.g. company logo) and any other useful info. Food Contact Materials must be according to EU Regulation 1935/2004/EC and Commission Regulation (EC) No 2023/2006.

940430 - Sleeping bags
940430-0001 - ISO 23537-1 - Rectangular - Sleeping bag - Limit temperature maximum -20 degrees C
940430-0002 - ISO 23537-1 - Tapered - Sleeping bag - Limit temperature maximum -20 degrees C
940430-0003 - ISO 23537-1 - Mummy - Sleeping bag - Limit temperature maximum -20 degrees C
Explanatory note for 940430 : Client company must specify: The comfort, transition and limit temperature according to ISO 23537-1, the Size, Color or Camo Style, Zipper side (Left or Right), Fill Material (e.g. Goose or Duck Down), Gender (Man or Woman), Weight, Baffle construction, Packed size, if the sleeping bag should be Personalized (e.g. hotel logo embroidered). Arctic sleeping bags are non-standard.
940490 - Bedding and similar furnishing articles; n.e.c. in heading no. 9404 (e.g. Duvets, cushions and pillows)
940490-0001 - ISO 12952-1,2 - Custom-made - Pillow - Duckdown filled
940490-0002 - ISO 12952-1,2 - Custom-made - Pillow - Goose down filled
940490-0004 - ISO 12952-1,2 - Custom-made - Pillow - Eiderdown filled (Eider duck)
940490-0004 - ISO 12952-1,2 Custom-made - Cushion - Duckdown filled
940490-0005 - ISO 12952-1,2 Custom-made - Cushion - Goose down filled
940490-0006 - ISO 12952-1,2 Custom-made - Cushion - Eiderdown filled (Eider duck)
940490-0007 - ISO 12952-1,2 Custom-made - Duvet - Duckdown filled
940490-0008 - ISO 12952-1,2 Custom-made - Duvet - Goose down filled
940490-0009 - ISO 12952-1,2 Custom-made - Duvet - Eiderdown filled (Eider duck)
Explanatory note for 940490 : Client company must specify: 1. The Size and Material (e.g. silk, linen or cotton) 2. Weight g/m ² 3. The Design Style Name or if the products should be Personalized (e.g. hotel logo embroidered). 5. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 6. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes] 7. And any other useful info In some cases it's recommended to mix the fibers with reinforcement fibers, else the fabric would be too weak.
Twine, cordage, ropes, cables and netting
560721 - Twine; binder or baler twine, of sisal or other textile fibres of the genus agave
560721-0001 - ISO 5080 - Sisal - Z twist - Agricultural twine - No. 150 - For high and medium density baling (Agave sisalana) - Spool [height 280mm and diameter 260mm]
560721-0002 - ISO 5080 - Sisal - Z twist - Agricultural twine - No. 200 - For high and medium density baling (Agave sisalana) - Spool [height 280mm and diameter 260mm]
560721-0003 - ISO 5080 - Sisal - Z twist - Agricultural twine - No. 300 - For low density baling and binding (Agave sisalana) - Spool [height 195mm and diameter 208mm]
Explanatory note for 560721 : The twine number corresponds to the approximate twine length [e.g. No. 150 = 150m / kg]
560729 - Twine, cordage, ropes, cables; of sisal or other textile fibres of the genus agave (excluding binder or baler twine), whether or not plaited, braided or rubber or plastic impregnated, coated, covered or sheathed
560729-0001 - ISO 1181 + ISO 9554 - Sisal - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 4.5 - 96 (Si - Agave sisalana)
560729-0002 - ISO 1181 + ISO 9554 - Sisal - Z twist - Fibre rope - type B: 4-strand shroud-laid rope - Reference number between 10 - 96 (Si - Agave sisalana)
560729-0003 - ISO 1181 + ISO 9554 - Sisal - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 10 - 96 (Si - Agave sisalana)
Explanatory note for 560729: 1. The Reference number corresponds to the approximate diameter in mm. 2. Standard lengths according to ISO 9554, are the following: 100m, 183m, 200m, 220m, 366m, other non-standard lengths. 3. According to ISO 9554, packaging unit can be: reel, a coil, a hank, a box, a bag or other types of packaging specified by client. 4. For mooring of vessels fibre ropes equivalence check ISO 3505. For fibre ropes and cordage vocabulary check ISO 1968. 5. Client company can specify rot-proofing agent, water-repellent medium or other materials used to protect against mould growth and any other useful info.

560741 - Twine; binder or baler twine, of polyethylene or polypropylene
560721-0001 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 130 m/kg - For Big bales - Spool
560721-0002 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 150 m/kg - For Big bales - Spool
560721-0003 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 290 m/kg - For Conventional bales - Spool
560721-0004 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 350 m/kg - For Conventional bales - Spool
560721-0005 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 430 m/kg - For Conventional bales - Spool
560721-0006 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 580 m/kg - For Round bales - Spool
560721-0007 - ISO 4167 - Polypropylene or Polyethylene - Z twist - Agricultural twine - 850 m/kg - For Round bales - Spool
Explanatory note for 560741 : The colour of the twine shall be distinguishable from straw and grass. The client must send the type of material, lengths, diameter, packaging and any other useful info.
560749 - Twine, cordage, ropes, cables; of polyethylene or polypropylene (excluding binder or baler twine), whether or not plaited, braided or rubber or plastic impregnated, coated, covered or sheathed
560749-0001 - ISO 1346 + ISO 9554 - [PP2 or PP3] - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 4 - 160 (PP - Polypropylene)
560749-0002 - ISO 1346 + ISO 9554 - [PP2 or PP3] - Z twist - Fibre rope - type B: 4-strand shroud-laid rope - Reference number between 10 - 160 (PP - Polypropylene)
560749-0003 - ISO 1346 + ISO 9554 - [PP2 or PP3] - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 12 - 160 (PP - Polypropylene)
560749-0004 - ISO 1346 + ISO 9554 - [PP2 or PP3] - Z twist - Fibre rope - type T: 12-strand braided rope - Reference number between 12 - 160 (PP - Polypropylene)
560749-0005 - ISO 1969 + ISO 9554 - Polyethylene - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 4 - 96 (PE - Polyethylene)
560749-0006 - ISO 1969 + ISO 9554 - Polyethylene - Z twist - Fibre rope - type B: 4-strand shroud-laid rope - Reference number between 10 - 96 (PE - Polyethylene)
560749-0007 - ISO 10325 + ISO 9554 - HMPE - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 6 - 52 - [1:heat set or 2:not heat set] (HMPE - High modulus polyethylene)
560749-0008 - ISO 10325 + ISO 9554 - HMPE - Z twist - Fibre rope - type T: 12-strand braided rope - Reference number between 6 - 52 - [1:heat set or 2:not heat set] (HMPE - High modulus polyethylene)
560749-0009 - ISO 10325 + ISO 9554 - HMPE - Z twist - Fibre rope - type C: covered rope - Reference number between 20 - 96 - [1:heat set or 2:not heat set] (HMPE - High modulus polyethylene)
560750 - Twine, cordage, ropes, cables; of synthetic fibres other than polyethylene or polypropylene, whether or not plaited, braided or impregnated, coated, covered or sheathed with rubber or plastics
560750-0001 - ISO 1140 + ISO 9554 - Polyamide - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 4 - 160 - [1:heat set or 2:not heat set] (PA - Polyamide)
560750-0002 - ISO 1140 + ISO 9554 - Polyamide - Z twist - Fibre rope - type B: 4-strand shroud-laid rope - Reference number between 10 - 160 - [1:heat set or 2:not heat set] (PA - Polyamide)
560750-0003 - ISO 1140 + ISO 9554 - Polyamide - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 12 - 160 - [1:heat set or 2:not heat set] (PA - Polyamide)
560750-0004 - ISO 1140 + ISO 9554 - Polyamide - Z twist - Fibre rope - type T: 12-strand braided rope - Reference number between 12 - 160 - [1:heat set or 2:not heat set] (PA - Polyamide)
560750-0005 - ISO 10554 + ISO 9554 - Polyamide - Z twist - Fibre rope - Double braided rope - Reference number between 6 - 240 (PA - Polyamide)
560750-0006 - ISO 10554 + ISO 9554 - Polyamide higher-strength - Z twist - Fibre rope - Higher-strength (hs) double braided rope - Reference number between 6 - 240 (PA - Polyamide (hs))
560750-0007 - ISO 1141 + ISO 9554 - Polyester - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 4 - 160 - [1:heat set or 2:not heat set] (PES - Polyester)
560750-0008 - ISO 1141 + ISO 9554 - Polyester - Z twist - Fibre rope - type B: 4-strand shroud-laid rope - Reference number between 10 - 160 - [1:heat set or 2:not heat set] (PES - Polyester)
560750-0009 - ISO 1141 + ISO 9554 - Polyester - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 12 - 160 - [1:heat set or 2:not heat set] (PES - Polyester)
560750-0010 - ISO 1141 + ISO 9554 - Polyester - Z twist - Fibre rope - type T: 12-strand braided rope - Reference number between 12 - 160 - [1:heat set or 2:not heat set] (PES - Polyester)
560750-0011 - ISO 10547 + ISO 9554 - Polyester - Z twist - Fibre rope - Double braided rope - Reference number between 6 - 240 (PES - Polyester)

560750-0012 - ISO 10547 + ISO 9554 - Polyester higher-strength - Z twist - Fibre rope - Higher-strength (hs) double braided rope - Reference number between 6 - 240 (PES - Polyester (hs))
560750-0013 - ISO 10556 + ISO 9554 - Polyester/Polyolefin - Z twist - Dual-fibre rope - type A: 3-strand hawser-laid rope - Reference number between 6 - 160 (PES - Polyester or Polyester (hs))
560750-0014 - ISO 10556 + ISO 9554 - Polyester/Polyolefin - Z twist - Dual-fibre rope - type L: 8-strand braided rope - Reference number between 6 - 160 (PES - Polyester or Polyester (hs))
560750-0015 - ISO 10556 + ISO 9554 - Polyester/Polyolefin - Z twist - Dual-fibre rope - type T: 12-strand braided-laid rope - Reference number between 6 - 160 (PES - Polyester or Polyester (hs))
560750-0016 - ISO 10572 + ISO 9554 - Mixed polyolefin - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 6 - 96 (PO - Mixed polyolefin)
560750-0017 - ISO 10572 + ISO 9554 - Mixed polyolefin - Z twist - Fibre rope - type B: 4-strand hawser-laid rope - Reference number between 6 - 96 (PO - Mixed polyolefin)
560750-0018 - ISO 10572 + ISO 9554 - Mixed polyolefin - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 6 - 96 (PO - Mixed polyolefin)
560750-0019 - ISO 10572 + ISO 9554 - Mixed polyolefin - Z twist - Fibre rope - type T: 12-strand braided-laid rope - Reference number between 6 - 96 (PO - Mixed polyolefin)
560790 - Twine, cordage, ropes, cables; of materials n.e.c. in heading no. 5607, whether or not plaited, braided or impregnated, coated, covered, or sheathed with rubber or plastics
560790-0001 - ISO 1181 + ISO 9554 - Manila or Abaca - Z twist - Fibre rope - type A: 3-strand hawser-laid rope - Reference number between 4.5 - 96 (Ma - Musa textilis)
560790-0002 - ISO 1181 + ISO 9554 - Manila or Abaca - Z twist - Fibre rope - type B: 4-strand shroud-laid rope - Reference number between 10 - 96 (Ma - Musa textilis)
560790-0003 - ISO 1181 + ISO 9554 - Manila or Abaca - Z twist - Fibre rope - type L: 8-strand braided rope - Reference number between 10 - 96 (Ma - Musa textilis)
Explanatory note for 560749, 560750, 560790: 1. The Reference number corresponds to the approximate diameter in millimetres. PP2 = [polypropylene split film, monofilament and multifilament] and PP3 = [polypropylene high-tenacity multifilament]. Manila is same as Abaca. 2. Standard lengths according to ISO 9554, are the following: 100m, 183m, 200m, 220m, 366m, other non-standard lengths 3. According to ISO 9554, packaging unit can be: reel, a coil, a hank, a box, a bag or other types of packaging specified by client 4. For mooring of vessels fibre ropes equivalence check ISO 3505. For fibre ropes and cordage vocabulary check ISO 1968 5. Polyolefin can be polypropylene, or a mixture of polypropylene and polyethylene with a minimum of 15 % and a maximum of 50 % of polyethylene according to ISO 10556 Client company can specify: Color, rot-proofing agent, water-repellent medium or other materials used to protect against mould growth and any other useful info
560900 - Yarn; articles of yarn, strip or the like of heading no. 5404 and 5405, twine, cordage, rope or cables n.e.c. or included
560900-0001 - Non-Standard - Pair - Custom-made - Shoelaces
Explanatory note for 560900 : The client must send the technical drawing, type of material, lengths, diameter, packaging and any other useful info.
Other textiles
560221 - Felt; of wool or fine animal hair (excluding needleloom felt or stitch-bonded fibre fabrics), not impregnated, coated, covered nor laminated
560221-0001 - ASTM D2475-22 - Classification: 34R1 [F-1] - Color: White - Wool - Machined - Felt (Ovis aries)
560221-0002 - ASTM D2475-22 - Classification: 34R2 [F-2] - Color: Not Black or Gray - Wool - Machined - Felt (Ovis aries)
560221-0003 - ASTM D2475-22 - Classification: 34R3 [F-3] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0004 - ASTM D2475-22 - Classification: 26R1 [F-5] - Color: White - Wool - Machined - Felt (Ovis aries)
560221-0005 - ASTM D2475-22 - Classification: 26R2 [F-6] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0006 - ASTM D2475-22 - Classification: 26R3 [F-7] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0007 - ASTM D2475-22 - Classification: 18R1 [F-10] - Color: White - Wool - Machined - Felt (Ovis aries)
560221-0008 - ASTM D2475-22 - Classification: 18R2 [F-11] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0009 - ASTM D2475-22 - Classification: 18R3 [F-12] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0010 - ASTM D2475-22 - Classification: 18R4 [F-13] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0011 - ASTM D2475-22 - Classification: 18R5 [F-15] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0012 - ASTM D2475-22 - Classification: 17R2 [F-26] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0013 - ASTM D2475-22 - Classification: 34R1X [F-50] - Color: White - Wool - Machined - Felt (Ovis aries)

560221-0014 - ASTM D2475-22 - Classification: 34R3X [F-51] - Color: Gray - Wool - Machined - Felt (Ovis aries)
560221-0015 - ASTM D2475-22 - Classification: 26R3X [F-55] - Color: Gray or Black - Wool - Machined - Felt (Ovis aries)
Explanatory note for 560221 : The client must send roll lengths, thickness, packaging and any other useful info.
580410 - Tules and other net fabrics; excluding woven, knitted or crocheted fabrics, (other than fabrics of headings 60.02 to 60.06)
580410-0001 ISO 8388 - Machine-Made - 100% Silk - Tulle - Warp Knit Fabric - Different Colors or Natural White
580429 - Lace; mechanically made, of textile materials, (other than man-made fibres), in the piece, in strips or motifs, (other than fabrics of headings 60.02 to 60.06)
580429-0001 ISO 8388 - Machine-Made - 100% Silk - Lace - Warp Knit Fabric - Different Colors or Natural White
580429-0002 ISO 8388 - Machine-Made - 100% Cotton - Lace - Warp Knit Fabric - Different Colors or Natural White
580429-0003 ISO 8388 - Machine-Made - 100% Linen - Lace - Warp Knit Fabric - Different Colors or Natural White
580430 - Lace; hand-made, in the piece, in strips or motifs, (other than fabrics of headings 60.02 to 60.06)
580430-0001 - Non-Standard - Hand-Made - 100% Silk - Lace - Different Colors or Natural White
580430-0002 - Non-Standard - Hand-Made - 100% Cotton - Lace - Different Colors or Natural White
580430-0003 - Non-Standard - Hand-Made - 100% Linen - Lace - Different Colors or Natural White
Explanatory note for 580410, 580429, 580430: The client company must specify : 1. Weight e.g. 500 gsm (g/m2) 2. Construction technique (e.g. hand-made needlepoint, bobbin, crochet, teneriffe, tatting, macramé lace) 3. Care labelling system info [how to - wash, dry, iron, bleach, dry clean - info]. Each country can have their own care labelling system. 4. Oeko-Tex Standard 100 certification class [e.g. I - Items for babies and infants, II - Items with direct prolonged or large-area skin contact, III - Textiles without or with little skin contact, IV - Furnishing materials for decorative purposes] And any other useful info
580710 - Labels, badges and similar articles; woven, of textile materials, in the piece, in strips or cut to shape or size, not embroidered
580710-0001 - Non-Standard - Woven - Label
580710-0002 - Non-Standard - Woven - Label Patch
580710-0003 - Non-Standard - Woven - Zipper Pull
Explanatory note for 580710: The client company must specify : 1. Quantity You Need (Order sample first before placing a final bulk order) 2. Design, Colors, Shape & Size (send picture or CAD drawing) 3. [Iron-on] or [Peel and stick] or [Sew-on (None)] 4. Label Fold Type : [Manhattan fold] or [Miter fold] or [End fold] or [Center fold] or [Straight fold] or [One side fold] or [Custom fold (Send picture)] 5. Fabric Type : [cotton] or [damask] or [satin] or [others] And any other useful info
581091 - Embroidery; with visible ground, of cotton, in the piece, in strips or in motifs
580710-0001 - Non-Standard - Machine-Made - 100% Cotton Thread and Fabric - Embroidery - With Visible Ground - in Fabric
581099 - Embroidery; with visible ground, of textile materials (other than cotton and man-made fibres), in the piece, in strips or in motifs
581099-0001 - Non-Standard - Machine-Made - 100% Linen or Silk Thread and Fabric - Embroidery - With Visible Ground - in Fabric
Explanatory note for 581091, 581099: The client company must specify: 1. Quantity You Need (Order sample first before placing a final bulk order) 2. Design, Colors, Shape & Embroidery Area (send picture or embroidery files) 3. Embroidery Machine Brand and Model (e.g. Brother PR680W) 4. Embroidery Machine Number of Needles (e.g. 6) 5. Embroidery Speed (e.g. 1000 Stitches per Minute) 6. Total Stitches (e.g. max. 5000) 7. Hand-Made Embroidery Stitch Type (e.g. running stitch, chain-stitch, back or lock-stitch, herring-bone stitch, point de poste, seed-stitch, loop-stitch, buttonhole stitch) 8. Thread Type: [Cotton] or [Linen] or [Silk] 9. Fabric or Strip or Motif Type: [Cotton] or [Linen] or [Silk] (The Fabric is also called Ground) And any other useful info

14. Footware

Notes:
INFO FOR SUPPLIERS:
Location : All products must have labels with shoe sizes for different countries, country of origin, exporter, designed by info, importer and manufacturer info, materials used and symbols, qr code, article and bar code, IAN or EAN code, color transfer info, color, type and style info. Labels must include also type of lining, sole, upper.
Efficiency and Pollution : The suppliers must use also recycled fibers where possible. From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety : We must verify if suppliers use child labor, if they respect work labor laws, if suppliers pay salaries on time and so on. The suppliers must specify if the fabrics contain allergic fibers, chemicals and/or pigments. Suppliers must not use azo dyes. (We will verify if you use azo dyes, don't cheat !) For European Union, personal protective equipment must be made according to Regulation (EU) 2016/425 and must have CE Marking The products must be washed and clean. The products must not be contaminated with smoke, tobacco, foreign smell, thorns, thistles, vegetable matter, seeds, dung, urine, dirt, blood, skin, meat, fat, toxic chemicals, parasites and/or pathogens.
Storage and Packaging : The products must have recyclable and biodegradable protective packaging against heat, sunlight, moisture and insects. The products protective packaging must include also a eco friendly non-toxic desiccant. The products protective packaging must allow customs to inspect the products. The products must be labeled and packaged according to client company specifications with recyclable and eco-friendly materials.
Documents: Suppliers must send all documents, technical dossier, datasheets, technical drawings, inspection certificates, intellectual property documents, how to and where to use instruction manuals, how to wash, waterproof and take care of product, warranty, declarations of conformity and so on.
Quality : All products must be dry, they must have minimum moisture content. (e.g. To prevent cheating at scale) The suppliers must not try to fake wool, animal hair, leather, silk or other expensive natural fibers. The suppliers must have proof for hand-made products. Labels must be readable, the text must not be tiny. All products must have a label that specifies if they can be washed in the laundry machine or not. All products in this group must have insole sock or insock info and sample, the suppliers must specify if the product is not waterproof. All products must not be too tight and they need to stretch easy. Suppliers must specify the standards used and if the products are casual, industrial, safety, protective or occupational footwear. The clients must specify if the products are for men and/or women and/or children Suppliers must make the sports footwear according to the rules / regulations of each sport. The clients must specify the sport rules for manufacturing the products.
INFO FOR CLIENTS:
Instructions : The sole must withstand friction with hot asphalt and concrete heated by the Sun. The sole must be slip resistant. The sole must be tear-resistant. The sole must prevent dirt buildup and must be easy to clean. The client must specify if rubber sole should have insertion and type. (e.g. wool mesh) The clients must send foot templates if they need unique products
Did you know : Astronauts do not use shoes inside Space Stations.
Footwear

640192 - Footwear; waterproof, covering the ankle (but not the knee), rubber or plastic outer soles and uppers (not assembled by stitch, rivet, nail, screw, plug or similar)
640192-0001 - Pair - ISO 20344 + ISO 20345 + ISO 5423 - Class II - Lined or Unlined - Polyurethane - Ankle Boots - For general industrial use
640192-0002 - Pair - ISO 20344 + ISO 20345 + ISO 5423 - Class II - Lined or Unlined - Polyurethane - Half-Knee Boots - For general industrial use
640192-0003 - Pair - ISO 20344 + ISO 20345 + ISO 5423 - Class II - Lined or Unlined - Polyurethane - Knee-Height Boots - For general industrial use
640192-0004 - Pair - ISO 20344 + ISO 20345 + ISO 5423 - Class II - Lined or Unlined - Polyurethane - Thigh Boot - For general industrial use
640199 - Footwear; waterproof, n.e.c. in heading no. 6401, rubber or plastic outer soles and uppers (not assembled by stitch, rivet, nail, screw, plug or similar)
640199-0001 - Pair - ISO 20344 + ISO 20347 - Class II - Lined or Unlined - Polyurethane - Low shoe (Clogs) - For occupational use
640220 - Footwear; with outer soles and uppers of rubber or plastics, upper straps or thongs assembled to the sole by plugs
640220-0001 - Pair - ISO 20344 + ISO 20347 - Class II - Lined or Unlined - Polyurethane or Rubber - Low Shoe (Sandals) - For occupational use
640220-0002 - Pair - ISO 20344 + ISO 20347 - Class II - Lined or Unlined - Polyurethane or Rubber - Low Shoe (Flip Flops) - For occupational use
640220-0003 - Pair - ISO 20344 + ISO 20347 - Class II - Lined or Unlined - Polyurethane or Rubber - Low Shoe (Chappal or Chupplee) - For occupational use
640299 - Footwear; n.e.c. in heading no. 6402, (other than just covering the ankle), with outer soles and uppers of rubber or plastics
640299-0001 - Pair - ISO 20344 + ISO 20345 - Class II - Lined or Unlined - Polyurethane or Rubber - Low Shoe (Trainer or Sneaker) - For safety use
640299-0002 - Pair - ISO 20344 + ISO 20346 - Class II - Lined or Unlined - Polyurethane or Rubber - Low Shoe (Trainer or Sneaker) - For protective use
640299-0003 - Pair - ISO 20344 + ISO 20347 - Class II - Lined or Unlined - Polyurethane or Rubber - Low Shoe (Trainer or Sneaker or Running shoes) - For occupational use
640391 - Footwear; n.e.c. in heading no. 6403, covering the ankle, outer soles of rubber, plastics or composition leather, uppers of leather
640391-0001 - Pair - ISO 20344 + ISO 20345 - Class I - Lined or Unlined - Uppers of Leather - Ankle Boot (Work Boot) - For safety use
640391-0002 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Ankle Boot (ISO 19952 Balmoral or Chelsea or Chukka or Full Brogue or Martin) - For occupational use
640391-0003 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Half-knee Boot (ISO 19952 Service boot) - For occupational use
640399 - Footwear; n.e.c. in heading no. 6403, (not covering the ankle), outer soles of rubber, plastics or composition leather, uppers of leather
640399-0001 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (Sandals) - For occupational use
640399-0002 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (Flip Flops) - For occupational use
640399-0003 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (Chappal or Chupplee) - For occupational use
640399-0004 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (ISO 19952 Babouche or Grecian or Mules slipper) - For occupational use
640299-0005 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (Trainer or Sneaker or Running shoes) - For occupational use
640399-0006 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (ISO 19952 Babouche or Grecian or Mules slipper) - For occupational use
640399-0007 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (ISO 19952 Moccasin or Derbies or Oxford) - For occupational use
640399-0008 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (Women ISO 19952 d'Orsay or Mary Jane or Slingback or Peep-toe or Platform or Pump) - For occupational use
640399-0009 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Leather - Low Shoe (Single-buckle or Double-buckle Monk) - For occupational use
640419 - Footwear; (other than sportswear), with outer soles of rubber or plastics and uppers of textile materials
640419-0001 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Textile - Low Shoe (Sandals) - For occupational use

640419-0002 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Textile - Low Shoe (Flip Flops) - For occupational use
640419-0003 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Textile - Low Shoe (Chappal or Chupplee) - For occupational use
640419-0004 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Textile - Low Shoe (ISO 19952 Babouche or Grecian or Mules slipper) - For occupational use
640411 - Sports footwear; tennis shoes, basketball shoes, gym shoes, training shoes and the like, with outer soles of rubber or plastics and uppers of textile materials
640411-0001 - Pair - ISO 20344 + ISO 20347 - Class I - Lined or Unlined - Uppers of Textile - Low Shoe (Trainer or Sneaker or Running shoes) - For occupational use
640590 - Footwear; n.e.c. in chapter 64
640590-0001 - Pair - Non-Standard - Hand-made Traditional Footwear

15. Household Ceramic Articles, Glassware and Domestic Products

Notes:
INFO FOR SUPPLIERS:
Location : All products must have recycling code symbol, manufacturer logo, year and month of manufacturing, country of origin [e.g. made in], type of material [e.g. fine porcelain] stamped or engraved.
Efficiency and Pollution : From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety : All products must be easy to recycle. The products must not contain additives and/or toxic chemicals. Some products in this section must be safe and according to Regulation (EU) 2023/988 to be placed on the EU market Full lead crystal, lead crystal, crystal glass, crystallin must be according to European Communities Council Directive 69/493/EEC In European Union some products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH). Clear glass has a dull sound. Lead crystal has a ringing sound. In our opinion Lead crystal is toxic for the workers that manufacture it and people that use it. Borosilicate Glass is hard to recycle due to the high melting point, so it's not a good idea to use it for domestic products. Porcelain is made from ISO 5644 hard (hard paste) porcelain. China is made from ISO 5644 soft (soft paste) porcelain. Bone china contains animal bones of unknown origin, we will not add this product in our catalog.
Storage and Packaging : For all products the packaging must be non-toxic recyclable or biodegradable packaging.
Documents : Suppliers must provide technical documents, intellectual property documents, declaration of conformity, warranty, datasheet, how to use info, instruction how to clean-wash the products and so on
Quality : All products must durable and easy to fix if they brake. All products must not be dirty, must not have foreign smell, must not have marks, scratches, broken chips, stains, or other defects. Food Grade GL70 Lead-free [Soda-Lime] Glass must be used for cold foods and liquids only. All products intended for food contact must specify on the label [if the product can be washed manual or using dishwasher], [if the product can be put direct on fire or grill and types of ovens allowed], [if product can be put in freezer or min. and max temperature allowed] and must include EN 14916 / ISO 7000 symbols where needed. All products intended for food contact must have the international wine glass and fork symbol stamped or engraved. Food Contact Materials must be according to EU Regulation 1935/2004 and Commission Regulation (EC) No 2023/2006. Food Contact Plastic Materials must be also according to Commission Regulation (EU) No 10/2011 of 14 January 2011. For European Union, plastic materials in contact with food must be according to Commission Regulation (EU) No 10/2011 of 14 January 2011 and the varnish / coating must be according to Commission Regulation (EC) No 1895/2005.

INFO FOR CLIENTS:
Instructions : The client company must send product design, fill capacity, product and lids technical drawings, size and any other useful info. For ornamental products the client must specify if for interior or exterior decoration.
Glassware
701090 - Glass; carboys, bottles, flasks, jars, pots, phials and other containers of glass, (not ampoules), used for the conveyance or packing of goods
701090-0001 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,3 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 38 mm TO38
701090-0002 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,5 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 43 mm TO43
701090-0003 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,5 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 48 mm TO48
701090-0004 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,6 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 53 mm TO53
701090-0005 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,6 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 58 mm TO58
701090-0006 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,8 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 63 mm TO63
701090-0007 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,8 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 66 mm TO66
701090-0008 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,8 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 70 mm TO70
701090-0009 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,10 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 77 mm TO77
701090-0010 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,11 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 82 mm TO82
701090-0011 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,12 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 89 mm TO89
701090-0012 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,13 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 100 mm TO100
701090-0013 - [EN 10202 Lid] - ISO 7348 + ISO 9058 + ISO 9100-1,14 - Food Grade GL70 Clear Glass - Wide-mouth container - Jam jar - Twist off - Neck finish 110 mm TO110
701090-0014 - [EN 17177 Crown Cap 26mm - Thickness 0.18 or 0.20 or 0.21 or 0.22mm - Height 6mm] - ISO 7348 + ISO 9058 + ISO 12821 - Food Grade GL71 Green Glass - Narrow-necked container - Bottle - Crown finish 26 mm
701090-0015 - [EN 17177 Crown Cap 26mm - Thickness 0.18 or 0.20 or 0.21 or 0.22mm - Height 6mm] - ISO 7348 + ISO 9058 + ISO 12821 - Food Grade GL72 Brown Glass For Light-Sensitive Products - Narrow-necked container - Bottle - Crown finish 26 mm
Explanatory note for 701020 : 1. Client companies will get the lids + containers. 2. Suppliers must verify that the lids are working properly. 3. The client company must send the lid text and image design, container fill capacity, containers and lids technical drawings, color and size. 4. The client must specify the shelf life and type of food or liquid he wants to preserve (optional: Technical specifications like acidity, salinity, and vegetable oil percentage in solution.). 5. The container fill capacity must be between 50 - 5000ml according to ISO 9058. The client must specify if he wants the products to be graduated, sand-blasted, etched or engraved, or decorated.
701328 - Stemware drinking glasses, other than of lead crystal or glass-ceramics
701328-0001 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Martini glass
701328-0002 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Wine glass
701328-0003 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Snifter - brandy glass
701328-0004 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Champagne coupe or champagne saucer
701328-0005 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Champagne flute
701328-0006 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Cordial glass
701328-0007 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Chalice or goblet glass
701328-0008 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Stemware - Drinking glass - Glass ice cream cup

701337 - Glassware; drinking glasses (not stemware), other than of lead crystal or glass-ceramics
701337-0001 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Collins glass
701337-0002 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Highball - tall glass
701337-0003 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Water glass
701337-0004 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Rock glass - low ball glass
701337-0005 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Whiskey tumbler
701337-0006 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Shot glass
701337-0007 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Beer glass
701337-0008 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Beer mug or Tankard
701337-0009 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Glass mug
701337-0010 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Glass decanter
701337-0011 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Glass carafe
701337-0012 - ISO 7086-1,2 - Food Grade GL70 Clear Glass - Not Stemware - Drinking glass - Glass pitcher or Jug
701349 - Glassware of a kind used for table or kitchen purposes (not drinking glasses or of glass-ceramics), of glass n.e.c. in item no. 7013.4
701349-0001 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Salad-bowl
701349-0002 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Sugar-bowl
701349-0003 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Fruit-stand
701349-0004 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Cake-stand
701349-0005 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Tray
701349-0006 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Bread and butter plate or dish
701349-0007 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Appetizer plate or dish
701349-0008 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Salad and dessert plate or dish
701349-0009 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Hors-d'oeuvres plate or dish
701349-0010 - ISO 6486-1,2 - Food Grade GL70 Clear Glass - Table or kitchen glassware - Cheese plate or dish
701399 - Glassware; n.e.c. in heading no. 7013, other than of lead crystal
701399-0001 - Non-Standard - Murano Glass - Ornamental glassware - Flowers Vase
701399-0002 - Non-Standard - Murano Glass - Ornamental glassware - Sculpture
701399-0003 - Non-Standard - Murano Glass - Ornamental glassware - Decorative bowl
701610 - Glass cubes and other glass smallwares; whether or not on a backing, for mosaics or similar decorative purposes
701610-0001 - Non-Standard - Glass smalti tiles
701610-0002 - Non-Standard - Glass gold leaf tiles
701610-0003 - Non-Standard - Glass mirror tiles
701610-0004 - Non-Standard - Glass transparent tiles
701610-0005 - Non-Standard - Glass millefiori tiles
Explanatory note for 701610: 1. Mosaics are non-standard they have decorative purpose. They are made by artists not construction workers. 2. Mosaic tiles can be made from many different materials. (e.g. glass, marble, pebbles, granite, seashells and so on). Glass, marble and pebbles are long-lasting materials used since ancient times. 3. The client company must send mosaic tiles [tesserae] quantity needed, cut type, sizes, shapes, colors, design pictures, technical drawings and any other useful info.
Ceramic household and ornamental articles
691110 - Tableware and kitchenware; of porcelain or china
691110-0001 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Tea pot + stand (Do not put on fire)
691110-0002 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Tea cup
691110-0003 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Coffee pot + stand
691110-0004 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Coffee cup
691110-0005 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Mug
691110-0006 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Sugar bowl

691110-0007 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Salad-bowl
691110-0008 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Fruit-stand
691110-0009 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Cake-stand
691110-0010 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Bowl
691110-0011 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Appetizer plate or dish
691110-0012 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Bread and butter plate or dish
691110-0013 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Salad and dessert plate or dish
691110-0014 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Dinner plate or dish
691110-0015 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Hors-d'oeuvres plate or dish
691110-0016 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Cheese plate or dish
691110-0017 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Gravy boat
691110-0018 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Soup tureen
691110-0019 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Tray
691110-0020 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Saltshaker
691110-0021 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Milk mug
691110-0022 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Egg-cup
691110-0023 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Olive oil and Vinegar cruets
691110-0024 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Salt cellar
691110-0025 - ISO 4531 + ISO 5644 + EN 1217 - Food Grade - Porcelain or china - Tableware - Mustard pot
691200 - Ceramic tableware, kitchenware, other household articles and toilet articles; other than of porcelain or china
691200-0001 - ISO 8391-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Cookware - Sarmale pot
691200-0002 - ISO 8391-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Cookware - Tajine
691200-0003 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Tea pot + stand (Do not put on fire)
691200-0004 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Mug
691200-0005 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Jug or Pitcher
691200-0006 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Sugar bowl
691200-0007 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Bowl
691200-0008 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Appetizer plate or dish
691200-0009 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Bread and butter plate or dish
691200-0010 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Salad and dessert plate or dish
691200-0011 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Dinner plate or dish
691200-0012 - ISO 6486-1,2 + EN 1217 - Food Grade - Pottery glazed ceramic - Tableware - Ceramic tray
691310 - Ceramic statuettes and other ornamental ceramic articles, of porcelain or china
691310-0001 - EN 1217 - Porcelain or china - Ornamental - Figurine
691310-0002 - EN 1217 - Porcelain or china - Ornamental - Flowers Vase
691310-0003 - EN 1217 - Porcelain or china - Ornamental - Decorative bowl
691310-0004 - EN 1217 - Porcelain or china - Ornamental - Others
691390 - Ceramic statuettes and other ornamental ceramic articles; other than of porcelain or china
691390-0001 - EN 1217 - Pottery ceramic [biscuit] - Ornamental - No glaze olla
691390-0002 - EN 1217 - Pottery glazed ceramic - Ornamental - Glazed flower pot
691390-0003 - EN 1217 - Pottery glazed ceramic - Ornamental - Flowers vase
691390-0004 - EN 1217 - Pottery glazed ceramic - Ornamental - Sculpture or bust
691390-0005 - EN 1217 - Pottery glazed ceramic - Ornamental - Haut or bas relief
691390-0006 - EN 1217 - Pottery glazed ceramic - Ornamental - Figurine
691390-0007 - EN 1217 - Pottery glazed ceramic - Ornamental - Decorative bowl
691390-0008 - EN 1217 - Pottery glazed ceramic - Ornamental - Others

Explanatory note for 691110 , 691200, 691310, 691390:

The client company must send product design, fill capacity, product and lids technical drawings, size and any other useful info. Suppliers must use renewable energy to manufacture this products. For ornamental products the client must specify if for interior or exterior decoration.

Domestic metal products

732393 - Steel, stainless; table, kitchen and other household articles and parts thereof

732393-0001 - EN 10088-2 grade X5CrNi18-10 (1.4301) + EN 12983-1 - Food Grade - Stainless steel - Cookware - Pot - Add salt only after water is boiling

821000 - Tools; hand-operated mechanical appliances, weighing 10kg or less, used in the preparation, conditioning or serving of food or drink

821000-0001 - Hand-operated - Mechanical - Food Grade - Coffee or Spice - Mill - Weighing ≤ 10kg

821000-0002 - Hand-operated - Mechanical - Food Grade - Nuts - Mill - Weighing ≤ 10kg

821000-0003 - Hand-operated - Mechanical - Food Grade - Grain - Mill - Weighing ≤ 10kg

821000-0004 - Hand-operated - Mechanical - Food Grade - Meat - Mincer - Weighing ≤ 10kg

821000-0005 - Hand-operated - Mechanical - Food Grade - Pasta - Maker - Weighing ≤ 10kg

Explanatory note for 821000:

The client company must send product design, fill capacity, product technical drawings, patent, model, color, serial no., size and any other useful info. Suppliers must use renewable energy to manufacture this products. The products must not have electric components. Coffee mills are also called grinders.

821191 - Knives; table knives, having fixed cutting blades, serrated or not, excluding knives and blades of heading no. 8208

821191-0001 - ISO 4481 + ISO 8442-2,5 - Food Grade - Stainless steel - Oyster knife - No. 98

821191-0002 - ISO 4481 + ISO 8442-2,5 - Food Grade - Stainless steel - Ham knife - No. 99

821191-0003 - ISO 4481 + ISO 8442-2,5 - Food Grade - Stainless steel - Menu knife - No. 100

821191-0004 - ISO 4481 + ISO 8442-2,5 - Food Grade - Stainless steel - Bread knife - No. 101

821191-0005 - ISO 4481 + ISO 8442-2,5 - Food Grade - Stainless steel - Table knife - No. 105

821192 - Knives; having fixed cutting blades, (other than table knives), serrated or not, excluding knives and blades of heading no. 8208

821192-0001 - ISO 4481 + ISO 8442-2,5 - Food Grade - Stainless steel - Kitchen knife - No. 104

821599 - Cutlery; other than plated with precious metal

821599-0001 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Porridge spoon - No. 40

821599-0002 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Coffee or tea spoon - No. 41

821599-0003 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Compote spoon - No. 42

821599-0004 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Jam spoon - No. 43

821599-0005 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Soup spoon - No. 44

821599-0006 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Dessert spoon - No. 45

821599-0007 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Cuiller a entremets - No. 46

821599-0008 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Fruit serving spoon - No. 47

821599-0009 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Ice cream serving spoon - No. 48

821599-0010 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Menu spoon - No. 49

821599-0011 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Demi tasse spoon - No. 50

821599-0012 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Mustard spoon - No. 51

821599-0013 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Egg spoon - No. 52

821599-0014 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Grapefruit spoon - No. 53

821599-0015 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Potato serving spoon - No. 54

821599-0016 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Rice serving spoon - No. 55

821599-0017 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Salad serving spoon - No. 56

821599-0018 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Gravy ladle - No. 57

821599-0019 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Salt spoon - No. 58

821599-0020 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Serving spoon - No. 59

821599-0021 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Sundae spoon - No. 60

821599-0022 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Table spoon - No. 61

821599-0024 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Carving fork - No. 70
821599-0025 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Fish serving fork - No. 71
821599-0026 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Dessert fork - No. 72
821599-0027 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Snail fork - No. 73
821599-0028 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Fondue fork - No. 74
821599-0029 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Cake fork - No. 75
821599-0030 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Lobster fork - No. 76
821599-0031 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Oyster fork - No. 77
821599-0032 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Menu fork - No. 78
821599-0033 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Fish eating fork - No. 79
821599-0034 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Salad fork - No. 80
821599-0035 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Serving fork - No. 81
821599-0036 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Table fork - No. 82
821599-0037 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Salad serving fork - No. 83
821599-0038 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Unsharpened - Fish eating knife - No. 102
821599-0039 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Unsharpened - Spreading knife - No. 103
821599-0040 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Skimming ladle - No. 111
821599-0041 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Ladle - No. 112
821599-0042 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Cream ladle - No. 113
821599-0043 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Ice cream ladle - No. 114
821599-0044 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Asparagus scoop - No. 115
821599-0045 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Cake server or lifer - No. 116
821599-0046 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Pie server - No. 117
821599-0047 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Snail tongs - No. 118
821599-0048 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Cake tongs - No. 119
821599-0049 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Ice tongs - No. 120
821599-0050 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Lobster tongs - No. 121
821599-0051 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Spaghetti tongs - No. 122
821599-0052 - ISO 4481 + ISO 8442-2 - Food Grade - Stainless steel - Sugar tongs - No. 123
Explanatory note for 821191, 821192, 821599: The client company must send product design, product technical drawings, handle material, patent, model, color, serial no., size and any other useful info. Suppliers must use renewable energy to manufacture this products. The handle must be food-grade stainless steel or non-toxic plastic - composite materials.

16. Optics, Laboratory Glassware and Instruments

Notes:
INFO FOR SUPPLIERS:
Efficiency and Pollution :
The products will not be accepted if the suppliers use obsolete - improvised equipment and tools. From 2024 In European Union almost all non-food products, parts, semifinished goods must be according with Regulation (EC) No 2024/1781 ("Ecodesign Regulation")
Health and Safety :
Client company and supplier workers must have protective clothing and equipment according to international and national legislation. Eyewear should always be custom-made by a local licensed optician. All lasers must be compliant with Directive 2006/42/EC In European Union some products must also be according with Regulation (EU) 1907/2006 and 2020/878 (REACH).
Storage and Packaging :

After removing the product from package, the package must still be functional so the client can handle and transport to product in the same package if needed.

Documents :

Suppliers must send all documents, technical dossier, datasheets, inspection certificates, instruction manuals, declarations of conformity and so on.

Quality :

Amateur astronomers make their own telescopes.

The products must be mint condition, no scratch, dent, or mark allowed.

All products must be tested before shipping and must have documents proof for testing / calibration.

Precision Instruments must use the International System of Units (SI) to guarantee accurate measurements.

Some products must have visible, non-erasable numbers and letters—preferably engraved or etched.

If the products do not have CE Marking, conformity must be assessed by EU accredited notified bodies according to Regulation (EC) No 765/2008.

Security :

Some products in this section have dual-use applications, before we can export them we have to verify if they need special export-import licences and so on.

INFO FOR CLIENTS :

Instructions :

Precision Instruments

852610 - Radar apparatus

852691 - Radio navigational aid apparatus

852692 - Radio remote control apparatus

901210 - Microscopes (excluding optical microscopes); diffraction apparatus

901210-0001 - ISO 22493 - Non-Destructive - Surface-Imaging - Scanning Electron Microscope (SEM)

901210-0002 - ISO 15932 - Destructive - Internal-Imaging - Transmission Electron Microscope (TEM)

Explanatory note for 901210:

The most known types of electron microscopes are SEM and TEM. The system can have many combinations like FIB-SEM, ESEM, VPSEM, HRTEM, STEM, Cryo-TEM, CD-SEM, Cryo-SEM, FEG-SEM and so on. **We are not scientists**, you need to specify exact standards, prescription - parameters for each products. **For more info about electron microscopes start reading books like “Physical Principles of Electron Microscopy” by R.F. Egerton. You must be a specialist to buy these products.** The laboratory must be equipped for electron microscopy by **Suppliers**. The client company must provide space with the necessary utilities for these products to function

901420 - Navigational instruments and appliances; for aeronautical or space navigation (excluding compasses)

901480 - Navigational instruments and appliances; for navigation other than aeronautical or space navigation (excluding direction finding compasses)

901510 - Rangefinders

901520 - Surveying equipment; theodolites and tacheometers

theodolite

tacheometer

901530 - Surveying equipment; levels

level

901540 - Surveying equipment; photogrammetrical surveying instruments and appliances

901580 - Surveying equipment; articles n.e.c. in heading no. 9015, including hydrographic, oceanographic, hydrological, meteorological or geophysical instruments and appliances (excluding compasses)

901600 - Balances; of a sensitivity of 5cg or better, with or without weights

901710 - Drafting tables and machines; whether or not automatic

Drafting table
901720 - Drawing, marking-out or mathematical calculating instruments
Beam compass
Scriber
Centre punch
Surface plate
V-block
X-block
Slide rule
Disc calculator
Pantograph
Eidograph
Drafting machine
Protractor
Stencil
Drawing compass
Drawing Divider
Set square
T square
901730 - Mathematical equipment; micrometers, callipers and gauges
Micrometer
Calliper
Gauges
901780 - Mathematical instruments and equipment; n.e.c. in heading no. 9017
Measuring tape - for sewing
Measuring tape - for construction use
Plastic or wooden folding rule
902410 - Machines and appliances; for testing the hardness, strength, compressibility, elasticity or other mechanical properties of metals
902480 - Machines and appliances; for testing the hardness, strength, compressibility, elasticity or other mechanical properties of materials other than metals
902490 - Machines and appliances; parts and accessories for those testing hardness, strength, compressibility, elasticity or other mechanical properties of materials (e.g. metal, wood, textiles, paper, plastics)
902511 - Thermometers and pyrometers; liquid filled, for direct reading, not combined with other instruments
902519 - Thermometers and pyrometers; (other than liquid filled, for direct reading), not combined with other instruments
902580 - Hydrometers and similar floating instruments, barometers, hygrometers, psychrometers, thermometers, pyrometers; recording or not, any combination of these instruments (excluding thermometers and barometers not combined with other instruments)
902610 - Instruments and apparatus; for measuring or checking the flow or level of liquids
902620 - Instruments and apparatus; for measuring or checking pressure
902680 - Instruments and apparatus; for measuring or checking variables of liquids or gases (excluding pressure or the flow and level of liquids and those of heading no. 9014, 9015, 9028 and 9032)
902710 - Instruments and apparatus; gas or smoke analysis apparatus, for physical or chemical analysis
902720 - Chromatographs and electrophoresis instruments
902730 - Spectrometers, spectrophotometers and spectrographs; using optical radiations (UV, visible, IR)
902750 - Instruments and apparatus; using optical radiations (UV, visible, IR), (other than spectrometers, spectrophotometers and spectrographs)

902780 - Instruments and apparatus; for physical or chemical analysis, for measuring or checking viscosity, porosity, expansion, surface tension or quantities of heat, sound or light, n.e.c. in heading no. 9027
902790 - Microtomes and parts and accessories thereof
902810 - Meters; gas, supply or production meters, including calibrating meters thereof
902820 - Meters; liquid supply or production meters, including calibrating meters thereof
902830 - Meters; electricity supply or production meters, including calibrating meters thereof
902910 - Meters and counters; revolution counters, production counters, taximeters, mileometers, pedometers and the like
902920 - Meters; speed indicators and tachometers; stroboscopes
903010 - Instruments and apparatus; for measuring or detecting ionising radiations
903020 - Oscilloscopes and oscillographs
903031 - Multimeters; for measuring or checking voltage, current, resistance or power, without a recording device
903032 - Multimeters; for measuring or checking voltage, current, resistance or power, with a recording device
903033 - Instruments and apparatus; for measuring or checking voltage, current, resistance or power, without a recording device (excluding multimeters)
903039 - Instruments and apparatus; for measuring or checking voltage, current, resistance or power, with a recording device (excluding multimeters)
903040 - Instruments and apparatus; specially designed for telecommunications (e.g. cross-talk meters, gain measuring instruments, distortion factor meters, psophometers)
903082 - Instruments and apparatus; for measuring or checking semiconductor wafers or devices
903084 - Instruments and apparatus; n.e.c. in heading no. 9030, with a recording device
903089 - Instruments and apparatus; n.e.c. in heading no. 9030, without a recording device
903110 - Machines; for balancing mechanical parts
903120 - Test benches
903141 - Optical instruments and appliances; for inspecting semiconductor wafers or devices or for inspecting photomasks or reticles used in manufacturing semiconductor devices, n.e.c. in chapter 90
903149 - Optical instruments and appliances; for measuring or checking, n.e.c. in chapter 90
903180 - Instruments, appliances and machines; for measuring or checking n.e.c. in chapter 90
903210 - Regulating or controlling instruments and apparatus; automatic type, thermostats
903220 - Regulating or controlling instruments and apparatus; automatic, manostats
903281 - Regulating or controlling instruments and apparatus; automatic, hydraulic or pneumatic
903289 - Regulating or controlling instruments and apparatus; automatic, other than hydraulic or pneumatic
Laboratory Glassware
701720 - Glassware; laboratory, hygienic or pharmaceutical, whether or not graduated or calibrated, having a linear co-efficient of expansion not over 5×10 (to the minus 6), (or 0.000005) per Kelvin with a temperature of 0-300 degrees C
Joints
701720-0001 - ISO 3585 + ISO 383 - Borosilicate glass 3.3 - Interchangeable conical ground joint - Large End Diameter between 19-50 - Length Ground Zone k2 series 9 - 14 - Cone [Male] or Socket [Female]
701720-0002 - ISO 3585 + ISO 383 - Borosilicate glass 3.3 - Interchangeable conical ground joint - Large End Diameter between 5-34 - Length Ground Zone k4 series 9 - 23 - Cone [Male] or Socket [Female]
701720-0003 - ISO 3585 + ISO 383 - Borosilicate glass 3.3 - Interchangeable conical ground joint - Large End Diameter between 5-100 - Length Ground Zone k6 series 13 - 60 - Cone [Male] or Socket [Female]
701720-0004 - ISO 3585 + ISO 383 - Borosilicate glass 3.3 - Interchangeable conical ground joint - Large End Diameter between 5-34 - Length Ground Zone k8 series 18 - 47 - Cone [Male] or Socket [Female]
701720-0005 - ISO 3585 + ISO 641 - Borosilicate glass 3.3 - Interchangeable spherical ground joint - Size between S7 - S102 - Ball [Male]

or Cup [Female]
Glass Tubing
701720-0006 - ISO 3585 + ISO 4803 - Borosilicate glass 3.3 - Glass tubing - Outer diameter between (d) 4 - 300mm - Light wall thickness (s)
701720-0007 - ISO 3585 + ISO 4803 - Borosilicate glass 3.3 - Glass tubing - Outer diameter between (d) 4 - 300mm - Medium wall thickness (s)
701720-0008 - ISO 3585 + ISO 4803 - Borosilicate glass 3.3 - Glass tubing - Outer diameter between (d) 4 - 300mm - Heavy wall thickness (s)
Filtering
701720-0009 - ISO 3585 + ISO 6556 - Borosilicate glass 3.3 - Filter - Conical flask - Series A - Volume between 100 - 2000ml
701720-0010 - ISO 3585 + ISO 6556 - Borosilicate glass 3.3 - Filter - Cylindrical shape flask - Series A - Volume between 3 - 20l
701720-0011 - ISO 3585 + ISO 6556 - Borosilicate glass 3.3 - Filter - Conical flask - Series B - With Vacuum connection (plain integral replaceable - side-arm) - Volume between 25 - 4500ml
701720-0012 - ISO 3585 + ISO 6556 - Borosilicate glass 3.3 - Filter - Cylindrical shape flask - Series B - With Vacuum connection (plain integral replaceable - side-arm) - Volume between 25 - 4500ml
701720-0013 - ISO 3585 + ISO 6556 - Borosilicate glass 3.3 - Filter - Plain Funnel - Bowl diameter between 35 - 200mm
701720-0014 - ISO 3585 + ISO 6556 - Borosilicate glass 3.3 - Filter - Analytical Funnel - Bowl diameter between 55 - 100mm
Glass Stopcocks, Separating and Dropping Funnels
701720-0015 - ISO 3585 + ISO 4800 - Borosilicate glass 3.3 - Separating funnel - Conical - Type 1 - Capacity between 50 - 2000ml
701720-0016 - ISO 3585 + ISO 4800 - Borosilicate glass 3.3 - Separating funnel - Pear-shaped - Type 2 - Capacity between 50 - 2000ml
701720-0017 - ISO 3585 + ISO 4800 - Borosilicate glass 3.3 - Dropping funnel - Cylindrical - Type 3 - Capacity between 50 - 1000ml
701720-0018 - ISO 3585 + ISO 4800 - Borosilicate glass 3.3 - Dropping funnel - Cylindrical - Graduated - Type 4 - Capacity between 50 - 1000ml
701720-0019 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 1mm - Large end diameter - 7.5mm - For general purposes
701720-0020 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 1mm - Large end diameter - 10mm - For general purposes
701720-0021 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 1.5mm - Large end diameter - 12.5mm - For general purposes
701720-0022 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 2.5mm - Large end diameter - 14.5mm - For general purposes
701720-0023 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 4mm - Large end diameter - 18.8mm - For general purposes
701720-0024 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 6mm - Large end diameter - 21.5mm - For general purposes
701720-0025 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series I - Nominal bore diameter - 10mm - Large end diameter - 29.2mm - For general purposes
701720-0026 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 1mm - Large end diameter - 8mm - For general purposes
701720-0027 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 1mm - Large end diameter - 13.5mm - For general purposes
701720-0028 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 1.5mm - Large end diameter - 13.5mm - For general purposes
701720-0029 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 2mm - Large end diameter - 13.5mm - For general purposes
701720-0030 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 3mm - Large end diameter - 19mm - For general purposes
701720-0031 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 4mm - Large end diameter - 19mm - For general purposes
701720-0032 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 5mm - Large end diameter - 22.2mm - For general purposes
701720-0033 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 6mm - Large end diameter - 22.2mm - For general purposes
701720-0034 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 8mm -

Large end diameter - 27.6mm - For general purposes
701720-0035 - ISO 3585 + ISO 4785 - Borosilicate glass 3.3 - Straight-bore glass stopcock - Series II - Nominal bore diameter - 10mm - Large end diameter - 37.8mm - For general purposes
Boiling Flasks
701720-0036 - ISO 3585 + ISO 1773 - Borosilicate glass 3.3 - Narrow-necked - Boiling - Conical flask - Volume between 50 - 10000ml
701720-0037 - ISO 3585 + ISO 24450 - Borosilicate glass 3.3 - Wide-necked - Boiling - Conical flask - Volume between 50 - 1000ml
701720-0038 - ISO 3585 + ISO 24450 - Borosilicate glass 3.3 - Wide-necked - Boiling - Flat-bottom flask - Volume between 50 - 10000ml
701720-0039 - ISO 3585 + ISO 24450 - Borosilicate glass 3.3 - Wide-necked - Boiling - Round-bottom flask - Volume between 50 - 2000ml
701720-0040 - ISO 3585 + ISO 4797 - Borosilicate glass 3.3 - Boiling - With conical ground joint - Conical flask - Volume between 10 - 5000ml
701720-0041 - ISO 3585 + ISO 4797 - Borosilicate glass 3.3 - Boiling - With conical ground joint - Flat-bottom flask - Volume between 50 - 4000ml
701720-0042 - ISO 3585 + ISO 4797 - Borosilicate glass 3.3 - Boiling - With conical ground joint - Round-bottom flask - Volume between 10 - 20000ml
Glass Pipettes
701720-0043 - ISO 3585 + ISO 648 - Borosilicate glass 3.3 - Volumetric pipettes with one mark - Class [A or AS or B] - Volume between 0.5 - 100ml
701720-0044 - 3585 + ISO 648 - Borosilicate glass 3.3 - Volumetric pipettes with two marks - Class [A or AS or B] - Volume between 0.5ml - 100ml
701720-0045 - ISO 3585 + ISO 835 - Borosilicate glass 3.3 - Graduated pipette - Class [A or AS or B] - [Type 1: Partial delivery] - Volume between 1 - 25ml
701720-0046 - ISO 3585 + ISO 835 - Borosilicate glass 3.3 - Graduated pipette - Class [A or AS or B] - [Type 2: Total delivery] - Volume between 1 - 25ml
701720-0047 - ISO 3585 + ISO 835 - Borosilicate glass 3.3 - Graduated pipette - Class [A or AS or B] - [Type 3: Total delivery] - Volume between 1 - 25ml
701720-0048 - ISO 3585 + ISO 835 - Borosilicate glass 3.3 - Graduated pipette - Class [A or AS or B] - [Type 4: Blow-out] - Volume between 1 - 25ml
701720-0049 - ISO 3585 + ISO 7712 - Borosilicate glass 3.3 - Disposable Pasteur pipette - Size 145 or 230
701720-0050 - ISO 3585 + ISO 7713 - Borosilicate glass 3.3 - Disposable serological pipette - Flow out - Volume between 0.1 - 10ml
701720-0051 - ISO 3585 + ISO 7713 - Borosilicate glass 3.3 - Disposable serological pipette - Blow out - Volume between 0.1 - 10ml
701720-0052 - ISO 3585 + ISO 7550 - Borosilicate glass 3.3 - Disposable micropipette - Type I - Volume between 5 - 200 µl
701720-0053 - ISO 3585 + ISO 7550 - Borosilicate glass 3.3 - Disposable micropipette - Type II - Volume between 1 - 100 µl
Bottles
701720-0054 - ISO 3585 + ISO 4796-1 - Borosilicate glass 3.3 - Screw-neck bottle - Base of bottle: Cylindrical - Volume between 25 - 2000ml
701720-0055 - ISO 3585 + ISO 4796-1 - Borosilicate glass 3.3 - Screw-neck bottle - Base of bottle: Slightly tapered - Volume between 3.5 - 20l
701720-0056 - ISO 3585 + ISO 4796-2 - Borosilicate glass 3.3 - Conical neck - WS - Wide-necked bottle - Wide-necked bottles with a conical socket - Volume between 50 - 2000ml
701720-0057 - ISO 3585 + ISO 4796-2 - Borosilicate glass 3.3 - Conical neck - WJ - Wide-necked bottle - With an interchangeable conical ground joint - Volume between 50 - 2000ml
701720-0058 - ISO 3585 + ISO 4796-2 - Borosilicate glass 3.3 - Conical neck - NS - Narrow-necked bottle - With a conical socket - Volume between 25 - 20000ml
701720-0059 - ISO 3585 + ISO 4796-2 - Borosilicate glass 3.3 - Conical neck - NJ - Narrow-necked bottle - With an interchangeable conical ground joint - Volume between 25 - 20000ml
701720-0060 - ISO 3585 + ISO 4796-3 - Borosilicate glass 3.3 - Conical neck - ASN - Aspirator bottle - With a screw neck - Volume between 1 - 20l
701720-0061 - ISO 3585 + ISO 4796-3 - Borosilicate glass 3.3 - Conical neck - ACS - Aspirator bottle - With a conical neck socket - Volume between 0.5 - 20l
701720-0062 - ISO 3585 + ISO 4796-3 - Borosilicate glass 3.3 - Conical neck - ACJ - Aspirator bottle - With an interchangeable conical ground joint - Volume between 0.5 - 20l
Test tubes
701720-0063 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 1 - Nominal size 10 × 75mm

701720-0064 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 1 - Nominal size 12 × 75mm
701720-0065 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 1 - Nominal size 16 × 125mm
701720-0066 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 1 - Nominal size 18 × 150mm
701720-0067 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 1 - Nominal size 20 × 150mm
701720-0068 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 1 - Nominal size 24 × 150mm
701720-0069 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 10 × 100mm
701720-0070 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 12 × 100mm
701720-0071 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 13 × 100mm
701720-0072 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 16 × 100mm
701720-0073 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 16 × 150mm
701720-0074 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 16 × 160mm
701720-0075 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 18 × 180mm
701720-0076 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 20 × 180mm
701720-0077 - ISO 3585 + ISO 4142 - Borosilicate glass 3.3 - Type I - Test tube - Series 2 - Nominal size 24 × 200mm
Condensers
701720-0078 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Liebig-West condenser - Nominal length 100mm
701720-0079 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Liebig-West condenser - Nominal length 160mm
701720-0080 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Liebig-West condenser - Nominal length 250mm
701720-0081 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Liebig-West condenser - Nominal length 400mm
701720-0082 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Liebig-West condenser - Nominal length 630mm
701720-0083 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Liebig-West condenser - Nominal length 1000mm
701720-0084 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Allihn condenser - Nominal length 160mm
701720-0085 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Allihn condenser - Nominal length 250mm
701720-0086 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Allihn condenser - Nominal length 400mm
701720-0087 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Allihn condenser - Nominal length 630mm
701720-0088 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Coiled distillate condenser with socket only - Nominal size 160mm
701720-0089 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Coiled distillate condenser with socket only - Nominal size 250mm
701720-0090 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Coiled distillate condenser with socket only - Nominal size 400mm
701720-0091 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Coiled distillate condenser with socket only - Nominal size 630mm
701720-0091 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Graham condenser - Nominal size 160mm
701720-0092 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Graham condenser - Nominal size 250mm
701720-0093 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Graham condenser - Nominal size 400mm
701720-0094 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Jacketed coil condenser with cone and socket - Nominal size 160mm
701720-0095 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Jacketed coil condenser with cone and socket - Nominal size 250mm
701720-0096 - ISO 3585 + ISO 4799 - Borosilicate glass 3.3 - Jacketed coil condenser with cone and socket - Nominal size 400mm
Desiccators
701720-0097 - ISO 3585 + ISO 13130 - Borosilicate glass 3.3 - Type 1 - Vacuum desiccators - Series A - Nominal size 100 - 300mm
701720-0098 - ISO 3585 + ISO 13130 - Borosilicate glass 3.3 - Type 1 - Vacuum desiccators - Series B - Nominal size 100 - 300mm
701720-0099 - ISO 3585 + ISO 13130 - Borosilicate glass 3.3 - Type 2 - Non-vacuum desiccators - Series A - Nominal size 100 - 300mm
701720-0100 - ISO 3585 + ISO 13130 - Borosilicate glass 3.3 - Type 2 - Non-vacuum desiccators - Series B - Nominal size 100 - 300mm
Beakers
701720-0101 - ISO 3819 + ISO 4796-3 - Borosilicate glass 3.3 - Low-form beaker - With spout - Volume between 5 - 10000ml
701720-0102 - ISO 3819 + ISO 4796-3 - Borosilicate glass 3.3 - Thick-walled - Low-form beaker - With spout - Volume between 150 - 5000ml
701720-0103 - ISO 3819 + ISO 4796-3 - Borosilicate glass 3.3 - Tall-form beaker - With spout - Volume between 50 - 5000ml
Graduated Measuring Cylinders
701720-0104 - ISO 3819 + ISO 4788 - Borosilicate glass 3.3 - Graduated measuring cylinder - Tall form - With spouted neck - Type 1a -

Class [A or B] - Volume between 5 - 2000ml
701720-0105 - ISO 3819 + ISO 4788 - Borosilicate glass 3.3 - Graduated measuring cylinder - Tall form - With stoppered neck - Type 1b - Class [A or B] - Volume between 5 - 2000ml
701720-0106 - ISO 3819 + ISO 4788 - Borosilicate glass 3.3 - Graduated measuring cylinder - Squat form With spouted neck - Type 2 - Volume between 5 - 2000ml
One-mark Volumetric Flask
701720-0107 - ISO 3585 + ISO 1042 - Borosilicate glass 3.3 - Narrow-necked One-mark volumetric - Class [A or B] - Conical flask - Volume between 1 - 50ml
701720-0108 - ISO 3585 + ISO 1042 - Borosilicate glass 3.3 - Narrow-necked One-mark volumetric - Class [A or B] - Pear-shaped flask - Volume between 100 - 5000ml
701720-0109 - ISO 3585 + ISO 1042 - Borosilicate glass 3.3 - Wide-necked One-mark volumetric - Class [A or B] - Conical flask - Volume between 5 - 50ml
701720-0110 - ISO 3585 + ISO 1042 - Borosilicate glass 3.3 - Wide-necked One-mark volumetric - Class [A or B] - Pear-shaped flask - Volume between 100 - 5000ml
Burettes
701720-0111 - ISO 3585 + ISO 385 - Borosilicate glass 3.3 - Burette - Class [A or AS or B] - Volume between 1 - 100ml
Alcoholometers without Thermometers
701720-0112 - ISO 3585 + ISO 4801 - Borosilicate glass 3.3 - Alcoholometer without thermometer - Type 1 - Class 1 or 2
701720-0113 - ISO 3585 + ISO 4801 - Borosilicate glass 3.3 - Alcoholometer without thermometer - Type 2 - Class 1 or 2
701720-0114 - ISO 3585 + ISO 4801 - Borosilicate glass 3.3 - Alcoholometer without thermometer - Type 3 - Class 1
Hydrometers
701720-0115 - ISO 3585 + ISO 387 - Borosilicate glass 3.3 - Hydrometer
Pyknometers
701720-0116 - ISO 3585 + ISO 3507 - Borosilicate glass 3.3 - Lipkin Pyknometer - Type 1 - Capacity between 1 - 10ml
701720-0117 - ISO 3585 + ISO 3507 - Borosilicate glass 3.3 - Sprengel Pyknometer - Type 2 - Capacity between 5 - 25ml
701720-0118 - ISO 3585 + ISO 3507 - Borosilicate glass 3.3 - Gay-Lussac Pyknometer - Type 3 - Capacity between 1 - 100ml
701720-0119 - ISO 3585 + ISO 3507 - Borosilicate glass 3.3 - Reischauer Pyknometer - Type 4 - Capacity between 10 - 100ml
701720-0120 - ISO 3585 + ISO 3507 - Borosilicate glass 3.3 - Hubbard Pyknometer - Type 5 - Capacity between 25 - 50ml
701720-0121 - ISO 3585 + ISO 3507 - Borosilicate glass 3.3 - Ground-in thermometer Pyknometer - Type 6 - Capacity between 10 - 100ml
Explanatory note for 701720: The client company must send material type, size, pictures, joints type, physical and chemical properties, laboratory test results, datasheets, safety datasheets, technical drawings and any other useful info. This products are fragile. To buy these products you must send proof that your company or institution has ISO/IEC 17025 accreditation. Making potassium metal in the backyard garden is not funny.
Optical instruments
900190 - Optical elements; lenses n.e.c. in heading no. 9001, prisms, mirrors and other optical elements, unmounted, of any material (excluding elements of glass not optically worked)
900190-0001 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Bi-Convex Lens - Not for the correction of vision
900190-0002 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Plano-Convex Lens - Not for the correction of vision
900190-0003 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Bi-Concave Lens - Not for the correction of vision
900190-0004 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Plano-Concave Lens - Not for the correction of vision
900190-0005 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Cylinder Lens - Not for the correction of vision
900190-0006 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Spherical Lens - Not for the correction of vision
900190-0007 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Dispersion Prism - Not for the correction of vision
900190-0008 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Reflective Prism - Not for the correction of vision
900190-0009 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Image Rotation Prism - Not for the correction of vision
900190-0010 - ISO 10110 - Plastic or Other Non-Glass Materials - Unmounted - Displacement Prism - Not for the correction of vision
900190-0011 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - SC-LP - Optical Longpass Selector - Not for the correction of vision
900190-0012 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - SC-SP - Optical Shortpass Selector - Not for the correction of vision
900190-0013 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - FI-BR - Optical Notch Filter - Not for the

correction of vision
900190-0014 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - SC-LP - Longpass Dichroic Mirror - Not for the correction of vision
900190-0015 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - SC-SP - Shortpass Dichroic Mirror - Not for the correction of vision
900190-0016 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - HR - Laser Line Mirror - Not for the correction of vision
900190-0017 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - PR - Partially Reflective Mirror - Output Coupler (OC) - Not for the correction of vision
900190-0018 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - PR - Partially Reflective Mirror - Cavity Ring-Down Mirror (CRD) - Not for the correction of vision
900190-0019 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - RE - Broadband Mirror - Not for the correction of vision
900190-0020 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - RE - IR Mirror - Not for the correction of vision
900190-0021 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - RE - Off-Axis Mirror - Not for the correction of vision
900190-0022 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - RE - Retroreflector Mirror - Not for the correction of vision
900190-0023 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - RE - Concave / Focusing Mirror - Not for the correction of vision
900190-0024 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - RE - Custom Free Form Mirror - Not for the correction of vision
900190-0025 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - PO - Polarizing Beam Splitter - Not for the correction of vision
900190-0026 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - PO - Non-Polarizing Beam Splitter - Not for the correction of vision
900190-0027 - ISO 9211 - Plastic or Other Non-Glass Materials - Unmounted - Thin-Film Coated - BS - Neutral Beam Splitter - Not for the correction of vision
Explanatory note for 900190: 1. Please specify the exact material, size, geometry, and coating you need, there are many possible combinations. 2. The client must send technical drawing, shape, size, focal length (f), refractive index, without or with coating (e.g. UV, IR, Anti-Reflective coating), material type [plastic, quartz, fluorspar etc], material [grade or code or number], properties (e.g. reflecting, attenuating, filtering, diffracting, collimating) and as much info as possible. 3. ISO 10110 means ISO 10110-1,6,7,8,9,11,12,14,16,17,18,19 and ISO 9211 means ISO 9211-1,2,3,4,5,6,7,8.
900510 - Binoculars
900510-0001 - ISO 14132-1,2 + ISO 14133 - Waterproof - Zoom or Variable Power - Binoculars - Focusing [Centre or Individual or Internal] - Magnification less or equal to 25X - With Porro Prism Erecting Systems - Tolerances For General Purpose Instruments
900510-0002 - ISO 14132-1,2 + ISO 14133 - Waterproof - Zoom or Variable Power - Binoculars - Focusing [Centre or Individual or Internal] - Magnification less or equal to 25X - With Porro Prism Erecting Systems - Tolerances For High Performance Instruments
900510-0003 - ISO 14132-1,2 + ISO 14133 - Waterproof - Zoom or Variable Power - Binoculars - Focusing [Centre or Individual or Internal] - Magnification less or equal to 25X - With Roof (Dach) Prism Erecting Systems - Tolerances For General Purpose Instruments
900510-0004 - ISO 14132-1,2 + ISO 14133 - Waterproof - Zoom or Variable Power - Binoculars - Focusing [Centre or Individual or Internal] - Magnification less or equal to 25X - With Roof (Dach) Prism Erecting Systems - Tolerances For High Performance Instruments
900510-0005 - ISO 14132-1,2 + ISO 14133 - Waterproof - Zoom or Variable Power - Binoculars - Focusing [Centre or Individual or Internal] - Magnification less or equal to 4x - With Lens Erecting Systems - Tolerances For General Purpose Instruments (Galilean binoculars)
Explanatory note for 900510: The client must send technical drawing, pictures, shape, size, change of magnification method, magnification power, without or with coating (e.g. Anti-Reflective coating), material type [plastic, metal, composite etc], materials [grade or code or number], focusing type, vibration reduction system (image stabilized), colors, camouflage pattern and as much info as possible.
901110 - Microscopes, compound optical; stereoscopic microscopes
901110-0001 - ISO 11884-1 + ISO 15227 - Stereomicroscope - For General Use
901110-0002 - ISO 11884-2 + ISO 15227 - Stereomicroscope - For High Performance Use
Explanatory note for 901110: The client must send technical drawing, pictures, shape, size, minimum and maximum magnification factor, focal length, material type [plastic, metal, composite etc], materials [grade or code or number], field of view, if suitable for spectacle wearers, working distance, colors, brand, serial, model name and as much info as possible.

901320 - Lasers; other than laser diodes
901320-0001 - ISO 11145 + IEC 60825-1 - CW or Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Molecular Gas - CO2 Laser
901320-0002 - ISO 11145 + IEC 60825-1 - CW or Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Molecular Gas - CO Laser
901320-0003 - ISO 11145 + IEC 60825-1 - Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Molecular Gas - Nitrogen Laser
901320-0004 - ISO 11145 + IEC 60825-1 - Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Excimer - Argon Fluoride Laser
901320-0005 - ISO 11145 + IEC 60825-1 - Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Excimer - Krypton Fluoride Laser
901320-0006 - ISO 11145 + IEC 60825-1 - Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Excimer - Xenon Monochloride Laser
901320-0007 - ISO 11145 + IEC 60825-1 - Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Excimer - Xenon Fluoride Laser
901320-0008 - ISO 11145 + IEC 60825-1 - CW - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Ionized Gas - Argon-ion Laser
901320-0009 - ISO 11145 + IEC 60825-1 - CW - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Ionized Gas - Krypton-ion Laser
901320-0010 - ISO 11145 + IEC 60825-1 - CW - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Neutral Atom Gas - Helium-Neon Laser
901320-0011 - ISO 11145 + IEC 60825-1 - CW or Pulsed - [Class: 1 or 1C or 1M or 2 or 2M or 3R or 3B or 4] - Other Mixtures of Gases - Laser
Explanatory note for 901320: Lasers have many possible configurations. Only professional - specialized workers should install and use this products. Class 4 lasers are most dangerous. The client must send technical drawing, pictures, shape, size, color, cooling requirements, operating mode, gas purity and mixture, laser output power, wavelength, beam characteristics, brand, serial, model number and as much info as possible. All laser operators must wear laser safety eyewear in accordance with the manufacturer's instructions (e.g., EN 207 / EN 208)
962000 - Monopods, bipods, tripods and similar articles
962000-0001 - ISO 12858-2 - Tripod - With Flat Head - Type H - For Geodetic [Light-Weight or Small] Instruments
962000-0002 - ISO 12858-2 - Tripod - With Flat Head - Type LF - For Geodetic [Light-Weight or Small] Instruments
962000-0003 - ISO 12858-2 - Tripod - With Spherical Head - Type LS - For Geodetic [Heavy] Instruments
Explanatory note for 962000: The client must send technical drawing, pictures, shape, size, materials, color, screw and head system, brand, serial, model number and as much info as possible.

17. Magnets, Batteries, Electronics and Computers

Notes:
INFO FOR SUPPLIERS:
Location :
INFO FOR CLIENTS:
Instructions :
Did you know :
Electronics are transitioning from silicon to advanced nanomaterials and computers to quantum computers .
Magnets
850511 - Magnets; permanent magnets and articles intended to become permanent magnets after magnetisation, of metal
850519 - Magnets; permanent magnets and articles intended to become permanent magnets after magnetisation, other than of metal
850520 - Magnets; electro-magnetic couplings, clutches and brakes
850590 - Magnets; electro-magnets, holding devices and parts n.e.c. in heading no. 8505
Batteries
850610 - Cells and batteries; primary, manganese dioxide
850640 - Cells and batteries; primary, silver oxide
850650 - Cells and batteries; primary, lithium
850660 - Cells and batteries; primary, air-zinc
850710 - Electric accumulators; lead-acid, of a kind used for starting piston engines, including separators, whether or not rectangular (including square)
850780 - Electric accumulators; other than lead-acid, nickel-cadmium, nickel-iron, nickel-metal hydride and lithium-ion, including separators, whether or not rectangular (including square)

Electronics
853221 - Electrical capacitors; fixed, tantalum
853222 - Electrical capacitors; fixed, aluminium electrolytic
853223 - Electrical capacitors; fixed, ceramic dielectric, single layer
853224 - Electrical capacitors; fixed, ceramic dielectric, multilayer
853225 - Electrical capacitors; fixed, dielectric of paper or plastics
853229 - Electrical capacitors; fixed, n.e.c. in heading no. 8532
853310 - Electrical resistors; fixed carbon resistors, composition or film types (including rheostats and potentiometers but excluding heating resistors)
853321 - Electrical resistors; fixed, for a power handling capacity not exceeding 20W (including rheostats and potentiometers but excluding heating resistors and carbon resistors)
853331 - Electrical resistors; wirewound variable, including rheostats and potentiometers, for a power handling capacity not exceeding 20W (excluding heating)
854110 - Electrical apparatus; diodes, other than photosensitive or light-emitting diodes (LED)
854121 - Electrical apparatus; transistors, (other than photosensitive), with a dissipation rate of less than 1W
854130 - Electrical apparatus; thyristors, diacs and triacs, other than photosensitive devices
854141 - Light-emitting diodes (LED)
854142 - Photovoltaic cells not assembled in modules or made up into panels
854143 - Photovoltaic cells assembled in modules or made up into panels
854149 - Photocouplers, Photodiodes and Phototransistors
854160 - Crystals; mounted piezo-electric
854231 - Electronic integrated circuits; processors and controllers, whether or not combined with memories, converters, logic circuits, amplifiers, clock and timing circuits, or other circuits
854232 - Electronic integrated circuits; memories
854233 - Electronic integrated circuits; amplifiers
854239 - Electronic integrated circuits; n.e.c. in heading no. 8542
Computers
847130 - Automatic data processing machines; portable, weighing not more than 10kg, consisting of at least a central processing unit, a keyboard and a display
847141 - Automatic data processing machines; comprising in the same housing at least a central processing unit and an input and output unit, whether or not combined, n.e.c. in item no. 8471.30
847170 - Units of automatic data processing machines; storage units

18. Tools

Notes:
INFO FOR SUPPLIERS:
Location :
INFO FOR CLIENTS:
Instructions :
Did you know :
Hand Tools
Machining tools and inserts
Articles For Lighting
851310 - Lamps; portable, electric, designed to function by their own source of energy (excluding lighting equipment of heading no. 8512)

19. Household Goods

Notes:
INFO FOR SUPPLIERS:
Location :
INFO FOR CLIENTS:
Instructions :
Did you know :
Games and Toys
Luxury Watches
School Supplies
Perfumery, Cosmetics and Soaps
Fresheners and Cleaning Materials

If you encounter any errors or typos, please notify us via E-mail, WhatsApp, or Facebook.