Linear Regression using LSE and Newton's Method

Description :

Please write a program that can do ***regularized linear model regression*** (polynomial basis) and **visualization**.

You should do it by both ***LSE*** and ***Newton's method***.

- Input parameters:

    1. the path and name of a file which consists of data points (comma seperated: x,y):

    ```
    1,12
    122,34
    -12,323
    ...
    ```

    2. the number of polynomial bases n.
       $\phi_0(x) = x^0, \phi_1(x) = x^1, \phi_2(x) = x^2 \ldots \phi_{n-1}(x) = x^{n-1}$,
    3. lambda λ (only for LSE case)

- Program Behavior: For example, if the number of bases is set to 3, it means that the program is going to find a curve that best fits the data points by $ax^2 + bx^1 + cx^0 = y$

- Required functions:

    - a. For LSE:

        1. Use LU decomposition to find the inverse of $(A^T A + \lambda I)$, Gauss-Jordan elimination won't be accepted.(A is the design matrix).
        2. Print out the equation of the best fitting line and the error.

    - b. For Newton's method:

        1. Please use the method mentioned in the lesson.
        2. Print out the equation of the best fitting line and the error, and compare to LSE.

    - c. For visualization:

        1. Please visualize the data points which are the input of program, and the best fitting curve.
        2. It's free to use any existing package.

- NOTE:

    - Use whatever programming language you prefer.
    - You should use as few functions from any library as possible. That would be great if you implement all detail operations (like matrix operations) by yourself.
    - Time complexity is not what we care for now, but if you like to improve it in that regard,

it is always good for you.

- Grading policy
- You **must** implement matrix inverse operation by yourself. Please do not use the built in package or you'll not get 100.
- Sample input & output (**for reference only**)
  - Input: A file (here shows the content of the file)

```
$ cat testfile.txt
-5.0,51.76405234596766
-4.795918367346939,45.42306433039972
-4.591836734693878,41.274448104888755
-3.979591836734694,26.636216497466364
-3.571428571428571,20.256806057008426
-2.9591836734693877,11.618429243797276
-2.7551020408163263,10.450525068812203
-1.7346938775510203,1.8480982318414874
-1.3265306122448979,-1.0405349639051173
-0.9183673469387754,-4.614630798757861
-0.7142857142857144,-1.3871977310902517
-0.3061224489795915,-1.9916444039966117
0.1020408163265305,-0.912924608376358
0.7142857142857144,6.63482003068499
1.1224489795918373,9.546867459016372
1.7346938775510203,15.72016146597016
1.9387755102040813,20.62251683859554
2.5510204081632653,33.48059725819715
2.959183673469388,40.76391965675495
3.979591836734695,66.8997605629381
4.387755102040817,78.44316465660981
4.591836734693878,86.99156782355371
5.0,99.78725971978604
```

  - Output
    - Case 1: n = 2, λ = 0

```
LSE:
Fitting line: 4.43295031008X^1 + 29.3064047061
Total error: 16335.123165

Newton's Method:
Fitting line: 4.43295031008X^1 + 29.3064047061
Total error: 16335.123165
```

- Case 2: n = 3, λ = 0

```
LSE:
Fitting line: 3.02385339349X^2 + 4.90619026386X^1
              -0.231401756088
Total error: 26.5599594993


Newton's Method:
Fitting line: 3.02385339349X^2 + 4.90619026386X^1
              -0.231401756088
Total error: 26.5599594993
```

- Case 3: n = 3, λ = 10000

```
LSE:
Fitting line: 0.8345332827X^2 + 0.0931481983192X^1
              + 0.0469506992735
Total error: 22649.738493


Newton's Method:
Fitting line: 3.02385339349X^2 + 4.90619026386X^1
              -0.231401756088
Total error: 26.5599594993
```