

# AIPMT - 2001

**Q.1** The dimension of Planck constant equals to that of :

- (1) Energy (2) Momentum  
(3) Angular momentum (4) Power

**Q.2** Following truth table represent which logic gate –

A	B	C
1	1	0
0	1	1
1	0	1
0	0	1

- (1) XOR (2) NOT  
(3) NAND (4) AND

**Q.3** Which rays contain (+ Ve) charged particle : -

- (1)  $\alpha$ -rays (2)  $\beta$ -rays  
(3)  $\gamma$ -rays (4) X-rays

**Q.4** An electron having mass 'm' and kinetic energy E enter in uniform magnetic field B perpendicularly, then its frequency will be : -

- (1)  $\frac{eE}{qVB}$  (2)  $\frac{2\pi m}{eB}$   
(3)  $\frac{eB}{2\pi m}$  (4)  $\frac{2m}{eBE}$

**Q.5** A particle is thrown vertically upward. Its velocity at half of the height is 10 m/s. Then the maximum height attained by it : -

(g = 10 m/s<sup>2</sup>)

- (1) 8 m (2) 20 m (3) 10 m (4) 16 m

**Q.6** A particle is projected making angle 45° with horizontal having kinetic energy K. The kinetic energy at highest point will be : -

- (1)  $\frac{K}{\sqrt{2}}$  (2)  $\frac{K}{2}$  (3) 2K (4) K

**Q.7** A black body has wavelength  $\lambda_m$  corresponding to maximum energy at 2000 K. Its wavelength corresponding to maximum energy at 3000 K will be : -

- (1)  $\frac{3}{2}\lambda_m$  (2)  $\frac{2}{3}\lambda_m$   
(3)  $\frac{16}{81}\lambda_m$  (4)  $\frac{81}{16}\lambda_m$


**Q.8** Two particles having mass 'M' and 'm' are moving in a circular path having radius R & r respectively. If their time period are same then the ratio of angular velocity will be : -

- (1)  $\frac{r}{R}$  (2)  $\frac{R}{r}$  (3) 1 (4)  $\sqrt{\frac{R}{r}}$

**Q.9** A child is sitting on a swing. Its minimum and maximum heights from the ground is 0.75 m and 2 m respectively, its maximum speed will be

- (1) 10 m/s (2) 5 m/s  
(3) 8 m/s (4) 15 m/s

**Q.10** The current (I) in the circuit will be : -



- (1)  $\frac{5}{40}$  A (2)  $\frac{5}{50}$  A (3)  $\frac{5}{10}$  A (4)  $\frac{5}{20}$  A

**Q.11** Biological importance of Ozone layer is : -

- (1) It stops ultraviolet rays  
(2) Ozone layer reduces green house effect  
(3) Ozone layer reflects radio waves  
(4) Ozone layer controls O<sub>2</sub>/H<sub>2</sub> ratio in atmosphere

**Q.12** Two springs A and B having spring constant K<sub>A</sub> and K<sub>B</sub>. (K<sub>A</sub> = 2K<sub>B</sub>) are stretched by applying force of equal magnitude. If energy stored in spring A is E then energy stored in B will be : -

- (1) 2E (2)  $\frac{E}{4}$  (3)  $\frac{E}{2}$  (4) 4E

**Q.13** A charge Q  $\mu$ c is placed at the centre of cube, the flux coming out from any surfaces will be : -

- (1)  $\frac{Q}{6\epsilon_0} \times 10^{-6}$  (2)  $\frac{Q}{6\epsilon_0} \times 10^{-3}$   
(3)  $\frac{Q}{2\epsilon_0}$  (4)  $\frac{Q}{8\epsilon_0}$

**Q.14** X(n,  $\alpha$ )  ${}^7_3\text{Li}$ , then X will be : -

- (1)  ${}^{10}_5\text{B}$  (2)  ${}^9_5\text{B}$  (3)  ${}^{11}_4\text{Be}$  (4)  ${}^4_2\text{He}$

**Q.15** Half life of radioactive element is 12.5 Hour and its quantity is 256 gm. After how much time its quantity will remain 1 gm : -

- (1) 50 Hrs (2) 100 Hrs  
(3) 150 Hrs (4) 200 Hrs

**Q.16** A scientist says that the efficiency of his heat engine which work at source temperature  $127^{\circ}\text{C}$  and sink temperature  $27^{\circ}\text{C}$  to 26%, then

- (1) It is impossible  
(2) It is possible but less probable  
(3) It is quite probable  
(4) Data are incomplete

**Q.17** A cricketer catches a ball of mass 150 gm. in 0.1 second moving with speed  $20\text{ ms}^{-1}$ . Then he experiences force of : -

- (1) 300 N (2) 30 N (3) 3 N (4) 0.3 N

**Q.18** If the tension and diameter of a sonometer wire of fundamental frequency  $n$  is doubled and density is halved then its fundamental frequency will become

- (1)  $\frac{n}{4}$  (2)  $\sqrt{2}n$  (3)  $n$  (4)  $\frac{n}{\sqrt{2}}$

**Q.19** The total energy of particle performing SHM depend on : -

- (1) K, a, m (2) K, a  
(3) K, a, x (4) K, x

**Q.20** With what velocity should a particle be projected so that its height becomes equal to radius of earth -

- (1)  $\left(\frac{GM}{R}\right)^{1/2}$  (2)  $\left(\frac{8GM}{R}\right)^{1/2}$   
(3)  $\left(\frac{2GM}{R}\right)^{1/2}$  (4)  $\left(\frac{4GM}{R}\right)^{1/2}$

**Q.21** A disc is placed on a surface of pond which has refractive index  $\frac{5}{3}$ . A source of light is placed 4 m below the surface of liquid. The minimum radius of disc will be so light is not coming out

- (1)  $\infty$  (2) 3m (3) 6m (4) 4m

**Q.22** A ray of light travelling in air has wavelength  $\lambda$ , frequency  $n$ , velocity  $v$  and intensity  $I$ . If this ray enters into water then these parameter are  $\lambda'$ ,  $n'$ ,  $v'$  and  $I'$  respectively. Which relation is correct

- (1)  $\lambda = \lambda'$  (2)  $n = n'$  (3)  $v = v'$  (4)  $I = I'$

**Q.23** A cylindrical rod having temperature  $T_1$  and  $T_2$  at its end. The rate of flow of heat  $Q_1$  cal/sec. If all the linear dimension are doubled keeping temperature remain const. then rate of flow of heat  $Q_2$  will be : -

- (1)  $4Q_1$  (2)  $2Q_1$   
(3)  $\frac{Q_1}{4}$  (4)  $\frac{Q_1}{2}$

**Q.24** If  $|\vec{A} + \vec{B}| = |\vec{A}| = |\vec{B}|$  then angle between A and B will be : -

- (1)  $90^{\circ}$  (2)  $120^{\circ}$  (3)  $0^{\circ}$  (4)  $60^{\circ}$

**Q.25** Optical fibre are based on : -

- (1) Total internal reflection  
(2) Less scattering  
(3) Refraction  
(4) Less absorption coefficient

**Q.26** Which one among shows particle nature of light.

- (1) P.E.E. (2) Interference  
(3) Refraction (4) Polarization

**Q.27** Two waves having equation

$$x_1 = a \sin(\omega t + \phi_1)$$

$$x_2 = a \sin(\omega t + \phi_2)$$

If in the resultant wave the frequency and amplitude remains equals to amplitude of superimposing waves. Then phase diff. between them : -

- (1)  $\frac{\pi}{6}$  (2)  $\frac{2\pi}{3}$   
(3)  $\frac{\pi}{4}$  (4)  $\frac{\pi}{3}$

**Q.28** In Thomson mass spectrograph  $\vec{E} \perp \vec{B}$  then the velocity of underflected electron beam will be :

- (1)  $\frac{|\vec{E}|}{|\vec{B}|}$  (2)  $\vec{E} \times \vec{B}$  (3)  $\frac{|\vec{B}|}{|\vec{E}|}$  (4)  $\frac{E^2}{B^2}$


**Q.29** Energy per unit volume for a capacitor having area A and separation d kept at potential difference V is given by : -

- (1)  $\frac{1}{2} \epsilon_0 \frac{V^2}{d^2}$  (2)  $\frac{1}{2\epsilon_0} \frac{V^2}{d^2}$   
(3)  $\frac{1}{2} CV^2$  (4)  $\frac{Q^2}{2C}$




- Q.30** On the horizontal surface of a truck a block of mass 1 kg is placed ( $\mu = 0.6$ ) and truck is moving with acceleration  $5 \text{ m/s}^2$  then the frictional force on block will be : -  
 (1) 5N (2) 6N  
 (3) 5.88N (4) 8N
- Q.31** Tangent galvanometer is used to measure : -  
 (1) Potential difference  
 (2) Current  
 (3) Resistance  
 (4) In measuring charge
- Q.32** A capacitor of capacity C and reactance X if capacitance and frequency become double then reactance will be : -  
 (1) 4X (2)  $\frac{X}{2}$   
 (3)  $\frac{X}{4}$  (4) 2X
- Q.33** A disc is rolling the velocity of its centre of mass is  $V_{cm}$  then which one will be correct : -  
 (1) The velocity of highest point is  $2V_{cm}$  and point of contact is zero  
 (2) The velocity of highest point is  $V_{cm}$  and point of contact is  $V_{cm}$   
 (3) The velocity of highest point is  $2V_{cm}$  and point of contact is  $V_{cm}$   
 (4) The velocity of highest point is  $2V_{cm}$  and point of contact of contact is  $2V_{cm}$
- Q.34** If specific resistance of a potentiometer wire is  $10^{-7} \Omega \text{m}$  and current flow through it is 0.1 A, cross-sectional area of wire is  $10^{-6} \text{ m}^2$  then potential gradient will be : -  
 (1)  $10^{-2} \text{ V/m}$  (2)  $10^{-4} \text{ V/m}$   
 (3)  $10^{-6} \text{ V/m}$  (4)  $10^{-8} \text{ V/m}$
- Q.35** For a coil having  $L = 2 \text{ mh}$ , current flow through it is  $I = t^2 e^{-t}$  then the time at which emf become zero : -  
 (1) 2 s (2) 1 s  
 (3) 4 s (4) 3 s
- Q.36** For a common emitter circuit if  $\frac{I_C}{I_E} = 0.98$  then current gain for common emitter circuit will be :-  
 (1) 49 (2) 98  
 (3) 4.9 (4) 25.5
- Q.37** A dipole of moment  $\vec{p}$  is placed in uniform electric field  $\vec{E}$  then torque acting on it is given by : -  
 (1)  $\vec{\tau} = \vec{p} \cdot \vec{E}$  (2)  $\vec{\tau} = \vec{p} \times \vec{E}$   
 (3)  $\vec{\tau} = \vec{p} + \vec{E}$  (4)  $\vec{\tau} = \vec{p} - \vec{E}$
- Q.38** If number of turn, area and current through it is given by n, A and i respectively then its magnetic moment will be : -  
 (1) niA (2)  $n^2 iA$   
 (3)  $niA^2$  (4)  $\frac{ni}{\sqrt{A}}$
- Q.39** The equation of a wave is represented by : -  
 $y = 10^{-4} \sin\left(100t - \frac{x}{10}\right) \text{m}$ , then the velocity of wave will be : -  
 (1) 100 m/s (2) 4 m/s  
 (3) 1000 m/s (4) 0.00 m/s
- Q.40** The interplaner distance in a crystal is  $2.8 \times 10^{-8} \text{ m}$ . The value of maximum wavelength which can be diffracted : -  
 (1)  $2.8 \times 10^{-8} \text{ m}$  (2)  $5.6 \times 10^{-8} \text{ m}$   
 (3)  $1.4 \times 10^{-8} \text{ m}$  (4)  $7.6 \times 10^{-8} \text{ m}$
- Q.41** The energy of hydrogen atom in  $n^{\text{th}}$  orbit is  $E_n$  then the energy in  $n^{\text{th}}$  orbit of singly ionised helium atom will be : -  
 (1)  $4 E_n$  (2)  $E_n/4$   
 (3)  $2E_n$  (4)  $E_n/2$
- Q.42** Among which the magnetic susceptibility does not depend on the temperature : -  
 (1) Dia-magnetis (2) Paramagnetis  
 (3) Ferro-magnetism (4) Ferrite
- Q.43** The resistance of each arm of the wheat stone bridge is 10 ohm. A resistance of 10 ohm is connected in series with galvanometer then the equivalent resistance across the battery will be :  
 (1) 10 ohm (2) 15 ohm  
 (3) 20 ohm (4) 40 ohm
- Q.44** Copper and silicon is cooled from 300 K to 60 K, the specific resistance : -  
 (1) Decrease in copper but increase in silicon  
 (2) Increase in copper but decrease in silicon  
 (3) Increase in both  
 (4) Decrease in both



**Q.58** Which of the following is not correctly matched



(2) Nylon-66



**Q.59** Which of the following is correct : -

- (1) Cyclo heptane is an aromatic compound
- (2) Diastase is an enzyme
- (3) Acetophenone is an ether
- (4) All the above

**Q.60** The incorrect IUPAC name is : -

- (1)  $\text{CH}_3-\underset{\text{O}}{\parallel}{\text{C}}-\underset{\text{CH}_3}{\text{CH}}-\text{CH}_3$  2-methyl-3-butanone
- (2)  $\text{CH}_3-\underset{\text{CH}_3}{\text{CH}}-\underset{\text{CH}_2-\text{CH}_3}{\text{CH}}-\text{CH}_3$  2, 3-dimethyl pentane
- (3)  $\text{CH}_3-\text{C}\equiv\text{CCH}(\text{CH}_3)_2$  4-methyl-2-pentyne
- (4)  $\text{CH}_3-\underset{\text{Cl}}{\text{CH}}-\underset{\text{Br}}{\text{CH}}-\text{CH}_3$  2-bromo-3-chloro butane

**Q.61** In preparation of alkene from alcohol using  $\text{Al}_2\text{O}_3$  which is effective factor : -

- (1) Porosity of  $\text{Al}_2\text{O}_3$
- (2) Temperature
- (3) Concentration
- (4) Surface area of  $\text{Al}_2\text{O}_3$

**Q.62** Which of following is correct : -


- (1) Any aldehyde gives secondary alcohol on reduction
- (2) Reaction of vegetable oil with  $\text{H}_2\text{SO}_4$  give glycerin
- (3)  $\text{C}_2\text{H}_5\text{OH}$ , iodine with  $\text{NaOH}$  gives iodoform
- (4) Sucrose on reaction with  $\text{NaCl}$  give invert sugar

**Q.63** Which of the following is correct about H-bonding in nucleotide : -

- (1) A-T G-C
- (2) A-G T-C
- (3) G-T A-C
- (4) A-A T-T

**Q.64** Which is correct statement : -

- (1) Starch is polymer of  $\alpha$ -glucose
- (2) Amylose is a component of cellulose
- (3) Proteins are composed of only one type of amino acid
- (4) In cyclic structure of fructose, there are four carbons and one oxygen atom



which statement is incorrect about peptide bond : -

- (1) C-N bond length in proteins is longer than usual bond length of N-bond
- (2) Spectroscopic analysis show planar structure of  $\overset{\text{O}}{\parallel}{\text{C}}-\text{NH}$  - group
- (3) C-N bond length in proteins is smaller than usual bond length of C-N bond
- (4) None of above

**Q.66** In steam distillation of toluene, the pressure of toluene in vapour is : -

- (1) Equal pressure of barometer
- (2) Less than pressure of barometer
- (3) Equal to vapour pressure to toluene in simple distillation
- (4) More than vapour pressure of toluene in simple distillation

**Q.67** A compound of molecular formula is  $\text{C}_7\text{H}_{16}$  shows optical isomerism, compound will be

- (1) 2, 3-dimethyl pentane
- (2) 2, 2-dimethyl butane
- (3) 2-methyl hexane
- (4) None of the above

**Q.68** Change in enthalpy for reaction



If heat of formation of  $\text{H}_2\text{O}_2(\ell)$  and  $\text{H}_2\text{O}(\ell)$  are  $-188$  &  $-286$  KJ/mol respectively : -

- (1)  $-196$  KJ/mol
- (2)  $+196$  KJ/mol
- (3)  $+948$  KJ/mol
- (4)  $-948$  KJ/mol

**Q.69** When 1 mol gas is heated at constant volume temp. is raised from 298 to 308 K. Heat supplied to the gas is 500 J. Then which statement is correct :-

- (1)  $q = w = 500 \text{ J}$ ,  $\Delta U = 0$
- (2)  $q = \Delta U = 500 \text{ J}$ ,  $w = 0$
- (3)  $q = w = 500 \text{ J}$ ,  $\Delta U = 0$
- (4)  $\Delta U = 0$ ,  $q = w = -500 \text{ J}$

**Q.70** Enthalpy of  $\text{CH}_4 + \frac{1}{2} \text{O}_2 \rightarrow \text{CH}_3\text{OH}$  is negative.

If enthalpy of combustion of  $\text{CH}_4$  and  $\text{CH}_3\text{OH}$  and x and y respectively. Then which relation is correct :-

- (1)  $x > y$  (2)  $x < y$  (3)  $x = y$  (4)  $x \geq y$

**Q.71** For the reaction  $2\text{N}_2\text{O}_5 \rightarrow 4\text{NO}_2 + \text{O}_2$  rate and rate constant are  $1.02 \times 10^{-4}$  and  $3.4 \times 10^{-5} \text{ sec}^{-1}$  respectively. Then conc. of  $\text{N}_2\text{O}_5$  at that time will be :-

- (1) 1.732 (2) 3
- (3)  $1.02 \times 10^{-4}$  (4)  $3.4 \times 10^5$

**Q.72** A human body required the 0.01 Curie activity of radioactive substance after 24 hours. Half life of radioactive is 6 hours. Then max. activity of radioactive substance that can be injected will be :-

- (1) 0.08 (2) 0.04 (3) 0.16 (4) 0.32

**Q.73** When a bio chemical reaction is carried out in laboratory outside the human body in the absence of enzyme, then the rate of reaction obtained is  $10^{-6}$  times, than activation energy of reaction in the presence of enzyme is :-

- (1)  $\frac{6}{RT}$
- (2) P is required
- (3) Different from,  $E_a$  obtained in laboratory
- (4) Can't say any things

**Q.74** Molarity of liquid HCl if density of liq. HCl is 1.17 gm/cc :-

- (1) 36.5 (2) 18.25 (3) 32.05 (4) 42.10

**Q.75** Percentage of Se in peroxidase anhydrous enzyme is 0.5% by weight (at. wt = 78.4) then minimum molecular weight of peroxidase anhydrous enzymes is :-

- (1)  $1.568 \times 10^4$  (2)  $1.568 \times 10^3$
- (3) 15.68 (4)  $2.136 \times 10^4$

**Q.76** Sp. vol. of cylindrical virus particle is  $6.02 \times 10^{-2} \text{ cc/gm}$ . Whose radius and length are 7 Å & 10 Å respectively. If  $N_A = 6.02 \times 10^{23}$ . Find mol. wt. of virus :-

- (1) 1.54 kg/mol.
- (2)  $1.54 \times 10^4 \text{ kg/mol}$ .
- (3)  $3.08 \times 10^4 \text{ kg/mol}$ .
- (4)  $3.08 \times 10^3 \text{ kg/mol}$ .

**Q.77** Pure water can be obtain from sea water by

- (1) Centrifugation (2) Plasmolysis
- (3) Reverse osmosis (4) Sedimentation

**Q.78** Stand electrode potential are



If  $\text{Fe}^{+2}$ ,  $\text{Fe}^{+3}$  and Fe block re kept together, then :-

- (1)  $\text{Fe}^{+3}$  increases
- (2)  $\text{Fe}^{+3}$  decreases

- (3)  $\frac{\text{Fe}^{+2}}{\text{Fe}^{+3}}$  remains unchanged

- (4)  $\text{Fe}^{+2}$  decreases

**Q.79** Which is not correct regarding the adsorption of a gas on surface of solid :-

- (1) On increasing temp. adsorption increase continuously
- (2) Enthalpy & entropy change is - Ve
- (3) Adsorption is more for some specific substance
- (4) Reversible

**Q.80**  $\text{PbO}_2 \rightarrow \text{PbO} \quad \Delta G_{298} < 0$

$\text{SnO}_2 \rightarrow \text{SnO} \quad \Delta G_{298} > 0$

Most probable oxidation state of Pb & Sn will be :-

- (1)  $\text{Pb}^{+4}$ ,  $\text{Sn}^{+2}$  (2)  $\text{Pb}^{+4}$ ,  $\text{Sn}^{+2}$
- (3)  $\text{Pb}^{+2}$ ,  $\text{Sn}^{+2}$  (4)  $\text{Pb}^{+2}$ ,  $\text{Sn}^{+4}$

**Q.81** Which of the following two species in the pair are isostructural :-

- (1)  $\text{XeF}_2$ ,  $\text{IF}_2^-$  (2)  $\text{NH}_3$ ,  $\text{BF}_3$
- (3)  $\text{CO}_3^{2-}$ ,  $\text{SO}_3^{2-}$  (4)  $\text{PCl}_5$ ,  $\text{ICl}_5$

**Q.82** In which of the following bond angle is maximum :-

- (1)  $\text{NH}_3$  (2)  $\text{NH}_4^+$
- (3)  $\text{PCl}_3$  (4)  $\text{SCl}_2$

- Q.83** Which of the following statement is not correct
- (1)  $\text{La}(\text{OH})_3$  is less basic than  $\text{Lu}(\text{OH})_3$
  - (2) In Lanthanide series ionic radius of  $\text{Ln}^{+3}$  ions decreases
  - (3) La is actually an element of transition series rather Lanthanide
  - (4) Atomic radius of Zr and Hf are same because of Lanthanide contraction
- Q.84** Correct order of 1<sup>st</sup> IP among following elements Be, B, C, N, O is : -
- (1)  $\text{B} < \text{Be} < \text{C} < \text{O} < \text{N}$
  - (2)  $\text{B} < \text{Be} < \text{C} < \text{N} < \text{O}$
  - (3)  $\text{Be} < \text{B} < \text{C} < \text{N} < \text{O}$
  - (4)  $\text{Be} < \text{B} < \text{C} < \text{O} < \text{N}$
- Q.85** Which of the following will give maximum number of isomers : -
- (1)  $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]$
  - (2)  $[\text{Ni}(\text{en})(\text{NH}_3)_4]^{+2}$
  - (3)  $[\text{Ni}(\text{C}_2\text{O}_4)(\text{en})_2]^{-2}$
  - (4)  $[\text{Cr}(\text{SCN})_2(\text{NH}_3)_4]^+$
- Q.86** Coordination number of Ni in  $[(\text{C}_2\text{O}_4)_3]^{-4}$  is
- (1) 3
  - (2) 6
  - (3) 4
  - (4) 2
- Q.87** Which of following organometallic compound is  $\sigma$  and  $\pi$  bonded : -
- (1)  $[\text{Fe}(\eta^5 - \text{C}_5\text{H}_5)_2]$
  - (2)  $\text{K}[\text{PtCl}_3(\eta^2 - \text{C}_2\text{H}_4)]$
  - (3)  $[\text{Co}(\text{CO})_5\text{NH}_3]^{+2}$
  - (4)  $\text{Fe}(\text{CH}_3)_3$
- Q.88** Which statement is incorrect : -
- (1)  $\text{Ni}(\text{CO})_4$  - Tetrahedral, paramagnetic
  - (2)  $\text{Ni}(\text{CN})_4^{2-}$  - Square planar, diamagnetic
  - (3)  $\text{Ni}(\text{CO})_4$  - Tetrahedral, diamagnetic
  - (4)  $[\text{Ni}(\text{Cl})_4]^{-2}$  - Tetrahedral, paramagnetic
- Q.89** In  $\text{X}-\text{H} \cdots \text{Y}$ , X and Y both are electronegative elements : -
- (1) Electro density on X will increase and on H will decrease
  - (2) In both electron density will increase
  - (3) In both electron density will decrease
  - (4) On X electron density will decrease and on H increases

- Q.90** Main axis of a diatomic molecule is z, molecular orbital  $p_x$  and  $p_y$  overlaps to form, which of the following orbital : -
- (1)  $\pi$  molecular orbital
  - (2)  $\sigma$  molecular orbital
  - (3)  $\delta$  molecular orbital
  - (4) No bond will form
- Q.91** Which of the following will exhibit maximum ionic conductivity : -
- (1)  $\text{K}_4[\text{Fe}(\text{CN})_6]$
  - (2)  $[\text{Co}(\text{NH}_3)_6]\text{Cl}_3$
  - (3)  $[\text{Cu}(\text{NH}_3)_4]\text{Cl}_2$
  - (4)  $[\text{Ni}(\text{CO})_4]$
- Q.92** The following quantum no's are possible for how many orbital  $n = 3, \ell = 2, m = +2$
- (1) 1
  - (2) 2
  - (3) 3
  - (4) 4
- Q.93** In  $\text{HS}^-$ ,  $\text{I}^-$ ,  $\text{R}-\text{NH}_2$ ,  $\text{NH}_3$  order of proton excepting tendency will be :-
- (1)  $\text{I}^- > \text{NH}_3 > \text{R}-\text{NH}_2 > \text{HS}^-$
  - (2)  $\text{NH}_3 > \text{R}-\text{NH}_2 > \text{HS}^- > \text{I}^-$
  - (3)  $\text{RNH}_2 > \text{NH}_3 > \text{HS}^- > \text{I}^-$
  - (4)  $\text{HS}^- > \text{RNH}_2 > \text{NH}_3 > \text{I}^-$
- Q.94** The Beans are cooked earlier in pressure cooker, because : -
- (1) B.P. increase with increasing pressure
  - (2) B.P. decrease with increasing pressure
  - (3) Extra pressure of pressure cooker, softens the beans
  - (4) Internal energy is not lost while cooking is pressure cooker
- Q.95** The most convenient method to protect the bottom of ship made of iron is : -
- (1) Coating it with Red lead oxide
  - (2) White tin plating
  - (3) Connecting it with Mg block
  - (4) Connecting it with Pb block
- Q.96** Zn convert it's melted state to its solid state, it has HCP structure, then find out nearest no. of nearest atom : -
- (1) 6
  - (2) 8
  - (3) 12
  - (4) 4
- Q.97** Nitrogen form  $\text{N}_2$ , but phosphorous form  $\text{P}_2$ , it's at a time convert in  $\text{P}_4$ , reason is : -
- (1) Triple bond present between phosphorous atom
  - (2)  $p_\pi - p_\pi$  bonding is weak
  - (3)  $p_\pi - p_\pi$  bonding is strong
  - (4) Multiple bond form easily

- Q.98** Ionisation constant of  $\text{CH}_3\text{COOH}$  is  $1.7 \times 10^{-5}$  and concentration of  $\text{H}^+$  ions is  $3.4 \times 10^{-4}$ . Then find out initial concentration of  $\text{CH}_3\text{COOH}$  molecules : -  
 (1)  $3.4 \times 10^{-4}$  (2)  $3.4 \times 10^{-3}$   
 (3)  $6.8 \times 10^{-4}$  (4)  $6.8 \times 10^{-3}$
- Q.99** Solubility of a  $\text{M}_2\text{S}$  salt is  $3.5 \times 10^{-6}$  then find out solubility product : -  
 (1)  $1.7 \times 10^{-6}$  (2)  $1.7 \times 10^{-16}$   
 (3)  $1.7 \times 10^{-18}$  (4)  $1.7 \times 10^{-12}$
- Q.100** If a  ${}^b_a\text{X}$  species emits firstly a positron, then two  $\alpha$  and two  $\beta$  and at last one  $\alpha$  is also after initially it finally converts into stable  ${}^c_d\text{Y}$  species so correct relation will be : -  
 (1)  $c = b - 12$ ,  $d = a - 5$   
 (2)  $a = c - 8$ ,  $d = b - 1$   
 (3)  $a = c - 6$ ,  $d = b - 0$   
 (4)  $a = c - 4$ ,  $a = b - 2$
- Q.101** Independent assortment of genes does not take place when : -  
 (1) Genes are located on homologous chromosomes  
 (2) Genes are linked and located on same chromosome  
 (3) Genes are located on non-homologous chromosome  
 (4) All the above
- Q.102** What is true for monoclonal antibodies : -  
 (1) These antibodies obtained from one parent and for one antigen  
 (2) These obtained from different parents and for one antigen  
 (3) These obtained from one parent and for many antigens  
 (4) These obtained from many parents and for many antigen
- Q.103** In Negative operon : -  
 (1) Inducer binds with repressor  
 (2) Co-repressor does not bind with repressor  
 (3) Corepressor binds with inducer  
 (4) CAMP have negative effect on lac operon
- Q.104** What is true for plasmid : -  
 (1) Plasmids are widely used in gene transfer  
 (2) These are found in virus  
 (3) Plasmid contain gene for vital activities  
 (4) These are main part of chromosome
- Q.105** Mendel obtained wrinkled seeds in pea due to deposition of sugars instead of starch. It was due to which enzyme : -  
 (1) Amylase  
 (2) Invertase  
 (3) Diastase  
 (4) Absence of starch branching enzyme
- Q.106** Before the European invader which vegetable was absent in India : -  
 (1) Potato and Tomato  
 (2) Simla mirch and Brinjal  
 (3) Maize and chichinda  
 (4) Bitter gourd
- Q.107** Which of the following is true pair of biofertilizers : -  
 (1) Azolla and BGA  
 (2) Nostoc and legume  
 (3) Rhizobium and grasses  
 (4) Salmonella & E. Coli
- Q.108** Ratio of complementary genes is : -  
 (1) 9 : 3 : 4 (2) 12 : 3 : 1  
 (3) 9 : 3 : 3 : 4 (4) 9 : 7
- Q.109** When dominant and recessive alleles express itself together it is called : -  
 (1) Co-dominance  
 (2) Dominance  
 (3) Amphidominance  
 (4) Pseudo dominance
- Q.110** A and B genes are linked. What shall be genotype of progeny in a cross between AB/ab and ab/ab : -  
 (1) AAbb and aabb (2) AaBb and aabb  
 (3) AABb and aabb (4) None
- Q.111** Which statement correct about centre of origin of plant : -  
 (1) More diversity in improved variety  
 (2) Frequency of dominant gene is more  
 (3) Climatic condition more favourable  
 (4) None



**Q.112** Probability of four son to a couple is : -

- (1)  $\frac{1}{4}$       (2)  $\frac{1}{8}$       (3)  $\frac{1}{16}$       (4)  $\frac{1}{32}$

**Q.113** Two nonallelic genes produces the new phenotype when present together but fail to do so independently then it is called : -

- (1) Epistasis  
(2) Polygene  
(3) Non complimentry gene  
(4) Complimentry gene

**Q.114** Which of the following cut the DNA from specific places : -

- (1) Restriction endonuclease (EcoRI)  
(2) Ligase  
(3) Exonuclease  
(4) Alkaline phosphatase

**Q.115** Tetradynamous conditions occur in : -

- (1) Cruciferae      (2) Malvaceae  
(3) Solanaceae      (4) Liliaceae

**Q.116** Which is correct pair for edible part : -

- (1) Tomato – Thalamus  
(2) Maize - Cotyledons  
(3) Guava - Mesocarp  
(4) Date palm - Pericarp

**Q.117** Bicarpellary gynoecium and oblique ovary occurs in : -

- (1) Mustard      (2) Banana  
(3) Pisum      (4) Brinjal

**Q.118** Edible part of Banana : -

- (1) Epicarp  
(2) Mesocarp and less developed endocarp  
(3) Endocarp and less developed mesocarp  
(4) Epicarp & mesocarp

**Q.119** In *Hydra*, waste material of food digestion and nitrogenous waste material removed from : -

- (1) Mouth and mouth  
(2) Body wall and body wall  
(3) Mouth and body wall  
(4) Mouth and tentacles

**Q.120** In which of the following animal post anal tail is found

- (1) Earthworm      (2) Lower invertebrate  
(3) Scorpion      (4) Snake

**Q.121** In which of the following haemocyanin pigment is found : -

- (1) Annelida      (2) Echinodermata  
(3) Insecta      (4) Lower chordata

**Q.122** Anemophily type of pollination is found in

- (1) Salvia      (2) Bottle brush  
(3) Vallisneria      (4) Coconut

**Q.123** What is the eye of potato : -

- (1) Axillary bud      (2) Accessory bud  
(3) Adventitious bud      (4) Apical bud

**Q.124** Due to discovery of which of the following in 1980, the evolution was termed as RNA world :

- (1) m-RNA, t-RNA- r-RNA synthesise proteins  
(2) In some virus RNA is genetic material  
(3) RNA have enzymatic property  
(4) RNA is not found in all cells

**Q.125** Which pair is wrong : -

- (1) C<sub>3</sub> – Maize  
(2) C<sub>4</sub> – Kranz anatomy  
(3) Calvin cycle - PGA  
(4) Hatch and Slake cycle – O.A.A.

**Q.126** Which breaks dormancy of potato tuber : -

- (1) Gibberellin      (2) IAA  
(3) ABA      (4) Zeatin

**Q.127** Hormone responsible for senescence : -

- (1) ABA      (2) Auxin  
(3) GA      (4) Cytokinin

**Q.128** Which of the following prevents the fall of fruits : -

- (1) GA<sub>3</sub>      (2) NAA  
(3) Eethylene      (4) Zeatin

**Q.129** Loading of phloem is related to : -

- (1) Increase of sugar in phloem  
(2) Elongation of phloem cell  
(3) Separation of phloem parenchyma  
(4) Strengthening of phloem fiber

**Q.130** Which pigment system inactivated in red drop : -

- (1) PS-I and P.S-II      (2) PS – I  
(3) PS – II      (4) None

**Q.131** Which plant is LDP : -

- (1) Tobacco      (2) Glycine max  
(3) *Mirabilis jalapa*      (4) Spinach

- Q.132** What is true for photolithotrops : -  
 (1) Obtain energy from radiations and hydrogen from organic compounds  
 (2) Obtain energy from radiations and hydrogen from inorganic compounds  
 (3) Obtain energy from organic compounds  
 (4) Obtain energy from inorganic compounds
- Q.133** In which of the following plant sunken stomata are found : -  
 (1) Nerium (2) Hydrilla  
 (3) Mango (4) Guava
- Q.134** What is the best pH of the soil for cultivation of plants : -  
 (1) 3.4 – 5.4 (2) 6.5 – 7.5  
 (3) 4.5 – 8.5 (4) 5.5 – 6.5
- Q.135** Which fish selectively feed on larva of mosquito : -  
 (1) Gambusia (2) Rohu  
 (3) Clarias (4) Exocoetus
- Q.136** Which one of the following is correct match  
 (1) Reserpine – Tranquilliser  
 (2) Cocaine – opiate narcotic  
 (3) Morphine – Hallucinogenic  
 (4) Bhang – Analgesic
- Q.137** What is B.O.D. : -  
 (1) The amount of O<sub>2</sub> utilised by organisms in water  
 (2) The amount of O<sub>2</sub> utilized by micro organisms for decomposition  
 (3) The total amount of O<sub>2</sub> present in water  
 (4) All of the above
- Q.138** In grasses what happens in micro spore mother cell for the formation of mature pollen grains : -  
 (1) One meiotic and two mitotic divisions  
 (2) One meiotic & one mitotic divisions  
 (3) One meiotic division  
 (4) One mitotic division
- Q.139** What is the intensity of sound in normal conversation : -  
 (1) 10 – 20 decibal (2) 30 – 60 decibal  
 (3) 70 – 90 decibal (4) 120 – 150 decibal
- Q.140** Adventive embryony in citrus is due to : -  
 (1) Nucellus (2) Integuments  
 (3) Zygotic embryo (4) Fertilized egg

- Q.141** L.S.D. is : -  
 (1) Hallucinogenic (2) Sedative  
 (3) Stimulant (4) Tranquilliser
- Q.142** Which set is similar : -  
 (1) Corpus luteum – graffian follicles  
 (2) Sebum-sweat  
 (3) Bundle of his – Pace macker  
 (4) Vita B<sub>7</sub> - Niacin
- Q.143** Salmonella is related with : -  
 (1) Typhoid (2) Polio  
 (3) T.B. (4) Tetanus
- Q.144** Difference in gram ⊕ and gram ⊖ bacteria is due to -  
 (1) Cell wall (2) Cell membrane  
 (3) Ribosome (4) Cytoplasm
- Q.145** What is sarcomere : -  
 (1) Part between two H-line  
 (2) Part between two A-line  
 (3) Part between two I-band  
 (4) Part between two Z-line
- Q.146** Which statement is correct for muscle contraction : -  
 (1) Length of H-zone become decrease  
 (2) Length of A-band remains constant  
 (3) Length of I-band become increase  
 (4) Length of two Z-line become increase
- Q.147** Characteristics character of human cornea  
 (1) Secreted by conjunctiva and glandular  
 (2) It has lacrimal gland which secrete tears  
 (3) Blood circulation is absent in cornea  
 (4) In old age it become harden and white layer deposite on it which causes the cataract
- Q.148** Which of the most infectious disease is : -  
 (1) Hepatitis -B (2) AIDS  
 (3) Cough and cold (4) Malaria
- Q.149** Interferons are synthesized in response to  
 (1) Mycoplasma (2) Bacteria  
 (3) Viruses (4) Fungi
- Q.150** Cauliflower mosaic virus contains : -  
 (1) ss RNA (2) ds RNA  
 (3) ds DNA (4) ss DNA
- Q.151** Reason of lung cancer : -  
 (1) Coal mining (2) Calcium fluoride  
 (3) Cement factory (4) Bauxite mining

- Q.152** When water moves through a semipermeable membrane then which of the following pressure develops : -  
 (1) O.P. (2) S.P. (3) T.P. (4) W.P.
- Q.153** Proteinaceous pigment which control the activities concerned with light : -  
 (1) Phytochrome (2) Chlorophyll  
 (3) Anthocyanin (4) Carotenoids
- Q.154** Glycolate induces opening of stomata in : -  
 (1) Presence of oxygen (2) Low CO<sub>2</sub> conc.  
 (3) High CO<sub>2</sub> (4) CO<sub>2</sub> absent
- Q.155** Enzyme first used for nitrogen fixation : -  
 (1) Nitrogenase (2) Nitroreductase  
 (3) Transferase (4) Transaminase
- Q.156** Maximum number of bases in plasmids discovered so far : -  
 (1) 50 kilo base (2) 500 kilo base  
 (3) 5000 kilo base (4) 5 kilo base
- Q.157** Passive absorption of minerals depend on  
 (1) Temperature  
 (2) Temperature and metabolic inhibitor  
 (3) Metabolic inhibitor  
 (4) Humidity
- Q.158** Half life period of C<sup>14</sup> is : -  
 (1) 500 years (2) 5000 years  
 (3) 50 years (4)  $5 \times 10^4$  years
- Q.159** Which one correctly matched : -  
 (1) Vit. E – Tocoferole  
 (2) Vit. D – Riboflavin  
 (3) Vit. B – Calciferole  
 (4) Vit. A – Thiamine
- Q.160** *E. Coli* about to replicate was placed in a medium containing radio active thymidine for five minutes. Then it was made to replicate in a normal medium. Which of the following observation shall be correct : -  
 (1) Both the strands of DNA will be radio active  
 (2) One strand radio active  
 (3) Each strand half radio active  
 (4) None is radio active
- Q.161** Most abundant organic compound on earth is  
 (1) Protein (2) Cellulose  
 (3) Lipids (4) Steroids
- Q.162** Male XX and female XY sometime occur due to  
 (1) Deletion  
 (2) Transfer of segments in X and Y chromosomes  
 (3) Aneuploidy  
 (4) Hormonal imbalance
- Q.163** No. of Bar Body in XXXX female : -  
 (1) 1 (2) 2  
 (3) 3 (4) 4
- Q.164** Types of RNA polymerase required in nucleus for RNA synthesis : -  
 (1) 1 (2) 2  
 (3) 3 (4) 4
- Q.165** What is true for Archaeobacteria : -  
 (1) All Halophiles (2) All photosynthetic  
 (3) All fossils (4) Oldest living beings
- Q.166** Extranuclear inheritance occurs in : -  
 (1) Killer paramaecium  
 (2) Killer Amoeba  
 (3) Euglena  
 (4) Hydra
- Q.167** Extranuclear chromosomes occur in : -  
 (1) Peroxisome, Ribosome  
 (2) Chloroplast and Mitochondria  
 (3) Mitochondria and Ribosome  
 (4) Chloroplast and Lysosome
- Q.168** Spoilage of oil can be detected by which fatty acid : -  
 (1) Oleic acid (2) Linolenic acid  
 (3) Linoleic acid (4) Erusic acid
- Q.169** When we migrate from dark to light, we fail to see for sometimes but after a time visibility becomes normal. It is example of  
 (1) Accomodation  
 (2) Adaptation  
 (3) Mutation  
 (4) Photoperiodism
- Q.170** In plants inulin and pectin are  
 (1) Reserved material  
 (2) Wastes  
 (3) Excretory material  
 (4) Insect attracting material

- Q.171** Gene and cistron words are sometimes used synonymously because : -  
 (1) One cistron contains many genes  
 (2) One gene contains many cistrons  
 (3) One gene contains one cistron  
 (4) One gene contains no cistron
- Q.172** Element necessary for the middle lamella  
 (1) Ca (2) Zn  
 (3) K (4) Cu
- Q.173** *Cycas* have two cotyledons but not included in angiosperms because of : -  
 (1) Naked ovules  
 (2) Seems like monocot  
 (3) Circinate ptyxis  
 (4) Compound leaves
- Q.174** Plant Decomposers are : -  
 (1) Monera and fungi  
 (2) Fungi and plants  
 (3) Protista and Animalia  
 (4) Anibalia and Mogna
- Q.175** What is true for cyano bacteria : -  
 (1) Oxygenic with nitrogenase  
 (2) Oxygenic without nitrogenase  
 (3) Non oxygenic with nitrogenase  
 (4) Non oxygenic without nitrogenase
- Q.176** m-RNA is synthesised on DNA template in which direction : -  
 (1) 5' → 3' (2) 3' → 5'  
 (3) Both (4) Any
- Q.177** Cytochrome is : -  
 (1) Metallo flavo protein  
 (2) Fe containing porphyrin pigment  
 (3) Glycoprotein  
 (4) Lipid
- Q.178** Which of the following less general in characters as compared to genus : -  
 (1) Species (2) Division  
 (3) Class (4) Family
- Q.179** Adhesive pad of fungi penetrate the host with the help of : -  
 (1) Mechanical pressure and enzymes  
 (2) Hooke and suckers  
 (3) Softening by enzymes  
 (4) Only by mechanical pressure
- Q.180** Microtubules absent in : -  
 (1) Mitochondria (2) Flagella  
 (3) Spindle fibres (4) Centriole
- Q.181** Which aquatic fern performs nitrogen fixation : -  
 (1) Azolla (2) Nostoc  
 (3) Salvia (4) Salvinia
- Q.182** Roots of which plant contains a red pigment which have affinity for oxygen : -  
 (1) Carrot (2) Soyabean  
 (3) Mustard (4) Radish
- Q.183** Triticale is obtained by crossing wheat with  
 (1) Oat (2) Barley (3) Maize (4) Rye
- Q.184** At the time of organogenesis genes regulate the process at different levels and at different time due to :  
 (1) Promoter (2) Regulator  
 (3) Intron (4) Exon
- Q.185** A mutant strain of T<sub>4</sub> – Bacteriophage, R-II, fails to lyse the *E-Coli* but when two strains R-II<sup>x</sup> and R-II<sup>y</sup> are mixed then they lyse the *E.Coli*. What may be the possible reason : -  
 (1) Bacteriophage transforms in wild  
 (2) It is not mutated  
 (3) Both strains have similar cistrons  
 (4) Both strains have different cistrons
- Q.186** Reason of diversity in living being : -  
 (1) Mutation  
 (2) Long term evolutionary change  
 (3) Gradual change  
 (4) Short term evolutionary change
- Q.187** Sickle cell anaemia is due to : -  
 (1) Change of Amino Acid in α-chain of Haemoglobin  
 (2) Change of Amino Acid in β-chain of Haemoglobin  
 (3) Change of Amino acid in both α and β chain of Haemoglobin  
 (4) Change of Amino acid either α or β chain of Haemoglobin
- Q.188** Similarities in organism with different genotype indicates : -  
 (1) Microevolution  
 (2) Macroevolution  
 (3) Convergent evolution  
 (4) Divergent evolution

- Q.189** What is correct for Blood group 'O' : -  
(1) No antegens but both a and b antibodies are present  
(2) A antegen and b antibody  
(3) Antigen and Antibody both absent  
(4) A and B antigens and a, b, antibodies
- Q.190** Which of the following is closest relative of man : -  
(1) Chimpanzee (2) Gorilla  
(3) Orangutan (4) Gibbon
- Q.191** Which of the following is correct order of the evolutionary history of man : -  
(1) Peking man, Homo sapiens, Neanderthal man, Cromagnon man  
(2) Peking man, Neanderthal man, Homosapiens Cromagnon man  
(3) Peking man, Hedalberg man, Neanderthal man, Cromagnon man  
(4) Peking man, Neanderthal man, Homosapiens Hedalberg man
- Q.192** Which cells do not form layer and remains structurally seperate : -  
(1) Epithelial cells (2) Muscle cells  
(3) Nerve cells (4) Gland cells
- Q.193** During an injury Nasal septum gets damaged and for it's recovery which cartilage preferred : -  
(1) Elastic cartilage (2) Hyaline cartilage  
(3) Calcified cartilage (4) Fibrous cartilage
- Q.194** First life on earth was : -  
(1) Cyanobacteria  
(2) Chemoheterotrophs  
(3) Autotrophs  
(4) Photoautotrophs
- Q.195** Frequency of an allele in an isolated population may change due to : -  
(1) Genetic drift (2) Gene flow  
(3) Mutation (4) Natural selection
- Q.196** In Lederberg's replica plating experiment what shall be used to obtain streptomycin resistant strain : -  
(1) Minimal medium and streptomycin  
(2) Complete medium and streptomycin  
(3) Only minimal medium  
(4) Only complete medium

- Q.197** Forecomming generations are less adaptive than their parental generation due to : -  
(1) Natural selection (2) Mutation  
(3) Genetic drift (4) Adaptation
- Q.198** During regeneration, modification of an organ to other organ is known as : -  
(1) Morphallagenesis  
(2) Epimorphosis  
(3) Morphallaxis  
(4) Accretionary growth
- Q.199** Occurrence of endemic species in South America and Australia due to : -  
(1) These species have been extinct from other regions  
(2) Continental separation  
(3) There is no terrestrial route to these places  
(4) Retrogressive evolution
- Q.200** Darwin's theory of pangenesis shows similarity with theory of inheritance of acquired characters then what shall be correct according to it : -  
(1) Useful organs become strong and developed while useless organs become extinct. These organs help in struggle for survival  
(2) Size of organs increases with aging  
(3) Development of organs is due to will power  
(4) There should be some physical basis of inheritance