



| | |
|--------------------------|--|
| MATERIAL TYPE | ALUMINUM - 38mm SERIES |
| EXTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| INTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| HARDWARE FINISH | DEFAULT |
| GLAZING | LOW-E W/ARGON INSULATED TEMPERED + TGI BLACK |
| WIND REQUIREMENTS | 120 mph WIND CALCS |

| Item | Tag | Room Loc. | Qty | W&D Description | W (In) | H (In) | W (mm) | H (mm) | SDL | Glass | Screens | Sketch/Elevation |
|---|-------------|----------------|-----|---|--------|--------|--------|--------|-----|-------|---------|---|
| 1 | 1 | BASEMENT STAIR | 1 | 1-PANEL FIXED (MONORAIL) | 33.5 | 124 | 851 | 3150 | NO | TEMP | NONE |  |
| 2 | 109 | STAIR | 1 | 1-PANEL FIXED (MONORAIL) | 33.5 | 83.625 | 851 | 2124 | NO | TEMP | NONE | |
| 3 | 110 | CORRIDOR | 1 | 1-PANEL FIXED (MONORAIL) | 52 | 124 | 1321 | 3150 | NO | TEMP | NONE | |
| 4 | 111 | ES 02 | 1 | 1-PANEL FIXED (MONORAIL) | 28 | 88 | 711 | 2235 | NO | TEMP | NONE | |
| 5 | 118 | DINING RM | 1 | 1-PANEL FIXED (MONORAIL) | 108.5 | 124 | 2756 | 3150 | NO | TEMP | NONE | |
| 6 | 120,123 | BREAKFAST | 2 | 1-PANEL FIXED (MONORAIL) | 57 | 124 | 1448 | 3150 | NO | TEMP | NONE | |
| 7 | 125,126 | MUD RM | 2 | 1-PANEL FIXED (MONORAIL) | 36 | 88 | 914 | 2235 | NO | TEMP | NONE | |
| Notes | | | | | | | | | | | | 1 |
| 8 | 2 | STAFF RM | 1 | 2-PANEL SLIDER XO (BIRAIL) | 94 | 100 | 2388 | 2540 | NO | TEMP | YES |  |
| 9 | 112 | BED 02 | 1 | 2-PANEL SLIDER XO (BIRAIL) | 106 | 124 | 2692 | 3150 | NO | TEMP | YES | |
| 10 | 113 | TERRACE | 1 | 2-PANEL SLIDER XO (BIRAIL) | 106 | 124 | 2692 | 3150 | NO | TEMP | YES | |
| 11 | 117 | DINING RM | 1 | 2-PANEL SLIDER XO (BIRAIL) | 123 | 124 | 3124 | 3150 | NO | TEMP | YES | |
| 12 | 119 | ENTRY | 1 | 2-PANEL SLIDER XO (BIRAIL) | 148 | 124 | 3759 | 3150 | NO | TEMP | YES | |
| 13 | 124 | DEN | 1 | 2-PANEL SLIDER XO (BIRAIL) | 117 | 124 | 2972 | 3150 | NO | TEMP | YES | |
| 14 | 219,221 | STUDY, BED | 2 | 2-PANEL SLIDER XO (BIRAIL) | 122 | 100 | 3099 | 2540 | NO | TEMP | YES | |
| 15 | 224,226 | BED 2, 3 | 2 | 2-PANEL SLIDER XO (BIRAIL) | 122 | 100 | 3099 | 2540 | NO | TEMP | YES | |
| Notes | | | | | | | | | | | | 2 |
| ADD LINE ITEM FOR SLIDING SCREENS ON ALL THESE UNITS | | | | | | | | | | | | |
| 16 | 3 | REC RM | 1 | 5-PANEL SLIDER XXXXO (PENTARAIL) | 340 | 112 | 8636 | 2845 | NO | TEMP | NONE |  |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Notes | | | | | | | | | | | | 3 |
| PRICE THIS UNIT AS A BIRAIL - UPCHARGE | | | | | | | | | | | | |
| 17 | 101,102,102 | ENTRY DOOR | 1 | FIXED/PIVOT/FIXED (BIRAIL) | 148 | 124 | 3759 | 3150 | NO | TEMP | NONE |  |
| | | | | PIVOT DOOR WIDTH IS | 84 | | 2134 | 0 | | | | |
| | | | | FIXED PANELS WIDTH IS | 32 | | 813 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 4 |
| 18 | 103,104,105 | CORRIDOR | 1 | 3-PANEL FIXED (MONORAIL) W/T-PROFILE MULLION & EXTERIOR CAP | 220 | 72.375 | 5588 | 1838 | NO | TEMP | NONE |  |
| 19 | 106,107,108 | CORRIDOR | 1 | 3-PANEL FIXED (MONORAIL) W/T-PROFILE MULLION & EXTERIOR CAP | 220 | 72.375 | 5588 | 1838 | NO | TEMP | NONE | |
| 20 | 205,206,207 | CORRIDOR | 1 | 3-PANEL FIXED (MONORAIL) W/T-PROFILE MULLION & EXTERIOR CAP | 220 | 100 | 5588 | 2540 | NO | TEMP | NONE | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 5 |
| 3-PANEL FIXED (MONORAIL) W/T-PROFILE MULLION & EXTERIOR CAP | | | | | | | | | | | | |
| 21 | 114 | LOUNGE | 1 | 4-PANEL SLIDER XXXO (QUADRAIL) | 241 | 124 | 6121 | 3150 | NO | TEMP | YES |  |
| | | | | ADD LINE ITEM FOR SLIDING SCREEN | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 6 |
| 22 | 115,116 | DINING RM | 1 | 2-PANEL FIXED (BIRAIL) | 123 | 124 | 3124 | 3150 | NO | TEMP | NONE |  |
| 23 | 211,212 | MASTER BED | 1 | 2-PANEL FIXED (BIRAIL) | 90 | 100 | 2286 | 2540 | NO | TEMP | NONE | |
| 24 | 217,218 | MASTER BED | 1 | 2-PANEL FIXED (BIRAIL) | 100 | 100 | 2540 | 2540 | NO | TEMP | NONE | |
| 25 | 222,223 | FAMILY LOUNGE | 1 | 2-PANEL FIXED (BIRAIL) | 148 | 100 | 3759 | 2540 | NO | TEMP | NONE | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 7 |

| | |
|--------------------------|--|
| MATERIAL TYPE | ALUMINUM - 38mm SERIES |
| EXTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| INTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| HARDWARE FINISH | DEFAULT |
| GLAZING | LOW-E W/ARGON INSULATED TEMPERED + TGI BLACK |
| WIND REQUIREMENTS | 120 mph WIND CALCS |

| | | | | | | | | | | | | |
|-------|----------|------------|---|--------------------------|-------|------|------|------|----|------|------|---|
| 27 | 109B,208 | STAIR | 2 | 1-PANEL FIXED (MONORAIL) | 33.5 | 75.5 | 851 | 1918 | NO | TEMP | NONE |  |
| 28 | 209 | CORRIDOR | 1 | 1-PANEL FIXED (MONORAIL) | 52 | 100 | 1321 | 2540 | NO | TEMP | NONE | |
| 29 | 210 | BATH | 1 | 1-PANEL FIXED (MONORAIL) | 20 | 100 | 508 | 2540 | NO | TEMP | NONE | |
| 30 | 213 | SHOWER | 1 | 1-PANEL FIXED (MONORAIL) | 28 | 88 | 711 | 2235 | NO | TEMP | NONE | |
| 31 | 214 | MASTER | 1 | 1-PANEL FIXED (MONORAIL) | 39.75 | 100 | 1010 | 2540 | NO | TEMP | NONE | |
| 32 | 215 | MASTER BED | 1 | 1-PANEL FIXED (MONORAIL) | 61 | 100 | 1549 | 2540 | NO | TEMP | NONE | |
| 33 | 220,225 | BATH | 2 | 1-PANEL FIXED (MONORAIL) | 28 | 100 | 711 | 2540 | NO | TEMP | NONE | |
| 34 | 227 | SHOWER | 1 | 1-PANEL FIXED (MONORAIL) | 28 | 64 | 711 | 1626 | NO | TEMP | NONE | |
| Notes | | | | | | | | | | | | 9 |

| | | | | | | | | | | | | |
|-------|-----------------|---------------|---|------------------------|-----|----|------|------|----|------|------|---|
| 36 | 201,202,203,204 | family lounge | 1 | 4-PANEL FIXED (BIRAIL) | 292 | 76 | 7417 | 1930 | NO | TEMP | NONE |  |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 11 |

| | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|---|---|--|--|--|----|
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 12 |

| | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|---|---|--|--|--|----|
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 13 |

| | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|---|---|--|--|--|----|
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 14 |

| | |
|--------------------------|--|
| MATERIAL TYPE | ALUMINUM - 38mm SERIES |
| EXTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| INTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| HARDWARE FINISH | DEFAULT |
| GLAZING | LOW-E W/ARGON INSULATED TEMPERED + TGI BLACK |
| WIND REQUIREMENTS | 120 mph WIND CALCS |

| Item | Tag | Room Loc. | Qty | W&D Description | W (In) | H (In) | W (mm) | H (mm) | SDL | Glass | Screens | Sketch/Elevation |
|-------|-----|-----------|-----|-----------------|--------|--------|--------|--------|-----|-------|---------|------------------|
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 15 |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 16 |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 17 |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 18 |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 19 |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 20 |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| | | | | | | | 0 | 0 | | | | |
| Notes | | | | | | | | | | | | 21 |

| | |
|--------------------------|--|
| MATERIAL TYPE | ALUMINUM - 38mm SERIES |
| EXTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| INTERIOR FINISH | CLEAR ANODIZED W/UPCHARGE FOR RAL PAINTED FINISH |
| HARDWARE FINISH | DEFAULT |
| GLAZING | LOW-E W/ARGON INSULATED TEMPERED + TGI BLACK |
| WIND REQUIREMENTS | 120 mph WIND CALCS |

