


I learned in tech NEVER ASSUME ANYTHING about a users environment.

So here is a step by step outline of what an install looks like.

Below this outline each step has a page devoted to it with screenshots.

Jump to where appropriate for your environment.

If you need any help feel free to:



AI OS INSTALL INSTRUCTIONS:

1. Download Google Chrome
2. Create Chrome Profile
3. Connect Claude Pro Subscription to the created Google Chrome Profile
4. Add Claude for Chrome Browser Extension
5. Verify Google Drive on Google Chrome
6. Download/Open VSCODE
7. Download AI OS from Github URL and Unzip
8. Add VSCODE Claude Code Extension
9. Open AI OS in VS CODE
10. Use VSCODE to global search/replace config strings THEN Save Changes
11. Download Google Drive Desktop App
12. Inspect Google Drive App
13. Move AI OS folder into Drive
14. Verify Google Drive Desktop App can see AI OS Drive folder
15. Download Claude CoWork
16. Add Claude CoWork Connectors
17. Create new CoWork Project
18. Point CoWork Project to AI OS Drive Folder
19. Add Project Instructions: *see section below for exact copy/paste instructions*
20. OPTIONAL: Add REM Overnight Scheduled Task: *see section below for exact copy/paste instructions*
21. Type "Boot the AI OS in prompt window"
22. Perform first %sync
23. Command Reference
24. Start working with HANK and Quick Tips


GITHUB VERSION TRACKING INSTRUCTIONS:

It can be useful to track how HANK and Meridian make edits to the files within its Google Drive Folder. IF you would like to setup version tracking for your project here is a free way to do so:

1. OPTIONAL: Github Create Profile
2. OPTIONAL: Github Create Repository
3. OPTIONAL: Github Project Configurations
4. OPTIONAL: Connect VSCODE to Github
5. OPTIONAL: VSCODE AIOS GIT Initialize
6. OPTIONAL: VSCODE DIFF VIEW AND COMMIT BASICS

1. Download Google Chrome

<https://www.google.com/chrome/>



The screenshot shows the Google Chrome download page. At the top, there is a navigation bar with the Chrome logo, the word "chrome", and links for "AI Innovations", "Safety", "By Google", "Mobile", and "Extensions". Below the navigation bar, the Chrome logo is displayed again, followed by the headline "The browser that gets more done". A prominent blue button with a download icon and the text "Download Chrome" is highlighted with a red rectangular box. Below this button, it says "For Windows 11/10 64-bit". Underneath the button, there is a link that says "I want to update Chrome". At the bottom, there is a checkbox that is checked, with the text "Help make Google Chrome better by automatically sending usage statistics and crash reports to Google. [Learn more](#)".

chrome AI Innovations Safety By Google Mobile Extensions ↗

The browser that gets more done

 **Download Chrome**


For Windows 11/10 64-bit

[I want to update Chrome](#)

☒ Help make Google Chrome better by automatically sending usage statistics and crash reports to Google. [Learn more](#)


2. Create Chrome Profile

Once the Chrome Profile is created gmail account will be available to click in the top right corner of the Chrome Browser.



3. Connect Claude Pro Subscription to the created Google Chrome Profile

<https://claude.ai/login>







4. Add Claude For Chrome Browser Extension

<https://chromewebstore.google.com/>




Discover Extensions Themes




5. Verify Google Drive on Chrome

<https://drive.google.com/drive/home>



6. Download/Install VS CODE (for correct operating system PC-Windows vs Mac)

<https://code.visualstudio.com/download>



Visual Studio Code Features Docs Release Notes Blog Learn Events Resources

Search Ctrl+Shift+P

Rewatch VS Code Live at MS Build 2026

Download Visual Studio Code

Free and built on open source. AI agents, Git, debugging, and extensions included.



↓ Windows
Windows 10, 11

User Installer [x64](#) [Arm64](#)
System Installer [x64](#) [Arm64](#)
.zip [x64](#) [Arm64](#)
CLI [x64](#) [Arm64](#)



↓ .deb
Debian, Ubuntu

↓ .rpm
Red Hat, Fedora, SUSE

.deb [x64](#) [Arm32](#) [Arm64](#)
.rpm [x64](#) [Arm32](#) [Arm64](#)
.tar.gz [x64](#) [Arm32](#) [Arm64](#)
Snap [Snap Store](#)
CLI [x64](#) [Arm32](#) [Arm64](#)





↓ Mac
macOS 12.0+


.dmg [Intel chip](#) [Apple silicon](#) [Universal](#)
CLI [Intel chip](#) [Apple silicon](#)

8

7. Add VSCODE Claude Chrome Extension





Recommended for Claude Code to work on Python Scripts





Claude Code Extension when installed can be accessed by clicking in two different places.

8. Download AI OS from Github URL and Unzip


<https://github.com/blummichaelrobert/AI-OS-HANK>



9. Open AI OS in VS CODE




If you see “Restricted Mode” Dialog set to “Trust”



10. Use VSCODE to global search/replace config strings THEN Save Changes

Ignore the warning in the screenshot for this step. That warning exists for when the AI OS is RUNNING.



Make sure to “Match Case” and “Replace All”. Those buttons are red boxed in the screenshot above.

YOU ARE “The Prompter” = [the_prompter]

Input at least your first name.

Example: “Michael”

258 instances

Prompters Vocation = [prompter_job]

Give HANK and Meridian context on the work you do.

Example: “AI Consultant”

7 instances

Prompters Mission = [prompter_project_objective].

Give HANK and Meridian context what the purpose of the project is.

Example “To build capable AI systems and educate others on how to use them.”

7 instances

Prompter Timezone = [prompter_timezone]

Give HANK and Meridian context on the work you do.

Example: “America/Los_Angeles”

14 instances

11. Download Google Drive Desktop App

support.google.com/a/users/answer/13022292?hl=en#drive_desktop_install

Google Workspace Learning Center

Describe your issue

On this page

- [Install and open Drive for desktop](#)
- [Open files on your desktop](#)
- [Set up sync](#)

Install and open Drive for desktop


To download Drive for desktop:

DOWNLOAD FOR WINDOWS **DOWNLOAD FOR MAC**

Get started with Drive for Google Workspace


- What you can do with Drive
- Add files and folders to Drive
- Share files and folders in Drive
- Install Drive for desktop

Once installed you should see a G: Drive. This is a local folder that mirrors and syncs to your cloud folder.




12. Inspect Google Drive Desktop App

The Google Drive Desktop App can switch between up to four profiles:




The Google Drive Profile used to LOGIN and pay for ANTHROPIC compute DOES NOT have to be the SAME Google Drive Profile the AI OS is stored.

This is useful IF you would like to separate your PERSONAL Google Drive profile data from any AI assistance.




13. Move AI OS folder into Drive

Screenshot shows dropping into Google Drive Chrome Window:



14. Verify Google Drive Desktop App can see AI OS Drive folder



15. Download Claude CoWork

<https://claude.com/product/cowork>

The screenshot shows the Claude CoWork product page. The browser address bar displays 'claude.com/product/cowork'. The page header includes the Claude logo and navigation links: 'Meet Claude', 'Platform', 'Solutions', 'Pricing', 'Resources', 'Login', 'Contact sales', and a 'Try C' button. Below the header, the breadcrumb 'Product / Claude Cowork' is visible. The main content area features the title 'Claude Cowork' and the headline 'The work behind your best work'. A sub-headline reads: 'Claude Cowork completes tasks you can steer from anywhere. Give it a goal, and it works across your files and tools. You come back to polished work for your review.' Below this, three buttons are highlighted with a red box: 'Download for Windows', 'Windows (arm64)', and 'Talk to sales'.




The screenshot shows the 'Claude for Windows' download page. It features the Claude logo and the text 'Claude for Windows' and 'The fastest way to talk with Claude'. At the bottom, a 'Get started' button is highlighted with a red box.

The screenshot shows the 'Sign In' page. It has a 'Continue with Google' button highlighted with a red box. Below it is an 'OR' separator, followed by an 'Enter your email' input field and a 'Continue with email' button. A small disclaimer at the bottom states: 'By continuing, you acknowledge Anthropic's Privacy Policy and agree to get occasional promotional emails and notifications.'



The screenshot shows a Google sign-in confirmation dialog. It has the title 'Sign in with Google' and the Claude logo. The main text reads: 'You're signing back in to Claude'. Below this is a dropdown menu showing the email 'blum.michaelrobert@gmail.com'. To the right, there is a link to 'Review Claude's Privacy Policy and Terms of Service' and a note about making changes to the Google Account. At the bottom, there are 'Cancel' and 'Continue' buttons, with the 'Continue' button highlighted by a red box.

16. Add Claude CoWork Connectors




1. Google Drive (minimal connector required)
2. Google Gmail
3. Google Calendar
4. Canva
5. Figma
6. Notion
7. Microsoft 365
8. Atlassian Rovo
9. Slack
10. Hubspot



17. Create New CoWork Project



18. Point CoWork Project to AI OS Drive Folder





19. Add Project Instructions

"

Read "ROOT/pi.md" for this project's identity and instructions. Read all core files listed and then HANK and Meridian should check in. !!Every "Script Protocol, "Eye-Relief Formatting", "The Emotion Dictionary" rule MUST BE FOLLOWED IN EVERY SESSION TURN!!

"




20. OPTIONAL: Add REM Overnight Scheduled Task

“

1. Read pi.md and follow the instructions described in that file.
2. After the core files are read read "REM.md" and "meridian_memory.md"
3. Meridian performs memory sweeps as described in the REM.md file.

”



Create scheduled task

Name *

Will be saved as "weeknight-rem"

Description *

Instructions *

1. Read pi.md and follow the instructions described in that file.
2. After the core files are read read "REM.md" and "meridian_memory.md"
3. Meridian performs memory sweeps as described in the REM.md file.

Project or folder

Permissions

Model

Frequency

Run on your computer

Only runs while your computer is on. Use this if the task needs access to local files or desktop extensions. ☒

Scheduled tasks use a randomized delay of several minutes for server performance.

Cancel Save

These are the recommended configurations.

Any Description is fine, here is a sentence that can be copy/pasted:

“

Meridian performs sweeps to keep the environment clean of bloat.

”



21. First HANK Engagement

Type in the prompt widow aka “Command Bar”:

”

Boot the AI OS. HANK, Meridian, introduce yourself. Explain my role as the president and the rank hierarchy this project employs. Use a %summary style response.

”




22. Perform First %sync

The project tracks state with a file called `manifest.md` at the project ROOT folder.

This file allows HANK to **find files in the project quickly and token cheaply**.

HANK should suggest a **%sync** by default but it is important to keep in mind why the command was created.

This screen shot shows use of the ">>" syntax, %sync and %shipit commands explained below.



23. Command Reference

| Command | Action |

| **`%` prefix** | Any **`%`** command is an operator action for HANK to execute. |

| **`%archive`** | Self-authorizing full-block write to the monthly archive + one `archive_manifest.md` row. |

| **`%compose`** | Propose an on-the-fly Captain pipeline; execute on `%shipit`, Meridian gating each step. |

| **`%hold`** | The Prompter raises one or more concerns; HANK + Meridian review and the team iterates toward a `%shipit` gate. |

| **`%logit`** | Crystallize a session insight into `cos_memory.md`, date-stamped `(added: YYYY-MM-DD)``. |

| **`%observe`** | OODA step 1 — HANK + Meridian gather real-time situational data. Responses are started with "Observations:". |

| **`%orient`** | OODA step 2 — HANK + Meridian interpret that data through mental models. Responses are started with "Orientation to the current situation:". |

| **`%peggy`** | Hand an already-reasoned outward communication to Peggy: read `ps_peggy_winters.md` if not in context; respond as ****PEGGY:****. |

| **`%recall`** | Targeted memory retrieval across `cos_memory.md`, then `archive_manifest.md` → matching archive file, then recent sessions. |

| **`%REM`** | Read `REM.md` for context. |

| **`%sched`** | Set a dormant, time-gated reminder that surfaces on the nightly `%REM`` sweep. |

| **`%shipit`** | The Prompter's zero-ambiguity approval to write, edit, or fire. Nothing is written without it. |

| **`%sync`** | Update `manifest.md` against a specified folder (ask which if unspecified). |

| **`%todo`** | Add an item to the TODO LIST in `cos_memory.md` with a priority number + `(added: YYYY-MM-DD)``. |

| **`%todorm [item # or keyword]`** | Find the matching TODO LIST item in `cos_memory.md`, remove it, and re-number the list. |

| **`%brief`** | ****RULE:**** 1-2 concise sentences for HANK and Meridian responses to the Response Pane. This is HANK's default response type. |

| **`%summary`** | ****RULE:**** 3-5 concise sentences for HANK and Meridian responses to the Response Pane. Eye-Relief Formatting is used to construct responses. |

| **`%detailed`** | ****RULE:**** HANK and Meridian responses are comprehensive deep analysis explanations with clear bold headers, bullet points (or tables), examples and step-by-step logic output to the Response Pane. Eye-Relief Formatting is used to construct responses. |

| **`%overwatch`** | Before a complex task, HANK + Meridian (and any projected persona) show individual + collaborative reasoning steps via "Script Protocol", for troubleshooting / efficiency monitoring. |

24. Start Working With HANK and Quick Tips

HANK was created to help with 4 main problems large AI projects face, what HANK refers to as

"The Complexity Wall":

1. Black-box Failures
2. Context Drift and Bloat
3. Knowledge Degradation
4. State and Transition Chaos

Working with HANK is meant to flow into a **%shipit** command. (*Ask HANK what this means.*)

%brief. This is the default *response style* but at times HANK needs to be reminded.

Command Intent Syntax:

`>>`

This represents **will(authority)** moving down the chain, meaning the AI OS user addressing HANK and giving him a command:

For example: *HANK >> approved to write the document to your output folder. %shipit.*

Hank and Meridian can be addressed at once using *"HM >>", "CNS >> ", "team >>"*.

(CNS stands for Central Nervous System).

For example: *HM >> add a %sched a weekly reminder for me to pull cold hubspot contacts.*

Recommended Commands To Learn First:

%shipit | All personas only write or fire agentic work behind this typed gate BY DESIGN.

For example: *"HANK >> approved to run the digital marketing outreach battle plan %shipit.*

%sync | Ask HANK to %sync a folder to keep the project state current. He should do this by default but it is important enough to mention.

For example: *"HANK >> approved to %sync the newly added folder. %shipit*

%hold | HANK and Meridian can be eager to help, at times it is important to reason with them before any agentic work is fired.

For example: *CNS >> %hold >> before any writes I happen I want to make sure we are clear on ...*

%orient | Use when you have an idea but are not clear with it.

For example: *HM >> For example: HM >> I have an "arm" to build and %observe [your_idea]. %orient to my idea and provide a %summary style response*

Following these steps allows the AI OS user project to be ***backed up and version controlled*** in Github.


THEREFORE any unwanted changes can be ***rolled-back***.

NOTE: each line in the PROJECT ROOT/.gitignore file prevents changes from being tracked.


1. OPTIONAL: Github Create Profile

<https://github.com/>

Github is free and a powerful version control solution.



2. OPTIONAL: Github Create Repository



3. OPTIONAL: Github Project Configurations

*Make sure to make Repository **Private**.*

*IF set to **Public**, the internet will be able to view any personal information that is pushed to this repository.*

The image shows two screenshots from the GitHub interface. The top screenshot is the 'Create a new repository' form. It has two tabs: 'General' and 'Configuration'. In the 'General' tab, the 'Repository name' is 'AI-OS-HANK' and the 'Owner' is 'michael-r-blum-ai'. The 'Description' is 'Forked Personal Version of AI OS HANK'. In the 'Configuration' tab, the 'Choose visibility' dropdown is set to 'Private', which is highlighted with a red box. Below this, there are sections for 'Add README', 'Add .gitignore', and 'Add license', each with a dropdown menu. At the bottom of the 'Configuration' tab, the 'Create repository' button is highlighted with a red box. The bottom screenshot shows the repository page for 'AI-OS-HANK' under the user 'michael-r-blum-ai'. The repository is marked as 'Private'. Below the repository name, there are buttons for 'Watch', 'Fork', and 'Star'. At the bottom of the page, there is a 'Quick setup' section with a 'Set up in Desktop' button, an 'or' separator, and 'HTTPS' and 'SSH' buttons. The 'SSH' button is highlighted with a red box.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner * michael-r-blum-ai / Repository name * AI-OS-HANK
✓ AI-OS-HANK is available.

Great repository names are short and memorable. How about [reimagined-guacamole?](#)

Description
Forked Personal Version of AI OS HANK.
38 / 350 characters

2 Configuration

Choose visibility * Private
Choose who can see and commit to this repository

Add README
READMEs can be used as longer descriptions. [About READMEs](#) Off

Add .gitignore
.gitignore tells git which files not to track. [About ignoring files](#) No .gitignore

Add license
Licenses explain how others can use your code. [About licenses](#) No license

Create repository

michael-r-blum-ai / AI-OS-HANK

<> Code Issues Pull requests Agents Actions Projects Security and quality Insights Settings

AI-OS-HANK Private Watch 0 Fork 0 Star 0





Start coding with Codespaces
Add a README file and start coding in a secure, configurable, and dedicated development environment.
[Create a codespace](#)

Add collaborators to this repository
Search for people using their GitHub username or email address.
[Invite collaborators](#)


Quick setup — if you've done this kind of thing before
[Set up in Desktop](#) or [HTTPS](#) [SSH](#) <https://github.com/michael-r-blum-ai/AI-OS-HANK.git>
Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

Clicking the “Save to Clipboard” button on the bottom right of the screen shot saves the url that will be used in step 5. “VSCODE Initialize”.

4. OPTIONAL: Connect VSCode to Github Profile



5. OPTIONAL: VSCODE AIOS GIT Initialize




Source Control panel


(Ctrl+Shift+G) → click

"Initialize Repository"


(folder has no .git, VS Code offers this automatically) – 1 click.




"..." menu → **Remote** → **Add Remote...** → paste
[saved on clipboard from step 3] → name it *origin*.




5. CONTINUED :: OPTIONAL: VSCODE AIOS GIT Initialize




Click "+" on the Changes header to stage everything.



Type a commit message, click the ✓ **Commit**.




Click "**Publish Branch**" (cloud icon) — since origin already points at an existing repo, this pushes directly with no repo-creation dialog.




Code can now be seen at the user created Github Repo.

6. OPTIONAL: VSCODE DIFF VIEW AND COMMIT BASICS



After saving a change to a file the file should show in VSCODE "Source Control Panel". (left-most red box)

Added changes show in **GREEN**, Deletions in **RED**.



This allows the AI OS HANK user to see the authorized (%shipit) **agentic** changes made to the project.

Because the project is backed up and version controlled in Github any unwanted changes can be **rolled-back**.

This **allows more trust** to be established with each successful workflow **HANK and Meridian** complete.

NOTE: each line in the PROJECT ROOT/.gitignore file prevents changes from being tracked.