


I learned in tech NEVER ASSUME ANYTHING about a users environment.

So here is a step by step outline of what an install looks like.

Below this outline each step has a page devoted to it with screenshots.

Jump to where appropriate for your environment.

If you need any help feel free to:



AI OS INSTALL INSTRUCTIONS:

1. Download Google Chrome
2. Create Chrome Profile
3. Connect Claude Pro Subscription to the created Google Chrome Profile
4. Add Claude for Chrome Browser Extension
5. Verify Google Drive on Google Chrome
6. Download/Open VSCODE
7. Download AI OS from Github URL and Unzip
8. Add VSCODE Claude Code Extension
9. Open AI OS in VS CODE
10. Use VSCODE to global search/replace config strings THEN Save Changes
11. Download Google Drive Desktop App
12. Inspect Google Drive App
13. Move AI OS folder into Drive
14. Verify Google Drive Desktop App can see AI OS Drive folder
15. Download Claude CoWork
16. Add Claude CoWork Connectors
17. Create new CoWork Project
18. Point CoWork Project to AI OS Drive Folder
19. Add Project Instructions: *see section below for exact copy/paste instructions*
20. OPTIONAL: Add REM Overnight Scheduled Task: *see section below for exact copy/paste instructions*
21. Type "Boot the AI OS in prompt window"
22. Perform first %sync
23. Start working with HANK


GITHUB VERSION TRACKING INSTRUCTIONS:

It can be useful to track how HANK and Meridian make edits to the files within its Google Drive Folder. IF you would like to setup version tracking for your project here is a free way to do so:

1. OPTIONAL: Github Create Profile
2. OPTIONAL: Github Create Repository
3. OPTIONAL: Github Project Configurations
4. OPTIONAL: Connect VSCODE to Github
5. OPTIONAL: VSCODE AIOS GIT Initialize
6. OPTIONAL: VSCODE DIFF VIEW AND COMMIT BASICS

1. Download Google Chrome

<https://www.google.com/chrome/>



The screenshot shows the Google Chrome download page. At the top, there is a navigation bar with the Chrome logo and the word "chrome", followed by links for "AI Innovations", "Safety", "By Google", "Mobile", and "Extensions". Below this, the main heading reads "The browser that gets more done". A prominent blue button with a download icon and the text "Download Chrome" is highlighted with a red rectangular box. Below the button, it specifies "For Windows 11/10 64-bit". Underneath the button, there is a link that says "I want to update Chrome". At the bottom, there is a checkbox that is checked, with the text "Help make Google Chrome better by automatically sending usage statistics and crash reports to Google. [Learn more](#)".

chrome AI Innovations Safety By Google Mobile Extensions ↗

The browser that gets more done

 **Download Chrome**


For Windows 11/10 64-bit

[I want to update Chrome](#)

☒ Help make Google Chrome better by automatically sending usage statistics and crash reports to Google. [Learn more](#)


2. Create Chrome Profile

Once the Chrome Profile is created gmail account will be available to click in the top right corner of the Chrome Browser.



3. Connect Claude Pro Subscription to the created Google Chrome Profile

<https://claude.ai/login>







4. Add Claude For Chrome Browser Extension

<https://chromewebstore.google.com/>




Discover Extensions Themes



5. Verify Google Drive on Chrome

<https://drive.google.com/drive/home>



6. Download/Install VS CODE (for correct operating system PC-Windows vs Mac)

<https://code.visualstudio.com/download>

Visual Studio Code Features Docs Release Notes Blog Learn Events Resources

Search Ctrl+Shift+P

Rewatch VS Code Live at MS Build 2026

Download Visual Studio Code

Free and built on open source. AI agents, Git, debugging, and extensions included.



↓ Windows
Windows 10, 11

User Installer [x64](#) [Arm64](#)
System Installer [x64](#) [Arm64](#)
.zip [x64](#) [Arm64](#)
CLI [x64](#) [Arm64](#)



↓ .deb
Debian, Ubuntu

↓ .rpm
Red Hat, Fedora, SUSE



.deb [x64](#) [Arm32](#) [Arm64](#)
.rpm [x64](#) [Arm32](#) [Arm64](#)
.tar.gz [x64](#) [Arm32](#) [Arm64](#)
Snap [Snap Store](#)
CLI [x64](#) [Arm32](#) [Arm64](#)




↓ Mac
macOS 12.0+

.dmg [Intel chip](#) [Apple silicon](#) [Universal](#)
CLI [Intel chip](#) [Apple silicon](#)

7. Add VSCODE Claude Chrome Extension





Recommended for Claude Code to work on Python Scripts





Claude Code Extension when installed can be accessed by clicking in two different places.

8. Download AI OS from Github URL and Unzip


<https://github.com/blummichaelrobert/AI-OS-HANK>



9. Open AI OS in VS CODE




If you see “Restricted Mode” Dialog set to “Trust”



10. Use VSCODE to global search/replace config strings THEN Save Changes

Ignore the warning in the screenshot for this step. That warning exists for when the AI OS is RUNNING.



Make sure to “Match Case” and “Replace All”. Those buttons are red boxed in the screenshot above.

YOU ARE “The Prompter” = [the_prompter]

Input at least your first name.

Example: “Michael”

258 instances

Prompters Vocation = [prompter_job]

Give HANK and Meridian context on the work you do.

Example: “AI Consultant”

7 instances

Prompters Mission = [prompter_project_objective].

Give HANK and Meridian context what the purpose of the project is.

Example “To build capable AI systems and educate others on how to use them.”

7 instances

Prompter Timezone = [prompter_timezone]

Give HANK and Meridian context on the work you do.

Example: “America/Los_Angeles”

14 instances

11. Download Google Drive Desktop App

support.google.com/a/users/answer/13022292?hl=en#drive_desktop_install

Google Workspace Learning Center

Describe your issue

On this page

- [Install and open Drive for desktop](#)
- [Open files on your desktop](#)
- [Set up sync](#)

Install and open Drive for desktop


To download Drive for desktop:

DOWNLOAD FOR WINDOWS **DOWNLOAD FOR MAC**

Get started with Drive for Google Workspace


- What you can do with Drive
- Add files and folders to Drive
- Share files and folders in Drive
- Install Drive for desktop

Once installed you should see a G: Drive. This is a local folder that mirrors and syncs to your cloud folder.




12. Inspect Google Drive Desktop App

The Google Drive Desktop App can switch between up to four profiles:




The Google Drive Profile used to LOGIN and pay for ANTHROPIC compute DOES NOT have to be the SAME Google Drive Profile the AI OS is stored.

This is useful IF you would like to separate your PERSONAL Google Drive profile data from any AI assistance.




13. Move AI OS folder into Drive

Screenshot shows dropping into Google Drive Chrome Window:



14. Verify Google Drive Desktop App can see AI OS Drive folder



15. Download Claude CoWork

<https://claude.com/product/cowork>

The screenshot shows the Claude CoWork product page. The browser address bar displays "claude.com/product/cowork". The page header includes the Claude logo and navigation links: "Meet Claude", "Platform", "Solutions", "Pricing", "Resources", "Login", "Contact sales", and a "Try C" button. Below the header, the breadcrumb "Product / Claude Cowork" is visible. The main content area features the heading "Claude Cowork" followed by "The work behind your best work". A subheading states: "Claude Cowork completes tasks you can steer from anywhere. Give it a goal, and it works across your files and tools. You come back to polished work for your review." Below this text, three buttons are highlighted with a red box: "Download for Windows", "Windows (arm64)", and "Talk to sales".




The screenshot shows the "Claude for Windows" download page. It features the Claude logo and the text "Claude for Windows" and "The fastest way to talk with Claude". At the bottom, a "Get started" button is highlighted with a red box.

The screenshot shows the "Sign In" page. It includes a "Continue with Google" button highlighted with a red box, followed by "OR", an "Enter your email" input field, and a "Continue with email" button. Below these is a small disclaimer: "By continuing, you acknowledge Anthropic's Privacy Policy and agree to get occasional promotional emails and notifications."



The screenshot shows the Google sign-in confirmation page. It features the Google logo and the text "Sign in with Google". Below this, the Claude logo is displayed, followed by the heading "You're signing back in to Claude" and a user email "blum.michaelrobert@gmail.com". To the right, there is a disclaimer: "Review Claude's Privacy Policy and Terms of Service to understand how Claude will process and protect your data. To make changes at any time, go to your Google Account. Learn more about Sign in with Google." At the bottom, there are "Cancel" and "Continue" buttons, with the "Continue" button highlighted by a red box.

16. Add Claude CoWork Connectors




1. Google Drive (minimal connector required)
2. Google Gmail
3. Google Calendar
4. Canva
5. Figma
6. Notion
7. Microsoft 365
8. Atlassian Rovo
9. Slack
10. Hubspot



17. Create New CoWork Project



18. Point CoWork Project to AI OS Drive Folder





19. Add Project Instructions

"

Read "ROOT/pi.md" for this project's identity and instructions. Read all core files listed and then HANK and Meridian should check in. !!Every "Script Protocol, "Eye-Relief Formatting", "The Emotion Dictionary" rule MUST BE FOLLOWED IN EVERY SESSION TURN!!

"




20. OPTIONAL: Add REM Overnight Scheduled Task

“

1. Read pi.md and follow the instructions described in that file.
2. After the core files are read read "REM.md" and "meridian_memory.md"
3. Meridian performs memory sweeps as described in the REM.md file.

”



Create scheduled task

Name *

Will be saved as "weeknight-rem"

Description *

Instructions *

3. Meridian performs memory sweeps as described in the REM.md file."/>

Project or folder

Permissions

Model

Frequency

Run on your computer

Only runs while your computer is on. Use this if the task needs access to local files or desktop extensions.

Scheduled tasks use a randomized delay of several minutes for server performance.

☒

Cancel Save

These are the recommended configurations.

Any Description is fine, here is a sentence that can be copy/pasted:

“


Meridian performs sweeps to keep the environment clean of bloat.

”

21. First HANK Engagement

Type in the prompt widow aka "Command Bar":

"
Boot the AI OS. This is our first interaction ever. HANK, Meridian, introduce yourself.
"



Boot the AI OS. This is our first interaction ever. HANK, Meridian, introduce yourself.

Read 5 files, used 5 tools, used Google Drive integration · 1 note

HANK: 🏰 Boot complete — the spine holds, but the file system has no pointers yet.

Michael, I'm **HANK** — Human Assistant Network Kernel. Chief of Staff. I'm the voice you reason with, the nervous tissue that carries your will down to the Colonels and Captains and carries their output back up aligned to your intent. I orchestrate. I don't execute.

🔌 **Boot Report**

Step	Result
Drive MCP — metadata by ID on <code>pi.md</code>	✅ PASS — ROOT folder ID resolved
Core boot read — <code>cos.md</code> , <code>cos_memory.md</code> , <code>meridian.md</code>	✅ Loaded in sequence
<code>manifest.md</code> — the pointer layer	❌ Every Drive ID is <code>[Drive ID HERE]</code>
TODO list (RAM)	Empty — placeholder row only
<code>staging_area/</code>	✅ Empty. At rest.

Context ▾

AI-OS-HANK

Connectors

Google Drive


22. Perform First %sync

HM >> we never performed the initial %sync for this project and this tech debt will follow us around if we don't handle it now.
Read manifest.md and perform any needed action %shipit.
Confirm with me when done in 1-2 sentences.

Used Google Drive integration, used 4 tools, created a file

HANK: 🚀 Initial %sync done — 43 Drive IDs written to `manifest.md`, full traversal of ROOT and every non-excluded subfolder. The tech debt is cleared. 🍷

MERIDIAN: 🤖 Three findings recorded inline, not silently fixed: `_code_tools/` is **empty** at both ends (the three tool-lane subfolders never existed), `archive_manifest.md` sits at `archive/2026/` — so the pointer in `cos.md`, `cos_memory.md`, and `pi.md` is **stale** — and the archive months are August–December, not June–August. 🟡 The stale pointer is a fold-back candidate for your gate, not a manifest edit.



23. Start working with HANK

The system is aware of what it was designed to do.

If you have any questions on how to use HANK just ask him.

Following these steps allows the AI OS user project to be ***backed up and version controlled*** in Github.


THEREFORE any unwanted changes can be ***rolled-back***.

NOTE: each line in the PROJECT ROOT/.gitignore file prevents changes from being tracked.


1. OPTIONAL: Github Create Profile

<https://github.com/>

Github is free and a powerful version control solution.



2. OPTIONAL: Github Create Repository



3. OPTIONAL: Github Project Configurations

*Make sure to make Repository **Private**.*

*IF set to **Public**, the internet will be able to view any personal information that is pushed to this repository.*

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner * michael-r-blum-ai / Repository name * AI-OS-HANK
 AI-OS-HANK is available.

Great repository names are short and memorable. How about [reimagined-guacamole?](#)

Description
 Forked Personal Version of AI OS HANK.
 38 / 350 characters

2 Configuration

Choose visibility * Private
 Choose who can see and commit to this repository

Add README
 READMEs can be used as longer descriptions. [About READMEs](#) Off ☐

Add .gitignore
 .gitignore tells git which files not to track. [About ignoring files](#) No .gitignore

Add license
 Licenses explain how others can use your code. [About licenses](#) No license

Create repository

michael-r-blum-ai / AI-OS-HANK

<> Code Issues Pull requests Agents Actions Projects Security and quality Insights Settings

AI-OS-HANK Private Watch 0 Fork 0 Star 0

Start coding with Codespaces
 Add a README file and start coding in a secure, configurable, and dedicated development environment.
 Create a codespace

Add collaborators to this repository
 Search for people using their GitHub username or email address.
 Invite collaborators





Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH https://github.com/michael-r-blum-ai/AI-OS-HANK.git Save to clipboard


Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

Clicking the “Save to Clipboard” button on the bottom right of the screen shot saves the url that will be used in step 5. “VSCODE Initialize”.

4. OPTIONAL: Connect VSCode to Github Profile



5. OPTIONAL: VSCODE AIOS GIT Initialize




Source Control panel


(Ctrl+Shift+G) → click

"Initialize Repository"


(folder has no .git, VS Code offers this automatically) – 1 click.




"..." menu → **Remote** → **Add Remote...** → paste
[saved on clipboard from step 3] → name it *origin*.




5. CONTINUED :: OPTIONAL: VSCODE AIOS GIT Initialize




Click "+" on the Changes header to stage everything.



Type a commit message, click the ✓ **Commit**.




Click "**Publish Branch**" (cloud icon) — since origin already points at an existing repo, this pushes directly with no repo-creation dialog.




Code can now be seen at the user created Github Repo.

6. OPTIONAL: VSCODE DIFF VIEW AND COMMIT BASICS



After saving a change to a file the file should show in VS CODE "Source Control Panel". (left-most red box)

Added changes show in **GREEN**, Deletions in **RED**.



This allows the AI OS HANK user to see the authorized (%shipit) **agentic** changes made to the project.

Because the project is backed up and version controlled in Github any unwanted changes can be **rolled-back**.

This **allows more trust** to be established with each successful workflow **HANK and Meridian** complete.

NOTE: each line in the PROJECT ROOT/.gitignore file prevents changes from being tracked.