


CI Workflow Guide

For Developers & Testers

[blurgsai/ci-workflows-software-team](#)

Branch Strategy & CI Flow

Developer writes code on **feature/*** → PR to **dev** (CI checks run) → Tester adds tests on dev → PR to **staging** (tests run)



Developer Workflow

1

Branch off dev: feature/your-feature

2

Write code following naming & folder conventions

3

Open PR to **dev** — CI runs architecture checks

4

Fix failures, push to feature branch, CI re-runs

5

Merge to dev ✓

Tester Workflow

1

Branch off dev: test/your-test

2

Write tests only — no src/ changes

3

Open PR to **staging** — source gate runs first

4

If gate fails → move source changes to a dev PR

5

Tests pass → merge to staging ✓

BRANCH	WHO	CI RUNS	CI SKIPS
dev	Developer	Coding standards, design patterns, mock JSON, SRT	Tests
staging	Tester	Source gate + backend/frontend tests	Coding standards, design patterns

Source Gate Rejects

- ✗ backend/src/**/*.*py
- ✗ tileserver/src/**/*.*py
- ✗ frontend/src/**/*.*ts(x)
- ✗ frontend/src/**/*.*js(x)

Allowed on Staging

- ✓ Test files
- ✓ Config files
- ✓ CI/CD files
- ✓ Docs & infrastructure

