



Lec-21

* Master - slave Architecture **



* Single Point of failure

→ Master node → write operation

→ Original DB

— Latest DB

→ Owner DB

→ Primary DB

→ it has latest info.

— Primary Latest update

→ Slaves / Replicas → - Read operation

- DB Replication (has Replicat)

How Replication happens ?

$t=0$ $x=10$



M

$t=10$ $x=10$



slave,

$t=12 \rightarrow x=10$



Slave

→ ① Asynchronous / Async.

→ FB Comment / Likes

② Sync.

→ Banking APP.

Q

Slaves gets update query ??

①

ignore / never allow slaves to accept
update

②

Allow it, if you have to make a
way to propagate it to master.

M - S

M - M

⇒ Lec-9 Pattern 4

* Advantages

- ① Backup
- ② Scale out read op.
- ③ Availability
- ④ Reliable
- ⑤ Latency Reduce

DBMS Placements Series 2022

Over

①

MySQL

~~Star R~~

Bent

All the placements

Rem's e

→ Dustans


SQL

~~☆☆~~ Googling ✓

(instagran)

✓ Lakeshore k12
— loveBaBBaR codehelp

LEC-21: The Master-Slave Database Concept





1. Master-Slave is a general way to optimise IO in a system where number of requests goes way high that a single DB server is not able to handle it efficiently.
2. Its a Pattern 3 in LEC-19 (Database Scaling Pattern). (**Command Query Responsibility Segregation**)
3. The true or latest data is kept in the Master DB thus write operations are directed there. Reading ops are done only from slaves. This architecture serves the purpose of safeguarding site **eliability, availability, reduce latency etc.**. If a site receives a lot of traffic and the only available database is one master, it will be overloaded with reading and writing requests. Making the entire system slow for everyone on the site.
4. DB **replication** will take care of distributing data from Master machine to Slaves machines. This can be **synchronous or asynchronous** depending upon the system's need.



Lec-20

CAP Theorem





① Consistency lost \Rightarrow (Both req. should process)

② Availability lost \Rightarrow (if we fail one req.)

→ Home works

→ Banking system → ACID

→ Social Networking System

→ BASE Properties

①

Basically available

②

Soft state

③


Eventually consistent

Comments
Brief

LEC-20: CAP Theorem



1. Basic and one of the most important concept in **Distributed Databases**.
2. **Useful** to know this to design efficient distributed system for your given business logic.
3. Let's first breakdown CAP
 1. **Consistency**: In a consistent system, all nodes see the same data simultaneously. If we perform a read operation on a consistent system, it should return the value of the most recent write operation. The read should cause all nodes to return the same data. All users see the same data at the same time, regardless of the node they connect to. When data is written to a single node, it is then replicated across the other nodes in the system.
 2. **Availability**: When availability is present in a distributed system, it means that the system remains operational all of the time. Every request will get a response regardless of the individual state of the nodes. This means that the system will operate even if there are multiple nodes down. Unlike a consistent system, there's no guarantee that the response will be the most recent write operation.
 3. **Partition Tolerance**: When a distributed system encounters a partition, it means that there's a break in communication between nodes. If a system is partition-tolerant, the system does not fail, regardless of whether messages are dropped or delayed between nodes within the system. To have partition tolerance, the system must replicate records across combinations of nodes and networks.
4. What does the **CAP Theorem** says,
 1. The CAP theorem states that a distributed system can only provide **two of three properties** simultaneously: consistency, availability, and partition tolerance. The theorem formalises the **tradeoff between consistency and availability when there's a partition**.
5. **CAP Theorem NoSQL Databases**: NoSQL databases are great for distributed networks. They allow for horizontal scaling, and they can quickly scale across multiple nodes. When deciding which NoSQL database to use, it's important to keep the CAP theorem in mind.
 1. **CA Databases**: CA databases enable consistency and availability across all nodes. Unfortunately, CA databases can't deliver fault tolerance. In any distributed system, partitions are bound to happen, which means this type of database isn't a very practical choice. That being said, you still can find a CA database if you need one. Some relational databases, such as MySQL or PostgreSQL, allow for consistency and availability. You can deploy them to nodes using replication.
 2. **CP Databases**: CP databases enable consistency and partition tolerance, but not availability. When a partition occurs, the system has to turn off inconsistent nodes until the partition can be fixed. MongoDB is an example of a CP database. It's a NoSQL database management system (DBMS) that uses documents for data storage. It's considered schema-less, which means that it doesn't require a defined database schema. It's commonly used in big data and applications running in different locations. The CP system is structured so that there's **only one primary node that receives all of the write requests in a given replica set**. Secondary nodes replicate the data in the primary nodes, so if the primary node fails, a secondary node can stand-in. In banking system Availability is not as important as consistency, so we can opt it (MongoDB).
 3. **AP Databases**: AP databases enable availability and partition tolerance, but not consistency. In the event of a partition, all nodes are available, but they're not all updated. For example, if a user tries to access data from a bad node, they won't receive the most up-to-date version of the data. When the partition is eventually resolved, most AP databases will sync the nodes to ensure consistency across them. Apache Cassandra is an example of an AP database. It's a NoSQL database with no primary node, meaning that all of the nodes remain available. Cassandra allows for eventual consistency because users can re-sync their data right after a partition is resolved. For apps like Facebook, we value availability more than consistency, we'd opt for AP Databases like Cassandra or Amazon DynamoDB.







Lec- 19

→ Design

DB scaling Patterns

Cache DB Connections







↑↑↑ Read.


↑↑↑ Read

Pattern Y \mapsto



Write \rightarrow Any node
Y will handle it






Database Scaling Patterns

Step by Step Scaling

- Lakshay

What will you learn?

- Step by Step manner, when to choose which Scaling option.
- Which Scaling option is feasible practically at the moment.



A Case Study

Cab Booking APP

- Tiny startup.
- ~10 customers onboard.
- A single small machine DB stores all customers, trips, locations, booking data, and customer trip history.
- ~1 trip booking in 5 mins.

Your App becoming famous, but...

The PROBLEM begins

- Requests scales upto 30 bookings per minute.
- Your tiny DB system has started performing poorly.
- API latency has increased a lot.
- Transactions facing Deadlock, Starvation, and frequent failure.
- Sluggish App experience.
- Customer dis-satisfaction.

Is there any solution?

- We have to apply some kind of performance optimisation measures.
- We might have to scale our system going forward.

Pattern 1

Query Optimisation & Connection Pool Implementation

- Cache frequently used non-dynamic data like, booking history, payment history, user profiles etc.
- Introduce Database Redundancy. (Or may be use NoSQL)
- Use connection pool libraries to **Cache DB connections**.
- Multiple application threads can use same DB connection.
- Good optimisations as of now.
- Scaled the business to one more city, and now getting ~100 booking per minute.

Pattern 2

Vertical Scaling or Scale-up

- Upgrading our initial tiny machine.
- RAM by 2x and SSD by 3x etc.
- Scale up is pocket friendly till a point only.
- More you scale up, cost increases exponentially.
- Good Optimisation as of now.
- Business is growing, you decided to scale it to 3 more cities and now getting 300 booking per minute.

Pattern 3

Command Query Responsibility Segregation (CQRS)

- The scaled up big machine is not able to handle all read/write requests.
- Separate read/write operations physical machine wise.
- 2 more machines as replica to the primary machine.
- All read queries to replicas.
- All write queries to primary.
- Business is growing, you decided to scale it to 2 more cities.
- Primary is not able to handle all write requests.
- Lag between primary and replica is impacting user experience.

Pattern 4

Multi Primary Replication

- Why not distribute write request to replica also?
- All machines can work as primary & replica.
- Multi primary configuration is a logical circular ring.
- Write data to any node.
- Read data from any node that replies to the broadcast first.
- You scale to 5 more cities & your system is in pain again. (~50 req/s)

Pattern 5

Partitioning of Data by Functionality

- What about separating the location tables in separate DB schema?
- What about putting that DB in separate machines with primary-replica or multi-primary configuration?
- Different DB can host data categorised by different functionality.
- Backend or application layer has to take responsibility to join the results.
- Planning to expand your business to other country.

Pattern 6

Horizontal Scaling or Scale-out

- Sharding - multiple shards.
- Allocate 50 machines - all having same DB schema - each machine just hold a part of data.
- Locality of data should be there.
- Each machine can have their own replicas, may be used in failure recovery.
- Sharding is generally hard to apply. But “No Pain, No Gain”
- Scaling the business across continents.

Pattern 7

Data Centre Wise Partition

- Requests travelling across continents are having high latency.
- What about distributing traffic across data centres?
- Data centres across continents.
- Enable cross data centre replication which helps disaster recovery.
- This always maintain Availability of your system.
- Now, Plan for an IPO :p



Lec-18

⇒ Data → store → DBMS



Bhot zadd
huge data → Mawes.




www hosted



Face book

mtb

Amazon




① Data huge (Manageability)

② no. Requests are large.
of.




Data distribute



Distributed database


⇒ Database Optimization

① Scale-up (Hardware) ↑



②

Add Replica-set (Clustering)



③

Partitioning


→ Partitioning

→ Scale-out (Horizontal scaling)


→ New nodes are added.

Student Table.

id	Name	Class	addrn	phone
x		,		
x				
x				



S1



S2



RShno.

id

1
→ 25K.

S1

S2
Server


25001
→ 100K

*Sharding

→ Horizontal partitioning → apply



student

$1 \rightarrow 10K$




separating

$10001 \rightarrow 100K$



Independent

Routing layer.



DB instance


S1


$1 \rightarrow 10K$



S2 $\frac{>10K}{-100K}$

DB instance






LEC-18: Partitioning & Sharding in DBMS (DB Optimisation)


1. **A big problem** can be solved easily when it is chopped into several smaller sub-problems. That is what the partitioning technique does. It divides a big database containing data metrics and indexes into smaller and handy slices of data called partitions. The partitioned tables are directly used by SQL queries without any alteration. Once the database is partitioned, the data definition language can easily work on the smaller partitioned slices, instead of handling the giant database altogether. This is how partitioning cuts down the problems in managing large database tables.
2. **Partitioning** is the technique used to divide stored database objects into separate servers. Due to this, there is an increase in performance, controllability of the data. We can manage huge chunks of data optimally. When we horizontally scale our machines/servers, we know that it gives us a challenging time dealing with relational databases as it's quite tough to maintain the relations. But if we apply partitioning to the database that is already scaled out i.e. equipped with multiple servers, we can partition our database among those servers and handle the big data easily.
3. **Vertical Partitioning**
 1. Slicing relation vertically / column-wise.
 2. Need to access different servers to get complete tuples.
4. **Horizontal Partitioning**
 1. Slicing relation horizontally / row-wise.
 2. Independent chunks of data tuples are stored in different servers.
5. **When Partitioning is Applied?**
 1. Dataset become much huge that managing and dealing with it become a tedious task.
 2. The number of requests are enough larger that the single DB server access is taking huge time and hence the system's response time become high.
6. **Advantages of Partitioning**
 1. Parallelism
 2. Availability
 3. Performance
 4. Manageability
 5. Reduce Cost, as scaling-up or vertical scaling might be costly.
7. **Distributed Database**
 1. A single logical database that is, spread across multiple locations (servers) and logically interconnected by network.
 2. This is the product of applying DB optimisation techniques like **Clustering, Partitioning and Sharding**.
 3. Why this is needed? READ Point 5.
8. **Sharding**
 1. Technique to implement Horizontal Partitioning.
 2. The **fundamental idea** of Sharding is the idea that instead of having all the data sit on one DB instance, we split it up and introduce a Routing layer so that we can forward the request to the right instances that actually contain the data.
3. **Pros**
 1. Scalability
 2. Availability
4. **Cons**
 1. Complexity, making partition mapping, Routing layer to be implemented in the system, Non-uniformity that creates the necessity of Re-Sharding
 2. Not well suited for Analytical type of queries, as the data is spread across different DB instances. (Scatter-Gather problem)




Lec-17

(Clustering | Replica Set)





① Redundancy ↗



② Load Balancing ↗

③ Availability \rightarrow

High Avl.

$S_1 \rightarrow \text{down}$

$\rightarrow S_2 \neq S_3 \rightarrow \underline{\text{Backup}}$

⇒ homework \rightarrow (Content delivery Network)
 \rightarrow Internet



LEC-17: Clustering in DBMS

1. **Database Clustering** (making **Replica-sets**) is the process of combining more than one servers or instances connecting a single database. Sometimes one server may not be adequate to manage the amount of data or the number of requests, that is when a Data Cluster is needed. Database clustering, SQL server clustering, and SQL clustering are closely associated with SQL is the language used to manage the database information.
2. Replicate the same dataset on different servers.
3. **Advantages**
 1. **Data Redundancy:** Clustering of databases helps with data redundancy, as we store the same data at multiple servers. Don't confuse this data redundancy as repetition of the same data that might lead to some anomalies. The redundancy that clustering offers is required and is quite certain due to the synchronisation. In case any of the servers had to face a failure due to any possible reason, the data is available at other servers to access.
 2. **Load balancing:** or scalability doesn't come by default with the database. It has to be brought by clustering regularly. It also depends on the setup. Basically, what load balancing does is allocating the workload among the different servers that are part of the cluster. This indicates that more users can be supported and if for some reasons if a huge spike in the traffic appears, there is a higher assurance that it will be able to support the new traffic. One machine is not going to get all of the hits. This can provide **scaling** seamlessly as required. This **links directly to high availability.** Without load balancing, a particular machine could get overworked and traffic would slow down, leading to decrement of the traffic to zero.
 3. **High availability:** When you can access a database, it implies that it is available. High availability refers the amount of time a database is considered available. The amount of availability you need greatly depends on the number of transactions you are running on your database and how often you are running any kind of analytics on your data. With database clustering, we can reach extremely high levels of availability due to load balancing and have extra machines. In case a server got shut down the database will, however, be available.
4. **How does Clustering Work?**
 1. In cluster architecture, all requests are split with many computers so that an individual user request is executed and produced by a number of computer systems. The clustering is serviceable definitely by the ability of load balancing and high-availability. If one node collapses, the request is handled by another node. Consequently, there are few or no possibilities of absolute system failures.

CodeHunt



Lec - 16

Types of Databases


① Relational Databases

- Relational Model
- tables
- Related.


② object-oriented datamodeling

— OOPS similar concept

→ Class → instance → objects




- Stores everything in form of objects.
- object can have , table , executable code .
- objects they communicate via methods .
- handles → object ID .
- information stored in DB is capable of being represented as an object .




③ Hierarchical DB

e.g. Family Tree.




e.g.

Filesystem




(S)

N/W DB



LEC-16: Types of Databases



1. Relational Databases

1. Based on Relational Model.
2. Relational databases are quite **popular**, even though it was a system designed in the 1970s. Also known as relational database management systems (RDBMS), relational databases commonly use **Structured Query Language (SQL)** for operations such as **creating, reading, updating, and deleting** data. Relational databases store information in **discrete tables**, which can be **JOINED** together by fields known as **foreign** keys. For example, you might have a User table which contains information about all your users, and **join** it to a Purchases table, which contains information about all the purchases they've made. MySQL, Microsoft SQL Server, and Oracle are types of relational databases.
3. they are ubiquitous, having acquired a steady user base since the 1970s
4. they are highly optimised for working with structured data.
5. they provide a stronger guarantee of data normalisation
6. they use a well-known querying language through SQL
7. **Scalability issues** (Horizontal Scaling).
8. Data become huge, system become more complex.

2. Object Oriented Databases

1. The object-oriented data model, is based on the **object-oriented-programming paradigm**, which is now in wide use. **Inheritance**, **object-identity**, and **encapsulation** (information hiding), with methods to provide an interface to objects, are among the key concepts of object-oriented programming that have found applications in data modelling. The object-oriented data model also supports a rich type system, including structured and collection types. While inheritance and, to some extent, complex types are also present in the E-R model, encapsulation and object-identity distinguish the object-oriented data model from the E-R model.
2. Sometimes the database can be very complex, having multiple relations. So, maintaining a relationship between them can be tedious at times.
 1. In Object-oriented databases data is treated as an object.
 2. All bits of information come in one instantly available object package instead of multiple tables.

3. Advantages

1. Data storage and retrieval is easy and quick.
2. Can handle complex data relations and more variety of data types than standard relational databases.
3. Relatively friendly to model the advance real world problems
4. Works with functionality of OOPs and Object Oriented languages.

4. Disadvantages

1. High complexity causes performance issues like read, write, update and delete operations are slowed down.
2. Not much of a community support as isn't widely adopted as relational databases.
3. Does not support views like relational databases.


5. e.g., ObjectDB, GemStone etc.

3. NoSQL Databases

1. NoSQL databases (aka "not only SQL") are non-tabular databases and store data differently than relational tables. NoSQL databases come in a variety of types based on their data model. The main types are document, key-value, wide-column, and graph. They provide flexible schemas and scale easily with large amounts of data and high user loads.
2. They are schema free.
3. Data structures used are not tabular, they are more flexible, has the ability to adjust dynamically.
4. Can handle huge amount of data (big data).
5. Most of the NoSQL are open sources and has the capability of horizontal scaling.
6. It just stores data in some format other than relational.
7. Refer LEC-15 notes...

4. Hierarchical Databases

1. As the name suggests, the hierarchical database model is most appropriate for use cases in which the main focus of information gathering is based on a **concrete hierarchy**, such as several individual employees reporting to a single department at a company.
2. The schema for hierarchical databases is defined by its **tree-like** organisation, in which there is typically a **root** "parent" directory of data stored as records that links to various other subdirectory branches, and each subdirectory branch, or child record, may link to various other subdirectory branches.
3. The hierarchical database structure dictates that, while a parent record can have several child records, each child record can only have **one parent** record. Data within records is stored in the form of fields, and each field can only contain one value. Retrieving hierarchical data from a hierarchical database architecture requires traversing the entire tree, starting at the root node.
4. Since the **disk storage system** is also inherently a hierarchical structure, these models can also be used as physical models.
5. The key **advantage** of a hierarchical database is its ease of use. The one-to-many organisation of data makes traversing the database simple and fast, which is ideal for use cases such as website drop-down menus or computer folders in systems like




Microsoft Windows OS. Due to the separation of the tables from physical storage structures, information can easily be added or deleted without affecting the entirety of the database. And most major programming languages offer functionality for reading tree structure databases.

6. The major **disadvantage** of hierarchical databases is their inflexible nature. The one-to-many structure is not ideal for complex structures as it cannot describe relationships in which each child node has multiple parents nodes. Also the tree-like organisation of data requires top-to-bottom sequential searching, which is time consuming, and requires repetitive storage of data in multiple different entities, which can be redundant.
7. e.g., IBM IMS.

5. Network Databases

1. **Extension** of Hierarchical databases
2. The child records are given the freedom to associate with multiple parent records.
3. Organised in a **Graph** structure.
4. Can handle complex relations.
5. Maintenance is tedious.
6. **M:N links** may cause slow retrieval.
7. Not much web community support.
8. e.g., Integrated Data Store (IDS), IDMS (Integrated Database Management System), Raima Database Manager, TurboIMAGE etc.





Lec-15

NoSQL



"Not only SQL"



Non-Relational Model

→ SQL

→ Structured data.

→ constraints

→ fixed schema.

→ Vertical scaling

NoSQL

→ structured data
→ semi-structured

→ flexible
→ schema

→ vertical
horizontal

⇒ Data Modeling in SQL vs NoSQL

① SQL

Mers	ID	first_name	last_name	cell	city
	1	Tata	Salt	811	Mumbai

Hobbies

ID	mer_id	hobby
10	1	scrapbooking
11	1	Games,
12	1	Biking

② NoSQL.

{

```
"id": 1,  
"first-name": "Tata",  
"last-name": "Salt",  
"cell": "811",  
"city": "Mumbai",  
"hobbies": ["Scrapbooking", "Games", "Biking"]
```

}

→ Advantages of NoSQL:

① Flexible schema:


② Horizontal scaling:

① Scaling

Vertical

- hardware
- RAM
- CPU.

NoSQL






Horizontal scaling

- additional node
- Load share.



→ Intention


SQL → why No Normal scaling?



SQL → Table collection

→ SQL → Data retrieval → Joins

→ Slow → entirely slow



→ When to use NosQL

① Fast development

TikTok → X.

Instagram → Reels X

→ Types of NoSQL

① Key value stores

Key → value.

{

id : 'Yashas'

2

② C - Structures

Name	City	Age
Matt	Delhi	27
Dave	Taipur	30

Row wise →

Matt	Delhi	27	Dave	Taipur	30
0x01	0x02	0x03	<u> </u>		

Column wise

Matt	Dave	Delhi	Taipur	27	30
------	------	-------	--------	----	----

③ Document based → MongoDB

lower document

{

id:

:

2

:

!

MongoDB

Contact

{

id: — -

}

accen

{ id: — -
}

④ Graph Based stores


→ data →

Nodes (vertices)

Edges (Relationships)

facebook ↗
=

Relationships
=




⇒ Disadvantages ↗

LEC-15: NoSQL



1. **NoSQL databases** (aka "not only SQL") are non-tabular databases and store data differently than relational tables. NoSQL databases come in a variety of types based on their data model. The main types are document, key-value, wide-column, and graph. They provide **flexible schemas** and **scale easily with large amounts of data and high user loads**.
 1. They are schema free.
 2. Data structures used are not tabular, they are more flexible, has the ability to adjust dynamically.
 3. Can handle huge amount of data (**big data**).
 4. Most of the NoSQL are open sources and has the capability of horizontal scaling.
 5. It just stores data in some format other than relational.
2. **History behind NoSQL**
 1. NoSQL databases emerged in the late 2000s as the cost of storage dramatically decreased. Gone were the days of needing to create a complex, difficult-to-manage data model in order to avoid data duplication. Developers (rather than storage) were becoming the primary cost of software development, so NoSQL databases optimised for developer productivity.
 2. Data becoming unstructured more, hence structuring (defining schema in advance) them had becoming costly.
 3. NoSQL databases allow developers to store huge amounts of unstructured data, giving them a lot of flexibility.
 4. Recognising the need to rapidly adapt to changing requirements in a software system. Developers needed the ability to iterate quickly and make changes throughout their software stack — all the way down to the database. NoSQL databases gave them this flexibility.
 5. Cloud computing also rose in popularity, and developers began using public clouds to host their applications and data. They wanted the ability to distribute data across multiple servers and regions to make their applications resilient, to scale out instead of scale up, and to intelligently geo-place their data. Some NoSQL databases like MongoDB provide these capabilities.
3. **NoSQL Databases Advantages**
 - A. **Flexible Schema**
 1. RDBMS has pre-defined schema, which become an issue when we do not have all the data with us or we need to change the schema. It's a huge task to change schema on the go.
 - B. **Horizontal Scaling**
 1. Horizontal scaling, also known as scale-out, refers to bringing on additional nodes to share the load. This is difficult with relational databases due to the difficulty in spreading out related data across nodes. With non-relational databases, this is made simpler since collections are self-contained and not coupled relationally. This allows them to be distributed across nodes more simply, as queries do not have to "join" them together across nodes.
 2. Scaling horizontally is achieved through **Sharding OR Replica-sets**.
 - C. **High Availability**
 1. NoSQL databases are highly available due to its auto replication feature i.e. whenever any kind of failure happens data replicates itself to the preceding consistent state.
 2. If a server fails, we can access that data from another server as well, as in NoSQL database data is stored at multiple servers.
 - D. **Easy insert and read operations.**
 1. Queries in NoSQL databases can be faster than SQL databases. Why? Data in SQL databases is typically normalised, so queries for a single object or entity require you to join data from multiple tables. As your tables grow in size, the joins can become expensive. However, data in NoSQL databases is typically stored in a way that is optimised for queries. The rule of thumb when you use MongoDB is data that is accessed together should be stored together. Queries typically do not require joins, so the queries are very fast.
 2. But difficult delete or update operations.
 - E. **Caching mechanism.**
 - F. **NoSQL** use case is more for **Cloud** applications.
4. **When to use NoSQL?**
 1. Fast-paced Agile development
 2. Storage of structured and semi-structured data
 3. Huge volumes of data
 4. Requirements for scale-out architecture
 5. Modern application paradigms like micro-services and real-time streaming.
5. **NoSQL DB Misconceptions**
 1. Relationship data is best suited for relational databases.
 1. A common misconception is that NoSQL databases or non-relational databases don't store relationship data well. NoSQL databases can store relationship data — they just store it differently than relational databases do. In fact, when compared with relational databases, many find modelling relationship data in NoSQL databases to be easier than in relational databases, because related data doesn't have to be split between tables. NoSQL data models allow related data to be nested within a single data structure.
 2. NoSQL databases don't support ACID transactions.



1. Another common misconception is that NoSQL databases don't support ACID transactions. Some NoSQL databases like MongoDB do, in fact, support ACID transactions.

6. Types of NoSQL Data Models

1. Key-Value Stores

1. The simplest type of NoSQL database is a key-value store. Every data element in the database is stored as a key value pair consisting of an attribute name (or "key") and a value. In a sense, a key-value store is like a relational database with only two columns: the key or attribute name (such as "state") and the value (such as "Alaska").
2. **Use cases** include shopping carts, user preferences, and user profiles.
3. e.g., Oracle NoSQL, Amazon DynamoDB, MongoDB also supports Key-Value store, Redis.
4. A key-value database associates a value (which can be anything from a number or simple string to a complex object) with a key, which is used to keep track of the object. In its simplest form, a key-value store is like a dictionary/array/map object as it exists in most programming paradigms, but which is stored in a persistent way and managed by a Database Management System (DBMS).
5. Key-value databases use compact, efficient index structures to be able to quickly and reliably locate a value by its key, making them ideal for systems that need to be able to find and retrieve data in constant time.
6. There are several use-cases where choosing a key value store approach is an optimal solution:
 - a) Real time random data access, e.g., user session attributes in an online application such as gaming or finance.
 - b) Caching mechanism for frequently accessed data or configuration based on keys.
 - c) Application is designed on simple key-based queries.

2. Column-Oriented / Columnar / C-Store / Wide-Column

1. The data is stored such that each row of a column will be next to other rows from that same column.
2. While a relational database stores data in rows and reads data row by row, a column store is organised as a set of columns. This means that when you want to run analytics on a small number of columns, you can read those columns directly without consuming memory with the unwanted data. Columns are often of the same type and benefit from more efficient compression, making reads even faster. Columnar databases can quickly aggregate the value of a given column (adding up the total sales for the year, for example). **Use cases** include analytics.
3. e.g., Cassandra, RedShift, Snowflake.

3. Document Based Stores

1. This DB store data in documents similar to JSON (JavaScript Object Notation) objects. Each document contains pairs of fields and values. The values can typically be a variety of types including things like strings, numbers, booleans, arrays, or objects.
2. **Use cases** include e-commerce platforms, trading platforms, and mobile app development across industries.
3. Supports ACID properties hence, suitable for Transactions.
4. e.g., MongoDB, CouchDB.

4. Graph Based Stores

1. A graph database focuses on the relationship between data elements. Each element is stored as a node (such as a person in a social media graph). The connections between elements are called links or relationships. In a graph database, connections are first-class elements of the database, stored directly. In relational databases, links are implied, using data to express the relationships.
2. A graph database is optimised to capture and search the connections between data elements, overcoming the overhead associated with JOINing multiple tables in SQL.
3. Very few real-world business systems can survive solely on graph queries. As a result graph databases are usually run alongside other more traditional databases.
4. **Use cases** include fraud detection, social networks, and knowledge graphs.

7. NoSQL Databases Dis-advantages

1. Data Redundancy

1. Since data models in NoSQL databases are typically optimised for queries and not for reducing data duplication, NoSQL databases can be larger than SQL databases. Storage is currently so cheap that most consider this a minor drawback, and some NoSQL databases also support compression to reduce the storage footprint.

2. Update & Delete operations are costly.

3. All type of NoSQL Data model doesn't fulfil all of your application needs

1. Depending on the NoSQL database type you select, you may not be able to achieve all of your use cases in a single database. For example, graph databases are excellent for analysing relationships in your data but may not provide what you need for everyday retrieval of the data such as range queries. When selecting a NoSQL database, consider what your use cases will be and if a general purpose database like MongoDB would be a better option.

4. Doesn't support ACID properties in general.


5. Doesn't support data entry with consistency constraints.

8. SQL vs NoSQL

	SQL Databases	NoSQL Databases
Data Storage Model	Tables with fixed rows and columns	Document: JSON documents, Key-value: key-value pairs, Wide-column: tables with rows and dynamic columns, Graph: nodes and edges
Development History	Developed in the 1970s with a focus on reducing data duplication	Developed in the late 2000s with a focus on scaling and allowing for rapid application change driven by agile and DevOps practices.
Examples	Oracle, MySQL, Microsoft SQL Server, and PostgreSQL	Document: MongoDB and CouchDB, Key-value: Redis and DynamoDB, Wide-column: Cassandra and HBase, Graph: Neo4j and Amazon Neptune
Primary Purpose	General Purpose	Document: general purpose, Key-value: large amounts of data with simple lookup queries, Wide-column: large amounts of data with predictable query patterns, Graph: analyzing and traversing relationships between connected data
Schemas	Fixed	Flexible
Scaling	Vertical (Scale-up)	Horizontal (scale-out across commodity servers)
ACID Properties	Supported	Not Supported, except in DB like MongoDB etc.
JOINS	Typically Required	Typically not required
Data to object mapping	Required object-relational mapping	Many do not require ORMs. MongoDB documents map directly to data structures in most popular programming languages.




Lec-14



SQL
Select
Where

|
DBMS.



Disk

Table
student

Data struct

INDEX

INDEX file.

Rollno.	BP
1	B ₁
11	B ₂
21	B ₃
:	:
9991	B ₁₀₀₀

Data file in Disk. (10,000 records)

1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

- B₁

11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

- B₂

21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

- B₁₀₀₀

e.g. 843 Student

each Block has 10 records → Total Blocks
1000

Types of Indexing

(1) Primary index

(1) Based on key attribute (ordering datafile based on key attribute)

→ P.I / C.I
 |
 ==

↳ Indexing → Sparse indexing


② Based on non-key attribute

↳ Clustering Indexing


2) INDEX

N.K	BP
1	B ₁
2	B ₁
3	B ₁
4	B ₂
5	B ₃
.	.

→ Dense Indexing



Multi Level INDEXING



Secondary Indexing

- Datafile unsorted

- S.I. \rightarrow Key or Non-key

S.K	B.P
1	
2	
3	

Search key

S.K
1
19
23

$\rightarrow B_1$



92
89
2

$\rightarrow B_2$

..

8
12
100

- Dense Indexing



LEC-14: Indexing in DBMS



1. **Indexing** is used to **optimise the performance** of a database by minimising the number of disk accesses required when a query is processed.
2. The index is a type of **data structure**. It is used to locate and access the data in a database table quickly.
3. **Speeds up operation** with read operations like **SELECT** queries, **WHERE** clause etc.
4. **Search Key:** Contains copy of primary key or candidate key of the table or something else.
5. **Data Reference:** Pointer holding the address of disk block where the value of the corresponding key is stored.
6. Indexing is **optional**, but increases access speed. It is not the primary mean to access the tuple, it is the secondary mean.
7. **Index file is always sorted.**
8. **Indexing Methods**

1. Primary Index (Clustering Index)

1. A file may have several indices, on different search keys. If the data file containing the records is sequentially ordered, a Primary index is an index whose search key also defines the sequential order of the file.
2. **NOTE:** The term primary index is sometimes used to mean an index on a primary key. However, such usage is **nonstandard** and **should be avoided**.
3. All files are ordered sequentially on some search key. It could be Primary Key or non-primary key.

4. Dense And Sparse Indices

1. Dense Index

1. The dense index contains an index record for every search key value in the data file.
2. The index record contains the search-key value and a pointer to the first data record with that search-key value. The rest of the records with the same search-key value would be stored sequentially after the first record.
3. It needs more space to store index record itself. The index records have the search key and a pointer to the actual record on the disk.

2. Sparse Index

1. An index record appears for only some of the search-key values.
2. Sparse Index helps you to resolve the issues of dense Indexing in DBMS. In this method of indexing technique, a range of index columns stores the same data block address, and when data needs to be retrieved, the block address will be fetched.

5. Primary Indexing can be based on Data file is sorted w.r.t Primary Key attribute or non-key attributes.

6. Based on Key attribute

1. Data file is sorted w.r.t primary key attribute.
2. PK will be used as search-key in Index.
3. Sparse Index will be formed i.e., no. of entries in the index file = no. of blocks in datafile.

7. Based on Non-Key attribute



1. Data file is sorted w.r.t non-key attribute.
2. No. Of entries in the index = unique non-key attribute value in the data file.
3. This is dense index as, all the unique values have an entry in the index file.
4. E.g., Let's assume that a company recruited many employees in various departments. In this case, clustering indexing in DBMS should be created for all employees who belong to the same dept.

8. Multi-level Index

1. Index with two or more levels.
2. If the single level index become enough large that the binary search it self would take much time, we can break down indexing into multiple levels.

2. Secondary Index (Non-Clustering Index)

1. Datafile is unsorted. Hence, Primary Indexing is not possible.
2. Can be done on key or non-key attribute.
3. Called secondary indexing because normally one indexing is already applied.
4. No. Of entries in the index file = no. of records in the data file.
5. It's an example of Dense index.





9. Advantages of Indexing

1. Faster access and retrieval of data.
2. IO is less.

10. Limitations of Indexing

1. Additional space to store index table
2. Indexing Decrease performance in INSERT, DELETE, and UPDATE query.


CodeHelp



Lec-13

* How to implement Atomicity & Durability ?

① Shadow copy scheme



Log Based Recovery !-

①




T_0 :

- read(A)
- $A := A - 50$
- write(A)
- $B := B + 50$
- write(B)

Logs (stable storage)

< T_0 , start >
< T_0 , A, 950 >
< T_0 , B, 2050 >
< T_0 , commit >



① Deferred DB Modifications

② Immediate DB modifications

$\langle T_0, \text{start} \rangle$ \rightarrow old item value
 $\langle T_0, A, 1000, 950 \rangle$ \rightarrow new item value.
 $\langle T_0, B, 2000, 2050 \rangle$
 $\langle T_0, \text{Commit} \rangle$

→ Checkpoints

$C_1 \rightarrow \sum T_n \rightarrow \text{commit}$

$C_2 \rightarrow \sum T_n \text{ com}$

H.W → Checkpoints

Comment ✓

Google

LEC-13: How to implement Atomicity and Durability in Transactions



1. Recovery Mechanism Component of DBMS supports **atomicity** and **durability**.
2. **Shadow-copy scheme**
 1. Based on making copies of DB (aka, **shadow copies**).
 2. Assumption only one Transaction (T) is active at a time.
 3. A pointer called **db-pointer** is maintained on the **disk**; which at any instant points to current copy of DB.
 4. T, that wants to update DB first creates a complete copy of DB.
 5. All further updates are done on new DB copy leaving the original copy (shadow copy) untouched.
 6. If at any point the **T has to be aborted** the system deletes the new copy. And the old copy is not affected.
 7. If T success, it is committed as,
 1. OS makes sure all the pages of the new copy of DB written on the disk.
 2. DB system updates the db-pointer to point to the new copy of DB.
 3. New copy is now the current copy of DB.
 4. The old copy is deleted.
 5. The T is said to have been **COMMITTED** at the point where the updated db-pointer is written to disk.
8. **Atomicity**
 1. If T fails at any time before db-pointer is updated, the old content of DB are not affected.
 2. T abort can be done by just deleting the new copy of DB.
 3. Hence, either all updates are reflected or none.
9. **Durability**
 1. Suppose, system fails are any time before the updated db-pointer is written to disk.
 2. When the system restarts, it will read db-pointer & will thus, see the original content of DB and none of the effects of T will be visible.
 3. T is assumed to be successful only when db-pointer is updated.
 4. If **system fails after** db-pointer has been updated. Before that all the pages of the new copy were written to disk. Hence, when system restarts, it will read new DB copy.
10. The implementation is dependent on write to the db-pointer being atomic. Luckily, disk system provide atomic updates to entire block or at least a disk sector. So, we make sure db-pointer lies entirely in a single sector. By storing db-pointer at the beginning of a block.
11. **Inefficient**, as entire DB is copied for every Transaction.
3. **Log-based recovery methods**
 1. The log is a sequence of records. Log of each transaction is maintained in some **stable storage** so that if any failure occurs, then it can be recovered from there.
 2. If any operation is performed on the database, then it will be recorded in the log.
 3. But the process of storing the logs should be done **before** the actual transaction is applied in the database.
 4. **Stable storage** is a classification of computer data storage technology that guarantees atomicity for any given write operation and allows software to be written that is robust against some hardware and power failures.
5. **Deferred DB Modifications**
 1. Ensuring **atomicity** by recording all the DB modifications in the log but deferring the execution of all the write operations until the final action of the T has been executed.
 2. Log information is used to execute deferred writes when T is completed.
 3. If system crashed before the T completes, or if T is aborted, the information in the logs are ignored.
 4. If T completes, the records associated to it in the log file are used in executing the deferred writes.
 5. If failure occur while this updating is taking place, we preform redo.
6. **Immediate DB Modifications**
 1. DB modifications to be output to the DB while the T is still in active state.
 2. DB modifications written by active T are called uncommitted modifications.
 3. In the event of crash or T failure, system uses old value field of the log records to restore modified values.
 4. Update takes place only after log records in a stable storage.
 5. Failure handling
 1. System failure before T completes, or if T aborted, then old value field is used to undo the T.
 2. If T completes and system crashes, then new value field is used to redo T having commit logs in the logs.






Lec-12

Transaction 1

ABC Bank



System: ₹3000

Task 1 → ₹50

from Bank A/C A to A/C B

T₁:

```
read(A)
A := A - 50;
write(A);
read(B);
B := B + 50;
write(B)
```

6 steps

Atomic →
They are considered single Task.
to be a

A C I D

Properties

$T_i : \text{read}(A)$

$$A := A - 50;$$



$\text{write}(A);$

$\text{read}(B);$



$$B := B + 50;$$

$\text{write}(B);$

$\text{read}(A)$



$\text{write}(A);$




(1) Atomicity

→ $\begin{array}{c} A \\ \text{read } 1000 \\ 950 = 1000 - 50 \\ \text{write}(A) \end{array}$

B
 $\text{read } 2000$

$\text{read } 2000$
 $2000 + 50$
 $\text{write}(2050)$
 2050

Commit



\rightarrow Transaction $\xrightarrow{\quad}$ Successful.
 $\xrightarrow{\quad}$ fail \rightarrow old state recovery.

DB \rightarrow maintain \rightarrow old state.

\downarrow intermediate state.

\swarrow success \times ,
Rollback \quad old state

② Consistency

③ Isolation |— Banking system

T_1 T_2 T_3 T_4

$t=0 \Rightarrow T_1$ (Google Pay) $t=10 = T_2$ (Netbanking)

$\text{read}(A) \rightarrow 1000 \rightarrow \text{read}_1(A) \rightarrow 1000.$

$A := A - 50 = 950.$

$\boxed{A = 950}$

$\text{write}(950)$

$1000 - 50 \quad \cancel{2950}.$

$B \rightarrow$

$B \rightarrow 50 + \cancel{50} \quad \boxed{1000}$

④ Durability

$T_j \rightarrow \text{Success}$



all 6 step \rightarrow Success



DB update permanent (persistent)



even if there is a system failure after

T completed
executed.

→ Recovery - mgmt Component.

read (A)


$A := A - 50$

write (A)


Read (B)

$B := B + 50$

write B,




~~write~~



System crash


$A = 950$
 $B = 2050$


Main memory



* States of Transaction (life cycles)

How to Implement Atomicity 2.






1. Transaction

1. A unit of work done against the DB in a logical sequence.
2. Sequence is very important in transaction.
3. It is a logical unit of work that contains one or more SQL statements. The result of all these statements in a transaction either gets completed successfully (all the changes made to the database are permanent) or if at any point any failure happens it gets rolled back (all the changes being done are undone).

2. ACID Properties

1. To ensure integrity of the data, we require that the DB system maintain the following properties of the transaction.
2. **Atomicity**
 1. Either all operations of transaction are reflected properly in the DB, or none are.
3. **Consistency**
 1. Integrity constraints must be maintained before and after transaction.
 2. DB must be consistent after transaction happens.
4. **Isolation**
 1. Even though multiple transactions may execute concurrently, the system guarantees that, for every pair of transactions T_i and T_j , it appears to T_i that either T_j finished execution before T_i started, or T_j started execution after T_i finished. Thus, each transaction is unaware of other transactions executing concurrently in the system.
 2. Multiple transactions can happen in the system in isolation, without interfering each other.
5. **Durability**
 1. After transaction completes successfully, the changes it has made to the database persist, even if there are system failures.

3. Transaction states



Transaction States in DBMS


1. Active state

1. The very first state of the life cycle of the transaction, all the read and write operations are being performed. If they execute without any error the T comes to Partially committed state. Although if any error occurs then it leads to a Failed state.

2. Partially committed state

1. After transaction is executed the changes are saved in the buffer in the main memory. If the changes made are permanent on the DB then the state will transfer to the committed state and if there is any failure, the T will go to Failed state.

3. Committed state



1. When updates are made permanent on the DB. Then the T is said to be in the committed state. Rollback can't be done from the committed states. New consistent state is achieved at this stage.
4. **Failed state**
 1. When T is being executed and some failure occurs. Due to this it is impossible to continue the execution of the T.
5. **Aborted state**
 1. When T reaches the failed state, all the changes made in the buffer are reversed. After that the T rollback completely. T reaches abort state after rollback. DB's state prior to the T is achieved.
6. **Terminated state**
 1. A transaction is said to have terminated if has either committed or aborted.

CodeHelp




Lec-11

Normalization ?
====

Functional dependency

Table



A	B	C	D
1	2	1	5
2	4	5	6

Determinant

eg.

Emp

Emp-id

name

dept.

address

F.D: \rightarrow

Emp-id \rightarrow Emp-name.

Emp-id \rightarrow dept

① Trivial F.D \leftarrow

$A \rightarrow B$, B is a subset of A .

eg. $\{Emp-ID, Name\} \rightarrow Emp-ID$

eg. $A \rightarrow A$, $A \subseteq A$

$B \rightarrow B$ $B \subseteq B$

② Non-Functional F.D) \Rightarrow

$\{\text{EMP_ID, name}\} \rightarrow \{\text{Emp_addr}\}$

A

\rightarrow

B

Q. $B \subseteq A$? Ans No,


\Rightarrow This is N.T.F.D

$\Rightarrow A \rightarrow B, B \not\subseteq A, A \cap B = \text{NULL}.$

Emp-ID \rightarrow Emp-dept

Venn diag


T. F. D



N.T.F.D



$$A \cap B = \text{NULL}$$



① Reflexive

$$X = \{a, b, c, d, e\}$$


Subset $Y = \{a, b, c\}$

$\Rightarrow Y$ is a subset X ,

$$X \rightarrow Y.$$

② Augmentation

$$\overline{\rightarrow}$$



$$R(X, Y, Z)$$

$$XZ \rightarrow YZ$$

$\mathcal{Q} \quad R(A, B, C, D, E)$

$FD :-$

$$A \rightarrow B$$
$$A \rightarrow C$$

$CD \rightarrow \Sigma$

Can

$CD \rightarrow AC ?$

$C \leqslant$

$CD \rightarrow E \quad \& \quad E \rightarrow A \Rightarrow CD \rightarrow A \quad (\text{join, Hui})$

$C \subseteq CD \Rightarrow CD \rightarrow C$

So, $CD \rightarrow A \quad \& \quad CD \rightarrow C$

$\Rightarrow CD \rightarrow AC$ ✓

Why Normalisation

→ What if we have redundant data?

→ introduces 3 anomalies → abnormalities

- ① insertion
- ② deletion
- ③ updation / modification

Student

<u>id</u>	<u>name</u>	<u>age</u>	<u>Branch_code</u>	<u>Branch_name</u>	<u>Branch.NOD</u>
1	A	18	1	CS	X
2	B	19	1	CS	X
3	C	18	1	CS	X
4	D	21	2	ECE	Y
5	E	20	2	ECE	Y
6	F	19	3	M.S	Z

① Inserthon

⇒ New student.

⇒ University → 'IT'

② Deletion

③ update / -

HOD change CS \rightarrow Q.

\Rightarrow id | name | age | Br code] Table |

Table 2 Branch info

Br code	Branch name	HOD name
1	CS	X
2	SCS	Y
3	MSE	Z
4	IT	Q

What we do in normalization

3) Table \rightarrow decompose \rightarrow into multiple tables.

[SRP] \rightarrow Single responsibility principle.

INF
= e.g.

emp.

id	name	Phone.
1	A	88
2	B	12,99

INF



id	name	Phone
1	A	88
2	B	12
2	B	99

2NF \rightarrow

$R(\underline{A} \ B \ C \ D)$

$\Rightarrow \{AB\} \rightarrow P.K$

$A, B \rightarrow$ prime attributes,

$C, D \rightarrow$ Non-prime,

$\Rightarrow FD \Rightarrow B \rightarrow C$  Partial dependen.

$\approx AB \rightarrow C \checkmark$

$AB \rightarrow D$

A	B
Null	1
2	Null.
(Null Null)	
2	Y

{A B} P.K.

B → C

Null → C ?? X.

2NF Conversion

==

R₁ (A B D) A B → D

R₂ (B C) B → C

2NF Table (student project)

<u>studentID</u>	<u>Proj ID</u>	Student Name	Project name
S89	P09	Aria	Geo
S76	P07	Jacob	Choles
S56	P03	Ava	IOT
S92	P05	Alex	Cloud.

P.I.C : {StudentID, ProjID}

FID : $\begin{matrix} \text{Student ID} \rightarrow \text{Student Name} \\ \text{Project ID} \rightarrow \text{Project Name} \end{matrix}$

2NF = form

Student

Student ID	Project ID	Student Name.
S 89	P 09	Diva
S 76	P 07	Jacob
S 56	P 03	Ava
S 92	P 05	alex

Project

Project ID	Project Name.
P 09	Geo
P 07	Chitru
P 03	iot
P 05	Cloud.

3NF

R (A B C)

P.K { A }

F.D: -
A → B
B → C

2NF ✓

⇒

A	B	C
a	1	x
b	1	x
c	1	x
d	2	y
e	2	y
f	3	z
g	3	z

A → Prime.

B → C

↓ ↗
Non prime.

$B \rightarrow C - F, D$ (Functional dependency)

→ decompose 3NF

$R_1(\underline{A}B)$

$R_2(\underline{B}C)$

R_1	A	B
a	1	
b	1	
c	1	
d	2	
e	2	
f	2	
g	3	

	B	C
1		x
2		y
3		z

BCNF

e.g.

Stud-ID	Subject	Professor
101	Java	PJ
101	CPP	PC
102	Java	PJ2
103	C#	PC#
104	Java	PJ

- One student can enroll in multiple subjects
- for each subject, a professor is assigned to a student
- multiple professor can teach a single subject
- One professor can teach only one subject


P.K = ? {Stud-ID, Subject}

① {Stud-ID, Subject} → Professor

② Professor → Subject

→) BCNF Conven
—


Student



p-id.

|
2
. |
|

Profess



Professor


PJ
PC

subject

Java
CPP.

|

LEC-11: Normalisation



1. **Normalisation** is a step towards DB optimisation.
2. **Functional Dependency (FD)**
 1. It's a relationship between the primary key attribute (usually) of the relation to that of the other attribute of the relation.
 2. $X \rightarrow Y$, the left side of FD is known as a **Determinant**, the right side of the production is known as a **Dependent**.
3. **Types of FD**
 1. **Trivial FD**
 1. $A \rightarrow B$ has trivial functional dependency if B is a subset of A. $A \rightarrow A$, $B \rightarrow B$ are also Trivial FD.
 2. **Non-trivial FD**
 1. $A \rightarrow B$ has a non-trivial functional dependency if B is not a subset of A. [A intersection B is NULL].
4. **Rules of FD (Armstrong's axioms)**
 1. **Reflexive**
 1. If ' A' is a set of attributes and ' B' is a subset of ' A' . Then, $A \rightarrow B$ holds.
 2. If $A \supseteq B$ then $A \rightarrow B$.
 2. **Augmentation**
 1. If B can be determined from A, then adding an attribute to this functional dependency won't change anything.
 2. If $A \rightarrow B$ holds, then $AX \rightarrow BX$ holds too. ' X ' being a set of attributes.
 3. **Transitivity**
 1. If A determines B and B determines C, we can say that A determines C.
 2. if $A \rightarrow B$ and $B \rightarrow C$ then $A \rightarrow C$.
3. **Why Normalisation?**
 1. To avoid redundancy in the DB, not to store redundant data.
4. **What happen if we have redundant data?**
 1. Insertion, deletion and updation anomalies arises.
5. **Anomalies**
 1. Anomalies means abnormalities, there are three types of anomalies introduced by data redundancy.
 2. **Insertion anomaly**
 1. When certain data (attribute) can not be inserted into the DB without the presence of other data.
 3. **Deletion anomaly**
 1. The delete anomaly refers to the situation where the deletion of data results in the unintended loss of some other important data.
 4. **Updation anomaly** (or modification anomaly)
 1. The update anomaly is when an update of a single data value requires multiple rows of data to be updated.
 2. Due to updation to many places, may be **Data inconsistency** arises, if one forgets to update the data at all the intended places.
 5. Due to these anomalies, **DB size increases** and **DB performance become very slow**.
 6. To rectify these anomalies and the effect of these of DB, we use **Database optimisation technique** called **NORMALISATION**.
6. **What is Normalisation?**
 1. Normalisation is used to minimise the redundancy from a relations. It is also used to eliminate undesirable characteristics like Insertion, Update, and Deletion Anomalies.
 2. Normalisation divides the composite attributes into individual attributes OR larger table into smaller and links them using relationships.
 3. The normal form is used to reduce redundancy from the database table.
7. **Types of Normal forms**
 1. **1NF**
 1. Every relation cell must have atomic value.
 2. Relation must not have multi-valued attributes.



2. 2NF

1. Relation must be in 1NF.
2. There should not be any partial dependency.
 1. All non-prime attributes must be fully dependent on PK.
 2. Non prime attribute can not depend on the part of the PK.

3. 3NF

1. Relation must be in 2NF.
2. No transitivity dependency exists.
 1. Non-prime attribute should not find a non-prime attribute.

4. BCNF (Boyce-Codd normal form)

1. Relation must be in 3NF.
2. FD: A → B, A must be a super key.
 1. We must not derive prime attribute from any prime or non-prime attribute.

8. Advantages of Normalisation

1. Normalisation helps to minimise data redundancy.
2. Greater overall database organisation.
3. Data consistency is maintained in DB.

CodeHelp

```
CREATE DATABASE ORG;
SHOW DATABASES;
USE ORG;

CREATE TABLE Worker (
    WORKER_ID INT NOT NULL PRIMARY KEY AUTO_INCREMENT,
    FIRST_NAME CHAR(25),
    LAST_NAME CHAR(25),
    SALARY INT(15),
    JOINING_DATE DATETIME,
    DEPARTMENT CHAR(25)
);

INSERT INTO Worker
(WORKER_ID, FIRST_NAME, LAST_NAME, SALARY, JOINING_DATE, DEPARTMENT) VALUES
(001, 'Monika', 'Arora', 100000, '14-02-20 09.00.00', 'HR'),
(002, 'Niharika', 'Verma', 80000, '14-06-11 09.00.00', 'Admin'),
(003, 'Vishal', 'Singhal', 300000, '14-02-20 09.00.00', 'HR'),
(004, 'Amitabh', 'Singh', 500000, '14-02-20 09.00.00', 'Admin'),
(005, 'Vivek', 'Bhati', 500000, '14-06-11 09.00.00', 'Admin'),
(006, 'Vipul', 'Diwan', 200000, '14-06-11 09.00.00', 'Account'),
(007, 'Satish', 'Kumar', 75000, '14-01-20 09.00.00', 'Account'),
(008, 'Geetika', 'Chauhan', 90000, '14-04-11 09.00.00', 'Admin');

SELECT * FROM Title;

CREATE TABLE Bonus (
    WORKER_REF_ID INT,
    BONUS_AMOUNT INT(10),
    BONUS_DATE DATETIME,
    FOREIGN KEY (WORKER_REF_ID)
```

```
    REFERENCES Worker(WORKER_ID)
    ON DELETE CASCADE
);
```

```
INSERT INTO Bonus
  (WORKER_REF_ID, BONUS_AMOUNT, BONUS_DATE) VALUES
  (001, 5000, '16-02-20'),
  (002, 3000, '16-06-11'),
  (003, 4000, '16-02-20'),
  (001, 4500, '16-02-20'),
  (002, 3500, '16-06-11');
```

```
CREATE TABLE Title (
  WORKER_REF_ID INT,
  WORKER_TITLE CHAR(25),
  AFFECTED_FROM DATETIME,
  FOREIGN KEY (WORKER_REF_ID)
    REFERENCES Worker(WORKER_ID)
    ON DELETE CASCADE
);
```

```
INSERT INTO Title
  (WORKER_REF_ID, WORKER_TITLE, AFFECTED_FROM) VALUES
  (001, 'Manager', '2016-02-20 00:00:00'),
  (002, 'Executive', '2016-06-11 00:00:00'),
  (008, 'Executive', '2016-06-11 00:00:00'),
  (005, 'Manager', '2016-06-11 00:00:00'),
  (004, 'Asst. Manager', '2016-06-11 00:00:00'),
  (007, 'Executive', '2016-06-11 00:00:00'),
  (006, 'Lead', '2016-06-11 00:00:00'),
  (003, 'Lead', '2016-06-11 00:00:00');
```

50_questions.sql

Lec-10Slides.pdf

ORG_DB.sql

-- Q-1. Write an SQL query to fetch “FIRST_NAME” from Worker table using the alias name as <WORKER_NAME>.

```
select first_name AS WORKER_NAME from worker;
```

-- Q-2. Write an SQL query to fetch “FIRST_NAME” from Worker table in upper case.

```
select UPPER(first_name) from worker;
```

-- Q-3. Write an SQL query to fetch unique values of DEPARTMENT from Worker table.

```
SELECT distinct department from worker;
```

-- Q-4. Write an SQL query to print the first three characters of FIRST_NAME from Worker table.

```
select substring(first_name, 1, 3) from worker;
```

-- Q-5. Write an SQL query to find the position of the alphabet ('b') in the first name column 'Amitabh' from Worker table.

```
select INSTR(first_name, 'B') from worker where first_name = 'Amitabh';
```

-- Q-6. Write an SQL query to print the FIRST_NAME from Worker table after removing white spaces from the right side.

```
select RTRIM(first_name) from worker;
```

-- Q-7. Write an SQL query to print the DEPARTMENT from Worker table after removing white spaces from the left side.

```
select LTRIM(first_name) from worker;
```

-- Q-8. Write an SQL query that fetches the unique values of DEPARTMENT from Worker table and prints its length.

```
select distinct department, LENGTH(department) from worker;
```

-- Q-9. Write an SQL query to print the FIRST_NAME from Worker table after replacing 'a' with 'A'.
select REPLACE(first_name, 'a', 'A') from worker;

-- Q-10. Write an SQL query to print the FIRST_NAME and LAST_NAME from Worker table into a single column COMPLETE_NAME.

-- A space char should separate them.

```
select CONCAT(first_name, ' ', last_name) AS COMPLETE_NAME from worker;
```

-- Q-11. Write an SQL query to print all Worker details from the Worker table order by FIRST_NAME Ascending.

```
select * from worker ORDER by first_name;
```

-- Q-12. Write an SQL query to print all Worker details from the Worker table order by

-- FIRST_NAME Ascending and DEPARTMENT Descending.

```
select * from worker order by first_name, department DESC;
```

-- Q-13. Write an SQL query to print details for Workers with the first name as "Vipul" and "Satish" from Worker table.

```
select * from worker where first_name IN ('Vipul', 'Satish');
```

-- Q-14. Write an SQL query to print details of workers excluding first names, "Vipul" and "Satish" from Worker table.

```
select * from worker where first_name NOT IN ('Vipul', 'Satish');
```

-- Q-15. Write an SQL query to print details of Workers with DEPARTMENT name as "Admin*".

```
select * from worker where department LIKE 'Admin%';
```

-- Q-16. Write an SQL query to print details of the Workers whose FIRST_NAME contains 'a'.

```
select * from worker where first_name LIKE '%a%';
```

-- Q-17. Write an SQL query to print details of the Workers whose FIRST_NAME ends with 'a'.

```
select * from worker where first_name LIKE '%a';
```

-- Q-18. Write an SQL query to print details of the Workers whose FIRST_NAME ends with 'h' and contains six alphabets.

```
select * from worker where first_name LIKE '_____h';
```

-- Q-19. Write an SQL query to print details of the Workers whose SALARY lies between 100000 and 500000.

```
select * from worker where salary between 100000 AND 500000;
```

-- Q-20. Write an SQL query to print details of the Workers who have joined in Feb'2014.

```
select * from worker where YEAR(joining_date) = 2014 AND MONTH(joining_date) = 02;
```

-- Q-21. Write an SQL query to fetch the count of employees working in the department 'Admin'.

```
select department, count(*) from worker where department = 'Admin';
```

-- Q-22. Write an SQL query to fetch worker full names with salaries >= 50000 and <= 100000.

```
select concat(first_name, ' ', last_name) from worker  
where salary between 50000 and 100000;
```

-- Q-23. Write an SQL query to fetch the no. of workers for each department in the descending order.

```
select department, count(worker_id) AS no_of_worker from worker group by department  
ORDER BY no_of_worker desc;
```

-- Q-24. Write an SQL query to print details of the Workers who are also Managers.

```
select w.* from worker as w inner join title as t on w.worker_id = t.worker_ref_id where  
t.worker_title = 'Manager';
```

-- Q-25. Write an SQL query to fetch number (more than 1) of same titles in the ORG of different types.

```
select worker_title, count(*) as count from title group by worker_title having count > 1;
```

-- Q-26. Write an SQL query to show only odd rows from a table.

-- select * from worker where MOD (WORKER_ID, 2) != 0;

select * from worker where MOD (WORKER_ID, 2) >> 0;

-- Q-27. Write an SQL query to show only even rows from a table.

select * from worker where MOD (WORKER_ID, 2) = 0;

-- Q-28. Write an SQL query to clone a new table from another table.

CREATE TABLE worker_clone LIKE worker;

INSERT INTO worker_clone select * from worker;

select * from worker_clone;

-- Q-29. Write an SQL query to fetch intersecting records of two tables.

select worker.* from worker inner join worker_clone using(worker_id);

-- Q-30. Write an SQL query to show records from one table that another table does not have.

-- MINUS

select worker.* from worker left join worker_clone using(worker_id) WHERE worker_clone.worker_id is NULL;

-- Q-31. Write an SQL query to show the current date and time.

-- DUAL

select curdate();

select now();

-- Q-32. Write an SQL query to show the top n (say 5) records of a table order by descending salary.

select * from worker order by salary desc LIMIT 5;

-- Q-33. Write an SQL query to determine the nth (say n=5) highest salary from a table.

select * from worker order by salary desc LIMIT 4,1;

-- Q-34. Write an SQL query to determine the 5th highest salary without using LIMIT keyword.

```
select salary from worker w1
```

```
WHERE 4 = (
```

```
SELECT COUNT(DISTINCT (w2.salary))
```

```
from worker w2
```

```
where w2.salary >= w1.salary
```

```
);
```

-- Q-35. Write an SQL query to fetch the list of employees with the same salary.

```
select w1.* from worker w1, worker w2 where w1.salary = w2.salary and w1.worker_id != w2.worker_id;
```

-- Q-36. Write an SQL query to show the second highest salary from a table using sub-query.

```
select max(salary) from worker
```

```
where salary not in (select max(salary) from worker);
```

-- Q-37. Write an SQL query to show one row twice in results from a table.

```
select * from worker
```

```
UNION ALL
```

```
select * from worker ORDER BY worker_id;
```

-- Q-38. Write an SQL query to list worker_id who does not get bonus.

```
select worker_id from worker where worker_id not in (select worker_ref_id from bonus);
```

-- Q-39. Write an SQL query to fetch the first 50% records from a table.

```
select * from worker where worker_id <= ( select count(worker_id)/2 from worker);
```

-- Q-40. Write an SQL query to fetch the departments that have less than 4 people in it.

```
select department, count(department) as depCount from worker group by department having depCount < 4;
```

-- Q-41. Write an SQL query to show all departments along with the number of people in there.

```
select department, count(department) as depCount from worker group by department;
```

-- Q-42. Write an SQL query to show the last record from a table.

```
select * from worker where worker_id = (select max(worker_id) from worker);
```

-- Q-43. Write an SQL query to fetch the first row of a table.

```
select * from worker where worker_id = (select min(worker_id) from worker);
```

-- Q-44. Write an SQL query to fetch the last five records from a table.

```
(select * from worker order by worker_id desc limit 5) order by worker_id;
```

-- Q-45. Write an SQL query to print the name of employees having the highest salary in each department.

```
select w.department, w.first_name, w.salary from  
(select max(salary) as maxsal, department from worker group by department) temp  
inner join worker w on temp.department = w.department and temp.maxsal = w.salary;
```

-- Q-46. Write an SQL query to fetch three max salaries from a table using co-related subquery

```
select distinct salary from worker w1  
where 3 >= (select count(distinct salary) from worker w2 where w1.salary <= w2.salary) order by  
w1.salary desc;
```

-- DRY RUN AFTER REVISING THE CORELATED SUBQUERY CONCEPT FROM LEC-9.

```
select distinct salary from worker order by salary desc limit 3;
```

-- Q-47. Write an SQL query to fetch three min salaries from a table using co-related subquery

```
select distinct salary from worker w1  
where 3 >= (select count(distinct salary) from worker w2 where w1.salary >= w2.salary) order by  
w1.salary desc;
```

-- Q-48. Write an SQL query to fetch nth max salaries from a table.

```
select distinct salary from worker w1
```

```
where n >= (select count(distinct salary) from worker w2 where w1.salary <= w2.salary) order by  
w1.salary desc;
```

-- Q-49. Write an SQL query to fetch departments along with the total salaries paid for each of them.

```
select department , sum(salary) as depSal from worker group by department order by depSal desc;
```

-- Q-50. Write an SQL query to fetch the names of workers who earn the highest salary.

```
select first_name, salary from worker where salary = (select max(Salary) from worker);
```



Lec-10

Practice SQL Questions

→ DB

→ Tables / Relation

→ Data Relationships

→ Questions.

→ SQL Query

ORG DB

• WORKER TABLE

	WORKER_ID	FIRST_NAME	LAST_NAME	SALARY	JOINING_DATE	DEPARTMENT
►	1	Monika	Arora	100000	2014-02-20 09:00:00	HR
►	2	Niharika	Verma	80000	2014-06-11 09:00:00	Admin
►	3	Vishal	Singhal	300000	2014-02-20 09:00:00	HR
►	4	Amitabh	Singh	500000	2014-02-20 09:00:00	Admin
►	5	Vivek	Bhati	500000	2014-06-11 09:00:00	Admin
►	6	Vipul	Diwan	200000	2014-06-11 09:00:00	Account
►	7	Satish	Kumar	75000	2014-01-20 09:00:00	Account
►	8	Geetika	Chauhan	90000	2014-04-11 09:00:00	Admin
	HULL	HULL	HULL	HULL	HULL	HULL

• BONUS TABLE

	WORKER_REF_ID	BONUS_AMOUNT	BONUS_DATE
►	1	5000	2016-02-20 00:00:00
►	2	3000	2016-06-11 00:00:00
►	3	4000	2016-02-20 00:00:00
►	1	4500	2016-02-20 00:00:00
►	2	3500	2016-06-11 00:00:00

• TITLE TABLE

	WORKER_REF_ID	WORKER_TITLE	AFFECTED_FROM
►	1	Manager	2016-02-20 00:00:00
►	2	Executive	2016-06-11 00:00:00
►	8	Executive	2016-06-11 00:00:00
►	5	Manager	2016-06-11 00:00:00
►	4	Asst. Manager	2016-06-11 00:00:00
►	7	Executive	2016-06-11 00:00:00
►	6	Lead	2016-06-11 00:00:00
►	3	Lead	2016-06-11 00:00:00

Q Remove all the reversed number pairs from given table.

A	B
1	2
2	4
2	1
3	2
4	2
5	6
6	5
7	8

1, 2 \leftrightarrow 2, 1

2, 3 \leftrightarrow 3, 2

O/P

A	B
1	2
2	4
3	2
5	6
7	8

Sol 1

①

JOINS

②

CO-related



Lec-9

* SQL in One video


SQL \Rightarrow Structured Query language

RDBMS \Rightarrow MySQL, Oracle, MS access etc.


CRUD

SQL queries.

API RDBMS



CRUD → Create
Read
Update
Delete.



RDBMS → ① MySQL → Opensource RDBMS
② MSSQL server → Meta, Adobe etc.
③ Oracle
④ IBM,

SQL

- ① Query language.
- ② Way to access data

MySQL

- ① MySQL itself a RDBMS
- ② CRUD done on it using SQL.

⇒ Install → ① MySQL Community Server
② MySQL Workbench

2) Workbench → DB Create
Table

* SQL Data types

```
Create table student(  
    id INT PRIMARY KEY,  
    name Varchar(255)
```

variable datatype

)'

VARCHAR(255) →

R	A	M
---	---	---

CHAR(255) →

R	A	M.
---	---	----

①

255

fixed
datatype

255
f

SIGNED, unsigned

TINYINT $\Rightarrow (-128 \text{ to } 127)$

UNSIGNED TINYINT $\Rightarrow (0 \rightarrow 255)$

Create TABLE table_name (

Col1 INT,

Col2 INT UNSIGNED

)

→ Advanced DT ↴

① JSON → JS Object Notation

Curly - {
 ;
 col1 JSON,
 ;
 }

SQL Types of Commands

① DQL

\Rightarrow DQL \rightarrow ① DB

② table

user defined table

Student

Dual table

L

without using FROM

SELECT

wildcards

\rightsquigarrow $'\text{a/b pa c/d}'$ \rightsquigarrow $'\underline{a} \underline{b} \underline{c} \underline{p} \underline{a} \underline{d} \underline{b}'$
 $'\underline{p} \underline{a} \underline{b} \underline{c}'$
 $'ad pa'$

$'_pa_'$ $apab$
 $bpa c$

Sorting

Select * from worker ORDER BY salary;

ASC (Default)

DESC (↓)

* Distinct values

— Department (distinct)

HR

HR

Admin

Admin.

Account



HR

Admin

Account

* Data Grouping

→ find no. of employees working in different dept

→ HR → ?

Accout → ?

Admin → ?

→ Grouping → Aggregation
(cont)

→ GROUP BY → Aggregation of ⁿ
COUNT, SUM
AVG, MIN, MAX.

Workers

Name	Department
Monika	HR
Nur.	Admin
C	
D	HR
E	Admin
F	Admin
G	Accnt
H	Accnt
I	Admin

→

Name	Department
Monika	HR
C	HR
;	Admin
(Admin
)	Admin
,	"
	Accnt
	Accnt

Q Find avg. salary per department?

* HAVING

=====

→ Select where to filter

"GROUP BY", HAVING

→ Q department, count, HAVING More than 2 workers?

* WHERE VS HAVING

=====
=====

* DDL

Constraints

① Primary Key Constraint

- Not Null
- Unique
- Only one P.K

Good practice

→ P.K int

② Foreign Key

↪ FK refers P.K of other table.

Workbench

③ Unique

```
Create table customer (
    ;
    Name VARCHAR(255) UNIQUE,
)
;
```

④ CHECK

```
Create table account (
    ;
    CONSTRAINT acc_balance_chk CHECK (
        balance >= 0),
)
;
```

⑨ DEFAULT

```
Create table account (
    balance INT NOT NULL Default 0,
);
```

* DML Data Manipulation Language.

* Referential Constraint,

① INSERT

② DELETE Constraint

ON DELETE CASCADE

ON DELETE SET NULL

ON DELETE RESTRICT

ON DELETE NO ACTION

Replace :-

- ① Data already present, Replace.
- ② Data not present, INSERT

Replace VS Update


→ if row is not present, Replace will add
a new row while UPDATE will do
Nothing

#

JOINS

2) F.K \rightarrow Relations

\rightarrow we \rightarrow Data $\xrightarrow{\text{fetch}}$ JOINS



① INNER JOIN

Resultant table

key	L1	L2	R1	R2
1				
2				
3				

- Join → To apply joins, there should be a common attribute.


Syntax!

Select C.* , O.* FROM Customer AS C INNER JOIN Orders AS O
ON C.id = O.cust-id;

C.id, C.name

O.product

aliasing



INNER JOIN

⑦ Left Join


Left Table

L1	L2	key
1		1
2		2
3		3

4
5
6

R Table

key	R1	R2
1		
2		




Resultant

key	L1	L2	R1	R2
1				
2				
3				
4			Null	Null
5			Null	Null
6			Null	Null

```
select c.* , o.* FROM Customer AS C LEFT JOIN  
Orders AS O  
ON C.id = O.cust_id;
```

③ Right Join

— Intended in knowing only the right side info



Left side

$$L_1 \quad | \quad L_2 \left| \begin{array}{c} k_y \\ 1 \\ 2 \\ 3 \end{array} \right.$$

Right side


$$k_y \quad | \quad R_1 \quad | \quad R_2 \left| \begin{array}{c} 1 \\ 2 \\ 3 \\ 4 \\ 5 \end{array} \right.$$

Resultant

$$k_y \quad | \quad L_1 \quad | \quad L_2 \quad | \quad R_1 \quad | \quad R_2$$

—————
Nw1 Nw2 Nw3 Nw4

④ Full Join



MySQL Full Join X keyword X.

Emulated
=

LeftJoin \cup Right Joins

Syntax

= select * from leftTable as l LEFT JOIN rightTable as r
ON l.key = r.key.

UNION

select * from leftJoin as l RIGHT JOIN rightTable as r
ON l.key = r.key;


 Cross \otimes dim \rightarrow Content product
 $\Rightarrow \tau_L$ rows τ_R columns
 Rentat $\rightarrow 5 \times 10 = 50$ rows

e.g.

L_1	L_2
1	A
2	B

R_1	R_2
3	C
4	D

2) Rentat =

\rightarrow Industrial use X.

L_1	L_2	R_1	R_2
1	A	3	C
2	A	4	D
2	B	3	C
1	B	4	D

Self Join

- emulate.

- 'INNER JOIN'

- Alias 'AS'

e.g. select
e1.id, e2.id, e2.name

FROM
employee AS e1

INNER JOIN

employee AS e2

ON e1.id = e2.id;



→ Work bench senior

* Project

	id	empID	name	startdate	clientID
▶	1	1	A	2021-04-21	3
	2	2	B	2021-03-12	1
	3	3	C	2021-01-16	5
	4	3	D	2021-04-27	2
	5	5	E	2021-05-01	4
	NULL	NULL	NULL	NULL	NULL

* EMPLOYEES

* LINEN

Q Can we use JOIN w/o using JOIN keyword?

→ Yes

Syntax

Select * FROM leftTable, RightTable WHERE
leftTable.id
= RightTable.id;

* Set Operations

{ 1, 2, 3, 4, 5, 6, 7 }

Table 1

	col 1	col 2
A	1	
B	1	
C	2	

Table 2

	col 1	col 2
A	1	
B		2
D		3

- (1) Union
- (2) Intersection
- (3) Minus

→ UNION
=

$$\overline{T_1 \cup T_2}$$
$$T_1 \cup T_2 \rightarrow$$

	col 1	col 2
A	1	
B		1
C	2	
D		2
		3

— Rows —


Syntax: →

Select * FROM Table1

UNION

Select * FROM Table2;

Set operatⁿ
→ Combine
two or more
Select statements




JOIN vs UNION

Full JOIN :-

Col 1	Col 2	Col 1	Col 2
A	1	A	1
B	1	B	2
C	2	null	num.
null	null	D	3

②

INTERSECT



Select * from T_1

INTERSECT ~~X~~

Select * from T_2 ; \Rightarrow Emulate


Select DISTINCT id from T_1

INNER JOIN T_2

using (id);

③ MINUS

$T_1 - T_2$



Syntax -> Select id FROM T_1
LEFT JOIN T_2 using(id)
WHERE $T_2.id$ IS NULL;

Example

A B C

Dept 1


	empid	name	role
▶	1	A	engineer
	2	B	salesman
	3	C	manager
	4	D	salesman
	5	E	engineer
	HULL	HULL	HULL

Dept 2.

	empid	name	role
▶	3	C	manager
	6	F	marketing
	7	G	salesman
	HULL	HULL	HULL

Sub Queries

— alternative to joins



Generally, Outer query depends on
Inner query

e.g. Select * from table where id IN (select id
from table
where name = 'Lat'))

→ Work bench senior

* Project

	id	empID	name	startdate	clientID
▶	1	1	A	2021-04-21	3
	2	2	B	2021-03-12	1
	3	3	C	2021-01-16	5
	4	3	D	2021-04-27	2
	5	5	E	2021-05-01	4
	HULL	HULL	HULL	HULL	HULL

* EMPLOYEE

* CLIENT

* Correlated Subquery


Outer (Inner),

— inner query that refers the outer query

```
-- Correlated subquery
-- find 3rd oldest employee
SELECT *
FROM Employee e1
WHERE 3 = (
    SELECT COUNT(e2.age)
    FROM Employee e2
    WHERE e2.age >= e1.age
);
```

for each, $e1.age$ inner → completely one time

① $e1.age \geq 32$
 inner
 ↳ ② (2)



② $e1.age = 44$
 $\Rightarrow \emptyset$
 ↳ ③ 22
 ↳ 4

① $e1.age$.
 31
 \Rightarrow ③

SQL Views

⇒ MySQL → views

Customer ⇒ id | name | age | address |

view → name | age → alias
— custom view

2)

SQL

||

2)

SQL

Query

~~AFS~~

Interview specific

ON SQL

Home work

- 1
- 2

Note making

Practice



Lec - 8


* Transformation from ER model to Relational model.

Loan → { Loan-number } amount

weak Entity Payment
P.K
⇒
Payment no. | Payment-date | Payment-amount
P.K
=

* Composite attribute \rightarrow \rightarrow sep. attribute for each component.

Customer table



* Multi-value attribute

F.K

emp-id

dependent-name

dname

{ empid, dname }

P.K ..

-new relation.

* Generalization

Method |
=====

* Aggregation →





Table ` manages (mgr_id, emp_id, job_id, branch_id)

P.K.

* Unary Relationship :-


we will add another attribute in Employee table,
which will be F.K.




Emp_id	name	joining date	Emp_mgr_id
201	---	---	205
202	--	--	205
205	--	--	Null.

* 1 : 1 →

Person (id, Name, spouse_id)
{ F.K }



* $M : N \Rightarrow$



① Course(id , Title)

② Prereq(id , prereq_course_id)

\downarrow \downarrow
{Fk} {Fk}

P.K

* FB Relational Model

- (1) user-profile (username, name-first, name-last, password, DOB)
 - (2) user-profile-email (username {F.K}, email)
 - (3) user-profile-contact (username {F.K}, contact-number)
 - (4) friendship (profile-req {F.K}, profile-accept {F.K}) → Compound key
 - (5) post-like (post-like-id, timestamp, post-id {F.K}, username {F.K})
 - (6) user-post (post-id, created-timestamp, modified-timestamp, text-content, username {F.K})
 - (7) user-post-image (post-id {F.K}, image-url)
 - (8) user-post-video (post-id {F.K}, video-url)
 - (9) post-comment (post-comment-id, text-content, timestamp, post-id, username {F.K})

LEC-8: Transform - ER Model to Relational Model



1. Both **ER-Model** and **Relational Model** are abstract logical representation of real world enterprises. Because the two models implies the similar design principles, **we can convert ER design into Relational design.**
2. Converting a DB representation from an ER diagram to a table format is the way we arrive at Relational DB-design from an ER diagram.
3. **ER diagram notations to relations:**
 1. **Strong Entity**
 1. Becomes an **individual table** with entity name, attributes becomes columns of the relation.
 2. Entity's Primary Key (PK) is used as Relation's PK.
 3. **FK** are added to establish relationships with other relations.
 2. **Weak Entity**
 1. A table is formed with all the attributes of the entity.
 2. PK of its corresponding Strong Entity will be added as **FK**.
 3. PK of the relation will be a composite PK, {FK + Partial discriminator Key}.
 3. **Single Values Attributes**
 1. Represented as **columns** directly in the tables/relations.
 4. **Composite Attributes**
 1. Handled by **creating a separate attribute** itself in the original relation for each composite attribute.
 2. e.g., **Address**: {street-name, house-no}, is a composite attribute in customer relation, we add address-street-name & address-house-name as new columns in the attribute and ignore "address" as an attribute.
 5. **Multivalued Attributes**
 1. **New tables** (named as original attribute name) are created for each multivalued attribute.
 2. PK of the entity is used as column **FK** in the new table.
 3. Multivalued attribute's similar name is added as a column to define multiple values.
 4. **PK** of the new table would be {FK + multivalued name}.
 5. e.g., For Strong entity **Employee**, **dependent-name** is a multivalued attribute.
 1. New table named dependent-name will be formed with columns emp-id, and dname.
 2. PK: {emp-id, name}
 3. FK: {emp-id}
 6. **Derived Attributes:** Not considered in the tables.
 7. **Generalisation**
 1. **Method-1:** Create a table for the higher level entity set. For each lower-level entity set, create a table that includes a column for each of the attributes of that entity set plus a column for each attribute of the primary key of the higher-level entity set.
For e.g., Banking System generalisation of Account - saving & current.
 1. Table 1: account (account-number, balance)
 2. Table 2: savings-account (account-number, interest-rate, daily-withdrawal-limit)
 3. Table 3: current-account (account-number, overdraft-amount, per-transaction-charges)
 2. **Method-2:** An alternative representation is possible, if the generalisation is disjoint and complete—that is, if no entity is a member of two lower-level entity sets directly below a higher-level entity set, and if every entity in the higher level entity set is also a member of one of the lower-level entity sets. Here, do not create a table for the higher-level entity set. Instead, for each lower-level entity set, create a table that includes a column for each of the attributes of that entity set plus a column for each attribute of the higher-level entity sets.
Tables would be:
 1. Table 1: savings-account (account-number, balance, interest-rate, daily-withdrawal-limit)
 2. Table 2: current-account (account-number, balance, overdraft-amount, per-transaction-charges) - 3. **Drawbacks of Method-2:** If the second method were used for an overlapping generalisation, some values such as balance would be stored twice unnecessarily. Similarly, if the generalisation were not complete—that is, if some accounts were neither savings nor current accounts—then such accounts could not be represented with the second method.
 8. **Aggregation**



1. Table of the relationship set is made.
2. Attributes includes primary keys of entity set and aggregation set's entities.
3. Also, add descriptive attribute if any on the relationship.

CodeHelp



Lec - 7

Relational Model :-

⇒ Tables →

Customer —
— Cust-ID
— Name
— address
— Contact

Table → Relation →

	Cust-ID	Name	addrn	Contact
①	1	Lakshay	---	888--
②	2	Raj	--~	--~

⇒ Degree of table → No. of attributes.

Cardinality → Total no. of tuple.

⇒ DB design ↗

① ER Model → ER diagram.


② Relational Model ↗

③ RDBMS → Software DBMS

Software implementation of R.M

MySQL, MS access, Oracle etc.

Online Delivery system



① Customer (Cust-ID, name, address, contact no.)

② ORDER (order-ID, timestamp, delivery-date)

→ Key → Foreign Key

2) Keys → Primary Key → each data point
uniquely identifies

Cust-ID	Name	Contact	Address	Email

- ① Super key → {Name, Contact}, {Name, Email},
{Cust-ID, Email}, {Cust-ID}, {All},
{Cust-ID, Name, Contact, Email}
- ↙ {Raj, 888}
{Raj, 811}

② C.K. \rightarrow {Contact}, {Cust-ID}, {Cust-ID, contact},
{Cust-ID, email}.

③ P.K. \rightarrow {Cust-ID} \rightarrow P.K.

④ A.K. \rightarrow {C.K.} - P.K. \rightarrow

④ Foreign Key L -

Customer (cust-ID, name, address, contact no)

Order (order-ID, timestamp, delivery date, cust-ID) \rightarrow F.K

Customer Referenced Rel'n / Parent table.

Cust-ID	Name	addrm	Contact
1	Kaz	- ~	--
2	To	--	--
3	dada	--	--
4	--	- --	--

ORDER Child table.

Order-ID	Timestamp	delivery date	Cust-ID
21	- --	- -	1
22	- -	- -	2
23	- -	- . .	3

/ Referencing rel'n.

X Surrogate key >

Table of School A

<u>reg.no</u>	name
101	Ram
102	Monika
103	Tata.

Merged.
→

<u>Sur-no</u>	reg-no	name
1	101	Ram
2	102	Monika
3	103	Tata
4	AB101	Tommy
5	AB102	Nota.

table of school B

<u>reg-no</u>	name
AB101	Tammy
AB102	Nota.

CRUD

Rollno	Name	Contact.	Age.
1	A	---	
2	B	---	
3	C	- - -	
4	812	ABC.	

Create

* Referential constraint

Customer :-

↴ Parent ref in
 Referenced table.

Cust-ID	Name	add	Contact no.
1	Kaz	- -	- -
2	Jo	- -	- -
3	Dada	- -	- -

ORDER :-

↳ Child Refn/
Referencing table

order-ID	Timestamp	delivery date	Cust-ID → F.K.
21	- - -	- -	1
22	- - -	- -	2
23	- - -	- -	Null,

① Insert constraint :- value can't be inserted in child table if the value is not lying in parent table.

② Delete constraint → Value can't delete from parent table if the value is lying in child table.

⇒ ON Delete Cascade ↴

Can we delete value from parent table if the value is lying in the child table w/o violating referential constraint?

→ delete value from parent table → delete corresponding entry from child table too.

create table Order (order-ID int P.K, --, --, cust-ID int
referencing Customer
on delete cascade);

⇒ Can F.K have Null value ?

ON Delete Null ↴

delete value from parent table → put corresponding F.K value Null.

* Key Constraints -

- ① Not Null → By default a attribute / column can be Null.
→ enforce a column to not accept null.

```
Create Table Customer (
    ID int Not Null,
    Name varchar(50) Not Null,
    Age int,
);
```

- ② Unique constraint =>
- ↳ ensure all values in col. are diff.
- Both unique & P.K constraint provide uniqueness.
 - you may have many unique constraints per table
But only one P.K constraints per table,

```
create Table Customer (
    ID int Not Null,
    Name varchar(50) Not Null,
    unique (ID)
);
```

③ Default constant →

↳ set default value of col.

```
create table customer (
    :
    prime_status int DEFAULT 0,
    :
    :
);
```

④

Check :- limit value Range (Domain)

```
(  
:
```

```
    CHECK (age >= 18)  
)
```

(8)

Primary key constraint

- Uniquely identify each tuple.
- P.K \neq Null.
- Relatum only 1 P.K.

(
|
{

PRIMARY KEY (ID)
;)

⑥ Foreign Key Constant
— Keeps rel'n b/w 2 table.

Create table Order (

PRIMARY KEY (order_ID)

FOREIGN KEY (Cust-ID) Referencing
Customer (Cust-ID)

) ;

LEC-7: Relational Model



1. Relational Model (RM) organises the data in the form of **relations (tables)**.
2. A relational DB consists of **collection of tables**, each of which is assigned a **unique name**.
3. A **row** in a table represents a relationship among a set of values, and table is collection of such relationships.
4. **Tuple**: A single row of the table representing a single data point / a unique record.
5. **Columns**: represents the attributes of the relation. Each attribute, there is a permitted value, called **domain of the attribute**.
6. **Relation Schema**: defines the design and structure of the relation, contains the name of the relation and all the columns/attributes.
7. Common RM based DBMS systems, aka RDBMS: Oracle, IBM, **MySQL**, MS Access.
8. **Degree of table**: number of attributes/columns in a given table/relation.
9. **Cardinality**: Total no. of tuples in a given relation.
10. **Relational Key**: Set of attributes which can uniquely identify an each tuple.
11. **Important properties of a Table in Relational Model**
 1. The name of relation is distinct among all other relation.
 2. The values have to be atomic. Can't be broken down further.
 3. The name of each attribute/column must be unique.
 4. Each tuple must be unique in a table.
 5. The sequence of row and column has no significance.
 6. Tables must follow integrity constraints - it helps to maintain data consistency across the tables.
12. **Relational Model Keys**
 1. **Super Key (SK)**: Any P&C of attributes present in a table which can uniquely identify each tuple.
 2. **Candidate Key (CK)**: minimum subset of super keys, which can uniquely identify each tuple. It contains no redundant attribute.
 1. **CK value shouldn't be NULL**.
 3. **Primary Key (PK)**:
 1. Selected out of CK set, has the least no. of attributes.
 4. **Alternate Key (AK)**
 1. All CK except PK.
 5. **Foreign Key (FK)**
 1. It creates relation between two tables.
 2. A relation, say r1, may include among its attributes the PK of an other relation, say r2. This attribute is called FK from r1 referencing r2.
 3. The relation r1 is aka **Referencing (Child) relation** of the FK dependency, and r2 is called **Referenced (Parent) relation** of the FK.
 4. FK helps to cross reference between two different relations.
 6. **Composite Key**: PK formed using at least 2 attributes.
 7. **Compound Key**: PK which is formed using 2 FK.
 8. **Surrogate Key**:
 1. Synthetic PK.
 2. Generated automatically by DB, usually an integer value.
 3. May be used as PK.

13. Integrity Constraints

1. CRUD Operations must be done with some integrity policy so that DB is always consistent.
2. Introduced so that we do not accidentally corrupt the DB.
3. **Domain Constraints**
 1. Restricts the value in the attribute of relation, specifies the Domain.
 2. Restrict the Data types of every attribute.
 3. E.g., We want to specify that the enrolment should happen for candidate birth year < 2002.
4. **Entity Constraints**
 1. Every relation should have PK. PK != NULL.



5. Referential Constraints

1. Specified between two relations & helps maintain consistency among tuples of two relations.
2. It requires that the value appearing in specified attributes of any tuple in referencing relation also appear in the specified attributes of at least one tuple in the referenced relation.
3. If FK in referencing table refers to PK of referenced table then every value of the FK in referencing table must be NULL or available in referenced table.
4. FK must have the matching PK for its each value in the parent table or it must be NULL.

6. Key Constraints: The six types of key constraints present in the Database management system are:-

1. NOT NULL: This constraint will restrict the user from not having a NULL value. It ensures that every element in the database has a value.
2. UNIQUE: It helps us to ensure that all the values consisting in a column are different from each other.
3. DEFAULT: it is used to set the default value to the column. The default value is added to the columns if no value is specified for them.
4. CHECK: It is one of the integrity constraints in DBMS. It keeps the check that integrity of data is maintained before and after the completion of the CRUD.
5. PRIMARY KEY: This is an attribute or set of attributes that can uniquely identify each entity in the entity set. The primary key must contain unique as well as not null values.
6. FOREIGN KEY: Whenever there is some relationship between two entities, there must be some common attribute between them. This common attribute must be the primary key of an entity set and will become the foreign key of another entity set. This key will prevent every action which can result in loss of connection between tables.



Lec- 6

Facebook - DB formulate using ER model

* ER diagrams

① Features. & we can.

① profile → user-profiles → friends.

② user can post

③ Post → Contains → text-content, images, videos.

④ Post → like, comment.

① Identify entity sets.

① user-profile

② user-post

③ post-comment

④ post-like

⑤ Attributes + types

① user-profile → Name, username, email, password, contactno.
Composite, DOB, age. multivalued, multivalued,
derived.

② user-post → post-id, textcontent, image, video, multivalued, multivalued,
created timestamp, modified timestamp.


③ post-comment → post-comment-id, text content, timestamp

④ post-like → post-like-id, timestamp

⑤ Relⁿ & Constants,

① user-profile friendship user-profile.
M ! N

② user-profile posts user-post.
1 ? N
 ==





Lec-5

* Steps to make ER diagram -

- ① identify Entity sets.
- ② identify attributes & their types,
- ③ " Rel'n & constraints
 - Mapping
 - Participation

* ER - Model of Banking System

① Banking system — Branches, (name)

② Bank → customers.

③ Customers — accounts, , & take loan.

④ Customer associated with some banker.

⑤ Bank has employees.

⑥ Accounts —
 |
 Saving a/c
 |
 current a/c.

⑦ Loan originated by branch

|
 Loan ≥ 1 customers.
→ payment schedules

① Entity sets

① Branch ② Customer ③ Employee

④ Saving a/c ⑤ Current a/c

⑥ Loan ⑦ Payment (loan) (weak entity)

② Attributes:-

① branch → name, city, assets, liabilities

② Customer → cust-id, name, address, contact no.
 DOB, age,
 ↓
 derived.
 ↓
 Composite.
 ↓
 multivalued.

- ③ Employee → emp-id, name, contact no., dependent name,
years of service, start-date
↓
derived attr. ↓
single valued. multivalued.
- ④ Saving account → acc-number, balance, interest-rate
, daily withdrawal limit.
- ⑤ Current a/c → acc-number, balance, per transaction charges,
overdraft-amount.
- ⑥ Generalized Entity "Account" → acc-no., balance
- ⑦ Loan → loan-number, amount
- ⑧ Weak Entity payment → Payment no., date, amount.

③ Relⁿ & Constraints

① Customer borrow loans,
M : N
==

② Loan originated by branch,
N : 1
==

③ Loan loan-payment Payment,
1 : N
==

(4)


Customer deposit account
 M N

(5)

Customer banker Employee.
 N o 1

(6)

Employee manage by Employee,
 N o 1



N.W




- ① Online delivery system.
- ② University





Lec-4


Extended ER Features

① Specialization













* Aggregation





eg.






LEC-4: Extended ER Features


1. **Basic ER Features** studied in the **LEC-3**, can be used to model most DB features but when complexity increases, it is better to use some Extended ER features to model the DB Schema.
2. **Specialisation**
 1. In ER model, we may require to subgroup an entity set into other entity sets that are distinct in some way with other entity sets.
 2. **Specialisation** is **splitting** up the entity set into further **sub entity sets** on the basis of their **functionalities, specialities and features**.
 3. It is a **Top-Down** approach.
 4. e.g., **Person** entity set can be divided into **customer, student, employee**. Person is **superclass** and other specialised entity sets are **subclasses**.
 1. We have "**is-a**" relationship between superclass and subclass.
 2. Depicted by **triangle** component.
 5. **Why Specialisation?**
 1. Certain attributes may only be applicable to a few entities of the parent entity set.
 2. DB designer can show the distinctive features of the sub entities.
 3. To group such entities we apply Specialisation, to overall **refine** the DB blueprint.
3. **Generalisation**
 1. It is just a **reverse** of Specialisation.
 2. DB Designer, may encounter certain properties of two entities are overlapping. Designer may consider to make a new generalised entity set. That generalised entity set will be a super class.
 3. "**is-a**" relationship is present between subclass and super class.
 4. e.g., **Car, Jeep and Bus** all have some common attributes, to avoid data repetition for the common attributes. DB designer may consider to Generalise to a new entity set "**Vehicle**".
 5. It is a **Bottom-up** approach.
 6. **Why Generalisation?**
 1. Makes DB more **refined** and **simpler**.
 2. Common attributes are not **repeated**.
4. **Attribute Inheritance**
 1. **Both** Specialisation and Generalisation, has attribute inheritance.
 2. The attributes of higher level entity sets are inherited by lower level entity sets.
 3. E.g., **Customer & Employee** inherit the attributes of **Person**.
5. **Participation Inheritance**
 1. If a parent entity set participates in a relationship then its child entity sets will also participate in that relationship.
6. **Aggregation**
 1. **How to show relationships among relationships?** - Aggregation is the technique.
 2. **Abstraction** is applied to treat relationships as higher-level entities. We can call it Abstract entity.
 3. **Avoid redundancy** by aggregating relationship as an entity set itself.



Lec - 3

ER Model:





→ Unique attribute → Primary Key

Entity Set →



Attributes

Relationships :-

Banking.

Customer , Loan , Account.

① Customer borrow Loan.


② Customer deposit Account.

→ Customer places Order.

→ Professor takes Course.

→ Student enroll Course.


→ Citizen has Vehicle.



* Attributes



Types of attributes



* NULL value

Relationships 1— association among 2 or more entities



Strong Relationship

Weak Relationship


University system



strong entity


Weak Entity

weak Entity & weak relation




Degree of relⁿ ↗

① Unary ↗



② Binary relⁿ ↗

③ Ternary relⁿ ↗




Ternary Relⁿ

→ Relationship constraints


① Mapping cardinality

① 1 : 1



(3)

N : 1




Course


Professor



N : M




* Participation Constraint



total participation.

Cust → Loan → Partial Participation.

Loan → customer → Total "



LEC-3: Entity-Relationship Model

1. **Data Model:** Collection of conceptual tools for **describing data, data relationships, data semantics, and consistency constraints.**
2. **ER Model**
 1. It is a high level data model based on a perception of a **real world** that consists of a collection of basic objects, called **entities** and of **relationships** among these objects.
 2. Graphical representation of ER Model is **ER diagram**, which acts as a **blueprint** of DB.
 3. **Entity:** An Entity is a "**thing**" or "**object**" in the real world that is **distinguishable** from all other objects.
 1. It has **physical existence**.
 2. Each student in a college is an entity.
 3. Entity can be **uniquely** identified. (By a primary attribute, aka Primary Key)
 4. **Strong Entity:** Can be uniquely identified.
 5. **Weak Entity:** Can't be uniquely identified., depends on some other strong entity.
 1. It doesn't have sufficient attributes, to select a uniquely identifiable attribute.
 2. Loan -> Strong Entity, Payment -> Weak, as instalments are sequential number counter can be generated separate for each loan.
 3. **Weak entity depends on strong entity for existence.**
4. **Entity set**
 1. It is a set of entities of the **same** type that share the **same** properties, or attributes.
 2. E.g., Student is an entity set.
 3. E.g., Customer of a bank
5. **Attributes**
 1. An entity is represented by a set of attributes.
 2. Each entity has a value for each of its attributes.
 3. For each attribute, there is a set of **permitted values**, called the **domain**, or **value set**, of that attribute.
 4. E.g., Student Entity has following attributes
 - A. Student_ID
 - B. Name
 - C. Standard
 - D. Course
 - E. Batch
 - F. Contact number
 - G. Address
5. **Types of Attributes**
 1. **Simple**
 1. Attributes which can't be divided further.
 2. E.g., Customer's account number in a bank, Student's Roll number etc.
 2. **Composite**
 1. Can be divided into subparts (that is, other attributes).
 2. E.g., Name of a person, can be divided into first-name, middle-name, last-name.
 3. If user wants to refer to an entire attribute or to only a component of the attribute.
 4. Address can also be divided, street, city, state, PIN code.
 3. **Single-valued**
 1. Only one value attribute.
 2. e.g., Student ID, loan-number for a loan.
 4. **Multi-valued**
 1. Attribute having more than one value.
 2. e.g., phone-number, nominee-name on some insurance, dependent-name etc.
 3. Limit constraint may be applied, upper or lower limits.
 5. **Derived**
 1. Value of this type of attribute can be derived from the value of other related attributes.



2. e.g., Age, loan-age, membership-period etc.

6. NULL Value

1. An attribute takes a null value when an entity does not have a value for it.
2. It may indicate "not applicable", value doesn't exist. e.g., person having no middle-name
3. It may indicate "unknown".
 1. Unknown can indicate missing entry, e.g., name value of a customer is NULL, means it is missing as name must have some value.
 2. Not known, salary attribute value of an employee is null, means it is not known yet.

6. Relationships

1. **Association** among two or more entities.
2. e.g., Person has vehicle, Parent has Child, Customer borrow loan etc.
3. **Strong Relationship**, between two independent entities.
4. **Weak Relationship**, between weak entity and its owner/strong entity.
 1. e.g., Loan <instalment-payments> Payment.
5. **Degree of Relationship**
 1. Number of entities participating in a relationship.
 2. **Unary**, Only one entity participates. e.g., Employee manages employee.
 3. **Binary**, two entities participates. e.g., Student takes Course.
 4. **Ternary** relationship, three entities participates. E.g, Employee works-on branch, employee works-on job.
 5. Binary are **common**.

7. Relationships Constraints

1. Mapping Cardinality / Cardinality Ratio


1. Number of entities to which another entity can be associated via a relationship.
2. **One to one**, Entity in A associates with at most one entity in B, where A & B are entity sets. And an entity of B is associated with at most one entity of A.
 1. E.g., Citizen has Aadhar Card.
3. **One to many**, Entity in A associated with N entity in B. While entity in B is associated with at most one entity in A.
 1. e.g., Citizen has Vehicle.
4. **Many to one**, Entity in A associated with at most one entity in B. While entity in B can be associated with N entity in A.
 1. e.g., Course taken by Professor.
5. **Many to many**, Entity in A associated with N entity in B. While entity in B also associated with N entity in A.
 1. Customer buys product.
 2. Student attend course.

2. Participation Constraints

1. Aka, **Minimum cardinality constraint**.
2. **Types**, Partial & Total Participation.
3. **Partial Participation**, not all entities are involved in the relationship instance.
4. **Total Participation**, each entity must be involved in at least one relationship instance.
5. e.g., Customer borrow loan, loan has total participation as it can't exist without customer entity. And customer has partial participation.
6. **Weak entity has total participation constraint, but strong may not have total**.

8. ER Notations

Symbols used in ER Diagram





Lec-2

* Abs**t**raction → DBMS
① → car driving

② Tally - Business soft

⇒ DBMS

z

Main 1 ⇒

Amazon

Customer

Name

Add

Ph no.

Liking / Disliking

Age


CC

DL

VP

Product bought

Product bought



PBMS

Logistics

3

Customer
service
center

Logistics → view schema.

[Name | add.] ph no

Customer
service
dept

[Name | address | ph no | Product
bought]

* Conceptual Level

Physical Level

Name, phno., addres, Batchn,
Name, ph no. addm, Bch
;

file.

Course →

Course ID	Name	Duration
-----------	------	----------

Logical Level

Student

Name
Ph no
Address
Batch no.

Student

1	Name	Ph no.	addr	Batch
	Xyz	8	m	2019
2	Lakshy	a	m	m
3				Course ID

* Instance of DB

Student
→

	Name	ph	address	Batch	Stn-ID
①	XYZ	XX	XX	XX	01
②	ABC	XX	XX	XX	02
③	~	~	~	~	03

12:00 AM → DB ?? 2 rows, 2 data points

Next 12:00 AM → 3 students.

DB Schema (logical schema)

① attributes of table.

② consistency constraints (Primary key)

③ Relationships.

* Logical Level

* Data Model.

* DBMS → we → Language.

→ Schema define → Student → Stu-ID, Name,
add, ph. --



DDL

Insert, (Delete), update,
Retrieval.

Stu-ID	Name	add,	Ph
1			
2			
3			

* Data Mani. Langnge

DDL \rightarrow Create table students (stu-ID int,
Name varchar(50),
add varchar(90),
ph. int
);


DML \rightarrow select * from students;

* Now app access DB?

App → JavaScript, C/C++

function lastOrderDetails{

JDBC | ODBC
↓ ↓
Java C/C++



}

Interface



CandidateDAOImpl.java

Source master e9b8380 Full commit

```
8 import org.slf4j.Logger;
9 import org.slf4j.LoggerFactory;
10 import org.springframework.dao.DataAccessException;
11 import org.springframework.dao.DataIntegrityViolationException;
12 import org.springframework.dao.IncorrectResultSizeDataAccessException;
13 import org.springframework.jdbc.core.BeanPropertyRowMapper;
14 import org.springframework.jdbc.core.namedparam.MapSqlParameterSource;
15 import org.springframework.jdbc.core.namedparam.SqlParameterSource;
16 import org.springframework.jdbc.support.GeneratedKeyHolder;
17 import org.springframework.jdbc.support.KeyHolder;
18
19 import java.util.List;
20
21 public class CandidateDAOImpl extends AbstractDAO implements CandidateDAO {
22     private static final Logger logger = LoggerFactory.getLogger(CandidateDAOImpl.class);
23
24     private static final String SQL_TALENT_PARTNER_ANALYTICS = "SELECT TALENT_PARTNER, count(+) as total, sum(case when status = 'SELECTED' then 1 else 0 end) as selected FROM candidate WHERE TALENT_PARTNER = ? AND status IN ('PENDING', 'SELECTED') GROUP BY TALENT_PARTNER";
25     public Integer add(CandidateQo candidateQo) {
26         try {
27             MapSqlParameterSource namedParameters = new MapSqlParameterSource();
28             namedParameters.addValue("name", candidateQo.getName());
29             namedParameters.addValue("phone", candidateQo.getPhone());
30             namedParameters.addValue("emailId", candidateQo.getEmailId());
31             namedParameters.addValue("idriveId", candidateQo.getDriveId());
32             namedParameters.addValue("resume", candidateQo.getResumePath());
33             namedParameters.addValue("status", candidateQo.getStatus());
34             namedParameters.addValue("createdUserId", candidateQo.getCreatedUserId());
35             KeyHolder keyHolder = new GeneratedKeyHolder();
36             int affectedRowCount = this.namedParameterJdbcTemplate.update(
37                 "INSERT INTO CANDIDATE "
38                 + "(NAME, PHONE, EMAIL_ID, RESUME_PATH, DRIVE_ID, STATUS, CREATED_USER_ID) " + "VALUES "
39                 + "(:name, :phone, :emailId, :resume, :idriveId, :status, :createdUserId)",
40                 namedParameters, keyHolder);
41             if (affectedRowCount == 1) {
42                 return keyHolder.getKey().intValue();
43             }
44         } catch (Exception e) {
45             logger.error("Error occurred while adding candidate: " + e.getMessage());
46         }
47     }
48 }
```

Pull requests Check out ...

Last updated
2020-07-26Filetype
Java

Lines 144 Size 7.03 KB

0 builds




It looks like you haven't configured a build tool yet. You can use Bitbucket Pipelines to build, test and deploy your code.

Your existing plan already includes build minutes.

Set up a pipeline

Give feedback



Control → - data ??
— Data access API's

* DBMS Application architecture

client machine
=

① T1 archi ⇒

e.g. (1) sql. learn.

end-user → PC

DBMS Server → PC


↓
 $\text{DB} \rightarrow \text{PC}$ (files)


Server machine
=



②

T2 >






LEC-2: DBMS Architecture

1. View of Data (Three Schema Architecture)


- a. The major purpose of DBMS is to provide users with an **abstract view** of the data. That is, the **system hides certain details of how the data is stored and maintained**.
- b. To simplify user interaction with the system, abstraction is applied through **several levels of abstraction**.
- c. The **main objective** of three level architecture is to enable multiple users to access the same data with a personalized view while storing the underlying data only once
- d. **Physical level / Internal level**
 - i. The lowest level of abstraction describes how the data are stored.
 - ii. Low-level data structures used.
 - iii. It has **Physical schema** which describes physical storage structure of DB.
 - iv. Talks about: Storage allocation (N-ary tree etc), Data compression & encryption etc.
 - v. **Goal:** We must define algorithms that allow efficient access to data.
- e. **Logical level / Conceptual level:**
 - i. The **conceptual schema** describes the design of a database at the conceptual level, describes **what** data are stored in DB, and what **relationships** exist among those data.
 - ii. User at logical level does not need to be aware about physical-level structures.
 - iii. DBA, who must decide what information to keep in the DB use the logical level of abstraction.
 - iv. **Goal:** ease to use.
- f. **View level / External level:**
 - i. Highest level of abstraction aims to simplify users' interaction with the system by providing different view to different **end-user**.
 - ii. Each **view schema** describes the database part that a particular user group is interested and hides the remaining database from that user group.
 - iii. At the external level, a database contains several schemas that sometimes called as **subschema**. The subschema is used to describe the different view of the database.
 - iv. At views also provide a **security** mechanism to prevent users from accessing certain parts of DB.




g.

2. Instances and Schemas

- a. The collection of information stored in the DB at a particular moment is called an **instance** of DB.



- b. The overall design of the DB is called the DB **schema**.
 - c. Schema is **structural** description of data. Schema **doesn't change frequently**. Data may change frequently.
 - d. **DB schema** corresponds to the variable declarations (along with type) in a program.
 - e. We have 3 types of **Schemas: Physical, Logical**, several **view schemas** called subschemas.
 - f. Logical schema is most **important** in terms of its effect on application programs, as programmers construct apps by using logical schema.
 - g. **Physical data independence**, physical schema change should not affect logical schema/application programs.
3. **Data Models:**
- a. Provides a way to describe the **design** of a DB at **logical level**.
 - b. Underlying the structure of the DB is the Data Model; a collection of conceptual tools for describing **data, data relationships, data semantics & consistency constraints**.
 - c. E.g., ER model, Relational Model, **object-oriented** model, **object-relational** data model etc.
4. **Database Languages:**
- a. **Data definition language (DDL)** to specify the database schema.
 - b. **Data manipulation language (DML)** to express database queries and updates.
 - c. **Practically**, both language features are present in a single DB language, e.g., SQL language.
 - d. DDL
 - i. We specify consistency constraints, which must be checked, every time DB is updated.
 - e. DML
 - i. Data manipulation involves
 - 1. **Retrieval** of information stored in DB.
 - 2. **Insertion** of new information into DB.
 - 3. **Deletion** of information from the DB.
 - 4. **Updating** existing information stored in DB.
 - ii. **Query language**, a part of DML to specify statement requesting the retrieval of information.




b. **T2 Architecture**


- i. App is partitioned into 2-components.
- ii. Client machine, which invokes DB system functionality at server end through query language statements.
- iii. API standards like **ODBC & JDBC** are used to interact between client and server.

c. **T3 Architecture**

- i. App is partitioned into 3 logical components.
- ii. Client machine is just a frontend and doesn't contain any direct DB calls.
- iii. Client machine communicates with App server, and App server communicated with DB system to access data.
- iv. **Business logic**, what action to take at that condition is in App server itself.
- v. T3 architecture are best for **WWW Applications**.
- vi. **Advantages:**
 - 1. **Scalability** due to distributed application servers.
 - 2. **Data integrity**, App server acts as a middle layer between client and DB, which minimize the chances of data corruption.
 - 3. **Security**, client can't directly access DB, hence it is more secure.



a. two-tier architecture



b. three-tier architecture




Lec-1

DBMS → ???

⇒ Data ?? ⇒ Bits / Bytes →
≡ ↳ collection of raw bytes

image → Collection of bytes.

integers → 11111111



memory.
in DD

BMI	Weight	Height (inches)
21.16	112	61
21.79	135	66
28.29	213	73

↓
Process / Interpret


↓
meaning (

↓
Information

① Data

② Information

⇒



Business

presence
Social media

Marketing

Posts

Instagram
LinkedIn

Fb → 8Likes

Insta → 800 Likes

LinkedIn → 2 Likes.

2) Data \rightarrow Likes Count \rightarrow 4 bytes integer

↓
Process


Conclusion \rightarrow Insta \rightarrow max. likes /

Decision making



↓
I should focus on Insta.

→ Amazon → Product → feed back

→ Feed back → tent → (by yes)



→ Data is the new oil.



→ 10 Dishes

— Feedback X

→ Data X

10 Dishes

FB ✓

Data collect ✓

→ Database →

→ DBMS →

School students

- ① —
- ② —
- ③ —
- ④ —

3001

3002

① DB → (store)

② set of programs
→ access

- add
- update
- Delete

addition method

→ File system ↗

① earlier ↗

→ Bank → Saving account

- debit / credit
- new a/c
- Balance find.
- gen. monthly statement


→ Bank → after 10 years

→ Current a/c


— Investments


①

Data Redundancy & inconsistency



(D) Difficulty in Data access





LEC-1: Introduction to DBMS

1. What is Data?

- a. Data is a collection of raw, unorganized facts and details like text, observations, figures, symbols, and descriptions of things etc.
In other words, **data does not carry any specific purpose and has no significance by itself.**
Moreover, data is measured in terms of bits and bytes – which are basic units of information in the context of computer storage and processing.
- b. Data can be recorded and doesn't have any meaning unless processed.

2. Types of Data

- a. **Quantitative**
 - i. Numerical form
 - ii. Weight, volume, cost of an item.
- b. **Qualitative**
 - i. Descriptive, but not numerical.
 - ii. Name, gender, hair color of a person.

3. What is Information?

- a. Info. Is **processed, organized, and structured data.**
- b. It provides **context of the data and enables decision making.**
- c. Processed data that make **sense** to us.
- d. Information is extracted from the data, by **analyzing and interpreting** pieces of data.
- e. E.g., you have data of all the people living in your locality, its Data, when you analyze and interpret the data and come to some conclusion that:
 - i. There are 100 senior citizens.
 - ii. The sex ratio is 1.1.
 - iii. Newborn babies are 100.These are information.

4. Data vs Information


- a. Data is a collection of facts, while information puts those facts into context.
- b. While data is raw and unorganized, information is organized.
- c. Data points are individual and sometimes unrelated. Information maps out that data to provide a big-picture view of how it all fits together.
- d. Data, on its own, is meaningless. When it's analyzed and interpreted, it becomes meaningful information.
- e. Data does not depend on information; however, information depends on data.
- f. Data typically comes in the form of graphs, numbers, figures, or statistics. Information is typically presented through words, language, thoughts, and ideas.
- g. Data isn't sufficient for **decision-making**, but you can make decisions based on information.

5. What is Database?

- a. Database is an electronic place/system where data is stored in a way that it can be **easily accessed, managed, and updated.**
- b. To make real use Data, we need **Database management systems. (DBMS)**

6. What is DBMS?

- a. A database-management system (DBMS) is a collection of **interrelated data and a set of programs to access those data.** The collection of data, usually referred to as the **database**, contains information relevant to an enterprise. The primary goal of a DBMS is to provide a way to **store and retrieve database information** that is both convenient and efficient.
- b. A DBMS is the database itself, along with all the software and functionality. It is used to perform different operations, like **addition, access, updating, and deletion** of the data.



7.

8. DBMS vs File Systems

- a. **File-processing systems** has major **disadvantages**.
 - i. Data Redundancy and inconsistency
 - ii. Difficulty in accessing data
 - iii. Data isolation
 - iv. Integrity problems
 - v. Atomicity problems
 - vi. Concurrent-access anomalies
 - vii. Security problems
- b. Above 7 are also the **Advantages of DBMS** (answer to "Why to use DBMS?")