PRE-RELEASE

eCH-0309 – Auxiliary document: animal movement data

Name	Auxiliary document: animal movement data
eCH-number	eCH-0309
Category	Auxiliary document
Quality stage	Experimental
Version	1.0.0
Status	In progress
Decision on	
Date of issue	November 4, 2026
Replaces version	New
Requirements	• eCH-0108 • eCH-0261
Annexes	---
Languages	German (original), French (translation), English (translation)
Technical Unit	Technical Unit AgriFood
Editor / Distribution	eCH registered association, Affolternstrasse 52, 8050 Zurich T 044 388 74 64 / info@ech.ch / www.ech.ch

Summary

This document describes the data of the animal movement database (TVD) semantically, so that specialists without in-depth IT knowledge can also gain a better understanding of the data.

Table of contents

Note ... 3

1 Introduction ... 4
1.1 Status ... 4
1.2 Field of application ... 4
1.3 Animal movement reporting in Switzerland ... 4
1.4 References ... 5

2 Namespaces ... 6

3 Data Model ... 7
3.1 Legal unit ... 7
3.2 Animal keeper ... 8
3.3 Local unit ... 8
3.4 Individual animal ... 9
3.5 Ruminant ... 9
3.6 Equid ... 10
3.7 Individual animal notification ... 11
3.8 Group notification ... 11
3.9 Health status of a local unit ... 12
3.10 Health status of an individual animal ... 13

4 Code lists ... 14
4.1 Animal history state ... 14
4.2 Equid notification state ... 14
4.3 Gender ... 14
4.4 Genus ... 15
4.5 Health status of a local unit ... 15
4.6 Health status of an individual animal ... 15
4.7 Health status type ... 16
4.8 Notification type ... 16
4.9 Type of use (cattle, sheep, goats) ... 17
4.10 Type of use (equids) ... 17
4.11 Withers class ... 17

5 Safety considerations ... 18

6 Disclaimer ... 19

7 Copyrights ... 20

8 Annex A - References ... 21

9 Annex B - Cooperation and Verification ... 22

10 Annex C - Abbreviations and Glossary ... 23

11 Annex D - Mapping to the TVD interface 24

12 Annex E - Changes in comparison to previous version 26

13 Annex F - Table of figures 27

14 Annex G - Table of tables 28

Note

This document uses a gender-neutral formulation when referring to persons. This is based on the guidelines (German) of the Federal Chancellery. Depending on the situation, paired forms (citizens), gender-abstract forms (insured person), gender-neutral forms (insured person) or paraphrases without personal reference are used. The generic masculine (citizen) is not permitted. Full forms are used in continuous texts, i.e. in texts consisting of formulated sentences. Short forms can be used in abbreviated text passages, namely in tables. The short form is used with a slash but without an ellipsis (referent). Gender asterisks and similar spellings are not used.

1 Introduction

1.1 Status

In progress: Use is permitted only within the technical group and the Experts' Committee.

1.2 Field of application

This document describes the data of the animal movement database (TVD) semantically, so that specialists without in-depth IT knowledge can also gain a better understanding of the data.

1.3 Animal movement reporting in Switzerland

In the 1990s, Swiss agriculture and the food industry were severely challenged by the animal disease BSE. When the realisation that the disease could be transmitted from animals to humans was confirmed in 1996, this caused great uncertainty. Expectations regarding the safety of food of animal origin rose as a result, as did awareness of the importance of food control. The approach «from stable to table» became established. Risk-based surveillance, seamless traceability of farm animals, control of animal movements, the obligation to declare origin and quality controls throughout the production and processing chain have formed the basis for a high standard of food safety ever since [Bundesrat 2015].

The BSE experience led to the establishment of a national animal movement database (TVD) in 1999. Article 7a and Articles 13–15 of the Animal Diseases Act [TSG] and Title 2, Sections 1, 1a and 2a of the Animal Diseases Ordinance [TSV] set out the basic legal provisions on the identification/marking and the registration of farm animals as well as the associated reporting obligations. They follow European legislation on the same subject [EUR-Lex] (Regulation (EU) 2016/429 on transmissible animal diseases; Delegated Regulation (EU) 2019/2035 on establishments keeping terrestrial animals and hatcheries, and on traceability).

While only cattle were subject to reporting from 1999, pigs and equids followed from 2011, although pigs are to this day not reported as individual animals. From 2014 and 2020 respectively, the obligation to report to the TVD also applied to small ruminants (sheep and goats). At the beginning, in 2014, this concerned only the slaughterhouses. Since 2014 there has also been an obligation to report poultry [TVD-Verordnung, version of 1 January 2014, p. 20]. Since January 2020, keepers of small ruminants have been included in individual animal reporting as well [IdTVD-V, Annex 1]. The identification and marking of cloven-hoofed animals with ear tags, the individual registration of cattle, sheep and goats in the TVD, and the reporting of animal arrivals, animal departures (an animal leaves a holding alive), births, imports, exports, slaughter, on-farm slaughter and death (an animal is deregistered as no longer living) are mandatory for all animal keepers in Switzerland [TSG, Art. 14 and 15a]. Reports are also subject to statutory reporting deadlines [TSV, Art. 14].

The TVD is part of a system landscape spanning agriculture, veterinary affairs and food safety. The central entry point is the Agate portal [Agate], with the agricultural policy information system AGIS [AGIS] at its centre.

The Ordinance on Identitas AG and the animal movement database [IdTVD-V] (IdTVD-V) further sets out the content relating to animal movements, the tasks of Identitas AG and the rights of access to the data. The importance of identifying/marking farm animals goes far beyond the subject of animal

disease and therefore also found its way into agricultural legislation [LwG] (Agriculture Act LwG, Articles 165g, 177 and 185) and various associated ordinances. The animal movement data have become an indispensable component in implementing agricultural policy measures, for example animal-related direct payments [DZV, Title 2, Chapter 5, Sections 7–9], the determination of nutrient flows or agri-environmental monitoring [Agrarumweltmonitoring]. The data also serve as a basis for the structural survey of Swiss agriculture [STRU] and for agricultural statistics in general [Agristat].

Animal movement reporting quickly became established along the entire food value chain as well. Programmes with animal welfare, traceability and origin commitments rely on it [Labelbase; Proviande]. The variety of animal information from animal movement reporting is also reflected in the publicly available datasets of the Tierstatistik open data platform [Tierstatistik].

The technical interface description in this document is based on the technical service description AnimalTracing v1.32 and on the openAPI specification v. x.xx.

1.4 References

Interfaces: AnimalTracing API, technical service description AnimalTracing

2 Namespaces

Table 1 lists the prefixes and namespaces used in this document. A prefix stands for a namespace IRI, the common beginning of the IRIs of a vocabulary. The Turtle specification describes how such *prefixed names* are resolved [Turtle].

Table 1: Namespaces used in eCH-0309 – Auxiliary document: animal movement data.

Prefix	Namespace
:	https://agriculture.ld.admin.ch/eCH-0309/1/
codelist:	https://agriculture.ld.admin.ch/eCH-0309/1/codelist/
genus:	https://agriculture.ld.admin.ch/eCH-0309/1/genus/
schema:	http://schema.org/
xsd:	http://www.w3.org/2001/XMLSchema#

3 Data Model




Figure 1: UML diagram of the eCH-0309 data model.

Figure 1 shows the classes of the data model and their relationships. Each rectangle is a class and the lines inside it are its attributes; the square brackets state how many values are permitted, from the minimum to the maximum — `[1..1]` means exactly one value, `[0..1]` at most one. An arrow leads to the class being referred to and carries the name of the relationship; several relationships between the same two classes share one arrow. The line with the triangle connects a class to its superclass, at which the triangle points: a ruminant and an equid are each an individual animal and have, in addition to the attributes shown, all attributes of the individual animal, which are not repeated in the diagram. Attributes with a code list are drawn like all the others; the permitted values are given in Section 4. The diagram states neither datatypes nor descriptions; those follow in the sections on the individual classes.

3.1 Legal unit

A legal unit as defined in eCH-0108 is a legal entity (e.g. a public limited company or a limited liability company), a partnership (e.g. a general partnership) or a self-employed natural person that is subject to the federal act on the business identification number (UIDG) and has an entry in the UID register. It identifies, for example, the taxable entity for the tax authorities or the person liable for social insurance

contributions. The legal unit is identified by its UID. Only where the enterprise is a «sole proprietorship» is the farm manager at the same time a natural person. The master system for this data is the FSO's UID register; the agricultural information system obtains the data from that register through an interface. The animal keeper and the equid owner are the two forms of legal unit that occur in this document. The attributes are described in eCH-0261, chapters 3.1 and 3.2, and in eCH-0108, chapter 3.1.

3.1.1 Overview

Shape :LegalUnitShape
Target class :LegalUnit

3.2 Animal keeper

A farm manager (Bewirtschafter) is a legal unit as defined in eCH-0108 that bears the business risk for a farm (LBV Art. 2). The animal keeper is a form of farm manager that keeps animals (LBV Art. 11a) and therefore requires a local unit (animal holding). Responsibility for reporting lies with the animal keeper for all animal categories except equids; for equids it lies with the owner. The attributes are described in eCH-0261, chapters 3.1 and 3.2.

3.2.1 Overview

Shape :AnimalKeeperShape
Target class :AnimalKeeper

3.3 Local unit

A local unit as defined in eCH-0108 is a facility at a given location where an economic activity is carried out. A local unit has a BUR number and is always assigned to a legal unit (or enterprise). The local unit is identified by its BUR number. A local unit may consist of one or more buildings. The EGID assigned to the BUR number refers to «the centre» of the local unit, that is, its main building. This definition is taken from eCH-0108, chapter 1.5; the agriculture-specific additions are described in eCH-0261, chapters 3.3 and 3.4. In the TVD, local units are called «animal holdings» and are additionally identified by their TVD number.

3.3.1 Overview

Shape :LocalUnitShape
Target class :LocalUnit

3.3.2 Properties

Description	Details	Cardinality
Animal keeper (:animalKeeper): Assignment of the local unit to the animal keeper. According to eCH-0108, chapter 1.5, a local unit is always assigned to a legal unit (or enterprise); the master data of the local unit carries the optional attribute «mainUid» holding the UID of the main legal unit. Because the animal keeper is only a special form of the legal unit, this assignment is not mandatory.	• Type: Animal keeper	0..1

3.4 Individual animal

An individually identified farm animal. In the animal movement database, animals of the categories cattle, sheep, goats and equids are recorded as individual animals; they are uniquely identified by their ear tag number, or by the UELN in the case of equids. No individual animals are kept for pigs and poultry, only group notifications. Every individual animal is either a ruminant (cattle, sheep, goat) or an equid; this class describes the information that applies to both.

3.4.1 Overview

Shape :AnimalShape
Target class :Animal

3.4.2 Properties

Description	Details	Cardinality
Mother (:mother): An individual animal has at most one mother animal.	• Type: Individual animal	0..1
Identifier (:identifier): Ear tag number, or UELN for equids	• Type: Text (xsd:string) • Length: ≤ 15 characters	1..1
Genus (:genus)	• Type: schema:CategoryCode, see code list Genus	1..1
Gender (:gender)	• Type: schema:CategoryCode, see code list Gender	0..1
Date of birth (:dateOfBirth)	• Type: Date (xsd:date)	0..1
Date of death (:dateOfDeath)	• Type: Date (xsd:date)	0..1
Castrated (:castrated): Whether the animal is castrated. Only for cattle and equids.	• Type: Boolean (xsd:boolean)	0..1

3.4.3 Rules

Castrated is recorded only for cattle and equids, not for sheep and goats.

Every individual animal is either a ruminant or an equid.

3.5 Ruminant

Subclass of the class individual animal for animals of the genera cattle, sheep and goats. All attributes of the class individual animal also apply to ruminants; this class describes the additional information that is not recorded for equids.

3.5.1 Overview

Shape :RuminantShape
Target class :Ruminant

3.5.2 Properties

Description	Details	Cardinality
Father (:father): A ruminant has at most one father animal.	• Type: Ruminant	0..1
Genus (:genus)	• Values: ‣ Cattle (genus:Cattle) ‣ Sheep (genus:Sheep) ‣ Goat (genus:Goat)	1..1
Animal history state (:historyState): State of the animal history at the date of the query.	• Type: schema:CategoryCode, see code list Animal history state	1..1
Type of use (:typeOfUse)	• Type: schema:CategoryCode, see code list Type of use (cattle, sheep, goats)	0..1

3.6 Equid

Subclass of the class individual animal for animals of the equid genus (horse, mule, hinny, donkey). All attributes of the class individual animal also apply to equids; this class describes only the additional, equid-specific information. For equids, responsibility for reporting lies with the owner rather than with the animal keeper. An owner is the legal unit that owns equids; the term is used for equid owners only.

3.6.1 Overview

Shape :EquidShape
Target class :Equid

3.6.2 Properties

Description	Details	Cardinality
Owner (:owner): The legal unit that owns the equid. For equids, responsibility for reporting lies with the owner rather than with the animal keeper.	• Type: Legal unit	1..1
Genetic mother (:geneticMother): An equid has at most one genetic mother.	• Type: Equid	0..1
Genus (:genus)	• Values: ‣ Equid (genus:Equid)	1..1
Withers class (:withersClass)	• Type: schema:CategoryCode, see code list Withers class	1..1
Notification state (:notificationState): Equids carry a notification state of their own instead of the animal history state.	• Type: schema:CategoryCode, see code list Equid notification state	1..1
Type of use (:typeOfEquidUsage): Equids use a code list of their own: companion animal or farm animal.	• Type: schema:CategoryCode, see code list Type of use (equids)	1..1

3.7 Individual animal notification

An event concerning an individual animal. Events comprise movement notifications, notifications of basic data, changes to individual attributes of the basic data as well as final notifications. A notification always refers to the local unit at which the event took place and may in addition state the local unit of origin. Events are reported by the authorised persons, stating the animal holding to which the notification refers; for equids they are reported by the authorised persons of the responsible equid owner.

3.7.1 Overview

Shape :AnimalNotificationShape
Target class :AnimalNotification

3.7.2 Properties

Description	Details	Cardinality
Identifier (:animal): An individual animal notification refers to exactly one individual animal.	• Type: Individual animal	1..1
Local unit (:localUnit): BUR number of the local unit to which the notification refers	• Type: Local unit	1..1
Origin (:originLocalUnit): BUR number of the local unit the animal comes from	• Type: Local unit	0..1
ID (:id): Unique identifier of the movement, assigned by the system.	• Type: Text (xsd:string)	1..1
Genus (:genus)	• Type: schema:CategoryCode, see code list Genus	1..1
Notification type (:notificationType)	• Type: schema:CategoryCode, see code list Notification type	1..1
Event date (:eventDate): Date on which the event took place	• Type: Date (xsd:date)	1..1
Notification date (:notificationDate): Date on which the event was reported	• Type: Date (xsd:date)	1..1

3.8 Group notification

An event concerning a group of animals that cannot be identified individually. Group notifications are recorded for animals of the categories pigs and poultry; the individuals of such a group are therefore not known. Events are reported by the natural persons of the responsible legal unit, the animal keeper. They comprise housing notifications for poultry, movement notifications for pigs, and slaughter notifications for pigs (by head) and poultry groups (in kg).

3.8.1 Overview

Shape :GroupNotificationShape
Target class :GroupNotification

3.8.2 Properties

Description	Details	Cardinality
Local unit (:localUnit): BUR number of the local unit	• Type: Local unit	1..1
Origin (:originLocalUnit): BUR number of the local unit the animal comes from	• Type: Local unit	0..1
ID (:id): Unique identifier of the movement, assigned by the system.	• Type: Text (xsd:string)	1..1
Genus (:genus)	• Type: schema:CategoryCode, see code list Genus	1..1
Group information (:groupInformation): Group information must be given for housing notifications of poultry	• Type: Text (xsd:string)	0..1
Notification type (:notificationType)	• Type: schema:CategoryCode, see code list Notification type	1..1
Event date (:eventDate): Date on which the event took place	• Type: Date (xsd:date)	1..1
Notification date (:notificationDate): Date on which the event was reported	• Type: Date (xsd:date)	1..1
Number (:count): Number of animals moved in one movement (pigs/poultry)	• Type: Integer (xsd:integer)	0..1
Weight (:weight): Total weight in kg of the animal group for slaughter notifications of poultry	• Type: Integer (xsd:integer)	0..1
Type of use (:typeOfUse): Type of use of the animal group (for individual animals it is held on the class «Einzeltier»)	• Type: schema:CategoryCode, see code list Type of use (cattle, sheep, goats)	0..1
Age (:age): For housing notifications of poultry the age must be given in weeks	• Type: Integer (xsd:integer)	0..1

3.9 Health status of a local unit

Where animal disease events are of national significance, it is essential that animal keepers are informed about movement bans and disease status, so that the risk of spread through animal movements can be minimised. Disease information recorded for a local unit. In addition to the epizootic status of a local unit, vaccination, risk and laboratory results can also be represented.

3.9.1 Overview

Shape :LocalUnitHealthStatusShape
Target class :LocalUnitHealthStatus

3.9.2 Properties

Description	Details	Cardinality
Local unit (:localUnit): BUR number of the local unit	• Type: Local unit	1..1
Type (:healthStatusType): e.g. epizootic, vaccination or risk status	• Type: schema:CategoryCode, see code list Health status type	0..1
Status (:epizooticStatus)	• Type: schema:CategoryCode, see code list Health status of a local unit	0..1
Date (:validFrom): Date from which the status is valid	• Type: Date (xsd:date)	0..1

3.10 Health status of an individual animal

Disease information recorded for an individual animal. In addition to the individual epizootic status, relevant vaccinations are recorded as well.

3.10.1 Overview

Shape :AnimalHealthStatusShape
Target class :AnimalHealthStatus

3.10.2 Properties

Description	Details	Cardinality
Animal ID (:animal): A health status of an individual animal refers to exactly one individual animal.	• Type: Individual animal	1..1
Type (:healthStatusType): e.g. epizootic, vaccination or risk status	• Type: schema:CategoryCode, see code list Health status type	0..1
Status (:epizooticStatus)	• Type: schema:CategoryCode, see code list Health status of an individual animal	0..1
Date (:validFrom): Date from which the status is valid, or the date of vaccination	• Type: Date (xsd:date)	0..1

4 Code lists

The following code lists define the permitted values of the corresponding attributes of the data model (Section 3). Each code list is modelled as a `schema:CategoryCodeSet` and each of its values as a `schema:CategoryCode`. How the codes correspond to the enums of the TVD interface is shown in Annex D.

4.1 Animal history state

State of the history of an individual animal on the query date. Not relevant for equids.

Table 2: Values of the code list Animal history state.

Code	Name	Description
`Lost`	Lost	The whereabouts of the animal are unknown
`NotDefined`	Not defined	No status has been set for the animal history
`NotOk`	Not ok	The animal history contains errors or gaps
`Ok`	Ok	The animal history is complete and correct
`TemporaryOk`	Temporary ok	The animal history is provisionally considered correct

4.2 Equid notification state

State of the notifications about an equid: whether a change of location or a transfer of ownership is still pending.

Table 3: Values of the code list Equid notification state.

Code	Name	Description
`LocationChangeAndAcquisitionPending`	Change of location and transfer of ownership pending	Notifications of a change of location and of a transfer of ownership have not yet been completed
`LocationChangePending`	Change of location pending	A notification of a change of location has not yet been completed
`Ok`	OK	No notification is pending for the equid
`OwnershipAcquisitionPending`	Transfer of ownership pending	A notification of a transfer of ownership has not yet been completed

4.3 Gender

Sex of an individual animal.

Table 4: Values of the code list Gender.

Code	Name	Description
`Female`	Female	Female animal

Code	Name	Description
`Male`	Male	Male animal

4.4 Genus

Livestock species whose animals are registered in the TVD and whose movements are notified.

Table 5: Values of the code list Genus.

Code	Name	Description
`Camelid`	Camelid	New World camelids
`Cattle`	Cattle	Animals of the genus *Bos* and water buffalo (*Bubalus bubalis*)
`Equid`	Equid	Animals of the horse family (horse, mule, hinny, donkey)
`Game`	Game	Farmed game in enclosures
`Goat`	Goat	Domestic goats
`Pig`	Pig	Domestic pigs
`Poultry`	Poultry	Domestic poultry, e.g. chickens, turkeys, ducks and geese
`Sheep`	Sheep	Domestic sheep

4.5 Health status of a local unit

Values of the health status of a local unit; their type is given in the description.

Table 6: Values of the code list Health status of a local unit.

Code	Name	Description
`Blocked`	Blocked	Type: epizootic status
`Free`	Free	Type: epizootic status
`High`	High	Type: risk status
`Low`	Low	Type: risk status
`Medium`	Medium	Type: risk status
`Negative`	Negative	Type: laboratory result
`NotTested`	Not tested	Type: epizootic status
`Positive`	Positive	Type: laboratory result

4.6 Health status of an individual animal

Values of the health status of an individual animal; their type is given in the description.

Table 7: Values of the code list Health status of an individual animal.

Code	Name	Description
Blocked	Blocked	Type: epizootic status
Free	Free	Type: epizootic status
NotTested	Not tested	Type: epizootic status
Vaccinated	Vaccinated	Type: vaccination status

4.7 Health status type

Kind of health status of a local unit or an individual animal.

Table 8: Values of the code list Health status type.

Code	Name	Description
EpizooticStatus	Epizootic status	Status regarding an animal disease, e.g. blocked or free
LaboratoryResult	Laboratory result	Result of a laboratory test, e.g. positive or negative
RiskStatus	Risk status	Rating of the disease risk, e.g. high, medium or low
VaccinationStatus	Vaccination status	Whether vaccination against an animal disease has taken place

4.8 Notification type

Type of a notification about an individual animal, e.g. a movement, a birth or a slaughter.

Table 9: Values of the code list Notification type.

Code	Name	Description
Arrival	Arrival	Not for equids
Birth	Birth	Live birth of an animal
DayStay	Day stay	Not for equids
DeathBirth	Stillbirth	Not for equids
Deceased	Death	For equids: euthanasia
Export	Export	For equids: transfer of ownership abroad
FirstRegistration	First registration	For sheep and goats only
Import	Import	Import of an animal from abroad
ImportAfterExport	Import after export	Not for equids
Leaving	Departure	Not for equids
LocationChange	Change of location	For equids only
OnFarmSlaughter	On-farm slaughter	Not for equids

Code	Name	Description
Slaughter	Slaughter	Slaughter in a slaughterhouse

4.9 Type of use (cattle, sheep, goats)

Type of use of cattle, sheep and goats.

Table 10: Values of the code list Type of use (cattle, sheep, goats).

Code	Name	Description
Milk	Milk	Dairy cows, sheep and goats
Other	Other	Any use other than milk production, e.g. meat production

4.10 Type of use (equids)

Type of use of an equid; it determines whether the equid may be slaughtered for food production.

Table 11: Values of the code list Type of use (equids).

Code	Name	Description
CompanionAnimal	Companion animal	Equid that must not be slaughtered for food production
FarmAnimal	Farm animal	Equid that may be slaughtered for food production

4.11 Withers class

Classification of equids into two categories by their height at the withers.

Table 12: Values of the code list Withers class.

Code	Name	Description
GreaterThan148cm	Withers height above 148 cm	Equids with a height at the withers of more than 148 cm
LessOrEqualThan148cm	Withers height up to 148 cm	Equids with a height at the withers of at most 148 cm

5 Safety considerations

Information about the explicitly relevant legal bases or a note that during the implementation the relevant legal bases must be observed.

6 Disclaimer

eCH-standards which the registered association eCH provides the user free of charge or which make reference to eCH shall only have the status of recommendations. The registered association eCH will not be liable in any event for any decisions made or measures taken by the user based on these documents. The user will be responsible for verifying the documents himself prior to their use and to seek advice if required. eCH-standards can and shall not replace the technical, organizational or legal advice in the individual case.

Documents, procedures, methods, products and standards that are made reference to in eCH-standards are possibly protected by trademarks, copyrights or patents. It is the exclusive responsibil-ity of the user to obtain the necessary licences from the entitled persons and/or organizations.

Although the registered association eCH has taken adequate care to prepare the eCH-standards with due diligence, it cannot grant any warranty or guarantee that the information and documents provided are up-to-date, complete, true or without any errors. eCH reserves the right to change the contents of the eCH-standards at any time and without prior announcement.

Any liability for damage caused by the use of the eCH-standards by the user shall be excluded to the extent legally admissible.

7 Copyrights

Persons preparing eCH-standards shall remain the owners of their intellectual property rights. These persons, however, obligate themselves to provide their intellectual property rights or other rights in third party intellectual property rights, to the extent possible, to the relevant technical units and the registered association eCH for free and for unlimited use and further development as part of the purpose of the association.

The standards prepared by the technical units can be used, distributed and developed further for free and to an unlimited extent by stating the name of the respective author of eCH.

eCH-standards are fully documented and free of any restrictions of licence and/or patent law. The associated documentation can be requested for free. These provisions shall apply to the standards prepared by eCH only, however, not to any standards or products of third parties which include reference to eCH-standards. The standards include the relevant references to third party rights.

8 Annex A - References

[Agate] Bundesamt für Landwirtschaft (BLW): *agate.ch – der Online-Schalter für die Landwirtschaft*. URL https://www.blw.admin.ch/blw/de/home/politik/datenmanagement/agate.html. - retrieved 2026-10-30

[AGIS] Bundesamt für Landwirtschaft (BLW): *Agrarpolitisches Informationssystem AGIS*. URL https://www.blw.admin.ch/blw/de/home/politik/datenmanagement/agate/agis.html. - retrieved 2026-10-30

[Agrarumweltmonitoring] Bundesamt für Landwirtschaft (BLW): *Agrarumweltmonitoring*. URL https://www.blw.admin.ch/de/agrarumweltmonitoring. - retrieved 2026-10-30

[Agristat] Schweizer Bauernverband (SBV): *Agristat – Statistik der Schweizer Landwirtschaft*. URL https://www.sbv-usp.ch/de/services/agristat-statistik-der-schweizer-landwirtschaft. - retrieved 2026-10-30

[Bundesrat 2015] Der Bundesrat: *Erfolg nach 25 Jahren BSE-Bekämpfung*. URL https://www.admin.ch/de/nsb?id=57438. - retrieved 2026-10-30

[DZV] Verordnung vom 23. Oktober 2013 über die Direktzahlungen an die Landwirtschaft (Direktzahlungsverordnung, DZV), 2013. — SR 910.13

[EUR-Lex] Amt für Veröffentlichungen der Europäischen Union: *Das EU-Tiergesundheitsrecht*. URL https://eur-lex.europa.eu/DE/legal-content/summary/the-eu-animal-health-law.html. - retrieved 2026-10-30. — EUR-Lex – Zusammenfassungen der EU-Gesetzgebung

[IdTVD-V] Verordnung vom 3. November 2021 über die Identitas AG und die Tierverkehrsdatenbank (IdTVD-V), 2021. — SR 916.404.1

[Labelbase] Identitas AG: *Labelbase*. URL https://www.identitas.ch/produkte/labelbase. - retrieved 2026-10-30

[LwG] Bundesgesetz vom 29. April 1998 über die Landwirtschaft (Landwirtschaftsgesetz, LwG), 1998. — SR 910.1

[Proviande] Proviande: *Herkunft*. URL https://www.proviande.ch/de/herkunft. - retrieved 2026-10-30

[STRU] Bundesamt für Statistik (BFS): *Landwirtschaftliche Strukturerhebung*. URL https://www.bfs.admin.ch/bfs/de/home/statistiken/land-forstwirtschaft/erhebungen/stru.html. - retrieved 2026-10-30

[Tierstatistik] Identitas AG: *Tierstatistik*. URL https://tierstatistik.identitas.ch. - retrieved 2026-10-30

[TSG] Tierseuchengesetz vom 1. Juli 1966 (TSG), 1966. — SR 916.40

[TSV] Tierseuchenverordnung vom 27. Juni 1995 (TSV), 1995. — SR 916.401

[Turtle] Beckett, David ; Berners-Lee, Tim ; Prud'hommeaux, Eric ; Carothers, Gavin: *RDF 1.1 Turtle – Terse RDF Triple Language* (W3C Recommendation) : World Wide Web Consortium (W3C), 2014

[TVD-Verordnung] Verordnung vom 26. Oktober 2011 über die Tierverkehrsdatenbank (TVD-Verordnung), 2011. — SR 916.404.1

9 Annex B - Cooperation and Verification

10 Annex C - Abbreviations and Glossary

Table 13: Glossary of eCH-0309

Term	Description
Animal holding	In the animal movement database, local units are called «animal holdings»; they are additionally identified by their TVD number.
Farm manager	A legal unit that bears the business risk for a farm (LBV Art. 2). The animal keeper is a form of farm manager that keeps animals (LBV Art. 11a).
Home holding	For cattle, a home holding can be recorded in order to represent an animal's affiliation to an animal holding while the animal is located on another local unit.
Linked Data Service (LINDAS)	The official Linked Data service of the Swiss Federal Administration, acting as a triple store.
Reporting person	The person or persons who make notifications for an animal holding or for an equid owner.
Resource Description Framework (RDF)	A central standard of the World Wide Web Consortium (W3C) for modeling data structures on the Web. Information is represented as networked graphs rather than in traditional tables.
Triple	The basic structure of a statement in RDF, consisting of a subject, predicate, and object. *Broader*: Resource Description Framework

11 Annex D - Mapping to the TVD interface

For the code lists in Table 14, the code of a value is the member of the same name of an enum of the TVD interface AnimalTracing.

For notification type, health status type and the two epizootic status code lists, the interface holds the notification types per livestock species and the health statuses per disease in enums of their own, partly under other names. The following tables show which members of the interface correspond to a value; values without a corresponding value in the interface are not listed.

Table 14: Enums of the TVD interface from which the code lists take their codes.

Code list	Enum of the interface
Animal history state	`EnumAnimalHistoryState`
Equid notification state	`EnumEquidNotificationState`
Gender	`EnumGender`
Genus	`EnumGenus`
Type of use (cattle, sheep, goats)	`EnumAnimalTypeOfUse`
Type of use (equids)	`EquidTypeOfUsage`
Withers class	`EnumEquidWithersClass`

Table 15: Corresponding values of the code list Health status of a local unit in the TVD interface.

Code	Name	TVD interface
`Blocked`	Blocked	`BvdState.Blocked` `FootRotState.Blocked`
`Free`	Free	`FootRotState.Free`
`NotTested`	Not tested	`FootRotState.NotTested`

Table 16: Corresponding values of the code list Health status of an individual animal in the TVD interface.

Code	Name	TVD interface
`Vaccinated`	Vaccinated	`EnumCattleLsdState.Vaccinated`

Table 17: Corresponding values of the code list Health status type in the TVD interface.

Code	Name	TVD interface
`EpizooticStatus`	Epizootic status	`BvdState` `FootRotState`

Table 18: Corresponding values of the code list Notification type in the TVD interface.

Code	Name	TVD interface

`Arrival`	Arrival	`EnumCattleNotificationType.Arrival`
		`EnumGoatNotificationType.Arrival`
		`EnumSheepNotificationType.Arrival`

Code	Name	TVD interface

`Birth`	Birth	`EnumCattleNotificationType.Birth`
		`EnumGoatNotificationType.Birth`
		`EnumSheepNotificationType.Birth`

`DeathBirth`	Stillbirth	`EnumCattleNotificationType.DeathBirth`
		`EnumGoatNotificationType.DeathBirth`
		`EnumSheepNotificationType.DeathBirth`

`Deceased`	Death	`EnumCattleNotificationType.Deceased`
		`EnumGoatNotificationType.Deceased`
		`EnumSheepNotificationType.Deceased`

`Export`	Export	`EnumCattleNotificationType.Export`
		`EnumGoatNotificationType.Export`
		`EnumSheepNotificationType.Export`

`FirstRegistration`	First registration	`EnumGoatNotificationType.FirstRegistration` `EnumSheepNotificationType.FirstRegistration`

`Import`	Import	`EnumCattleNotificationType.Import`
		`EnumGoatNotificationType.Import`
		`EnumSheepNotificationType.Import`

`Leaving`	Departure	`EnumCattleNotificationType.Leaving`
		`EnumGoatNotificationType.Leaving`
		`EnumSheepNotificationType.Leaving`

`OnFarmSlaughter`	On-farm slaughter	`EnumCattleNotificationType.YardSlaughter`
		`EnumGoatNotificationType.OnFarmSlaughter`
		`EnumSheepNotificationType.OnFarmSlaughter`

`Slaughter`	Slaughter	`EnumCattleNotificationType.Slaughtering`
		`EnumGoatNotificationType.Slaughter`
		`EnumSheepNotificationType.Slaughter`

12 Annex E - Changes in comparison to previous version

13 Annex F - Table of figures

14 Annex G - Table of tables