

Expanded Search for Toroidal Isomers

Bryan M Harvey

Preliminary Exam / Masters Defense

2026-05-13

Title

Liquid Drop Model (1970s) - Original Theory

Spherical Nucleus Binding Energy

$$E_B = a_V A - a_S A^{2/3} - a_C \frac{Z(Z-1)}{A^{1/3}} - a_A \frac{(N-Z)^2}{A} \pm \delta(N, Z)$$


Liquid Drop Model (1970s) - Original Theory

Spherical Nucleus Binding Energy

$$E_B = a_V A - a_S A^{2/3} - a_C \frac{Z(Z-1)}{A^{1/3}} - a_A \frac{(N-Z)^2}{A} \pm \delta(N, Z)$$

- E_B depends on **spherical** assumptions.

What happens under deformed Toroidal configurations at high angular momentum?





Liquid Drop Model (1970s) - Original Theory

Spherical Nucleus Binding Energy

$$E_B = a_V A - a_S A^{2/3} - a_C \frac{Z(Z-1)}{A^{1/3}} - a_A \frac{(N-Z)^2}{A} \pm \delta(N, Z)$$


- E_B depends on **spherical** assumptions.

What happens under deformed Toroidal configurations at high angular momentum?




Boltzmann-Uehling-Uhlenbeck (BUU) (1990s) - Dynamic Formation

$^{92}\text{Mo} + ^{92}\text{Mo}$, $E/A = 100$ MeV, $b=0$, Stiff EOS



- Direct collisions produced outwardly expanding toroids.
- Toroids seem to be metastabilized
- Decay into symmetric particles
 - $r_{\text{particle}} \approx d_{\text{toroid}}$


Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions



PRL **109**, 232503 (2012)


- Predicted state in ^{40}Ca
 - $J_z = 60\hbar$
 - $E^* \approx 175 \text{ MeV}$
- Angular momentum and mass consistent with Wong's LDM

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions




PRL **109**, 232503 (2012)

- Predicted state in ^{40}Ca
 - $J_z = 60\hbar$
 - $E^* \approx 175$ MeV
- Angular momentum and mass consistent with Wong's LDM



Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	$\rho_{\max}/\rho_0$
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Ichikawa's ^{40}Ca is reproduced

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Minor axis stays about constant ($d \approx 1.4$ fm)

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Low density

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	$E^* \text{ [MeV]}$	$I \text{ [}\hbar\text{]}$	$d \text{ [fm]}$	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Several states to investigate, including $^{28}\text{Si}(E^* = 143 \text{ MeV})$

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Ichikawa's ^{40}Ca is reproduced

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Minor axis stays about constant ($d \approx 1.4$ fm)

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Low density

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)



A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$


Several states to investigate, including $^{28}\text{Si}(E^* = 143 \text{ MeV})$

First Experimental Evidence (2019)

Experimental Overview


$^{28}\text{Si} + ^{12}\text{C}$ @ 35 MeV/u

Neutron Ion Multidetector For Reaction Oriented Dynamics (NIMROD)



Creating a Mixed Event

Real Events




⋮


- Start w/ events containing all particles

Creating a Mixed Event

Real Events




⋮




- Start w/ events containing all particles
- Select particles from separate events

Creating a Mixed Event


Real Events



⋮



Mixed Events



⋮

- Start w/ events containing all particles
- Select particles from separate events
- Construct new event

Outline

Contents

Title	2
Liquid Drop Model (1970s) - Original Theory	3
Spherical Nucleus Binding Energy	3
Boltzmann-Uehling-Uhlenbeck (BUU) (1990s) - Dyynamic Formation	6
Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions	7
Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions	9
Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions	14
First Experimental Evidence (2019)	19
Creating a Mixed Event	20
Outline	23