

Expanded Search for Toroidal Isomers

Bryan M Harvey

Preliminary Exam / Masters Defense

2026-05-05

Liquid Drop Model (1970s) - Original Theory

Spherical Nucleus Binding Energy

$$E_B = a_V A - a_S A^{2/3} - a_C \frac{Z(Z-1)}{A^{1/3}} - a_A \frac{(N-Z)^2}{A} \pm \delta(N, Z)$$


Liquid Drop Model (1970s) - Original Theory

Spherical Nucleus Binding Energy

$$E_B = a_V A - a_S A^{2/3} - a_C \frac{Z(Z-1)}{A^{1/3}} - a_A \frac{(N-Z)^2}{A} \pm \delta(N, Z)$$

- E_B depends on **spherical** assumptions.

What happens under deformed Toroidal configurations at high angular momentum?





Liquid Drop Model (1970s) - Original Theory

Spherical Nucleus Binding Energy

$$E_B = a_V A - a_S A^{2/3} - a_C \frac{Z(Z-1)}{A^{1/3}} - a_A \frac{(N-Z)^2}{A} \pm \delta(N, Z)$$


- E_B depends on **spherical** assumptions.

What happens under deformed Toroidal configurations at high angular momentum?




Boltzmann-Uehling-Uhlenbeck (BUU) (1990s) - Dynamic Formation

$^{92}\text{Mo} + ^{92}\text{Mo}$, $E/A = 100$ MeV, $b=0$, Stiff EOS



- Direct collisions produced outwardly expanding toroids.
- Toroids seem to be metastabilized
- Decay into symmetric particles
 - $r_{\text{particle}} \approx d_{\text{toroid}}$


Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions



PRL **109**, 232503 (2012)


- Predicted state in ^{40}Ca
 - $J_z = 60\hbar$
 - $E^* \approx 175 \text{ MeV}$
- Angular momentum and mass consistent with Wong's LDM

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions




PRL **109**, 232503 (2012)

- Predicted state in ^{40}Ca
 - $J_z = 60\hbar$
 - $E^* \approx 175$ MeV
- Angular momentum and mass consistent with Wong's LDM



Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
28Si	143.18	44	1.45	0.74
32S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
36Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
40Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
⋮	⋮	⋮	⋮	⋮

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	$\rho_{\max}/\rho_0$
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Ichikawa's ^{40}Ca is reproduced

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Minor axis stays about constant ($d \approx 1.4$ fm)

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Low density

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Several states to investigate, including $^{28}\text{Si}(E^* = 143 \text{ MeV})$

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	$\rho_{\max}/\rho_0$
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	$\rho_{\max}/\rho_0$
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Ichikawa's ^{40}Ca is reproduced

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	$\rho_{\max}/\rho_0$
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Minor axis stays about constant ($d \approx 1.4$ fm)

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)




A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Low density

Cranked Skyrme Hartree Fock (cSHF) (2010s) - Specific Energy Predictions

PLB **738**, 401-404 (2014)



A. Staszczak and C.-Y. Wong predict 18 Toroidal Isomers

	E^* [MeV]	I [$\hbar$]	d [fm]	ρ_{max}/ρ_0
^{28}Si	143.18	44	1.45	0.74
^{32}S	153.87	48	1.42	0.76
	193.35	66	1.40	0.67
^{36}Ar	168.03	56	1.40	0.78
	198.63	72	1.39	0.71
	238.56	92	1.37	0.64
^{40}Ca	178.36	60	1.40	0.79
	214.23	82	1.39	0.73
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$

Several states to investigate, including $^{28}\text{Si}(E^* = 143 \text{ MeV})$

First Experimental Evidence (2019)

