Grammar for Language Describing Game Structures

Brooks MacLachlan

March 20, 2019

Pretty-printed EBNF grammar:

```
\langle game \rangle ::= \langle roundList \rangle 'played by' \langle teamList \rangle 'wonBy' \langle winConditionList \rangle
\langle teamList \rangle ::= (\langle team \rangle \{ ', ' \langle team \rangle \} | \langle playerList \rangle | 'randomly divide' \langle playerList \rangle
        'into' \langle nameList \rangle) ['all' \langle attributeList \rangle]
\langle team \rangle ::= \text{`team'} \langle name \rangle \langle playerList \rangle
\langle playerList \rangle ::= \langle player \rangle \{ '; ' \langle player \rangle \}
\langle player \rangle ::= \langle name \rangle \langle attributeList \rangle
\langle attributeList \rangle ::= \langle attribute \rangle \{`,`\langle attribute \rangle \}
\langle attribute \rangle ::= \langle affiliation \rangle \mid \langle score \rangle \mid \langle number \rangle \mid \langle resource \rangle \mid \langle number \rangle \mid
\langle affiliation \rangle ::= 'affiliated with' \langle name \rangle
\langle score \rangle ::= `score' \langle name \rangle
\langle resource \rangle ::= \text{`resource'} \langle name \rangle
\langle roundList \rangle ::= \langle round \rangle \{ `; `\langle round \rangle \} [\langle modifierList \rangle]
\langle modifierList \rangle ::= \langle modifier \rangle \{ `, ` \langle modifier \rangle \}
\langle modifier \rangle ::= \langle roundReference \rangle ('before' | 'after') \langle phaseReference \rangle 'insert'
        \langle phase \rangle
\langle roundReference \rangle ::= \text{`round'} \langle number \rangle
\langle phaseReference \rangle ::= 'phase' \langle number \rangle
\langle round \rangle ::= \langle phase \rangle \{`, `\langle phase \rangle\} [`repeated` \langle number \rangle `times']
```

```
\langle phase \rangle ::= \langle action \rangle \mid \langle progression \rangle
\langle action \rangle ::= \langle competition \rangle \mid \langle decision \rangle
\langle competition \rangle ::= [\text{`scored'} | \text{`placed'}] [\text{`team'}] \text{`competition between'} \langle idList \rangle
\langle decision \rangle ::= [\text{`self-included'}] \text{`vote by'} \langle idList \rangle \text{`between'} \langle idList \rangle [\text{'tiebroken by'}]
        (\langle decision \rangle \mid \langle competition \rangle)] \mid [\text{`self-included'}] \text{`nomination of'} \langle number \rangle
        'of' \langle idList \rangle 'by' \langle identifier \rangle | 'allocate' \langle resource \rangle | 'binary'
\langle progression \rangle ::= (\langle affiliationUpdate \rangle \mid \langle scoreUpdate \rangle \mid \langle resourceUpdate \rangle) 'for'
        \langle idList \rangle
\langle affiliationUpdate \rangle ::= \text{`elimination'} | (\text{`add'} | \text{`remove'}) \langle affiliation \rangle | | \text{`evenly'} \rangle
        | 'number preserving' | 'swap' \langle affiliationList \rangle | 'adding' \langle affiliationList \rangle |
        'change' \langle affiliation \rangle 'to' \langle affiliation \rangle
\langle scoreUpdate \rangle ::= (\text{`increase'} | \text{`decrease'}) \langle score \rangle \text{`by'} \langle earning \rangle | \text{`set'} \langle score \rangle
        'to' \langle earning \rangle
\langle resourceUpdate \rangle ::= ('gain' | 'expend') \langle earning \rangle \langle resource \rangle | 'set' \langle resource \rangle
        'to' \(\langle earning \rangle \)
\langle earning \rangle ::= \langle number \rangle \mid \langle resultReference \rangle \mid \langle allocateReference \rangle
\langle resultReference \rangle ::= \text{`scored competition'} \langle number \rangle
\langle allocateReference \rangle ::=  'allocation' \langle number \rangle 'amount'
\langle idList \rangle ::= \langle identifier \rangle \{ `, ` \langle identifier \rangle \} [`except' \langle idList \rangle ]
\langle identifier \rangle ::= (\text{`everyone'} \mid \langle name \rangle \mid \langle affiliation \rangle \mid \langle idReference \rangle \mid \text{`chance'})
       ['*' \langle earning \rangle]
\langle idReference \rangle ::= \langle compReference \rangle ('winner' | 'loser') | \langle voteReference \rangle ('majority'
        | 'minority') 'voted'
\langle compReference \rangle ::= \text{`placed competition'} \langle number \rangle
\langle voteReference \rangle ::= \text{`vote'} \langle number \rangle
\langle allocationReference \rangle ::= 'allocation' \langle number \rangle
\langle name \rangle ::= ('a' \mid ... \mid 'z' \mid 'A' \mid ... \mid 'Z') \{ (a' \mid ... \mid 'z' \mid 'A' \mid ... \mid 'Z' \mid '0' \mid ... \mid '9' \}
\langle number \rangle ::= ('0' \mid ... \mid '9') +
```

```
\begin{split} &\langle winCondition \rangle ::= (\langle score \rangle \mid \langle resource \rangle) \text{ `hits' } \langle number \rangle \text{ 'final competition'} \\ &| \text{ ('highest'} \mid \text{`lowest'}) \left( \langle score \rangle \mid \langle resource \rangle \right) \mid \langle number \rangle \text{ `member jury vote'} \\ &\langle winConditionList \rangle ::= \langle winCondition \rangle \text{ {','}} \langle winCondition \rangle \text{} \end{split}
```

Notes:

- make grammar unambiguous
- Potentially include "directed vote" type of decision where a player chooses another player as well as a direction (i.e. move that player ahead or backwards)
- I've restricted player attributes into 3 categories, with no opportunity for customization outside those three. Am I okay with this?
- affiliation used everywhere, get syntax right
- should allocate be a decision and progression or just progression? Both, but decision will automatically also do the progression. The progression exists for non-decision related resource updates, such as awarding a player more of a resource for winning a competition.
- combine score and resource?