MONARCH DETAILING

PREMIUM MOBILE CAR CARE — GOLD COAST & BRISBANE

Standard Operating Procedure

Seat Shampooing & Extraction

Version 1.0 • March 2026 • Internal Use Only

1 Equipment Needed

ITEM	NOTES
Wet/dry vacuum	*Ryobi 20L recommended*
Spot cleaner / extraction attachment	*Powerfit or equivalent*
Drill with brush attachments	*Medium bristle for seats, stiff for floor mats*
Spray bottles × 2	*One product, one clean water*
AutoSmart fabric shampoo	*Dilute 1:10 general • Undiluted for stains*
Clean microfibre towels	*Minimum 4–6 per job*

2 Process — Standard Clean

For light soiling. Work one seat at a time, top to bottom.

1. **DRY VACUUM** 5 min
   Full vacuum of all seats, crevices, under headrests, between seats. Get the loose dirt out first.

2. **PRE-SPRAY** 2 min
   Mist AutoSmart fabric shampoo diluted 1:10. Don't soak. Work section by section.

3 **AGITATE** 5–8 min / seat

Drill brush on medium speed, circular motions, section by section. Spend extra time on high-contact areas (bolsters, headrest).

4 **EXTRACT** 8–12 min / seat

Spot cleaner attachment on wet/dry vac. Slow overlapping passes, firm pressure against fabric. Minimum 3–4 passes per section.

5 **RINSE EXTRACT** 5 min

Light mist of clean water only. Extract again. Removes shampoo residue that attracts dirt.

6 **DRY** 2–3 hrs

Leave windows down / doors open. Minimum 2–3 hours in QLD sun. **DO NOT return car with damp seats.**

3 Process — Heavy Stains

Coffee, food, pet, kids — the real money jobs.

HEAVY STAIN PROTOCOL

- Apply product **UNDILUTED** directly on the stain
- Let **DWELL 2–3 minutes** — chemical needs time to break down stain
- Agitate with drill brush on **LOW speed** — contact time > splash
- Extract, then **REPEAT** if needed — some stains need 2–3 passes
- Final pass: rinse extract with clean water

RULE: Never soak the whole seat. Soak the STAIN only. Excess water in foam = mildew risk.

4 Quality Checklist

- [ ] All seats extracted evenly (no missed sections)
- [ ] No visible stains remaining (or documented / communicated to customer)

- [ ] No damp spots — seats dry to touch before handover
- [ ] Floor mats done (front and rear)
- [ ] Boot carpet done
- [ ] Before/after photos taken for socials

5 Pro Tips

- Work one seat at a time, top to bottom
- Empty vac tank between seats — suction drops when full
- Take before/after photos — content gold for socials
- If heavily soiled, repeat steps 2–4 on problem areas
- For leather seats: skip shampoo, use leather cleaner + conditioner instead

Total Time Per Car: 45–90 min

6 Common Mistakes

- ! Soaking the whole seat — causes mildew
- ! Not rinsing after extraction — leaves sticky residue that attracts dirt
- ! Rushing extraction passes — need firm, slow passes for proper suction
- ! Returning car with damp seats — always check before handover
- ! Using stiff drill brush on delicate fabric — test in hidden area first

This document is confidential and intended for Monarch Detailing team members only.