Name:- Mayuresh S Bhosale

Que.1Write a program to make use of basic I/O functions using different data types.

```
#include <stdio.h>

int main() {
   int a;
   float b;
   double c;
   char ch;
   char name[50];

   // Input section
   printf("Enter an integer: ");
   scanf("%d", &a);

   printf("Enter a float value: ");
   scanf("%f", &b);

   printf("Enter a double value: ");
   scanf("%lf", &c);

   printf("Enter a single character: ");
   scanf(" %c", &ch);  // Space before %c to skip leftover newline/whitespace

   printf("Enter a string (name): ");
   scanf("%s", name);  // No & needed since name is an array (decays to pointer)

   // Output section
   printf("\n--- Output ---\n");
   printf("Integer entered   : %d\n", a);
   printf("Float entered     : %.2f\n", b);
   printf("Double entered    : %.2lf\n", c);
   printf("Character entered : %c\n", ch);
   printf("String entered    : %s\n", name);

   return 0;
}
```

OutPut

```
Enter an integer: 10
Enter a float value: 5.5
Enter a double value: 12.345
Enter a single character: A
Enter a string (name): Darshan

Integer entered    : 10
Float entered      : 5.50
Double entered     : 12.35
Character entered  : A
String entered     : Darshan
```

Que.2:-Write a program to calculate the area of a circle.

```
#include <stdio.h>

#define PI 3.14159

int main() {
   float radius, area;

   printf("Enter the radius of the circle: ");
   scanf("%f", &radius);

   area = PI * radius * radius;

   printf("Area of the circle = %.2f\n", area);

   return 0;
}
```

OutPut

```
Enter the radius of the circle: 5
Area of the circle = 78.54
```

Que.5:-Write a C program to demonstrate the use of single-line and multi-line comments.

```
#include <stdio.h>

int main() {
   // This is a single-line comment
   // It explains that the program prints a welcome message

   /*
     This is a multi-line comment.
     It can span across several lines.
     Here, we declare a variable and print its value.
   */

   int num = 10;  // Single-line comment: declaring and initializing a variable

   printf("The value of num is: %d\n", num);

   /*
     End of program.
     Comments do not affect program execution;
     they are purely for documentation purposes.
   */

   return 0;
}
```

OutPut

```
The value of num is: 10
```