1. CI workflow for backend application



2. Continuous Deployment workflow for backend application



3. Continuous Integration workflow for frontend application





4. Continuous Deployment workflow for frontend application





5. Submit working URLs or equivalent screenshots showing that both frontend and backend applications return the list of movies successfully.

```
berniembautista@CBEN-9M7QNH4-LX:/mnt/c/Users/bernie.m.bautista/Downloads/Native Dev/Build CICD Pipelines, Monitoring, and Logging/movie-picture-pipeline-cicd$ kubectl get svc
NAME         TYPE           CLUSTER-IP      EXTERNAL-IP                                                                PORT(S)        AGE
backend      LoadBalancer   172.20.166.83   a7d7395669b6a4da3bf841ee8a3ce354-1776022191.us-east-1.elb.amazonaws.com   80:31512/TCP   38m
frontend     LoadBalancer   172.20.195.34   ab3f8805b28ed41e1882b5595383fdf4-145915426.us-east-1.elb.amazonaws.com    80:30446/TCP   6m48s
kubernetes   ClusterIP      172.20.0.1      <none>                                                                     443/TCP        79m
```

ab3f8805b28ed41e1882b5595383fdf4-145915426.us-east-1.elb.amazonaws.com



a7d7395669b6a4da3bf841ee8a3ce354-1776022191.us-east-1.elb.amazonaws.com/movies