





PARTS LIST				
ITEM	PART NUMBER	MATERIAL	MASS	ITEM QTY
1	Cleaning HEX 1/4		0.1 kg	1
2	Cleaning HEX 5/16		0.1 kg	1
3	Cleaning HEX 3/8		0.1 kg	1
4	Cleaning HEX 7/16		0.1 kg	1
5	Cleaning HEX 1/2		0.1 kg	1


NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm

ITEM: Hex Bits		ITEM QTY: 1	
MASS: 0.38 kg		MATERIAL:	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepuris	Date: 12/12/2024
EXC 2		Scale: 2 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 1 /25	Revision: 1




B-B (2 : 1)





Straight Coil
Compression Spring
Deflection 60%-75%
WR5-15

This plate is press fitted
install components 4 and 6
before press fitting it

PARTS LIST					
ITEM	PART NUMBER	MATERIAL	MASS	VENDOR	ITEM QTY
1	H1	Steel AISI S2	0.026 kg		1
2	P1	Aluminum	0.000 kg		1
3	DIN 427 - M2 x 17	S235	0.000 kg		1
4	P9	Aluminum	0.001 kg		1
5	P5	S235	0.031 kg		1
6	WR5-15	Steel, Mild	0.000 kg	Misumi	1




A (6 : 1)




NOTE:
· Undesignated butt welds welded with partial penetration s=0,7*t.
· Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
· Undesignated fillet welds welded with "closed fillet weld", a=4mm
· Undesignated materials are S235JR
· Sharp edges shall be chamfered not less than 1 mm

ITEM: Cleaning HEX 1/4		ITEM QTY: 1	
MASS: 0.06 kg		MATERIAL:	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepus		Date:	12/12/2024
Title / subject:	EXC 2	Scale:	2 : 1
To be marked:		Drawing #:	SC-HEX-100 - 2 /25
		Revision:	1




C-C (2 : 1)




Straight Coil
Compression Spring
Deflection 60%-75%
WR5-15


This plate is press fitted
install components 2 and 5
before press fitting it



PARTS LIST					
ITEM	PART NUMBER	MATERIAL	MASS	VENDOR	ITEM QTY
1	H2	Steel AISI S2	0.030 kg		1
2	P10	Aluminum	0.001 kg		1
3	P2	Aluminum	0.000 kg		1
4	P4	S235	0.027 kg		1
5	WR5-15	Steel, Mild	0.000 kg	Misumi	1
6	DIN 427 - M2 x 17	S235	0.000 kg		1




D (6 : 1)




NOTE:
· Undesignated butt welds welded with partial penetration s=0,7*t.
· Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
· Undesignated fillet welds welded with "closed fillet weld", a=4mm
· Undesignated materials are S235JR
· Sharp edges shall be chamfered not less than 1 mm


ITEM: Cleaning HEX 5/16		ITEM QTY: 1	
MASS: 0.06 kg		MATERIAL:	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepus		Date: 12/12/2024	
Title / subject: EXC 2		Scale: 2 : 1	Plot size: A3
Drawing #: SC-HEX-100 - 3 /25		Revision: 1	





E-E (2 : 1)



PARTS LIST					
ITEM	PART NUMBER	MATERIAL	MASS	VENDOR	ITEM QTY
1	H3	Steel AISI S2	0.036 kg		1
2	P11	Aluminum	0.001 kg		1
3	P3	Aluminum	0.000 kg		1
4	P6	S235	0.034 kg		1
5	DIN 427 - M2 x 18	S235	0.000 kg		1
6	WR5-15	Steel, Mild	0.000 kg	Misumi	1






F (6 : 1)





- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm

ITEM: Cleaning HEX 3/8		ITEM QTY: 1	
MASS: 0.07 kg		MATERIAL:	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepus		Date: 12/12/2024	
Title / subject: EXC 2		Scale: 2 : 1	Plot size: A3
Drawing #: SC-HEX-100-4 /25		Revision: 1	




PARTS LIST					
ITEM	PART NUMBER	MATERIAL	MASS	VENDOR	ITEM QTY
1	H4	Steel AISI S2	0.043 kg		1
2	P3	Aluminum	0.000 kg		1
3	P11	Aluminum	0.001 kg		1
4	P7	S235	0.036 kg		1
5	WR5-15	Steel, Mild	0.000 kg	Misumi	1
6	DIN 427 - M2 x 20	S235	0.000 kg		1




NOTE:

- Undesignated butt welds welded with partial penetration s=0,7*t.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", a=4mm
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm


ITEM: Cleaning HEX 7/16		ITEM QTY: 1	
MASS: 0.08 kg		MATERIAL:	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepus		Date:	12/12/2024
Title / subject:	EXC 2	Scale:	2 : 1
To be marked:		Drawing #:	SC-HEX-100 - 5 /25
		Revision:	1



Ø24




J-J (2 : 1)




Straight Coil
Compression Spring
Deflection 60%-75%
WR5-15

This plate is press fitted
install components 2 and 6
before press fitting it



K (6 : 1)



PARTS LIST







ITEM	PART NUMBER	MATERIAL	MASS	VENDOR	ITEM QTY
1	H5	Steel AISI S2	0.060 kg		1
2	P11	Aluminum	0.001 kg		1
3	P3	Aluminum	0.000 kg		1
4	P8	S235	0.046 kg		1
5	DIN 427 - M2 x 20	S235	0.000 kg		1
6	WR5-15	Steel, Mild	0.000 kg	Misumi	1

- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm

ITEM: Cleaning HEX 1/2	ITEM QTY: 1
MASS: 0.11 kg	MATERIAL:
SURFACE TREATMENT:	



execom	Customer: SIA Guenzo	Order Nr. #:	Customer Order Nr. #:
	Project name: Self Cleaning HEX	XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:

		Drawn by: A.Baltcepus	Date: 12/12/2024
Title / subject:	EXC 2	Scale: 2 : 1	Plot size: A3
To be marked:		Drawing #:	SC-HEX-100 - 6 /25
			Revision: 1




- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm


ITEM: H1		ITEM QTY: 1	
MASS: 0.03 kg		MATERIAL: Steel AISI S2	
SURFACE TREATMENT: Hardened and Tempered			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltceps		Date:	12/12/2024
Scale: 2 : 1		Plot size: A3	
Drawing #:		SC-HEX-100 - 7 /25	
Title / subject:		Revision: 1	
To be marked:		EXC 2	





N-N (2 : 1)



AK (3 : 1)









AT (4 : 1)








- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm

ITEM: H2		ITEM QTY: 1	
MASS: 0.03 kg		MATERIAL: Steel AISI S2	
SURFACE TREATMENT: Hardened and Tempered			
		Customer: SIA Guenzo	Order Nr. #: XXXX
		Project name: Self Cleaning HEX	Customer Order Nr. #: YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject: EXC 2		Drawn by: A.Baltcepus	Date: 12/12/2024
		Scale: 3 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 8 /25	Revision: 1









- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration.
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$.
 - Undesignated materials are S235JR.
 - Sharp edges shall be chamfered not less than 1 mm.

ITEM: H3		ITEM QTY: 1	
MASS: 0.04 kg		MATERIAL: Steel AISI S2	
SURFACE TREATMENT: Hardened and Tempered			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepus		Date:	12/12/2024
Title / subject:		Scale: 3 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 9 /25	Revision: 1






- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration.
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$.
 - Undesignated materials are S235JR.
 - Sharp edges shall be chamfered not less than 1 mm.

ITEM: H4		ITEM QTY: 1	
MASS: 0.04 kg		MATERIAL: Steel AISI S2	
SURFACE TREATMENT: Hardened and Tempered			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepus	Date: 12/12/2024
EXC 2		Scale: 3 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100-10/25	Revision: 1





- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration.
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$.
 - Undesignated materials are S235JR.
 - Sharp edges shall be chamfered not less than 1 mm.

ITEM: H5		ITEM QTY: 1	
MASS: 0.06 kg		MATERIAL: Steel AISI S2	
SURFACE TREATMENT: Hardened and Tempered			
		Customer: SIA Guenzo	
Project name: Self Cleaning HEX		Order Nr. #: XXXX	Customer Order Nr. #: YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepus	Date: 12/12/2024
EXC 2		Scale: 3 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100-11/25	Revision: 1




- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm

ITEM: P1		ITEM QTY: 1	
MASS: 0.00 kg		MATERIAL: Aluminum	
SURFACE TREATMENT:			
	Customer: SIA Guenzo		Order Nr. #: XXXX
	Project name: Self Cleaning HEX		Customer Order Nr.: YYYYY
	SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com
		Subproject name:	
Title / subject:		EXC 2	Drawn by: A.Baltcepus
To be marked:		Scale: 20:1	Date: 12/12/2024
		Drawing #: SC-HEX-100 - 12 /25	Plot size: A3
		Revision: 1	



- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm



ITEM: P2		ITEM QTY: 1	
MASS: 0.00 kg		MATERIAL: Aluminum	
SURFACE TREATMENT:			
	Customer: SIA Guenzo		Order Nr. #: XXXX
	Project name: Self Cleaning HEX		Customer Order Nr.: YYYYY
	SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com
		Subproject name:	
Title / subject:		EXC 2	Drawn by: A.Baltcepuris
To be marked:		Scale: 12:1	Date: 12/12/2024
		Drawing #: SC-HEX-100 - 13 /25	Plot size: A3
		Revision: 1	



NOTE:



- Undesignated butt welds welded with partial penetration s=0,7*t.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", a=4mm
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm

ITEM: P3		ITEM QTY: 3	
MASS: 0.00 kg		MATERIAL: Aluminum	
SURFACE TREATMENT:			
	Customer: SIA Guenzo		Order Nr. #: XXXX
	Project name: Self Cleaning HEX		Customer Order Nr. #: YYYYY
	SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com
		Subproject name:	
Title / subject:		Drawn by: A.Baltcepuris	Date: 12/12/2024
To be marked:		Scale: 10 : 1	Plot size: A3
EXC 2		Drawing #: SC-HEX-100 - 14 /25	Revision: 1



- NOTE:
- Undesignated butt welds welded with partial penetration s=0,7*t.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", a=4mm
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm



ITEM: P4		ITEM QTY: 1	
MASS: 0.03 kg		MATERIAL: S235	
SURFACE TREATMENT: Black Oxide Coating			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepuris		Date: 12/12/2024	
Title / subject:	EXC 2	Scale: 5 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 15 / 25	
		Revision: 1	



NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm




ITEM: P5		ITEM QTY: 1	
MASS: 0.03 kg		MATERIAL: S235	
SURFACE TREATMENT: Black Oxide Coating			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepuris		Date: 12/12/2024	
Title / subject:		Scale: 5 : 1	Plot size: A3
To be marked:		Drawing #: EXC 2	Revision: 1
SC-HEX-100 - 16 / 25			



NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm




ITEM: P6		ITEM QTY: 1	
MASS: 0.03 kg		MATERIAL: S235	
SURFACE TREATMENT: Black Oxide Coating			
Customer: SIA Guenzo		Order Nr. #:	Customer Order N
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepuris		Date:	12/12/2024
Title / subject:		Scale: 5 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 17 / 25	Revision: 1



NOTE:

- Undesignated butt welds welded with partial penetration $s=0.7t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4mm$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm


ITEM: P7		ITEM QTY: 1	
MASS: 0.04 kg		MATERIAL: S235	
SURFACE TREATMENT: Black Oxide Coating			
		Customer: <i>SIA Guenzo</i> Project name: <i>Self Cleaning HEX</i>	Order Nr. #: <i>XXXX</i> Customer Order N°: <i>YYYYY</i>
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepus Scale: 5 : 1 Drawing #:	Date: 12/12/2024 Plot size: A3 Revision: 1
To be marked:		EXC 2	SC-HEX-100 - 18/25





NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm

ITEM: P8		ITEM QTY: 1	
MASS: 0.05 kg		MATERIAL: S235	
SURFACE TREATMENT: Black Oxide Coating			
		Customer: SIA Guenzo	
Project name: Self Cleaning HEX		Order Nr. #: XXXX	Customer Order Nr. #: YYYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepuris	Date: 12/12/2024
EXC 2		Scale: 5 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 19 / 25	Revision: 1






AF-AF (5 : 1)



- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm

ITEM: P9		ITEM QTY: 1	
MASS: 0.00 kg		MATERIAL: Aluminum	
SURFACE TREATMENT:			
	Customer: SIA Guenzo		Order Nr. #:
	Project name: Self Cleaning HEX		XXXX
			Customer Order Nr. #
			YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject		Drawn by: A.Baltceps	Date: 12/12/2024
To be marked:		Scale: 5 : 1	Plot size: A3
EXC 2		Drawing #:	Revision 1
		SC-HEX-100 - 20 / 25	



AG-AG (5 : 1)



NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm




ITEM: P10		ITEM QTY: 1	
MASS: 0.00 kg		MATERIAL: Aluminum	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #:
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepuris		Date: 12/12/2024	
Title / Subject:		Scale: 5 : 1	Plot size: A3
To be marked:		Drawing #:	Revision:
EXC 2		SC-HEX-100 - 21 / 25	1



NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm




ITEM: P11		ITEM QTY: 3	
MASS: 0.00 kg		MATERIAL: Aluminum	
SURFACE TREATMENT:			
		Customer: SIA Guenzo	Order Nr. #: XXXX
Project name: Self Cleaning HEX		Customer Order Nr.: YYYYY	
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepus	Date: 12/12/2024
EXC 2		Scale: 5 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 22 /25	Revision: 1



NOTE:

- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm




ITEM: DIN 427 - M2 x 17		ITEM QTY: 2	
MASS: 0.00 kg		MATERIAL: S235	
SURFACE TREATMENT:			
Customer: SIA Guenzo		Order Nr. #:	Customer Order Nr. #
Project name: Self Cleaning HEX		XXXX	YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Drawn by: A.Baltcepus		Date: 12/12/2024	
Title / subject:	EXC 2	Scale: 10:1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 23 /25	Revision: 1



NOTE:

- Undesignated butt welds welded with partial penetration s=0,7*t.
- Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
- Undesignated fillet welds welded with "closed fillet weld", a=4mm
- Undesignated materials are S235JR
- Sharp edges shall be chamfered not less than 1 mm

ITEM: DIN 427 - M2 x 18		ITEM QTY: 2	
MASS: 0.00 kg		MATERIAL: S235	
SURFACE TREATMENT:			
 execom		Customer: SIA Guenzo Project name: Self Cleaning HEX	Order Nr. #: XXXX Customer Order Nr. #: YYYYY
SIA Guenzo Lielā iela 13 Liepāja, LV-3401		TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:
Title / subject:		Drawn by: A.Baltcepus Scale: 10 : 1	Date: 12/12/2024 Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 24 /25	Revision: 1



- NOTE:
- Undesignated butt welds welded with partial penetration $s=0,7 \cdot t$.
 - Undesignated butt welds used as splices to accommodate available lengths welded with full penetration
 - Undesignated fillet welds welded with "closed fillet weld", $a=4\text{mm}$
 - Undesignated materials are S235JR
 - Sharp edges shall be chamfered not less than 1 mm

ITEM: DIN 427 - M2 x 20	ITEM QTY: 1
MASS: 0.00 kg	MATERIAL: S235

SURFACE TREATMENT:

	Customer: SIA Guenzo	Order Nr. #:	XXXX	Customer Order Nr. #:	YYYYY
	Project name: Self Cleaning HEX				
	SIA Guenzo Lielā iela 13 Liepāja, LV-3401	TEL: +37129830475 E-MAIL: info@guenzo.com	Subproject name:		

		Drawn by: A.Baltcepus	Date: 12/12/2024
Title / subject:	EXC 2	Scale: 10 : 1	Plot size: A3
To be marked:		Drawing #: SC-HEX-100 - 25 / 25	Revision: 1