

Component list

MINI::OUT

Source Data From:
Project:
Variant:

MINI-OUT-A001-1-0-0.PrjPcb
MINI-OUT-A001-1-0-0.PrjPcb
None

bmc::labs





fauststr 48 | 81827 munich | germany

Reliable results, efficiently delivered.

GmbH

Report Date: 04.11.2020 15:52:36

Description	Manufacturer Part Number	Designator	Quantity	Description	Comment
SQ Post Socket, Through-hole, Vertical, -55 to 105 degC, 2.54 mm Pitch, 12 Pin, Female, RoHS	SSW-112-01-T-S	J4, J5	2	SQ Post Socket, Through-hole, Vertical, -55 to 105 degC, 2.54 mm Pitch, 12-Pin, Female, RoHS	SSW-112-01-T-S
Male THT Straight Connector without Latch and with Polarization WR-MM, 26 pins	690357102672	J1, J2	2	Male THT Straight Connector without Latch and with Polarization WR-MM, 26 pins	Würth Elektronik 690357102672
WS-TASV SMD Tact Switch 6X6 mm	430182043816	RST	1	WS-TASV SMD Tact Switch 6X6 mm	430182043816
Fixed Miniature Connectors, Spring Cage, Horizontal, SMD, 4 pos	1702474	J3	1	Fixed Miniature Connectors, Spring Cage, Horizontal, SMD, 4 pos	Phoenix Contact 1702474
Res Thick Film 0603 22 Ohm 5% 1/10W ±200ppm/°C Molded SMD SMD Paper Tape on Plastic Reel		R1, R2	2	Res Thick Film 0603 22 Ohm 5% 1/10W ±200ppm/°C Molded SMD SMD Paper Tape on Plastic Reel	Res1
REDFIT IDC SKEDD Connector WR-WST, pitch 2.54 mm, 10 pins		JTAG	1	REDFIT IDC SKEDD Connector WR-WST, pitch 2.54 mm, 10 pins	Würth Elektronik 490107671012



Title		
mini::out - main		
Size	Number	Revision
A4	MINI-OUT-A001-1.0.0	1.0.0
Date:	04.11.2020	Sheet of MINI-OUT
File:	MAIN.SchDoc	Drawn By: Sebastian Kruse

