Opinion Mining of Spanish Customer Comments with Non-Expert Annotations on Mechanical Turk

Rafael Banchs, Francesc Benavent, Joan Codina, Jens Grivolla, Bart Mellebeek and Marta Ruiz

Barcelona Media Centre d'Innovacio



Barcelona Media

Barcelona, March 18, 2010

What is Mechanical Turk?

Task Outline and Goals

HIT Design

Annotation Results

Experimental Results

What is Mechanical Turk?


Task Outline and Goals

HIT Design


Annotation Results

Experimental Results

Who was The Turk?




Who was The Turk?



W. & Kompolov Ret. — Prof. Roug Jo: Der Behir Griefer, misserverdem Siele gezog mier von vern Le Somer Hehers, tel qu'en le montre avant le jeu pardevant:

Who was The Turk?



Amazon Mechanical Turk (AMT) = artificial Artificial Intelligence

- ▶ Human annotations are a bottleneck for data-driven Al Systems.
- Amazon Mechanical Turk (AMT) is a marketplace for work.
- ▶ HIT = Human Intelligence Task.
- ► AMT workers can choose between tens of thousands of different HITs at whichever time they want.
- ▶ AMT requesters have access to a global workforce.
- ▶ Crowdsourcing → other platforms such as Crowdflower

AMT worker annotations are cheap and fast. Are they also good?

- ▶ A number of recent papers argue they are: Kittur et al. (2008), Snow et al. (2008), Mason and Watts (2009), . . .
- Highly dependent on type of task.
- General conclusion: the combination of several AMT worker annotations is better and cheaper than the annotations of a single expert.

What is Mechanical Turk?

Task Outline and Goals

HIT Design

Annotation Results

Experimental Results

Task Outline

- NAACL 2010 Workshop: Creating Speech and Language Data With Amazon's Mechanical Turk.
- Shared Task: What can you do with \$100 and Amazon Mechanical Turk?
- ▶ Participants share data & HIT templates.

Goals

We compare different HIT design strategies by evaluating the usefulness of resulting Mechanical Turk (AMT) annotations to train an Opinion Mining System on Spanish consumer data.

Research questions:

- 1. Annotation quality: AMT workers vs. experts.
- 2. Annotation applicability: training of batch of classifiers.
- 3. Language barriers: is there a large enough worker pool for Spanish?
- 4. Return on Investment: AMT workers vs. experts.

What is Mechanical Turk?

Task Outline and Goals

HIT Design


Annotation Results

Experimental Results

HIT = Human Intelligence Task

Color Naming Experiment						View a HIT in this group
Requester: Dolores Labs	HIT Expiration Date:	Mar 24, 2010 (6 days 23 hours)	Reward:	\$0.05		
	Time Allotted:	60 minutes	HITs Available:	1067		
Write a 200-300 word original article!				Id	ke Qualification test (Why?)	View a HIT in this grou
Requester: ContentGalore	HIT Expiration Date:	Mar 22, 2010 (5 days 7 hours)	Reward:	\$1.70		
	Time Allotted:	1 hour 30 minutes	HITs Available:	20		
What Festival information has this festival?				Not Qualified	to work on this HIT (Why?)	View a HIT in this grou
Requester: Stefan Hoevenaar	HIT Expiration Date:	Mar 19, 2010 (1 day 23 hours)	Reward:	\$0.08		
	Time Allotted:	3 minutes	HITs Available:	10		
Edit a Transcript (The Role of Facilities in Green IT Strategies) (avg rwrd+bns: \$0.46)				8	Lequest Qualification (Why?)	View a HIT in this grou
Requester: <u>CastingWords</u>	HIT Expiration Date:	Mar 17, 2010 (3 hours 50 minutes)	Reward:	\$0.23		
	Time Allotted:	12 hours	HITs Available:	1		
Fun 10-second quiz about favorite celebrities! Only 4 questions!				Not Qualified	to work on this HIT (Why?)	View a HIT in this grou
Requester: <u>VinerTech</u>	HIT Expiration Date:	Mar 24, 2010 (6 days 23 hours)	Reward:	\$0.10		
	Time Allotted:	60 seconds	HITs Available:	2530		
Corregir traducción automática de frases célebres				Is	ke Qualification test (Why?)	View a HIT in this grou
Correci: traducción automática de frazes celebres Requester: Edo Segal	HIT Expiration Date:	Mar 24, 2010 (6 days 23 hours)	Reward:	\$0.01	ke Qualification test (Why?)	View a HIT in this grou

HIT Design



Competence Test

- ▶ Uploaded test batch of 30 HITs.
- ▶ Performed in matter of minutes but ...
- most answers were random clicks.

What is Mechanical Turk?

Task Outline and Goals

HIT Design


Annotation Results

Experimental Results

HIT Statistics

L		Overall		HIT1		HIT2		HIT3	
	ID	C	%	#	sec.	#	sec.	#	sec.
ſ	1	mx	29.9	794	11.0	967	8.6	930	11.6
	2	us	27.6	980	8.3	507	7.8	994	7.4
	3	nl	11.0	85	8.3	573	10.9	333	11.4
	4	us	9.5	853	16.8	-	-	-	-
	5	es	9.4	-	-	579	9.1	265	8.0
	6	ec	4.1	151	9.4	14	16.7	200	13.0
	7	us	3.6	3	15.7	139	8.5	133	11.6
	8	us	2.2	77	8.2	106	7.3	11	10.5
	9	us	0.6	-	-	-	-	50	11.2
	10	us	0.5	43	5.3	1	5	-	-
	11	us	0.4	_	-	38	25.2	_	-
	12	us	0.4	_	-	10	9.5	27	10.8
	13	es	0.4	-	-	-	-	35	15.1
	14	es	0.3	-	-	30	13.5	-	-
	15	us	0.3	8	24.7	18	21.5	_	-
	16	us	0.2	_	-	-	_	22	8.9
	17	us	0.2	-	-	17	16.5	-	-
	18	?	0.1	6	20	-	-	-	-
	19	us	0.1	_	_	1	33		

Annotation Distributions



Annotation Quality

	κ_1	κ_2
Inter-batch	0.598	0.598
Batch_1 vs. Expert	0.628	0.628
Batch_2 vs. Expert	0.649	0.649
Batch_3 vs. Expert	0.626	0.626
Majority vs. Expert	0.716	0.716
Experts ¹	0.725	0.729

¹Results on a different 500-sentence random sample of the same corpus. ← ≥ → ○ ○ ○



Annotation Costs

- ▶ A total amount of 9000 assignments were uploaded on AMT.
- ▶ Reward of .02\$ per assignment \rightarrow total sum = 225\$ (180\$ + 45\$ Amazon fees).
- ▶ In-house expert: 1000 assignments in three hours at 70% per hour.
- ▶ We saved 210 75 = 135\$, which constitutes almost 65% of the cost of an expert annotator.
- ightharpoonup + a lower reward (.01\$) would most probably have worked equally well.

What is Mechanical Turk?

Task Outline and Goals

HIT Design

Annotation Results

Experimental Results

Two Experiments

- ▶ Experiment 1: practical utility. Train a single polarity classifier on different data sets. Compare system with noisy available metadata and with AMT generated annotations of HIT1.
- ► Experiment 2: theoretical utility. Train several polarity classifiers using the same data set, annotated by experts and AMT workers.

Description of Data Sets

All sentences were extracted from a corpus of user opinions on cars from the automotive section of www.ciao.es.

	Baseline	Annotated	Evaluation
Positive	1882	341	200
Negative	1876	323	137
Neutral	1812	336	161
Totals	5570	1000	500

Experiment 1

classifier	baseline	annotated
positive/not_positive	59.63 (3.04)	69.53 (1.70)
negative/not_negative	60.09 (2.90)	63.73 (1.60)
neutral/not_neutral	51.27 (2.49)	62.57 (2.08)

Experiment 2

System	Experts	Batch1	Batch2	Batch3	Majority	All
Winnow	44.2	43.6	40.4	47.6	46.2	50.6
SVM	57.6	53.0	55.4	54.0	57.2	52.8
C45	42.2	33.6	42.0	41.2	41.6	45.0
Maxent	59.2	55.8	57.6	54.0	57.6	58.6

What is Mechanical Turk?

Task Outline and Goals

HIT Design

Annotation Results

Experimental Results

Goals

We compare different HIT design strategies by evaluating the usefulness of resulting Mechanical Turk (AMT) annotations to train an Opinion Mining System on Spanish consumer data.

Research questions:

- 1. Annotation quality: AMT workers vs. experts.
- 2. Annotation applicability: training of batch of classifiers.
- 3. Language barriers: is there a large enough worker pool for Spanish?
- 4. Return on Investment: AMT workers vs. experts.

Results

We compare different HIT design strategies by evaluating the usefulness of resulting Mechanical Turk (AMT) annotations to train an Opinion Mining System on Spanish consumer data.

Research questions:

- 1. Annotation quality: High inter-annotator agreement scores.
- 2. Annotation applicability: AMT worker annotations outperform initial noisy data and on par with expert annotations.
- 3. Language barriers: after introducing a competence test, getting results for Spanish was easy and rapid.
- 4. Return on Investment: we saved 65% of an expert annotator at a relatively high reward.

Questions?

