



Team Onboarding Guide


Install, sign in, approve location, and run the first TrustedRide Certified beta workflow.

PREPARED JUNE 4, 2026

PUBLIC TESTFLIGHT INVITE

Scan to install

Open this QR on the tester's iPhone, accept the beta invite, then install TrustedRide Certified through TestFlight.



**TestFlight
invite**

[testflight.apple.com
/join/dkszr1ry](https://testflight.apple.com/join/dkszr1ry)

GUIDE CONTENTS

- Install the iOS beta and open the app.
- Sign in with assigned tester credentials.
- Approve location access before the first ride.
- Use current ride, chat, schedule, and settings.

Install through TestFlight


Use the public beta invitation on the same iPhone that will run the app.

INSTALL STEPS

- 1 Scan the QR code or open the TestFlight invitation link on the tester's iPhone.
- 2 Install Apple's TestFlight app if iOS asks for it.
- 3 Tap Accept, then Install for TrustedRide Certified.
- 4 Open the app from the home screen or from TestFlight.

PUBLIC BETA LINK


<https://testflight.apple.com/join/dkszr1ry>



TESTFLIGHT INSTALL

Use assigned credentials

Each tester should use an assigned driver account. The sample email shown in this guide is placeholder text.



SIGN-IN SCREEN

CREDENTIAL CHECKLIST


- 1 Enter the assigned driver email.
- 2 Enter the assigned password.
- 3 Tap Sign In and wait for the ride home screen.

IF SIGN-IN FAILS

Confirm the account exists, then check whether the phone can reach the Fleet API network. Network failures can look like invalid credentials.

Approve location access

Location access is required for route maps, pickup navigation, and dispatch visibility during active ride work.



LOCATION GATE

FIRST LAUNCH


- 1 Tap Enable Tracking when the app asks for setup.
- 2 When iOS prompts, choose Allow While Using App.
- 3 If iOS later asks about background location for active rides, approve according to team testing policy.
- 4 If location was denied, open iPhone Settings and set Location back to Allow.

WHY IT MATTERS


Location powers the driver map, pickup routing, and live dispatch visibility during active rides.

Run the daily ride workflow

The Home tab keeps the active assignment visible. Ride Detail provides pickup, dropoff, notes, and navigation context.



HOME: CURRENT RIDE




RIDE DETAIL

OPERATING RHYTHM

- Keep Home open while waiting for current or upcoming rides.
- Pull to refresh if dispatch says a ride was assigned but it has not appeared.
- Open Ride Detail before moving so pickup, dropoff, notes, and vehicle needs are clear.

Confirm with dispatch

Use Messages for short confirmations and updates tied to the active ride.



DISPATCH MESSAGES

USE MESSAGES FOR

- Confirm you are en route.
- Report pickup readiness or arrival context.
- Keep updates short and tied to the active ride.

TEAM EXPECTATION


Messages should support the ride workflow, not replace dispatch policy or urgent phone communication.

Review future work and session state

Use Schedule to preview assignments. Use Settings to verify chaperone, location, haptics, and sign-out state.



SCHEDULE



SETTINGS

END-OF-SESSION CHECK


- Review tomorrow's assigned rides before a testing shift.
- Confirm the active chaperone and live location state.
- Sign out after shared-device testing.

Quick checks before distribution

Use this page when inviting testers or diagnosing the first launch on an iPhone.

TESTER PACKET

- Public TestFlight link or QR code.
- Assigned login credentials.
- Expected first ride or demo scenario.



TESTFLIGHT QR

CANNOT LOG IN

Verify the tester has a real backend account and that the iPhone can reach the Fleet API network.

LOCATION BLOCKED

Open iPhone Settings > TrustedRide Certified > Location and allow access again.

NO RIDES APPEAR

Pull to refresh, confirm assignment with dispatch, then reopen the app if needed.

STILL BLOCKED

Share the tester email, device model, and a screenshot with the build owner or dispatch lead.