

## Recitation #4 - 2.3: Limit Laws

### Warm up:

Below is a table listing all of the Limit Laws, followed by an argument of what the limit of  $\frac{5x^3 - 4\sqrt{x}}{\sqrt{x^5 - 87}}$  as  $x$  approaches 3 must be. State which limit law is used to justify each step.

#### THEOREM 2.3 Limit Laws

Assume  $\lim_{x \rightarrow a} f(x)$  and  $\lim_{x \rightarrow a} g(x)$  exist. The following properties hold, where  $c$  is a real number and  $m > 0$  and  $n > 0$  are integers.

1. **Sum**  $\lim_{x \rightarrow a} [f(x) + g(x)] = \lim_{x \rightarrow a} f(x) + \lim_{x \rightarrow a} g(x)$
2. **Difference**  $\lim_{x \rightarrow a} [f(x) - g(x)] = \lim_{x \rightarrow a} f(x) - \lim_{x \rightarrow a} g(x)$
3. **Constant multiple**  $\lim_{x \rightarrow a} [c f(x)] = c \lim_{x \rightarrow a} f(x)$
4. **Product**  $\lim_{x \rightarrow a} [f(x) g(x)] = \left[ \lim_{x \rightarrow a} f(x) \right] \left[ \lim_{x \rightarrow a} g(x) \right]$
5. **Quotient**  $\lim_{x \rightarrow a} \left[ \frac{f(x)}{g(x)} \right] = \frac{\lim_{x \rightarrow a} f(x)}{\lim_{x \rightarrow a} g(x)}$ , provided  $\lim_{x \rightarrow a} g(x) \neq 0$
6. **Power**  $\lim_{x \rightarrow a} [f(x)]^n = \left[ \lim_{x \rightarrow a} f(x) \right]^n$
7. **Fractional power**  $\lim_{x \rightarrow a} [f(x)]^{n/m} = \left[ \lim_{x \rightarrow a} f(x) \right]^{n/m}$ , provided  $f(x) \geq 0$ , for  $x$  near  $a$ , if  $m$  is even and  $n/m$  is reduced to lowest terms

$$\begin{aligned}
 & \lim_{x \rightarrow 3} \left( \frac{5x^3 - 4\sqrt{x}}{\sqrt{x^5 - 87}} \right) \\
 &= \frac{\lim_{x \rightarrow 3} (5x^3 - 4\sqrt{x})}{\lim_{x \rightarrow 3} \sqrt{x^5 - 87}} \\
 &= \frac{5 \lim_{x \rightarrow 3} (x^3) - 4 \lim_{x \rightarrow 3} \sqrt{x}}{\sqrt{\lim_{x \rightarrow 3} (x^5 - 87)}} \\
 &= \frac{5(\lim_{x \rightarrow 3} x)^3 - 4\sqrt{3}}{\sqrt{\lim_{x \rightarrow 3} (x^5) - \lim_{x \rightarrow 3} (87)}} \\
 &= \frac{5(3)^3 - 4\sqrt{3}}{\sqrt{3^5 - 87}} \\
 &= \frac{135 - 4\sqrt{3}}{\sqrt{156}}
 \end{aligned}$$

Know:  $\lim_{x \rightarrow a} (x) = a$   
 and  $\lim_{x \rightarrow a} (c) = c$ , where  $c$  is a constant

**Group work:**

**Problem 1** Evaluate the following limits algebraically using the limit laws.

(a)  $\lim_{x \rightarrow 6} \frac{4x^2 - 144}{x - 6}$

(b)  $\lim_{x \rightarrow 6} \frac{x - 6}{\sqrt{2x - 8} - 2}$

(c)  $\lim_{x \rightarrow 2} \frac{(3x - 2)^2 - 16}{x - 2}$

(d)  $\lim_{x \rightarrow 1} \frac{\sqrt{5x - 2} - \sqrt{3}}{x - 1}$

**Problem 2** Suppose  $f(x) = \begin{cases} x^2 - ax & \text{if } x < 3 \\ a2^x + 7 + a & \text{if } x > 3 \end{cases}$

Find  $a$  so that  $\lim_{x \rightarrow 3} f(x)$  exists.

**Problem 3** Sketch the graph of a function with the given properties. You need not find a formula for the function:

$$f(3) = -2, f(-2) = 3, f(5) = 6, \lim_{x \rightarrow 5^-} f(x) = -1, \lim_{x \rightarrow 5^+} f(x) = 4, \lim_{x \rightarrow 3} f(x) = 7$$

$$\lim_{x \rightarrow -2^-} f(x) = 3, \lim_{x \rightarrow -2^+} f(x) = 0, \lim_{x \rightarrow 1^+} f(x) = 5$$