Vimicheat Sheet Sheet

1

confirmations

Global	Editing	Cut and paste	
:help keyword-open	r - replace a single character	yy - yank (copy) a line	
help for keyword	J - join line below to the	2yy - yank (copy) 2 lines	
:saveas file - save file as	current one with one space in between	yw - yank (copy) the characters of the word from the cursor position to the start of the next word	
: close - close current pane	gJ - join line below to the current one without space in between		
K - open man page for word under the cursor	gwip - reflow paragraph	y\$ - yank (copy) to end of line	
Cursor movement h - move cursor left	CC - change (replace) entire line	p - put (paste) the clipboard after cursor	
j - move cursor down	C - change (replace) to the end of the line	P - put (paste) before cursor	
k - move cursor up	c\$ - change (replace) to the	dd - delete (cut) a line 2dd - delete (cut) 2 lines	
${f l}$ - move cursor right	end of the line	200 - delete (cut) 2 lines	
H - move to top of screen	c iw - change (replace) entire word	dw - delete (cut) the characters of the word from the cursor position to the start of the next word	
M - move to middle of screen	CW - change (replace) to the end of the word		
L - move to bottom of screen w - jump forwards to the start	S - delete character and	D - delete (cut) to the end of the line	
of a word	substitute text S - delete line and substitute	d\$ - delete (cut) to the end of the line	
W - jump forwards to the start of a word (words can contain	text (same as cc)	X - delete (cut) character	
punctuation)	xp - transpose two letters (delete and paste)	Exiting	
e - jump forwards to the end of a word	u - undo	: W - write (save) the file, but - don't exit	
E - jump forwards to the end of a word (words can contain punctuation)	Ctrl + r - redo	:w !sudo tee %- write out the current file using sudo	
	• - repeat last command		
b - jump backwards to the start of a word	Marking text (visual mode) V - start visual mode, mark	:wq or :x or ZZ - write (save) and quit	
B - jump backwards to the start of a word (words can	lines, then do a command (like y-yank)	: q - quit (fails if there are	
contain punctuation)	V - start linewise visual mode	unsaved changes)	
% - move to matching character (default supported pairs: '()', '{}', '[]' - use : h matchpairs in vim for more info)	O - move to other end of marked area	:q! or ZQ - quit and throw away unsaved changes	
	Ctrl + v - start visual block	: Wqa - write (save) and qui on all tabs	
0 - jump to the start of the line	0 - move to other corner of block	Search and replace /pattern - search for	
^ - jump to the first non- blank character of the line	aw - mark a word	_ pattern _ ?pattern - search	
\$ - jump to the end of the line	ab - a block with ()	backward for pattern	
	aB - a block with {}	\vpattern - 'very magic' pattern: non-alphanumeric	
g_ - jump to the last non- blank character of the line	ib - inner block with ()	characters are interpreted as special regex symbols (no	
$\boldsymbol{g}\boldsymbol{g}$ - go to the first line of the document	iB - inner block with {}	escaping needed) n - repeat search in same	
G - go to the last line of the document	ESC - exit visual mode	direction	
5G - go to line 5	Visual commands > - shift text right	N - repeat search in opposite direction	
fx - jump to next occurrence of character x	<- shift text left	:%s/old/new/g - replace all old with new	
tx - jump to before next	y - yank (copy) marked text	throughout file	
O∳c@urrence of character x	d - delete marked text	:%s/old/new/gc - replace all old with new	
Fx - jump to previous	~ - switch case	throughout file with	

Working with multiple files :e file - edit a file in a :tabnew or:tabnew new buffer {page.words.file} - open a file in a new tab : bnext or : bn - go to the next buffer Ctrl + wT - move the current split window into its :bprev or :bp - go to the own tab previous buffer gt or : tabnext or :bd - delete a buffer (close : tabn - move to the next a file) :ls - list all open buffers gT or : tabprev or : tabp - move to the :sp file - open a file in previous tab a new buffer and split window #gt - move to tab number :vsp file - open a file in a new buffer and :tabmove #-move vertically split window current tab to the #th position (indexed from o) Ctrl + ws - split window :tabclose or :tabc -Ctrl + ww - switch close the current tab and all windows its windows Ctrl + wq - quit a window :tabonly or:taboclose all tabs except for the Ctrl + wv - split window current one vertically : tabdo command - run Ctrl + wh - move cursor the command on all tabs (e.g. to the left window (vertical :tabdo q-closes all split) opened tabs) Ctrl + wl - move cursor to the right window (vertical Ctrl + wj - move cursor to the window below (horizontal split) Ctrl + wk - move cursor to the window above (horizontal split)

occurence of character x m Cheat Sheet	Registers
Tx - jump to after previous occurence of character x	content
; - repeat previous f, t, F or T movement	" xy - ya " xp - pa
, - repeat previous f, t, F or T movement, backwards	register x
} - jump to next paragraph (or function/block, when	:marks
editing code)	ma - set of mark A
{ - jump to previous paragraph (or function/block, when editing code)	`a - jum mark A
ZZ - center cursor on screen	y`a - ya of mark A
Ctrl + e - move screen down one line (without moving cursor)	Macros qa - reco
Ctrl + y - move screen up one line (without moving cursor)	q - stop r @a - run
Ctrl + b - move back one full screen	@@ - reru
Ctrl + f - move forward one full screen	
Ctrl + d - move forward 1/2 a screen	
Ctrl + u - move back 1/2 a screen	
Insert mode - nserting/appending text	
$\mathbf{\dot{t}}$ - insert before the cursor	
\boldsymbol{I} - insert at the beginning of the line	
a - insert (append) after the cursor	-
A - insert (append) at the	
end of the line	
o - append (open) a new line below the current line	

 $\boldsymbol{0}$ - append (open) a new line above the current line

ea - insert (append) at the

 $\boldsymbol{\mathsf{Esc}}$ - exit insert mode

end of the word

:noh - remove highlighting of search matches Search in multiple files

: reg - show registers

 $\mathbf{"xy}$ - yank into register x

"xp - paste contents of

:marks - list of marks

`a - jump to position of

y`a - yank text to position

qa - record macro a

@a - run macro a

q - stop recording macro

@@ - rerun last run macro

ma - set current position for

of mark A

:vimgrep /pattern/ ${\tilde{\ }}\ {file}\ {\ }\$ pattern in multiple files

: cn - jump to the next match

: CP - jump to the previous match

:copen - open a window containing the list of matches

2 of 2 2/29/20, 2:50 PM