Overview & Charts | Advanced Visuals | Risk Predictor | Correlation & Stats | Patient Data

TOTAL PATIENTS	PREVALENCE	MEAN AGE	AVG CHOLESTEROL	AVG BP	MALE / FEMALE
1025	51.3%	54.4	246	132	713 / 312
Records loaded	Heart disease rate	Years (cohort)	mg/dL mean	mmHg resting	Sex split

FILTER All Patients | Disease + | Healthy | Male | Female | Age ≥60 | Chol ≥240 | Stage 2 BP

Chart 1 — Age Distribution by Outcome

Histogram by decade. Compares disease+ vs healthy patient counts across age bands. Reveals which age groups carry the highest disease burden.



CardioAnalytics Dashboard

Heart Disease Clinical Dataset — 5 Advanced Visuals & Deep Analysis

1025 patients loaded | Export CSV | Print

Chart 2 — Chest Pain Type vs Disease Rate

Grouped bars by cp type (0–3). Shows disease+ and disease− counts per pain category. Asymptomatic (cp=3) often shows paradoxical high-risk association.



Chart 3 — Sex vs Disease Split

Doughnut chart showing male/female disease breakdown. Reveals sex-based disease incidence differences.



Male: 713 — Disease rate: 42.1%

Female: 312 — Disease rate: 72.4%

Chart 4 — Blood Pressure Risk Bands

Clinical BP categories (Normal/Elevated/Stage 1/Stage 2). Bars = patient count, line = disease rate %. Dual-axis layout for clear comparison.



Chart 5 — Cholesterol Distribution

Horizontal bars by cholesterol quintile (<200 to >260 mg/dL). Compares disease+ vs disease− patient counts. Identifies lipid-risk thresholds.



Advanced Visual — Age × Cholesterol × BP Bubble Plot

Each bubble = one patient. X-axis = Age, Y-axis = Cholesterol, bubble radius ∝ Resting Blood Pressure. Red = Disease+, Green = Healthy. Reveals multivariate risk clusters.



Age Risk Gap

Disease+ patients are on average 4.2 years younger than healthy patients (52.4 vs 56.6 yrs). Age is a primary non-modifiable cardiac risk factor.

Cholesterol Signal

Mean cholesterol is 10.3 mg/dL lower in the disease+ cohort (241 vs 251 mg/dL). LDL control is a key intervention target.

Blood Pressure Bands

Resting BP is 4.9 mmHg lower in disease+ patients. 137 Stage 2 hypertension patients have confirmed disease (13.4% of total cohort).

Chest Pain Pattern

CP type 1 has the highest disease rate at 80.2%. Asymptomatic chest pain (cp=3) is paradoxically high-risk — patients with no pain often have the most severe underlying disease.

CardioAnalytics — All data processed locally. No information is sent to any server.

1025 records loaded