Lab Final Report

CSE-0318 Summer 2021

Bm Pasha UG02-47-18-038

Department of Computer Science and Engineering State University of Bangladesh (SUB) Dhaka, Bangladesh bmpasha72@gmail.com

34

35

36

37

Abstract—Comprehensive reporting systemTMS.Customizable learning paths for each student.Internet/Intranet-based communication system between teachers and students.Customization tools for community features.Authoring Tool for teachers to upload new content. Range of settings to personalize each institution.

Index Terms—html,css,php,mySQL,java script.

I. INTRODUCTION

English Discoveries' Teacher Record Management System provides user friendly, automated monitoring and management tools for all your classes. These sophisticated tools support students individually as well as classes where students have mixed learning abilities. Teachers can reduce the time typically spent managing curriculum software with features like concurrent licenses, an unlimited student database, automated writing evaluation, test scoring, calculation of grades and generation of real time reports. This allows more time devoted to students' English language learning needs and provides decision-makers with the data needed to be informed about their English learning programs.

II. FEATURE OF THE WEBSITE

1.Home 2.Log in 3.Search 4.Dashboard 5.Subjects 6.Teachers 7.Navigation Bar

III. DESCRIBE

1.Home- This button show you home page. 2.Log in: this button will open Log in page. You can log in with admin id and password. 3. Search: Here you can search with subjects. It will Show you the serach result with teacher

IV. REQUIREMENT


* Language - Main work - PHP and Boostrap Color and adjustment - CSS * Browser - Google Chrome , Microsoft Explorer * Software - Visual Studio Code .

V. Code 💏 index.php C: > xampp > htdocs > trms > trms > trms > # index.php <?php 2 session start(); 3 error_reporting(0); 4 include('includes/dbconnection.php'); 5 6 <!doctype html> <html lang="en"> 7 8 9 <head> 10 11 <title>TRMS|| Home Page</title> <!-- Bootstrap CSS --> 12 <link rel="stylesheet" href="css/boots</pre> 13 14 <link rel="stylesheet" href="vendors/]</pre> <link rel="stylesheet" href="css/font-</pre> 15 <link rel="stylesheet" href="vendors/c</pre> 16 <link rel="stylesheet" href="vendors/]</pre> 17 <link rel="stylesheet" href="vendors/r</pre> 18 19 <link rel="stylesheet" href="vendors/a</pre> <!-- main css --> 20 <link rel="stylesheet" href="css/style</pre> 21 22 </head> 23 24 <body> 25 26 <?php include_once('includes/header.ph</pre> 27 <!--=== Start Home Banner 28 29 <section class="home banner area"> <div class="banner inner"> 30 31 <div class="container"> <div class="row"> 32 <div class="col-lg-6"> 33

<div class="banner

Welcome to

<h2>



```
footer class="footer-area section_ga
                                                 C: > xampp > htdocs > trms > trms > trms > admin > 🐃 index.ph
  2
                <div class="container" align=</pre>
                                                         <?php
                                                    1
  3
                                                    2
                                                         session_start();
           <h2 align="center" style="color:#
  4
                                                    3
                                                         error_reporting(0);
            <span style="color:#fff" >&copy;
  5
                                                    4
                                                         include('includes/dbconnection.php');
  6
                </div>
                                                    5
  7
           </footer>
                                                    6
                                                         if(isset($_POST['login']))
                                                    7
                                                          {
💏 index.php
                search-teacher.php
                                        💏 footei
                                                    8
                                                             $username=$_POST['username'];
                                                             $password=md5($_POST['password']);
                                                    9
C: > xampp > htdocs > trms > trms > trms > includes > 🦏
                                                   10
                                                             $sql ="SELECT ID FROM tbladmin WHERE Use
       <?php
                                                             $query=$dbh->prepare($sq1);
       // DB credentials.
                                                   11
  2
                                                             $query-> bindParam(':username', $username')
                                                   12
       define('DB_HOST','localhost');
                                                   13
                                                         $query-> bindParam(':password', $password, F
       define('DB_USER','root');
  4
                                                             $query-> execute();
       define('DB_PASS','');
                                                   14
  5
                                                   15
                                                             $results=$query->fetchAll(PDO::FETCH_OB)
       define('DB_NAME','trms');
                                                             if($query->rowCount() > 0)
                                                   16
  7
       // Establish database connection.
                                                   17
  8
       try
                                                   18
                                                         foreach ($results as $result) {
  9
                                                   19
                                                         $_SESSION['trmsaid']=$result->ID;
 10
       $dbh = new PDO("mysql:host=".DB_HOST."
                                                   20
 11
                                                   21
                                                         $_SESSION['login']=$_POST['username'];
 12
       catch (PDOException $e)
                                                         echo "<script type='text/javascript'> docume
                                                   22
 13
                                                   23
                                                         } else{
 14
       exit("Error: " . $e->getMessage());
                                                         echo "<script>alert('Invalid Details');</scr
                                                   24
 15
       }
                                                   25
                                                         }
       ?>
 16
                                                         }
                                                   26
                                                   27
                                                   28
                                                   29
                                                   30
                                                         <!doctype html>
                                                         <html class="no-js" lang="en">
                                                   31
                                                         <head>
                                                   32
                                                   33
                                                   34
                                                             <title>TRMS Admin Login</title>
                                                   35
                                                   36
                                                             <link rel="apple-touch-icon" href="apple</pre>
                                                   37
                                                   38
                                                   39
                                                   40
                                                             <link rel="stylesheet" href="vendors/boo</pre>
                                                   41
                                                             <link rel="stylesheet" href="vendors/for</pre>
                                                   42
                                                             <link rel="stylesheet" href="vendors/the</pre>
                                                   43
                                                   44
                                                             <link rel="stylesheet" href="vendors/fla"</pre>
                                                             <link rel="stylesheet" href="vendors/sel</pre>
```

45 46 47

48 49 <link rel="stylesheet" href="assets/css/</pre>

<link href='https://fonts.googleapis.com</pre>

```
<?php
                                                                                                                     @import url("https://fonts.googleapis.com/
                                                                                                         21
            session_start();
  2
                                                                                                         22
  3
            error reporting(0);
                                                                                                         23
  4
            include('includes/dbconnection.php');
                                                                                                         24
           if (strlen($_SESSION['trmsaid']==0))
  5
                                                                                                         25
  6
                header('location:logout.php');
                                                                                                         26
                                                                                                                     body {
  7
                } else{
                                                                                                                         line-height: 25px;
                                                                                                         27
 8
                     if(isset($_POST['submit']))
                                                                                                         28
                                                                                                                         font-size: 16px;
  9
                {
                                                                                                                         font-family: "Crimson Text", serif;
                                                                                                         29
10
                                                                                                         30
                                                                                                                         font-weight: 600;
11
            $trmsaid=$_SESSION['trmsaid'];
                                                                                                                         color: ■#777777; }
                                                                                                         31
12
                                                                                                         32
13
            $subjects=$_POST['subjects'];
                                                                                                         33
                                                                                                                    h1,
14
                                                                                                                    h2,
                                                                                                         34
15
            $sql="insert into tblsubjects(Subject
                                                                                                         35
                                                                                                                     h3,
            $query=$dbh->prepare($sq1);
16
                                                                                                         36
                                                                                                                    h4,
            $query->bindParam(':subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects',$subjects
17
                                                                                                         37
                                                                                                                    h5.
              $query->execute();
18
                                                                                                         38
                                                                                                                    h6 {
19
                                                                                                                         font-family: "Montserrat", sans-serif;
                                                                                                         39
20
                  $LastInsertId=$dbh->lastInsertId(
                                                                                                         40
                                                                                                                         font-weight: 600;
                  if ($LastInsertId>0) {
21
                                                                                                                         color: □#222222; }
                                                                                                         41
                     echo '<script>alert("Subject has
22
                                                                                                         42
            echo "<script>window.location.href =
23
                                                                                                         43
                                                                                                                     .list {
24
                                                                                                         44
                                                                                                                         list-style: none;
                else
25
                                                                                                         45
                                                                                                                         margin: 0px;
26
                                                                                                         46
                                                                                                                         padding: 0px; }
                               echo '<script>alert("Someth:
27
                                                                                                         47
28
                                                                                                         48
                                                                                                                     a {
29
                                                                                                                         text-decoration: none;
                                                                                                         49
30
                                                                                                         50
                                                                                                                         transition: all 0.3s ease-in-out; }
31
                                                                                                                         a:hover, a:focus {
                                                                                                         51
32
                                                                                                                              text-decoration: none;
                                                                                                         52
33
            <?>
                                                                                                                              outline: none; }
                                                                                                         53
34
                                                                                                         54
35
            <!doctype html>
                                                                                                         55
                                                                                                                     .row.m0 {
36
            <html class="no-js" lang="en">
                                                                                                         56
                                                                                                                         margin: 0px; }
37
                                                                                                         57
38
            <head>
                                                                                                                     button:focus {
                                                                                                         58
39
                                                                                                                         outline: none;
                                                                                                         59
40
                     <title>TRMS Add Teachers</title>
                                                                                                         60
                                                                                                                         box-shadow: none; }
41
                                                                                                         61
42
                                                                                                         62
                                                                                                                     .mb-15 {
                     <link rel="apple-touch-icon" hre</pre>
43
                                                                                                         63
                                                                                                                         margin-bottom: 15px; }
44
                                                                                                         64
45
                                                                                                         65
                                                                                                                     .mt-10 {
46
                     <link rel="stylesheet" href="ven</pre>
                                                                                                         66
                                                                                                                         margin-top: 10px; }
                     <link rel="stylesheet" href="ven</pre>
47
                                                                                                         67
                     <link rel="stylesheet" href="vendors/themify-icons/css/themify-icons.css">
48
                     <link rel="stylesheet" href="vendors/flag-icon-css/css/flag-icon.min.css">
49
```

```
91 ∨ .section_gap {
 92
        padding: 120px 0; }
 93
        @media (max-width: 991px) {
           .section_gap {
 94
 95
            padding: 60px 0; } }
 96
 97
    .section gap top {
        padding-top: 120px; }
 98
        @media (max-width: 991px) {
 99
           .section_gap_top {
100
            padding-top: 60px; } }
101
102
103

√ .section gap bottom {
104
        padding-bottom: 120px; }
        @media (max-width: 991px) {
105
106
          .section_gap_bottom {
107
            padding-bottom: 60px; } }
108
109


√ /* Main Title Area css


110
111 ∨ .main title {
112
        text-align: center;
        margin-bottom: 75px; }
113
114
        @media (max-width: 991px) {
115
          .main_title {
           margin-bottom: 40px; } }
116
117
         .main_title h2 {
118
          font-size: 36px;
119
          line-height: 30px;
120
          font-weight: bold;
121
          margin-bottom: 15px; }
122
          @media (max-width: 575px) {
123
            .main title h2 {
124
              font-size: 30px;
              margin-bottom: 10px; } }
125
126
         .main_title p {
127
          font-size: 16px;
128
          margin-bottom: 0px;
129
          max-width: 570px;
130
          font-weight: 300;
131
          margin: auto; }
132
133 ∨ .lite_bg {
134
        background: #f9f9f9; }
135
136
                                                           C
```

 \leftarrow

 \bigcirc

localhost/trms/trms/trms/a





VII. CONCLUSION AND FUTURE WORK

Also, after working on this website I've become very interested in learning more about Boostrap/CSS so that will be one of my areas of interest to do some independent makeing website on. Ultimately, I would really like to pursue web design as a career path and I enjoy working with this website making code,

ACKNOWLEDGMENT

I would like to thank my honourableKhan Md. Hasib Sir for his time, generosity and critical insights into this project.

REFERENCES

- G. Eason, B. Noble, and I. N. Sneddon, "On certain integrals of Lipschitz-Hankel type involving products of Bessel functions," Phil. Trans. Roy. Soc. London, vol. A247, pp. 529–551, April 1955.
 J. Clerk Maxwell, A Treatise on Electricity and Magnetism, 3rd ed., vol.
- 2. Oxford: Clarendon, 1892, pp.68-73.