outbound

Straightforward Insights for Growing Apps

Ben Regner

Problem: Providing actionable insights to a non-specialist clearly and without ambiguity.

Data and Algorithms

|	event_type_id	timestamp	user_id	event_name
0	54e425622c9dcd04356f09ef	2015-02-18 05:38:42	54e425622c9dcd04356f09eb	Signed In

Random Forest Classifier — scalability, handles irrelevant inputs, interpretable

Kernel Density Estimation — clear visualization of noisy timestamp information

Conditional Probability — suggests important dependencies between events

Cohort Analysis — provides context for previous business decisions

Predicting Important Events for User Engagement

Predicting Important Events for User Engagement

A statistical tool called a random forest classifier takes user events to predict users who will "Checkout" with 92.6% accuracy. The events that are the most important to distinguish users are:

"Cart Add", "Page View", "Cart Remove", "Product Details" and "Filter".

False Positive Rate

10

0.0   0.2   0.4   0.6   0.8   1.0

0.0

# Predicting Important Events for User Engagement

Users who "Cart Add" are 23.9x more likely to "Checkout".

Users who "Checkout" have always done "Page View".

Users who "Cart Remove" are 0.5x more likely to "Checkout".

Users who "Product Details" are 6.7x more likely to "Checkout".

Users who "Filter" are 0.8x more likely to "Checkout".

Timing of Daily Events

Timing of Daily Events

Users are mostly likely to perform...
   "Cart Add" at about 6pm
   "Cart Remove" at about 5pm
   "Filter" at about 10pm
   "Page View" at about 6pm
   "Product Details" at about 6pm

Cohort Analysis

Cohort Analysis

The cohorts that are seeing the largest monthly loss in activity averaged over the last 3 months are:

2015-04 with -9.7% activity

2015-09 with -4.3% activity

2015-03 with -3.5% activity

2015-05 with -3.2% activity

Ben Regner
Postdoc at The Salk Institute for Biological Studies
Ph.D. at University of California - San Diego