

Simple Tables Demo Doc

Contents

1	Data	2
2	wrap	2
3	Simple table	3
4	Long table	4
5	With span	6
6	With both	8
7	Pass in the caption	10
8	Use a caption from tex macro	12
9	Pass in the caption with short	14
10	Reduce row space	16
11	Extra spance	18
12	Increase col space	24
13	Annotate	26

1 Data

Mostly working with this data; but some others come in later to illustrate certain features.

```
library(pmtables)
library(yspec)
spec <- ys_help$spec()

data <- pmt_summarized

data
```

```
## # A tibble: 13 x 9
##   STUDY      DOSE  FORM    N    WT   CRCL  AGE  ALB  SCR
##   <chr>    <chr> <chr>  <chr> <chr> <chr> <chr> <chr> <chr>
## 1 12-DEMO-001 100 mg tablet  80   71.4  104   33.7  4.20  1.06
## 2 12-DEMO-001 150 mg capsule 16   89.4  122   24.4  4.63  1.12
## 3 12-DEMO-001 150 mg tablet  48   81.7  104   34.4  3.83  0.910
## 4 12-DEMO-001 150 mg troche  16   94.0  93.2  27.4  4.94  1.25
## 5 12-DEMO-001 200 mg tablet  64   67.9  100   27.5  4.25  1.10
## 6 12-DEMO-001 200 mg troche  16   76.6  99.2  22.8  4.54  1.15
## 7 12-DEMO-002 100 mg capsule 36   61.3  113   38.3  4.04  1.28
## 8 12-DEMO-002 100 mg tablet 324   77.6  106   29.9  4.31  0.981
## 9 12-DEMO-002 50 mg capsule 36   74.1  112   37.1  4.44  0.900
## 10 12-DEMO-002 50 mg tablet 324   71.2  106   34.1  4.63  0.868
## 11 12-DEMO-002 75 mg capsule 36   72.4  105   38.2  3.89  0.900
## 12 12-DEMO-002 75 mg tablet 288   71.6  98.9  34.2  4.49  0.991
## 13 12-DEMO-002 75 mg troche  36   73.6  103   49.2  4.52  0.930
```

2 wrap

There is a wrap function in this document. Don't worry about that; it just puts the output into a table environment and sends the output to get rendered in markdown.

3 Simple table

```
data %>% stable(units = ys_get_unit(spec, parens = TRUE)) %>% st_asis()
```

STUDY	DOSE	FORM	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	troche	16	94.0	93.2	27.4	4.94	1.25
12-DEMO-001	200 mg	tablet	64	67.9	100	27.5	4.25	1.10
12-DEMO-001	200 mg	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002	100 mg	capsule	36	61.3	113	38.3	4.04	1.28
12-DEMO-002	100 mg	tablet	324	77.6	106	29.9	4.31	0.981
12-DEMO-002	50 mg	capsule	36	74.1	112	37.1	4.44	0.900
12-DEMO-002	50 mg	tablet	324	71.2	106	34.1	4.63	0.868
12-DEMO-002	75 mg	capsule	36	72.4	105	38.2	3.89	0.900
12-DEMO-002	75 mg	tablet	288	71.6	98.9	34.2	4.49	0.991
12-DEMO-002	75 mg	troche	36	73.6	103	49.2	4.52	0.930

4 Long table

```
data <- ptdata()
data <- map_dfr(1:3, ~ data) %>% arrange(STUDY,DOSE,FORM)
```

```
data %>%
  stable_long(
    panel = "STUDY", cols_bold = TRUE,
    units = ys_get_unit(spec, parens = TRUE),
    notes = "The results look great!",
    clear_reps = "DOSE",
    cols_rename = c(Formulation = "FORM"),
    r_file = "foo.R", output_file = "../deliv/table/output.tex",
    note_config = noteconf(type = "minipage", width = 0.8, table_skip = 0.1)
  ) %>% st_asis()
```

DOSE	Formulation	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981

continued on next page

DOSE	Formulation	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

The results look great!

Source code: foo.R

Source file: output.tex

5 With span

```
data %>%
  stable_long(
    panel = "STUDY", cols_bold = TRUE,
    notes = "The results look great!",
    clear_reps = "DOSE",
    span = colgroup("A Group of Columns", N:SCR),
    cols_rename = c(Formulation = "FORM"),
    r_file = "foo.R", output_file = "../deliv/table/output.tex",
    note_config = noteconf(type = "minipage", width = 0.8, table_skip = 0.1)
  ) %>% st_asis()
```

		A Group of Columns					
DOSE	Formulation	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900

continued on next page

DOSE	Formulation	A Group of Columns					
		N	WT	CRCL	AGE	ALB	SCR
75 mg	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

The results look great!

Source code: foo.R

Source file: output.tex

6 With both

```
data %>%
  stable_long(
    panel = "STUDY", cols_bold = TRUE,
    units = ys_get_unit(spec, parens = TRUE),
    span = colgroup("A Group of Columns", N:SCR),
    notes = "The results look great!",
    clear_reps = "DOSE",
    cols_rename = c(Formulation = "FORM"),
    r_file = "foo.R", output_file = "../deliv/table/output.tex",
    note_config = noteconf(type = "minipage", width = 0.8, table_skip = 0.1)
  ) %>% st_asis()
```

			A Group of Columns				
DOSE	Formulation	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981

continued on next page

A Group of Columns							
DOSE	Formulation	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

The results look great!

Source code: foo.R

Source file: output.tex

7 Pass in the caption

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "The results look great!",
    clear_reps = "DOSE",
    lt_cap_text = "This is a super-interesting table.",
    note_config = noteconf(type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

Table 4: This is a super-interesting table.

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
75 mg	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

The results look great!

8 Use a caption from tex macro

- Write this into your tex document

```
\newcommand{\myfbtable}{This is a caption from a macro}\vskip 0.5cm
```

- Then create the table with:

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "FORM: formulation",
    r_file = "demo-longtable.Rmd",
    output_file = "foo.tex",
    clear_reps = "DOSE",
    lt_cap_macro = "myfbtable",
    note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

Table 5: This is a caption from a macro

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
50 mg	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
75 mg	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

9 Pass in the caption with short

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "The results look great!",
    clear_reps = "DOSE",
    lt_cap_short = "a table",
    lt_cap_text = "This is a super-interesting table.",
    note_config = noteconf(type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

Table 6: This is a super-interesting table.

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
75 mg	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

The results look great!

10 Reduce row space

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "FORM: formulation",
    r_file = "demo-longtable.Rmd",
    output_file = "foo.tex",
    clear_reps = "DOSE",
    sizes = tab_size(row = 1),
    note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

11 Extra space

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "FORM: formulation",
    r_file = "demo-longtable.Rmd",
    output_file = "foo.tex",
    clear_reps = "DOSE",
    sizes = tab_size(lt_row = 2),
    note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15

12-DEMO-002

100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
50 mg	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
75 mg	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation
 Source code: demo-longtable.Rmd
 Source file: foo.tex

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "FORM: formulation",
    r_file = "demo-longtable.Rmd",
    output_file = "foo.tex",
    clear_reps = "DOSE",
    note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
75 mg	tablet	324	71.2	106	34.1	4.63	0.868
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

12 Increase col space

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "FORM: formulation",
    r_file = "demo-longtable.Rmd",
    output_file = "foo.tex",
    clear_reps = "DOSE",
    sizes = tab_size(row = 1, col = 1),
    note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
  ) %>% st_asis()
```

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001							
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002							
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991

continued on next page

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

13 Annotate

- Arguments to identify the name of the generating R script and the output file name
- The output file name is retained as an attribute to be used later when saving the table data
- Arbitrary notes are also allowed (encouraged)

```
stable(  
  data[1:10,],  
  r_file = "foo.R",  
  output_file = "foo.tex",  
  notes = c("Data were analyzed in quadruplicate.", "The results are very clear."),  
) %>% st_asis()
```

STUDY	DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	troche	16	94.0	93.2	27.4	4.94	1.25

Data were analyzed in quadruplicate.

The results are very clear.

Source code: foo.R

Source file: foo.tex