Pivotal. **Event Storming** Version 1.0 September 2017 © Copyright 2018 Pivotal Software, Inc. All rights Reserved. Version 1.0

Agenda

- Intro to Domain Driven Design
- Event Storming
- Q+A



Workshop

Domain Driven Design

Domain Driven Design

Architectural approach to tackle the complexity of software




"Software Development is a learning process, working code is a side effect" - Alberto Brandolini

What is DDD

It is a <u>collaborative learning</u> process for Developers and Domain experts

- It is not an architecture or design pattern
- It is a not an end state
- It is an iterative process to discover optimizations in a complex domain
- It is not suited for complex software with simple domain model. For e.g. Chess playing game, or a Radar, or a self-driving car
- It is not a way to deliver code quickly but it is a way to effectively deliver code that changes frequently

Aspects of DDD



Collaborative Modelling


Process

Model consists of a set of entities, their behavior, and interactions defined using a shared language

The shared language is the ubiquitous language


Ubiquitous language is only valid within the domain and is evolved together by the developer and

domain expert



Pivotal.

Bounded Context



Without Bounded Context you get a big ball of mud


When domain experts are not collaborating with developers, you get a big ball of mud

Bounded Context is a contextual and semantic boundary

Bounded Context with objects but no behavior is an anemic domain model

For naming contexts, typically use the format <name of the domain Context> i.e. Collaboration Context

Sub Domain




Focus on the core domain

Domain expert has expertise in the core domain

Adopt different strategies for integrating to the sub-domains

Sub Domain



Focus on the core domain

Domain expert has expertise in the core domain

Core Domain is where you make your money


Core domain is where your organization must excel

It is the differentiator for your org

Adopt different strategies for integrating to the sub-domains

Types of Sub Domain

Supporting sub domain



The 'Collaboration' context is not a core domain

It still has strategic value

If a subdomain has no strategic value, like IDM, it is a Generic sub domain

Kinds of Relationships between Sub Domains

- Partnership
- Conformist
- Published Language

- Shared kernel
- Anti-corruptionLayer
- Separate ways

- Customer-Supplier
- OpenHost Service
- Big ball of Mud

Partnership



Strong coordination between teams

Shared release cycles

Models stay in sync


Shared Kernel



Shared code and models

Tight coupling between the teams

Customer-Supplier




Upstream Downstream relationship

Team2 depends on Team1 to implement the model

Team1 and Team2 have a contract and have to depend on the contract

Conformist




Team2 just implements the model from Team1

There is no binding contract

Team2 depends on Team1

Anti-Corruption layer




Opposite of Conformist

Team2 does not want to be coupled to Team1

Team2 consumes a model from Team1 but translates it into an internal model


Open Host Service



Team1 has a well established and documented Service

Team2 consumes a model as-is from team1

Separate Ways



Team2 breaks away from Team1 and wants to go alone

Workshop

Event Storming

Event Storming

Collaborative Modeling exercise to identify Domain Events and quickly understand the

bottlenecks, risks, and



Event Storming Approach

- See the system as a whole
- Find a problem worth solving
- Gather the immediately available information
- Start implementing the MVP

Event Prep

Key ingredients

- Right people
- Unlimited modeling space
- Enough supplies





Supplies

Post-it Notes

- Orange (lots) Events
- Blue Commands
- Yellow (larger size) Aggregates
- Pink (larger size) External Systems
- Purple Question, Concern, etc.
- Dark Green Data returned to User





Supplies

Others


- Black Markers (Fine Point)
- A-4 Paper
- Masking Tape
- Large Board or Plotter Paper/Butcher Paper







Room Setup




The room setup, right before the workshop

Getting Started

Domain Events

- Everyone gets a marker and an orange sticky
- Write an event in past tense on an orange sticky
- Example 'Backlog item created'
- Events canAny event related to the Domain (determined by the Domain Experts) is valid
- Sequence them from left to right earlier events on the left
- At the end of about 30-40 mins, ask a person to walk-through the timeline, telling a story
- If an event is not really an event (a process, for e.g.) the moderator will rotate it to make it a 'diamond' to be reviewed later






Hotspots

Identify Problem Areas

- Consolidate duplicates
- Discuss the stickies and identify problem areas
- Moderator writes on a purple sticky
 - Problems
 - Concerns
 - Blockers
 - Risks
 - Requirement gaps



Workflow areas

Grouping

- Use 'Labelling cover up tape' to label workflow areas
- Group the events into workflow areas
- These indicates 'sub-domains' or 'bounded contexts'




Commands

User intentions/actions/decisions

- Think of the user intention or decision that triggers the event
- Write it in on blue sticky and put it in front of the orange sticky
- If the an event is triggered by a calendar trigger or by a time schedule, put a calendar or a clock icon on it.








External Systems


• Write external systems on Pink stickies



Policies


Defines Processes

- Policies often start with 'whenever...' Whenever a story item is created, it is put in a unassigned backlog queue
- Write it in on purple sticky
- Policies may trigger other events



Aggregates

- Use the bounded contexts guide the Aggregate names
- Aggregates are written on large <u>yellow</u> stickies
- Stick aggregates under the events and commands that act on them



Wrapping up

- Ask a participant to walk thru the events once the orange stickies are posted
- Facilitator, write down any keyworks/acronyms on a yellow notepad sticky
- Use reverse flow to discover new events preceding a given event
- Do not exceed 2 hours for the event

- You should have about 100-200 domain events
- Make sure there are Hotspots
- Identify all the external systems
- Use dot vote to pick the right problem to work on
- Take pictures to preserve the white board



Pivotal

Transforming How The World Builds Software