




Enhanced Conversions for Web

Objective:

To supplement existing Google conversion tags by passing personally-identifiable, user-provided data (hashed) through a Google Conversion tag placed on an advertiser's website via Google Tag Manager, to improve Google's ability to attribute conversion events to digital paid media.

Google Conversion Tag Systems:



First-party data collected if enabled (at least one):

- Email address (most common)
- Phone number
- Home address
- Name

Benefits:

- Recover conversions that otherwise wouldn't have been measured, by as much as 30%.
- Improve bidding optimization through better data
- Privacy safe with hashing of first-party customer data

Customer data options for enhanced conversions for web

Preferred	Encouraged	Encouraged
 Email address Emails should be provided in a generally acceptable format (for example, email@gmail.com). NEW: Gmail and non-gmail (associated with a Google account) matching is supported.	 Phone number Phone number must be in E.164 format, which means it must be 11 to 15 digits including a plus sign (+) prefix and country code with no dashes, parentheses, or spaces.	 Name & home address Using name and home address requires to provide all four fields for a successful match: country, first name, last name and postal code.




★ Enhanced conversions will only work for conversion types where customer data is present like subscriptions, sign-ups, and purchases.

Pre-configuration Checklist:

- ☐ Horizon Digital/Search/BST initiates contact with the client marketing team on the:
 - Need to deploy Enhanced Conversions
 - The value to the client of ingesting user PII
 - Request for email approval from the client's Legal and Privacy teams
- ☐ With the client marketing team on board, Horizon point team and AdOps will email Liz Rowe, SVP Data Governance, to confirm Horizon has proper data protections in place to enable EC for this client.
 - If necessary, she will pull in Horizon Legal for confirmation
- ☐ Horizon Digital/Search/BST receives official email approval from the client and forwards to AdOps.
- ☐ Horizon Digital/Search team communicates to AdOps:
 1. Which platform they intend to enable EC for: Google Ads, GA4, and/or CM360 (SA360 uses CM360 floodlights)
 - If AdOps does not already have access to the required platforms (including the GTM container) Digital/Search/BST must attain access from the client on their behalf.
 - For GTM, AdOps will need to specify the email address to be granted access, the minimum required role: EDIT, and the container ID which can be found on the site using dev tools or a debugger extension.
 2. The exact conversion event(s) they wish to enable EC on.
 - If the event(s) is already tagged, Digital/Search needs to communicate to AdOps the name(s) of the Google Ads conversion action / GA4 key event / CM360 Floodlight.
 - If the event(s) is not yet tagged with a floodlight, AdOps will create the conversion tag(s) in the appropriate platform and communicate the name(s) to Digital/Search.

Configuration Steps:

1. Enable Enhanced Conversions within the requested GMP platform (Google Ads, GA4, CM360, SA360):




2. Configure Enhanced Conversions within Google Tag Manager:

- ☐ In preview mode, perform the conversion action and confirm the user-provided data (usually email) is being exposed in the data layer.
 - ★ If it is not, stop the configuration process and inform the Search team, as a request will need to be submitted to the client's web dev team to expose the value in the data layer.
- ☐ Build a new user-defined variable (type: **Data Layer Variable**) to capture the user-provided data from the data layer, e.g. {{DL – Email}}.
- ☐ Build a new user-defined variable (type: **User-Provided Data**) and populate the appropriate fields with the data layer variable(s) built just before, e.g. {{User-provided Data}}. See screenshot #1 below.
- ☐ Build a new user-defined variable (type: **Google Tag: Configuration Settings**) with a config parameter “user_data” associated to the UPD variable {{User-provided Data}} built just before, e.g. {{Google Configuration Settings}}. See screenshot #2 below.
- ☐ Ensure this Google Tag is triggered to fire on all pages.
- ☐ Enter Preview Mode once more and perform the conversion action again to confirm the Google Tag is successfully ingesting the user-provided data.
- ☐ If allowed by the client, publish the container. Otherwise, reach out to the client to do so.


🔧 More resources: [Set up enhanced conversions for web using GTM](#)

Screenshot #1

user_provided_data



Screenshot #2



Checklist (condensed version):

☐

Do we have client agreement in writing?

☐

Do we have Horizon Data Governance approval (Liz Rowe)?

☐

Do we have the name(s) of the floodlight(s) as they exist in CM360?

☐

Do we have the name(s) of the floodlight(s) as they exist in GTM?

☐

Has EC been enabled in the advertiser's CM360 Floodlight configuration?

☐

Is the user email exposed in the data layer during the conversion event?

☐

Has a GTM Data Layer Variable been created to ingest the email?

☐

Has a GTM User-Provided Data variable been created to hash the value of the DL variable?

☐

Has the UPD variable been added to the Google Tag: Configuration Settings variable, which gets selected within the Google Tag for the CM360 floodlight configuration?