Bootstrap 5 from Scratch | Build 5 Modern Websites

Section 1: Getting Started

Welcome to the Course

1. CSS -> Bootstrap
2. To build cood projects with Bootstrap
3. We start with sandbox
    1. Files
        1. Experiment with classes
        2. Utilities helpers
        3. Examine CSS
        4. Breakpoints
4. Miniprojects
    1. Put to use what we have learned
5. 5 projects
    1. With boilerplate (starter template)
        1. Using NPM
            1. SASS - Bootstrap SASS files & customize & compile
6. Preview:
    1. E-Book website
        1. SVGs
        2. Font Awesome icons
        3. JS plugins
        4. Contact Page
        5. Vercel deployment
        6. Formspree (for forms)
    2. Corso
        1. For training seminar videos
        2. Carousel
        3. Cards
        4. Borders
        5. Shadows
    3. Portfolio
        1. About area
        2. Lighbox script
        3. Netlify
    4. Custom office spaces
        1. Other content
        2. Testimonial slider (Bootstrap carousel)
    5. Vera
        1. Software solutions website
        2. Thirdparty script
        3. Custom styling
        4. Animated buttons
        5. Modal to open YouTube video
            1. Custom JS
7. Responsive

Projects Overview

1. bs5-simple-starter
    1. Starter template
        1. SASS
            1. To customize Bootstrap SASS
                1. Compile SASS
    2. Font awesome
2. E-Book website
    1. Customized colors
    2. Responsive
    3. SVG
    4. Icons - font awesome
    5. Modals
    6. Contact form
        1. Form spree
    7. Map
    8. Deploy vercel.com
        1. Free
3. Corso
    1. Carousel
    2. Overlay
    3. Cards
    4. Icons
    5. Form
4. Portfolio
    1. Hero
    2. Custom JS
    3. Social Media icons
    4. Text generated by Chat GPT
    5. Progress bars
    6. Lightbox 2
    7. Contact form
    8. Netlify

        1. Form service - to make it work
    5. Yavin
        1. Business that customizes office spaces
        2. Hero
        3. Background images
        4. Counting stats
        5. Testimonial slider
        6. Quote form
    6. Vera
        1. For software solutions
        2. Changing words
        3. Navbar
        4. Background positions
        5. Absolute positioning
        6. Badges
        7. Icons
        8. Animated button
            1. Keyframes
            2. Pseudo classes
        9. Opening video in a modal
        10. Pricing grid
        11. Subscribe form
        12. Responsive
        13. Media queries
        14. Bootstrap breakpoints

What is Bootstrap?

1. Bootstrap is an open-source frontend CSS/UI framework for developing responsive websites and user interfaces
2. It provides pre-existing components like buttons, alerts, navigation bars, and more
    1. Easy to use
    2. Wide range of pre-defined components
        1. Buttons
        2. Alerts
        3. Navbars
        4. ...
    3. Utility classes - to develop faster
        1. Margin
        2. Padding
        3. Display and positioning
        4. Responsive grid system
            1. For column based layouts
    4. JS components
        1. Carousel
        2. Collapsable content
3. Prerequisites
    1. It is important to know the fundamentals of both HTML & CSS before jumping into ANY type of web framework
4. Advantages of Bootstrap
    1. **Responsive Design** - Bootstrap is a **mobile-first** framework
        1. It is designed for mobile by default
    2. **Rapid Development** - Save time by not writing near as much CSS
        1. Very little custom CSS
            1. BG images with overlays
            2. Animations
    3. **Prototyping** - Great for getting frontends up quickly
        1. For backend developers
            1. Quick prototyping of UI
    4. **Customizable** - Use Sass to compile your own version of bootstrap.css
        1. Override variables
            1. Colors
            2. Shadows
            3. Borders
            4. ...
    5. **JavaScript Plugins** - Modals, carousels, popovers, and more
        1. Unlike Tailwind
            1. Good for people who are not good with JS
    6. **Documentation** - Find working examples of everything
    7. **Cross Browser Compatibility** - Works on all browsers and OS

Is Bootstrap Dead?

1. Bootstrap is heavily used in all areas including enterprise, startups, and freelancers/agencies
2. It is the alternative to Tailwind CSS
3. Most people that say Bootstrap (or anything for that matter) is dead are influencers and people that never worked in the real world
    1. People care about what to use to get the job done, and in a sufficient amount of time
        1. Bootstrap can get things done quickly
4. Some large companies that use Bootstrap are Twitter, Spotify, LinkedIn, Udemy, Upwork, and more more.

How to use Bootstrap

1. For absolute beginners
    1. Ways of using Bootstrap
        1. CDN
            1. Use remote CDN links in your HTML file for the CSS and JS. The links will look like this:

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" ...>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dis/js/bootstrap.min.js" ...> <!-- uses popper js library. It doesn't
```

2. This method is not very customizable, but it is quick and simple
3. JS widgets
    1. Dropdown for hamburger menu
    2. Navbar
4. Example:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH" crossorigin="anonymous">
  <title>Document</title>
</head>

<body>
  <button class="btn btn-primary">Submit</button>

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jIeHz"
    crossorigin="anonymous"></script>
</body>

</html>
```

2. Download Files
    1. You can download the CSS and JS and include them locally instead of using remote links
    2. This method is not very customizable, but it is quick, simple, and local
        1. Internet connection is not required
    3. Two options
        1. SRC files
        2. Compiled files
    4. There are files for specific features: bootstrap-grid.min.css (only for grid)
    5. Example:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="bootstrap.min.css" rel="stylesheet"
    integrity="sha384-QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH" crossorigin="anonymous">
  <title>Document</title>
</head>

<body>
  <button class="btn btn-primary">Submit</button>

  <script src="bootstrap.bundle.min.js"
    integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jIeHz"
    crossorigin="anonymous"></script>
</body>

</html>
```

3. Compiling Sass
    1. You can compile the Bootstrap Sass files (source files) on your own and customize the CSS that is built from them
        1. It is better not to do it with custom CSS - may get messy
            1. Solution: Compile Sass
    2. You can download the Sass files or install using a package manager like NPM

```
npm install bootstrap@5.3.0
```

    3. This method is more complicated but very customizable

Basic Environment Setup

1. Tools
    1. VS Code
    2. Node.JS
        1. JS runtime
        2. Allows JS to run on machine
        3. For using NPM
            1. Bootstrap
            2. Sass
            3. Font awesome
    3. Git

1. Used to push to Github and deploy to
    1. Vercel
    2. Netlify
4. VS Code extensions
    1. Live server
        1. Refreshes automatically on save
    2. Prettier
        1. Settings
            1. format
                1. Format on save
            2. semi
                1. Add semicolons automatically
    3. Emmet

        1. Comes by default

        2. Example:

            ```
            .main
            ```

            ```
                <div class="main"></div>
            ```

            ```
            #main.inner
            ```

            ```
                <div id="main" class="inner"></div>
            ```

        3. Emmet crash course

Bootstrap Sandbox Setup

1. Sandbox - collection of files, where each file focusses on one topic
2. Download zip
    1. Take start version

Section 2: Bootstrap Fundamentals - Part 1

Containers

1. In Bootstrap, a container is a class that is used to wrap and contain the content of webpage within fixed or responsive width
    1. Content stays within container even if browser is stretched
    2. Content is pushed to the middle
2. Example: `container` **(M)**
    1. stops at certain width (`max-width: ...`)
    2. `margin: 0 auto`
3. Container sizes based on breakpoint

    1. `container` (same as `container-sm`)

        1. If width is < 576px, it takes 100% of the width (`width: 100%`)
        2. If width is >= 576px, it takes upto 540px
        3. If width is >= 768px, it takes upto 720px
        4. If width is >= 992px, it takes upto 960px (`max-width: 960px`)
        5. If width is >= 1200px, it takes upto 1140px
        6. If width is >= 1400px, it takes upto 1320px

    2. `container-md`

        1. If width is < 576px, it takes 100% of the width (`width: 100%`)
        2. If width is >= 576px, it takes 100% of the width (`width: 100%`)
        3. If width is >= 768px, it takes upto 720px
        4. If width is >= 992px, it takes upto 960px (`max-width: 960px`)
        5. If width is >= 1200px, it takes upto 1140px
        6. If width is >= 1400px, it takes upto 1320px

    3. `container-lg`

        1. If width is < 576px, it takes 100% of the width (`width: 100%`)
        2. If width is >= 576px, it takes 100% of the width (`width: 100%`)
        3. If width is >= 768px, it takes 100% of the width (`width: 100%`)
        4. If width is >= 992px, it takes upto 960px (`max-width: 960px`)
        5. If width is >= 1200px, it takes upto 1140px
        6. If width is >= 1400px, it takes upto 1320px

    4. `container-xl`

        1. If width is < 576px, it takes 100% of the width (`width: 100%`)
        2. If width is >= 576px, it takes 100% of the width (`width: 100%`)
        3. If width is >= 768px, it takes 100% of the width (`width: 100%`)
        4. If width is >= 992px, it takes 100% of the width (`width: 100%`)
        5. If width is >= 1200px, it takes upto 1140px
        6. If width is >= 1400px, it takes upto 1320px

    5. `container-xxl`

        1. If width is < 576px, it takes 100% of the width (`width: 100%`)
        2. If width is >= 576px, it takes 100% of the width (`width: 100%`)
        3. If width is >= 768px, it takes 100% of the width (`width: 100%`)
        4. If width is >= 992px, it takes 100% of the width (`width: 100%`)

5. If width is >= 1200px, it takes 100% of the width (`width: 100%`)
6. If width is >= 1400px, it takes upto 1320px

6. `container-fluid`

1. If width is < 576px, it takes 100% of the width (`width: 100%`)
2. If width is >= 576px, it takes 100% of the width (`width: 100%`)
3. If width is >= 768px, it takes 100% of the width (`width: 100%`)
4. If width is >= 992px, it takes 100% of the width (`width: 100%`)
5. If width is >= 1200px, it takes 100% of the width (`width: 100%`)
6. If width is >= 1400px, it takes 100% of the width (`width: 100%`)

7. If we want different styles for different mobile devices, we can use `container` or `container-sm`

8. If just want container to stretch with browser

Typography

1. Bootstrap selects the best font family for the operating system, and device

1. They change with screen size (responsive)

2. Paragraphs can be made to look like headings

```
<p class="h1">Heading 1</p>
```

3. Display headings:

1. `display-1` **(M)** (font-weight is lighter, and they are bigger than hx)
2. `display-2`
3. ...
4. `display-6`

4. Make a little larger

```
<p class="lead">
```

5. Blockquote

```
<p class="blockquote">
```

6. Font Weight

```
fw-bold
fw-bolder <!-- bolder compared to parent element -->
fw-semibold <!-- less bold -->
fw-medium
fw-normal <!-- default -->
fw-light
fw-lighter

fst-italic <!-- **(M)** -->
fst-normal <!-- **(M)** -->

<!-- Line Heights -->

lh-1
lh-sm <!-- less than regular -->
lh-base <!-- normal -->
lh-lg <!-- more space -->
```

Test Transform

```
<p class="text-lowercase">lowercased text</p>
<p class="text-uppercase">uppercased text</p>
<p class="text-capitalize">capitalized text</p>
```

Text Align

```
<!-- Text Alignment -->
<p class="text-start">Start aligned text on all viewport sizes.</p>
<p class="text-center">Center aligned text on all viewport sizes.</p>
<p class="text-end">End aligned text on all viewport sizes.</p>

<p class="text-sm-end">Start aligned text on viewports sized SM (small) or wider.</p>
<p class="text-md-end">
  Start aligned text on viewports sized MD (medium) or wider.
</p>
<p class="text-lg-end">Start aligned text on viewports sized LG (large) or wider.</p>
<p class="text-xl-end">
  Start aligned text on viewports sized XL (extra-large) or wider.
</p>
```

1. `text-sm-end` - If width is >= 576px, the text is moved to the end.

Display & Position

1. `d-none d-md-block` - hidden on small screens, but starts appearing on medium screens.
2. `position-static` - it is in the same place, and nothing changes.

Background & Text Colors

1. Contexts

2. Code:

```
<!-- Background Colors -->
<div class="bg-primary">.bg-primary</div>
<div class="bg-secondary">.bg-secondary</div>
<div class="bg-success">.bg-success</div>
<div class="bg-danger">.bg-danger</div>
<div class="bg-warning">.bg-warning</div>
<div class="bg-info">.bg-info</div>
<div class="bg-light">.bg-light</div>
<div class="bg-dark">.bg-dark</div>
<div class="bg-black">.bg-black</div>
<div class="bg-white">.bg-white</div>
<div class="bg-transparent">.bg-transparent</div>
```

    1. How to change the colors:
        1. Change CSS
        2. Update Sass and compile own Bootstrap file (with context)

3. Code:

```
<!-- Text Colors -->
<div class="text-primary">.text-primary</div>
<div class="text-secondary">.text-secondary</div>
<div class="text-success">.text-success</div>
<div class="text-danger">.text-danger</div>
<div class="text-warning">.text-warning</div>
<div class="text-info">.text-info</div>
<div class="text-light bg-dark">.text-light</div>
<div class="text-dark">.text-dark</div>
<div class="text-muted">.text-muted</div>
<div class="text-black-50">.text-black-50</div>
<div class="text-white-50 bg-black">.text-white-50</div>
```

4. Opacity:

```
<!-- Background Opacity -->
<div class="text-bg-success">Default success background</div>
<div class="text-bg-success bg-opacity-75">75% opacity success background</div>
<div class="text-bg-success bg-opacity-50">50% opacity success background</div>
<div class="text-bg-success bg-opacity-25">25% opacity success background</div>
<div class="text-bg-success bg-opacity-10">10% opacity success background</div>
```

5. Code: Links

```
<!-- Link Colors -->
<p><a href="#" class="link-primary">Primary link</a></p>
<p><a href="#" class="link-secondary">Secondary link</a></p>
<p><a href="#" class="link-success">Success link</a></p>
<p><a href="#" class="link-danger">Danger link</a></p>
<p><a href="#" class="link-warning">Warning link</a></p>
<p><a href="#" class="link-info">Info link</a></p>
```

Spacing

1. Spacing Values (margin, padding, ...)

    1. -1: 0.25rem
    2. -2: 0.5rem
    3. -3: 1rem
    4. -4: 1.5rem
    5. -5: 3rem

2. Code:

```
<h1 class="mb-5">Spacing</h1>
<!-- Margin All -->
<div class="text-bg-dark m-1">Lorem, ipsum dolor.</div>
<div class="text-bg-dark m-2">Lorem, ipsum dolor.</div>
<div class="text-bg-dark m-3">Lorem, ipsum dolor.</div>
<div class="text-bg-dark m-4">Lorem, ipsum dolor.</div>
<div class="text-bg-dark m-5">Lorem, ipsum dolor.</div>

<!-- Margin Top & Bottom -->
<div class="text-bg-success my-1">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-2">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-3">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-4">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-5">Lorem, ipsum dolor.</div>

<!-- Margin Left & Right -->
<div class="text-bg-secondary mx-1">Lorem, ipsum dolor.</div>
<div class="text-bg-secondary mx-2">Lorem, ipsum dolor.</div>
<div class="text-bg-secondary mx-3">Lorem, ipsum dolor.</div>
<div class="text-bg-secondary mx-4">Lorem, ipsum dolor.</div>
<div class="text-bg-secondary mx-5">Lorem, ipsum dolor.</div>

<!-- Margin Top -->
<div class="text-bg-danger mt-1">Lorem, ipsum dolor.</div>
<div class="text-bg-danger mt-2">Lorem, ipsum dolor.</div>
<div class="text-bg-danger mt-3">Lorem, ipsum dolor.</div>
<div class="text-bg-danger mt-4">Lorem, ipsum dolor.</div>
<div class="text-bg-danger mt-5">Lorem, ipsum dolor.</div>

<!-- Margin Bottom -->
<div class="text-bg-warning mb-1">Lorem, ipsum dolor.</div>
<div class="text-bg-warning mb-2">Lorem, ipsum dolor.</div>
<div class="text-bg-warning mb-3">Lorem, ipsum dolor.</div>
<div class="text-bg-warning mb-4">Lorem, ipsum dolor.</div>
<div class="text-bg-warning mb-5">Lorem, ipsum dolor.</div>
```

```
<!-- Margin Left/Start -->
<div class="text-bg-info ms-1">Lorem, ipsum dolor.</div>
<div class="text-bg-info ms-2">Lorem, ipsum dolor.</div>
<div class="text-bg-info ms-3">Lorem, ipsum dolor.</div>
<div class="text-bg-info ms-4">Lorem, ipsum dolor.</div>
<div class="text-bg-info ms-5">Lorem, ipsum dolor.</div>

<!-- Margin Right/End -->
<div class="text-bg-dark me-1">Lorem, ipsum dolor.</div>
<div class="text-bg-dark me-2">Lorem, ipsum dolor.</div>
<div class="text-bg-dark me-3">Lorem, ipsum dolor.</div>
<div class="text-bg-dark me-4">Lorem, ipsum dolor.</div>
<div class="text-bg-dark me-5">Lorem, ipsum dolor.</div>

<!-- Margin Auto -->
<div class="text-bg-warning w-50 m-auto">Lorem, ipsum dolor.</div> <!-- Adds auto to all sides -->
<div class="text-bg-warning w-50 my-auto">Lorem, ipsum dolor.</div>
<div class="text-bg-warning w-50 mx-auto">Lorem, ipsum dolor.</div>
<div class="text-bg-warning w-50 ms-auto">Lorem, ipsum dolor.</div> <!-- Uses all the margin on the left -->
<div class="text-bg-warning w-50 me-auto">Lorem, ipsum dolor.</div> <!-- Uses all the margin on the right -->

<!-- Padding All -->
<div class="text-bg-dark my-2 p-1">Lorem, ipsum dolor.</div>
<div class="text-bg-dark my-2 p-2">Lorem, ipsum dolor.</div>
<div class="text-bg-dark my-2 p-3">Lorem, ipsum dolor.</div>
<div class="text-bg-dark my-2 p-4">Lorem, ipsum dolor.</div>
<div class="text-bg-dark my-2 p-5">Lorem, ipsum dolor.</div>

<!-- Padding Top & Bottom -->
<div class="text-bg-success my-2 py-1">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-2 py-2">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-2 py-3">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-2 py-4">Lorem, ipsum dolor.</div>
<div class="text-bg-success my-2 py-5">Lorem, ipsum dolor.</div>

<!-- Padding Left & Right -->
<div class="text-bg-danger my-2 px-1">Lorem, ipsum dolor.</div>
<div class="text-bg-danger my-2 px-2">Lorem, ipsum dolor.</div>
<div class="text-bg-danger my-2 px-3">Lorem, ipsum dolor.</div>
<div class="text-bg-danger my-2 px-4">Lorem, ipsum dolor.</div>
<div class="text-bg-danger my-2 px-5">Lorem, ipsum dolor.</div>

<!-- Padding Top -->
<div class="text-bg-info my-2 pt-1">Lorem, ipsum dolor.</div>
<div class="text-bg-info my-2 pt-2">Lorem, ipsum dolor.</div>
<div class="text-bg-info my-2 pt-3">Lorem, ipsum dolor.</div>
<div class="text-bg-info my-2 pt-4">Lorem, ipsum dolor.</div>
<div class="text-bg-info my-2 pt-5">Lorem, ipsum dolor.</div>

<!-- Padding Bottom -->
<div class="text-bg-warning my-2 pb-1">Lorem, ipsum dolor.</div>
<div class="text-bg-warning my-2 pb-2">Lorem, ipsum dolor.</div>
<div class="text-bg-warning my-2 pb-3">Lorem, ipsum dolor.</div>
<div class="text-bg-warning my-2 pb-4">Lorem, ipsum dolor.</div>
<div class="text-bg-warning my-2 pb-5">Lorem, ipsum dolor.</div>

<!-- Padding Left/Start -->
<div class="text-bg-primary my-2 ps-1">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 ps-2">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 ps-3">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 ps-4">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 ps-5">Lorem, ipsum dolor.</div>

<!-- Padding Right/End -->
<div class="text-bg-primary my-2 pe-1">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 pe-2">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 pe-3">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 pe-4">Lorem, ipsum dolor.</div>
<div class="text-bg-primary my-2 pe-5">Lorem, ipsum dolor.</div>

<!-- Stacks -->
<div class="vstack gap-3"> <!-- Ads margin in between each item -->
  <div class="p-2 bg-info">First item</div>
  <div class="p-2 bg-info">Second item</div>
  <div class="p-2 bg-info">Third item</div>
</div>

<div class="hstack gap-3"> <!-- Puts them in a row, and adds spacing in between -->
  <div class="p-2 text-bg-success">First item</div>
  <div class="p-2 text-bg-success">Second item</div>
  <div class="p-2 text-bg-success">Third item</div>
</div>
```

Sizing, Borders & Shadows

1. Sometimes we might have to write custom css with specific width
    1. 25%, 50%, 75%, 100%, auto
2. Code:

```
<!-- Width -->
<div class="bg-success text-white p-3 w-25">Width 25%</div>
<div class="bg-success text-white p-3 w-50">Width 50%</div>
<div class="bg-success text-white p-3 w-75">Width 75%</div>
<div class="bg-success text-white p-3 w-100">Width 100%</div>
<div class="bg-success text-white p-3 w-auto">Width Auto</div>

<br /><br />

<!-- Height -->
```

```
<div style="height: 300px; border: 1px solid #333">
  <div class="bg-primary text-white d-inline-block h-25">Height 25%</div>
  <div class="bg-primary text-white d-inline-block h-50">Height 50%</div>
  <div class="bg-primary text-white d-inline-block h-75">Height 75%</div>
  <div class="bg-primary text-white d-inline-block h-100">Height 100%</div>
  <div class="bg-primary text-white d-inline-block h-auto">Height Auto</div>
  <!-- Takes up the height of the content -->
</div>

<br /><br />

<!-- Borders -->
<div class="p-3 mb-2 bg-light border">Regular</div>
<div class="p-3 mb-2 bg-light border-top">Border Top</div>
<div class="p-3 mb-2 bg-light border-bottom">Border Bottom</div>
<div class="p-3 mb-2 bg-light border-start">Border Right</div>
<div class="p-3 mb-2 bg-light border-end">Border Left</div>

<br /><br />

<!-- Border Colors -->
<div class="p-3 mb-2 bg-light border border-primary">Primary</div> <!-- Add both -->
<div class="p-3 mb-2 bg-light border border-secondary">Secondary</div>
<div class="p-3 mb-2 bg-light border border-success">Success</div>
<div class="p-3 mb-2 bg-light border border-info">Info</div>
<div class="p-3 mb-2 bg-light border border-warning">Warning</div>
<div class="p-3 mb-2 bg-light border border-danger">Danger</div>
<div class="p-3 mb-2 bg-light border border-light">Light</div>
<div class="p-3 mb-2 bg-light border border-dark">Dark</div>
<div class="p-3 mb-2 bg-light border border-white">White</div>

<br /><br />

<!-- Border Radius -->
<div class="p-3 mb-2 bg-light border rounded">Rounded</div>
<div class="p-3 mb-2 bg-light border rounded-top">Rounded Top</div>
<div class="p-3 mb-2 bg-light border rounded-bottom">Rounded Bottom</div>
<div class="p-3 mb-2 bg-light border rounded-end">Rounded Right</div>
<div class="p-3 mb-2 bg-light border rounded-start">Rounded Left</div>
<div class="p-3 mb-2 bg-light w-25 border rounded-circle">Rounded Circle</div> <!-- for icons -->
<div class="p-3 mb-2 bg-light border rounded-1">Rounded 1</div>
<div class="p-3 mb-2 bg-light border rounded-2">Rounded 2</div>
<div class="p-3 mb-2 bg-light border rounded-3">Rounded 3</div>
<div class="p-3 mb-2 bg-light border rounded-4">Rounded 4</div>
<div class="p-3 mb-2 bg-light border rounded-5">Rounded 5</div>

<!-- Shadows -->
<div class="p-3 mb-5 shadow-none">No shadow</div>
<div class="p-3 mb-5 shadow-sm">Small shadow</div>
<div class="p-3 mb-5 shadow">Regular shadow</div>
<div class="p-3 mb-5 shadow-lg">Larger shadow</div>
```

Breakpoints

1. Default breakpoints:
    1. Extra small: < 576px
    2. Small: >= 576px
    3. Medium: >= 768px
    4. Large >= 992px
    5. Extra Large >= 1200px
    6. Extra Extra Large >= 1400
2. Code:

```
/*  X-Small devices (portrait phones, less than 576px) */
body {
  background: gray;
}

/* `sm` applies to x-small devices (portrait phones, less than 576px) */
@media(min-width: 576px) {
  body {
    background-color: red;
  }
}

/* `md` applies to small devices (landscape phones, less than 768px) */
@media(min-width: 768px) {
  body {
    background-color: blue;
  }
}

/* `lg` applies to medium devices (tablets, less than 992px) */
@media(min-width: 992px) {
  body {
    background-color: green;
  }
}

/* `xl` applies to large devices (desktops, less than 1200px) */
@media(min-width: 1200px) {
  body {
    background-color: yellow;
  }
}

/* `xxl` applies to x-large devices (large desktops, less than 1400px) */
@media(min-width: 1400px) {
  body {
```

```
    background-color: purple;
  }
}
```

Buttons

1. Fewer classes in BS for good looking buttons
2. `btn` - adds padding, ...
    1. `btn-<context/color>`
3. Code:

```
<!-- Styles -->
<button class="btn btn-primary">Primary</button>
<button class="btn btn-secondary">Secondary</button>
<button class="btn btn-success">Success</button>
<button class="btn btn-danger">Danger</button>
<button class="btn btn-warning">Warning</button>
<button class="btn btn-info">Info</button>
<button class="btn btn-light">Light</button>
<button class="btn btn-dark">Dark</button>
<button class="btn btn-link">Link</button>

<br /><br />

<!-- Button Sizes -->
<button class="btn btn-primary">Regular</button>
<button class="btn btn-success btn-sm">Small</button>
<button class="btn btn-danger btn-lg">Large</button>

<br /><br />

<!-- Button States -->
<button class="btn btn-primary">Regular</button>
<button class="btn btn-primary disabled">Disabled</button>
<button class="btn btn-primary active">Active</button>

<br /><br />

<!-- Outline Buttons -->
<button class="btn btn-outline-primary">Primary</button>
<button class="btn btn-outline-secondary">Secondary</button>
<button class="btn btn-outline-success">Success</button>
<button class="btn btn-outline-danger">Danger</button>
<button class="btn btn-outline-warning">Warning</button>
<button class="btn btn-outline-info">Info</button>
<button class="btn btn-outline-light">Light</button>
<button class="btn btn-outline-dark">Dark</button>

<br /><br />

<!-- Links Formatted as Buttons -->
<a href="#" class="btn btn-primary">Link Button</a> <!-- Hero button -->
<a href="#" class="btn btn-primary btn-sm">Link Button</a>
<a href="#" class="btn btn-warning btn-lg">Link Button</a>

<br /><br />

<!-- Block Buttons -->
<div class="d-grid vstack gap-3">
  <button class="btn btn-primary">Submit</button>
  <button class="btn btn-danger">Cancel</button>
</div>

<br /><br />

<!-- Button Group -->
<div class="btn-group" role="group">
  <button class="btn btn-primary">Left</button>
  <button class="btn btn-secondary">Middle</button>
  <button class="btn btn-primary">Right</button>
</div>

<br /><br />

<!-- Button Toolbar -->
<div class="btn-toolbar" role="toolbar">
  <div class="btn-group me-3">
    <button class="btn btn-primary">1</button>
    <button class="btn btn-secondary">2</button>
    <button class="btn btn-primary">3</button>
  </div>
  <div class="btn-group">
    <button class="btn btn-primary">1</button>
    <button class="btn btn-secondary">2</button>
    <button class="btn btn-primary">3</button>
  </div>
</div>

<br /><br />


<!-- Dropdown Button -->
<div class="dropdown">
  <button class="btn btn-secondary dropdown-toggle" data-bs-toggle="dropdown">
    Dropdown Button
  </button>
  <ul class="dropdown-menu">
    <li><a href="#" class="dropdown-item">Link 1</a></li>
    <li><a href="#" class="dropdown-item">Link 2</a></li>
```

```
          <li><a href="#" class="dropdown-item">Link 3</a></li>
        </ul>
      </div>
```

Navbar

1. Code:

```
<!-- Simple Navbar -->
  <nav class="navbar navbar-expand-md bg-light">
    <div class="container">
      <a href="#" class="navbar-brand">Navbar</a>
      <button type="button" class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a href="#" class="nav-link active">Home</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">About</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">Services</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">Contact</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <br /><br />

  <!-- Color Variant -->
  <nav class="navbar navbar-expand-md bg-primary navbar-dark">
    <div class="container">
      <a href="#" class="navbar-brand">Navbar</a>
      <button type="button" class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a href="#" class="nav-link active">Home</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">About</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">Services</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">Contact</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <br /><br />

  <!-- Fixed Top -->
  <nav class="navbar navbar-expand-md bg-dark navbar-dark fixed-top">
    <div class="container">
      <a href="#" class="navbar-brand">Navbar</a>
      <button type="button" class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a href="#" class="nav-link active">Home</a>
          </li>
          <li class="nav-item">
            <a href="#about" class="nav-link">About</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">Services</a>
          </li>
          <li class="nav-item">
            <a href="#" class="nav-link">Contact</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Form In Navbar -->
  <nav class="navbar navbar-expand-md bg-warning">
    <div class="container">
      <a href="#" class="navbar-brand">Navbar</a>
      <form class="d-flex" role="search">
        <input type="text" class="form-control me-2" />
        <button class="btn btn-dark">Search</button>
      </form>
    </div>
  </nav>
```

Dark Mode & Variables

1. `data-bs-theme="dark"` **(M)**
2. `data-bs-theme="light"` **(M)**
3. Variables:

```
<style>
    body {
        background-color: var(--bs-primary);
    }
</style>
```

    1. Boostrap CSS Variables

4. Code:

```
<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="stylesheet" href="./assets/css/bootstrap.min.css" />
  <style>
    body {
      background-color: var(--bs-primary);
    }
  </style>
  <title>Bootstrap Sandbox | Dark Mode</title>
</head>

<body>
  <div class="container">
    <h1 class="mb-5">Dark Mode</h1>

    <div class="card" style="width: 18rem">
      <div class="card-header">This is a card</div>
      <div class="card-body">
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Tempora,
        voluptas.
      </div>
    </div>
    <div class="card" style="width: 18rem" data-bs-theme="light">
      <div class="card-header">This is a card</div>
      <div class="card-body">
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Tempora,
        voluptas.
      </div>
    </div>
    <!-- Don't go past here -->
  </div>
  <div style="margin-top: 350px"></div>

  <script src="./assets/js/bootstrap.bundle.min.js"></script>
</body>
```

Section 3: Bootstrap Fundamantals - Part 2

Bootstrap Grid & Columns

1. Bootstrap grid system is not the same as the CSS grid system
    1. It uses classes to construct layouts
        1. It uses flexbox under the hood (its own grid system)
2. Column slices
    1. There are 12 slices
        1. 12 columns = 1 slice each
        2. 2 columns = 6 slices each
        3. 3 columns = 4 slices each
        4. 1 column = 12 slices
        5. 4 slice-column, 8 slice-column
    2. It starts of as all stacked (12 slices)
3. `row-cols-2` - defines number of columns for each row, and not slices
4. Code:

```
<!-- Basic Grid Layout -->
<div class="row">
  <div class="col bg-light border">1 of 2</div>
  <div class="col bg-light border">2 of 2</div>
</div>
<div class="row">
  <div class="col bg-light border">1 of 3</div>
  <div class="col bg-light border">2 of 3</div>
  <div class="col bg-light border">3 of 3</div>
</div>

<br /><br />

<!-- Column Sizes -->
<div class="row">
  <div class="col-6 bg-light border">1 of 2</div>
</div>
```

```
<div class="row">
  <div class="col col-4 bg-light border">1 of 2</div>
  <div class="col col-8 bg-light border">2 of 2</div>
</div>

<br /><br />

<!-- Responsive Grid -->
<div class="row">
  <div class="col-md-6 bg-light border">1 of 2</div>
  <!-- Any width >= md (768px) will show 2 columns (6 slices each) -->
  <div class="col-md-6 bg-light border">2 of 2</div>
  <!-- The columns stack if widht < md -->
</div>

<div class="row">
  <div class="col-sm-6 col-lg-3 bg-light border">1 of 4</div>
  <div class="col-sm-6 col-lg-3 bg-light border">2 of 4</div>
  <div class="col-sm-6 col-lg-3 bg-light border">3 of 4</div>
  <div class="col-sm-6 col-lg-3 bg-light border">4 of 4</div>
</div>

<br /><br />

<!-- Row Cols -->
<div class="row row-cols-1 row-cols-md-2 row-cols-lg-3">
  <div class="col bg-light border">Column</div>
  <div class="col bg-light border">Column</div>
  <div class="col bg-light border">Column</div>
  <div class="col bg-light border">Column</div>
  <div class="col bg-light border">Column</div>
  <div class="col bg-light border">Column</div>
</div>

<br /><br />

<br /><br />

<!-- Nesting -->
<div class="row">
  <div class="col bg-light border pb-3">Column</div>
  <div class="col bg-light border pb-3">Column</div>
  <div class="col bg-light border pb-3">
    <div class="row"> <!-- Two columns are fit into the last column -->
      <div class="col text-bg-dark">Nest</div>
      <div class="col text-bg-dark">Nest</div>
    </div>
  </div>
</div>

<br /><br />

<!-- Gutters -->
<div class="row g-5"> <!-- Gutter, 4 is default -->
  <div class="col-md-4">
    <div class="p-3 text-bg-primary">
      Content Item
    </div>
  </div>
  <div class="col-md-4">
    <div class="p-3 text-bg-primary">
      Content Item
    </div>
  </div>
  <div class="col-md-4">
    <div class="p-3 text-bg-primary">
      Content Item
    </div>
  </div>
</div>

<br /><br />

<!-- Offsetting Columns -->
<div class="row"> <!-- Gutter, 4 is default -->
  <div class="col-md-4 offset-4">
    <div class="p-3 text-bg-primary">
      Content Item
    </div>
  </div>
  <div class="col-md-4">
    <div class="p-3 text-bg-primary">
      Content Item
    </div>
  </div>
  <div class="col-md-4">
    <div class="p-3 text-bg-primary">
      Content Item
    </div>
  </div>
</div>

<div class="row">
  <div class="col-md-6 offset-3 border">Hello World</div>
</div>

<br /><br />

<!-- Ordering -->
<div class="row">
  <div class="col bg-light border order-2">Column 1</div>
  <div class="col bg-light border order-4">Column 2</div>
  <div class="col bg-light border order-1">Column 3</div>
```

```
  <div class="col bg-light border order-3">Column 4</div>
</div>
```

Flexbox Classes

1. Code:

```
<!-- Basic Flexbox -->
<div class="d-flex">
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
</div>

<br /><br />

<!-- Flex Column -->
<div class="d-flex flex-column">
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
</div>

<br /><br />

<!-- Using Screen Sizes -->
<div class="d-flex flex-column flex-md-row">
  <div class="text-bg-primary p-3">Flex Item</div>
  <div class="text-bg-primary p-3">Flex Item</div>
  <div class="text-bg-primary p-3">Flex Item</div>
  <div class="text-bg-primary p-3">Flex Item</div>
  <div class="text-bg-primary p-3">Flex Item</div>
  <div class="text-bg-primary p-3">Flex Item</div>
</div>

<br /><br />

<!-- Flex Wrap -->
<div class="d-flex flex-wrap">
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
  <div class="text-bg-success p-3">Flex Item</div>
</div>

<br /><br />

<!-- Justify Content -->
<div class="d-flex justify-content-end">
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
</div>

<br /><br />

<div class="d-flex justify-content-between">
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
</div>

<br /><br />

<div class="d-flex justify-content-around">
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
</div>

<br /><br />

<!-- Align Items -->
<div class="d-flex flex-column align-items-end" style="height: 300px">
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
</div>

<div class="d-flex flex-column align-items-center" style="height: 300px">
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
</div>

<div class="d-flex flex-column align-items-start" style="height: 300px">
  <div class="text-bg-light p-3">Flex Item</div>
```

```
  <div class="text-bg-light p-3">Flex Item</div>
  <div class="text-bg-light p-3">Flex Item</div>
</div>

<br /><br />

<!-- Align Self -->
<div class="d-flex flex-column" style="height: 300px">
  <div class="text-bg-primary p-3 align-self-center">Flex Item</div>
  <div class="text-bg-primary p-3 align-self-end">Flex Item</div>
  <div class="text-bg-primary p-3">Flex Item</div>
</div>

<br /><br />

<!-- Flex Grow -->
<div class="d-flex">
  <div class="text-bg-primary p-3 flex-grow-1">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
  <div class="text-bg-dark p-3">Flex Item</div>
</div>
```

Cards

1. Card: Box with borders, shadows, images, background colors, header, footer, ...
2. Code:

```
<!-- Basic Text Card -->
<div class="card" style="width: 25rem">
  <div class="card-body">
    <h5 class="card-title">Card Title</h5>
    <p class="card-text">
      Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
      mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed vehicula
      est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices. Suspendisse
      vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
      felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh. Mauris
      finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
    </p>
  </div>
</div>

<br /><br />

<!-- Card With Image -->
<div class="card" style="width: 25rem">
  <div class="card-body">
    <img src="https://picsum.photos/200" class="card-img-top" alt="" />
    <h5 class="card-title">Card Title</h5>
    <p class="card-text">
      Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
      mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed vehicula
      est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices. Suspendisse
      vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
      felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh. Mauris
      finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
    </p>
  </div>
</div>

<br /><br />

<!-- Header & Footer -->
<div class="card" style="width: 25rem">
  <div class="card-header">Card Header</div>
  <div class="card-body">
    <h5 class="card-title">Card Title</h5>
    <p class="card-text">
      Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
      mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed vehicula
      est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices. Suspendisse
      vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
      felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh. Mauris
      finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
    </p>
  </div>
  <div class="card-footer">Card Footer</div>
</div>

<br /><br />

<!-- List Group Card -->

<br /><br />
<!-- Navigation -->

<br /><br />

<!-- Horizontal Card -->

<br /><br />

<!-- Grid Columns & Colors -->
<div class="row">
  <div class="col-md-3">
    <div class="card text-bg-primary">
      <div class="card-body">
        <h5 class="card-title">Card Title</h5>
        <p class="card-text">
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
          mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
          vehicula
```

```
          est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
          Suspendisse
          vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
          felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
          Mauris
          finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
        </p>
      </div>
    </div>
  </div>
  <div class="col-md-3">
    <div class="card text-bg-danger">
      <div class="card-body">
        <h5 class="card-title">Card Title</h5>
        <p class="card-text">
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
          mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
          vehicula
          est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
          Suspendisse
          vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
          felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
          Mauris
          finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
        </p>
      </div>
    </div>
  </div>
  <div class="col-md-3">
    <div class="card text-bg-warning">
      <div class="card-body">
        <h5 class="card-title">Card Title</h5>
        <p class="card-text">
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
          mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
          vehicula
          est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
          Suspendisse
          vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
          felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
          Mauris
          finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
        </p>
      </div>
    </div>
  </div>
  <div class="col-md-3">
    <div class="card text-bg-dark">
      <div class="card-body">
        <h5 class="card-title">Card Title</h5>
        <p class="card-text">
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
          mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
          vehicula
          est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
          Suspendisse
          vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
          felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
          Mauris
          finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
        </p>
      </div>
    </div>
  </div>
</div>

<br /><br />

<!-- Card Group -->
<div class="card-group">
  <div class="col-md-3">
    <div class="card text-bg-dark">
      <div class="card-body">
        <h5 class="card-title">Card Title</h5>
        <p class="card-text">
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
          mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
          vehicula
          est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
          Suspendisse
          vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
          felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
          Mauris
          finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
        </p>
      </div>
    </div>
  </div>
  <div class="col-md-3">
    <div class="card text-bg-dark">
      <div class="card-body">
        <h5 class="card-title">Card Title</h5>
        <p class="card-text">
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
          mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
          vehicula
          est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
          Suspendisse
          vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
          felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
          Mauris
          finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
        </p>
      </div>
```

```
      </div>
    </div>
    <div class="col-md-3">
      <div class="card text-bg-dark">
        <div class="card-body">
          <h5 class="card-title">Card Title</h5>
          <p class="card-text">
            Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed pharetra volutpat justo nec lobortis. Donec
            mollis lacus enim, nec dapibus nibh posuere eget. Aliquam suscipit odio non quam dictum pharetra. Sed
            vehicula
            est at turpis sagittis, et feugiat nunc auctor. Morbi scelerisque vitae lacus vulputate ultrices.
            Suspendisse
            vitae nisi sodales orci dignissim fringilla et eget urna. Praesent tincidunt convallis enim, eu malesuada
            felis vulputate ac. Aliquam vitae vestibulum odio. Suspendisse potenti. Suspendisse eget cursus nibh.
            Mauris
            finibus diam sed purus sagittis, et scelerisque est rhoncus. Ut at ipsum enim.
          </p>
        </div>
      </div>
    </div>
  </div>

  <br /><br />

  <!-- Placeholders -->
  <div class="card" style="width: 18rem">
    <div class="card-body">
      <h5 class="card-title placeholder-glow">
        <span class="placeholder col-6"></span>
      </h5>
      <p class="card-text placeholder-glow">
        <span class="placeholder col-7"></span>
        <span class="placeholder col-4"></span>
        <span class="placeholder col-4"></span>
        <span class="placeholder col-6"></span>
        <span class="placeholder col-8"></span>
      </p>
      <a href="" class="btn btn-primary disabled placeholder col-6"></a>
    </div>
  </div>
```

List Groups & Badges

1. Code:

```
    <!-- Simple List Group -->
    <ul class="list-group">
      <li class="list-group-item">Tony Stark</li>
      <li class="list-group-item">Steve Rogers</li>
      <li class="list-group-item active">Bruce Banner</li>
      <li class="list-group-item">Thor Odinson</li>
      <li class="list-group-item disabled">Rick Jones</li>
    </ul>

    <br /><br />

    <!-- Links -->
    <!-- Good for side-menus, blogs with categories on the side -->
    <div class="list-group">
      <a class="list-group-item" href="#">Tony Stark</a>
      <a class="list-group-item" href="#">Steve Rogers</a>
      <a class="list-group-item active" href="#">Bruce Banner</a>
      <a class="list-group-item" href="#">Thor Odinson</a>
      <a class="list-group-item disabled" href="#">Rick Jones</a>
    </div>

    <br /><br />

    <!-- Flush Style -->
    <ul class="list-group list-group-flush">
      <li class="list-group-item">Tony Stark</li>
      <li class="list-group-item">Steve Rogers</li>
      <li class="list-group-item active">Bruce Banner</li>
      <li class="list-group-item">Thor Odinson</li>
      <li class="list-group-item disabled">Rick Jones</li>
    </ul>

    <br /><br />

    <!-- Numbered List -->
    <ol class="list-group list-group-numbered">
      <li class="list-group-item">Tony Stark</li>
      <li class="list-group-item">Steve Rogers</li>
      <li class="list-group-item active">Bruce Banner</li>
      <li class="list-group-item">Thor Odinson</li>
      <li class="list-group-item disabled">Rick Jones</li>
    </ol>

    <br /><br />

    <!-- Badges -->
    <!-- Tags, Number next to category name -->
    <h1>Example heading <span class="badge bg-primary">New</span></h1>
    <h2>Example heading <span class="badge bg-secondary">New</span></h2>
    <h3>Example heading <span class="badge bg-success">New</span></h3>
    <h4>Example heading <span class="badge bg-danger">New</span></h4>
    <h5>Example heading <span class="badge bg-warning">New</span></h5>
    <h6>Example heading <span class="badge bg-info">New</span></h6>

    <br /><br />

    <!-- In Button -->
    <button type="button" class="btn btn-primary">Notifications <span class="badge text-bg-dark">1</span></button>
```

```
<br /><br />

<!-- Badges in List Group -->
<ul class="list-group">
  <li class="list-group-item d-flex justify-content-between align-items-start">
    <div class="ms-2 me-auto">
      <div class="fw-bold">Electronics</div>
      Content for this item
    </div>
    <span class="badge bg-primary rounded-pill">20</span>
  </li>
  <li class="list-group-item d-flex justify-content-between align-items-start">
    <div class="ms-2 me-auto">
      <div class="fw-bold">Fashion</div>
      Content for this item
    </div>
    <span class="badge bg-danger rounded-pill">20</span>
  </li>
  <li class="list-group-item d-flex justify-content-between align-items-start">
    <div class="ms-2 me-auto">
      <div class="fw-bold">Sports</div>
      Content for this item
    </div>
    <span class="badge bg-success rounded-pill">20</span>
  </li>
</ul>
```

Forms & Input

1. Input group:
    1. A button connected to an input (inside input)
2. Code:

```
<!-- Basic Form -->
<form action="">
  <div class="mb-3">
    <label for="email" class="form-label">Email Address</label>
    <input type="text" class="form-control" /> <!-- Makes it a block level element, makes the border lighter -->
  </div>
  <div>
    <label for="password" class="form-label">Password</label>
    <input type="password" class="form-control" />
  </div>
  <div class="mb-3">
    <input type="checkbox" class="form-check-input" id="remember" />
    <label for="remember" class="form-check-label">Remember Me</label>
  </div>
  <input type="submit" value="Login" class="btn btn-primary" />
</form>

<br /><br />

<!-- Other Fields -->
<form>
  <!-- Select Fields -->
  <div class="mb-3">
    <select name="" id="" class="form-select">
      <option value="">Best time to call</option>
      <option value="morning">Morning</option>
      <option value="afternoon">Afternoon</option>
      <option value="evening">Evening</option>
    </select>
  </div>

  <!-- Textarea -->
  <div class="mb-3">
    <textarea name="" id="" placeholder="Message" class="form-control"></textarea>
  </div>

  <!-- Switch -->
  <div class="form-check form-switch">
    <input type="checkbox" class="form-check-input" />
  </div>

  <!-- Inline Checkboxes -->
  <div class="mb-3">
    <div class="form-check form-check-inline">
      <input type="checkbox" class="form-check-input" id="remember" id="ch1" value="option1" />
      <label for="ch1" class="form-check-label">1</label>
    </div>
    <div class="form-check form-check-inline">
      <input type="checkbox" class="form-check-input" id="remember" id="ch2" value="option2" />
      <label for="ch2" class="form-check-label">2</label>
    </div>
    <div class="form-check form-check-inline">
      <input type="checkbox" class="form-check-input" id="remember" id="ch3" value="option1" />
      <label for="ch3" class="form-check-label">3</label>
    </div>
  </div>

  <!-- Toggle Button -->
  <div class="mb-3">
    <input type="checkbox" class="btn-check" id="btn-check" />
    <label class="btn btn-danger" for="btn-check">Button Toggle</label>
  </div>

  <!-- Range -->
  <div class="mb-3">
    <label for="range" class="form-label"></label>
```

```
    <input type="range" class="form-range" id="range" />
  </div>

  <!-- Range Steps -->
  <div class="mb-3">
    <label for="range" class="form-label"></label>
    <input type="range" class="form-range" id="range" min="0" max="5" step="0.5" />
  </div>
</form>

<br /><br />

<!-- Input Groups -->
<form>
  <div class="input-group mb-3">
    <span class="input-group-text">@</span>
    <input type="email" class="form-control" placeholder="Email" />
  </div>
</form>

<form>
  <div class="input-group mb-3">
    <input type="text" class="form-control">
    <button class="btn btn-outline-secondary">Submit</button>
  </div>
</form>
```

Form Validation & Display

1. JS - to dynamically add a class
2. Code:

```
<body>
<div class="container">
<h1 class="mb-5">Form Validation Display</h1>

<form class="needs-validation" novalidate>
  <div class="mb-3">
    <label for="username" class="form-label">Username</label>
    <input type="text" class="form-control" id="username" required />
    <div class="valid-feedback">Looks Good</div> <!-- Doesn't show -->
    <div class="invalid-feedback">Please pick a username</div>
  </div>
  <div class="mb-3">
    <label for="email" class="form-label">Email address</label>
    <input type="email" class="form-control" id="email" required />
    <div class="valid-feedback">Looks Good</div> <!-- Doesn't show -->
    <div class="invalid-feedback">Please pick a valid email</div>
  </div>
  <div class="mb-3">
    <label for="city" class="form-label">City</label>
    <input type="text" class="form-control" id="city" required />
    <div class="valid-feedback">Looks Good</div> <!-- Doesn't show -->
    <div class="invalid-feedback">Please pick a city</div>
  </div>

  <div class="mb-3">
    <div class="form-check">
      <input class="form-check-input" type="checkbox" value="" id="invalidCheck" required />
      <label class="form-check-label" for="invalidCheck">
        Agree to terms and conditions
      </label>
      <div class="valid-feedback">Looks Good</div> <!-- Doesn't show -->
      <div class="invalid-feedback">You must agree to the terms</div>
    </div>
  </div>

  <input type="submit" class="btn btn-primary" value="Submit" />
</form>

<!-- Don't go past here -->
</div>
<div style="margin-top: 350px"></div>

<script src="./assets/js/bootstrap.bundle.min.js"></script>
<script>
const form = document.querySelector('.needs-validation');

form.addEventListener('submit', (e) => {
  if (!form.checkValidity()) {
    e.preventDefault();
  } else {
    alert('success');
  }

  form.classList.add('was-validated');
});
</script>
</body>
```

Alerts & Progress Bars

1. Alerts - for notifications (usually for applications over static websites)
    1. `alert` - padding, margin, ...
    2. `alert-primary` - color, border, ...
2. Code:

```
<!-- Alerts -->
<div class="alert alert-primary" role="alert">This is a primary alert!</div>
<div class="alert alert-secondary" role="alert">This is a secondary alert!</div>
<div class="alert alert-success" role="alert">This is a success alert!</div>
<div class="alert alert-danger" role="alert">This is a danger alert!</div>
<div class="alert alert-warning" role="alert">This is a warning alert!</div>
<div class="alert alert-info" role="alert">This is a info alert!</div>
<div class="alert alert-light" role="alert">This is a light alert!</div>
<div class="alert alert-dark" role="alert">This is a dark alert!</div>

<br /><br />

<!-- Alert with link -->
<div class="alert alert-primary" role="alert">This is a primary alert! <a href="#" class="alert-link">Example</a>
</div>
<div class="alert alert-danger" role="alert">This is a primary alert! <a href="#" class="alert-link">Example</a>
</div>

<br /><br />

<!-- Additional Content -->
<div class="alert alert-primary" role="alert">
  <h4 class="alert-heading">Well Done</h4>
  <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Dolorem necessitatibus, obcaecati beatae
    exercitationem laboriosam eligendi culpa debitis. Voluptatibus expedita tempore, ipsam, amet rem deleniti,
    doloribus impedit commodi laboriosam id nihil.</p>
  <hr />
  <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Porro aperiam voluptates explicabo. Saepe voluptatem
    earum iste tempora tempore! Aliquid voluptas rem excepturi mollitia optio, ducimus laboriosam? Mollitia delectus
    nesciunt nemo?</p>
</div>

<br /><br />

<!-- Dismissing -->
<div class="alert alert-danger alert-dismissable fade show" role="alert">
  <button class="btn-close" data-bs-dismiss="alert"></button>
  Something went wrong
</div>

<br /><br />

<!-- Progress Bars -->
<div class="progress mb-4" role="progressbar" aria-valuenow="25" aria-valuemin="0" aria-valuemax="100">
  <div class="progress-bar" style="width: 25%"></div>
</div>

<div class="progress mb-4" role="progressbar" aria-valuenow="50" aria-valuemin="0" aria-valuemax="100">
  <div class="progress-bar bg-success" style="width: 50%"></div>
</div>

<br /><br />

<!-- Labels -->
<div class="progress mb-4" role="progressbar" aria-valuenow="40" aria-valuemin="0" aria-valuemax="100">
  <div class="progress-bar bg-danger" style="width: 40%">40%</div>
</div>

<br /><br />

<!-- Stripes -->
<div class="progress mb-4" role="progressbar" aria-valuenow="40" aria-valuemin="0" aria-valuemax="100">
  <div class="progress-bar progress-bar-striped bg-danger" style="width: 40%">40%</div>
</div>

<br /><br />

<!-- Animated Stripes -->
<div class="progress mb-4" role="progressbar" aria-valuenow="40" aria-valuemin="0" aria-valuemax="100">
  <div class="progress-bar progress-bar-striped progress-bar-animated bg-warning" style="width: 40%">40%</div>
</div>
```

Tables

1. Use-cases: Admin area
    1. To see all users
    2. To see all products
2. `table`
    1. Lines separate rows
    2. Adds padding
3. Code:

```
<!-- Basic Tables -->
<table class="table">
  <thead>
    <tr>
      <th>#</th>
      <th>Name</th>
      <th>Email</th>
      <th>Position</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th>1</th>
      <td>Tony Stark</td>
      <td>ironman@gmail.com</td>
      <td>Senior Web Developer</td>
```

```
    </tr>
    <tr>
      <th>2</th>
      <td>Steve Rogers</td>
      <td>captain@gmail.com</td>
      <td>UI Designer</td>
    </tr>
    <tr>
      <th>3</th>
      <td>Bruce Banner</td>
      <td>hulk@gmail.com</td>
      <td>Junior Web Developer</td>
    </tr>
  </tbody>
</table>

<br /><br />

<!-- Variants -->
<table class="table table-dark">
  <thead>
    <tr>
      <th>#</th>
      <th>Name</th>
      <th>Email</th>
      <th>Position</th>
    </tr>
  </thead>
  <tbody>
    <tr class="table-danger">
      <th>1</th>
      <td class="table-warning">Tony Stark</td>
      <td>ironman@gmail.com</td>
      <td>Senior Web Developer</td>
    </tr>
    <tr>
      <th>2</th>
      <td>Steve Rogers</td>
      <td>captain@gmail.com</td>
      <td>UI Designer</td>
    </tr>
    <tr>
      <th>3</th>
      <td>Bruce Banner</td>
      <td>hulk@gmail.com</td>
      <td>Junior Web Developer</td>
    </tr>
  </tbody>
</table>

<br /><br />

<!-- Striped -->
<table class="table table-striped">
  <thead>
    <tr>
      <th>#</th>
      <th>Name</th>
      <th>Email</th>
      <th>Position</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th>1</th>
      <td>Tony Stark</td>
      <td>ironman@gmail.com</td>
      <td>Senior Web Developer</td>
    </tr>
    <tr>
      <th>2</th>
      <td>Steve Rogers</td>
      <td>captain@gmail.com</td>
      <td>UI Designer</td>
    </tr>
    <tr>
      <th>3</th>
      <td>Bruce Banner</td>
      <td>hulk@gmail.com</td>
      <td>Junior Web Developer</td>
    </tr>
  </tbody>
</table>

<br /><br />

<!-- Hoverable Rows -->
<table class="table table-hover">
  <thead>
    <tr>
      <th>#</th>
      <th>Name</th>
      <th>Email</th>
      <th>Position</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th>1</th>
      <td>Tony Stark</td>
      <td>ironman@gmail.com</td>
      <td>Senior Web Developer</td>
    </tr>
    <tr>
```

```
      <th>2</th>
      <td>Steve Rogers</td>
      <td>captain@gmail.com</td>
      <td>UI Designer</td>
    </tr>
    <tr>
      <th>3</th>
      <td>Bruce Banner</td>
      <td>hulk@gmail.com</td>
      <td>Junior Web Developer</td>
    </tr>
  </tbody>
</table>

<br /><br />

<!-- Bordered Tables -->
<table class="table table-bordered">
  <thead>
    <tr>
      <th>#</th>
      <th>Name</th>
      <th>Email</th>
      <th>Position</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th>1</th>
      <td>Tony Stark</td>
      <td>ironman@gmail.com</td>
      <td>Senior Web Developer</td>
    </tr>
    <tr>
      <th>2</th>
      <td>Steve Rogers</td>
      <td>captain@gmail.com</td>
      <td>UI Designer</td>
    </tr>
    <tr>
      <th>3</th>
      <td>Bruce Banner</td>
      <td>hulk@gmail.com</td>
      <td>Junior Web Developer</td>
    </tr>
  </tbody>
</table>

<br /><br />

<!-- Borderless Tables -->
<table class="table table-borderless">
  <thead>
    <tr>
      <th>#</th>
      <th>Name</th>
      <th>Email</th>
      <th>Position</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th>1</th>
      <td>Tony Stark</td>
      <td>ironman@gmail.com</td>
      <td>Senior Web Developer</td>
    </tr>
    <tr>
      <th>2</th>
      <td>Steve Rogers</td>
      <td>captain@gmail.com</td>
      <td>UI Designer</td>
    </tr>
    <tr>
      <th>3</th>
      <td>Bruce Banner</td>
      <td>hulk@gmail.com</td>
      <td>Junior Web Developer</td>
    </tr>
  </tbody>
</table>
```

Breadcrumbs & Pagination

1. Code:

```
<!-- Breadcrumb -->
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><a href="#">Home</a></li>
    <li class="breadcrumb-item"><a href="#">About</a></li>
    <li class="breadcrumb-item active" aria-current="page"><a href="#">Staff</a></li>
  </ol>
</nav>

<br /><br />

<!-- Dividers -->
<nav style="--bs-breadcrumb-divider: '>'" aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><a href="#">Home</a></li>
    <li class="breadcrumb-item"><a href="#">About</a></li>
    <li class="breadcrumb-item active" aria-current="page"><a href="#">Staff</a></li>
```

```
  </ol>
</nav>

<br /><br />

<!-- Pagination -->
<nav aria-label="page navigation">
  <ul class="pagination">
    <li class="page-item"><a href="#" class="page-link">Previous</a></li>
    <li class="page-item"><a href="#" class="page-link">1</a></li>
    <li class="page-item"><a href="#" class="page-link active">2</a></li>
    <li class="page-item"><a href="#" class="page-link">3</a></li>
    <li class="page-item"><a href="#" class="page-link" aria-label="next">&raquo;</a></li>
  </ul>
</nav>

<br /><br />

<!-- Active & Disabled States -->
<nav aria-label="page navigation">
  <ul class="pagination">
    <li class="page-item disabled"><a href="#" class="page-link">Previous</a></li>
    <li class="page-item"><a href="#" class="page-link active">1</a></li>
    <li class="page-item"><a href="#" class="page-link">2</a></li>
    <li class="page-item"><a href="#" class="page-link">3</a></li>
    <li class="page-item"><a href="#" class="page-link" aria-label="next">&raquo;</a></li>
  </ul>
</nav>

<br /><br />

<!-- Sizing -->
<nav aria-label="page navigation">
  <ul class="pagination pagination-sm">
    <li class="page-item disabled"><a href="#" class="page-link">Previous</a></li>
    <li class="page-item"><a href="#" class="page-link active">1</a></li>
    <li class="page-item"><a href="#" class="page-link">2</a></li>
    <li class="page-item"><a href="#" class="page-link">3</a></li>
    <li class="page-item"><a href="#" class="page-link" aria-label="next">&raquo;</a></li>
  </ul>
</nav>

<nav aria-label="page navigation">
  <ul class="pagination pagination-lg">
    <li class="page-item disabled"><a href="#" class="page-link">Previous</a></li>
    <li class="page-item"><a href="#" class="page-link active">1</a></li>
    <li class="page-item"><a href="#" class="page-link">2</a></li>
    <li class="page-item"><a href="#" class="page-link">3</a></li>
    <li class="page-item"><a href="#" class="page-link" aria-label="next">&raquo;</a></li>
  </ul>
</nav>

<br /><br />

<!-- Alignment -->
<nav aria-label="page navigation">
  <ul class="pagination justify-content-end">
    <li class="page-item disabled"><a href="#" class="page-link">Previous</a></li>
    <li class="page-item"><a href="#" class="page-link active">1</a></li>
    <li class="page-item"><a href="#" class="page-link">2</a></li>
    <li class="page-item"><a href="#" class="page-link">3</a></li>
    <li class="page-item"><a href="#" class="page-link" aria-label="next">&raquo;</a></li>
  </ul>
</nav>

<nav aria-label="page navigation"></nav>
<ul class="pagination justify-content-center">
  <li class="page-item disabled"><a href="#" class="page-link">Previous</a></li>
  <li class="page-item"><a href="#" class="page-link active">1</a></li>
  <li class="page-item"><a href="#" class="page-link">2</a></li>
  <li class="page-item"><a href="#" class="page-link">3</a></li>
  <li class="page-item"><a href="#" class="page-link" aria-label="next">&raquo;</a></li>
</ul>
</nav>
```

Other CSS Utilities

1. Code:

```
<!-- Truncate Text -->
<div class="row">
  <div class="col-4 text-truncate">
    Lorem ipsum dolor sit amet, consectetur adipisicing elit. Deserunt,
    nisi blanditiis. Voluptatibus libero deleniti delectus fugiat pariatur
    cum aliquam maxime.
  </div>
</div>

<br /><br />

<!-- Stretched Link -->
<div class="card" style="width: 18rem">
  <img src="https://picsum.photos/200" class="card-img-top" alt="..." />
  <div class="card-body">
    <h5 class="card-title">Card with stretched link</h5>
    <p class="card-text">
      Lorem ipsum dolor sit amet consectetur, adipisicing elit.
      Recusandae, assumenda!
    </p>
    <a href="#" class="btn btn-primary stretched-link">Go somewhere</a>
  </div>
</div>
```

```
<br /><br />

<!-- Invisible & Visible -->
<div class="visible">...</div>
<div class="invisible">...</div> <!-- Takes up space but is invisible -->
<div class="visible">...</div>

<br /><br />

<!-- Floats -->
<div class="float-start">Float start</div>
<br />
<div class="float-end">Float end</div>
<br />
<div class="float-none">Don't float</div>
<br />
<!-- Responsive Float -->
<div class="float-lg-end">Float on large screens</div>
```

Section 4: Dynamic JavaScript Components

Dropdowns

1. Code:

```
<!-- Single Button -->
<div class="dropdown">
  <button class="btn btn-primary dropdown-toggle" data-bs-toggle="dropdown">Dropdown</button>
  <ul class="dropdown-menu">
    <li><a href="#" class="dropdown-item">Item 1</a></li>
    <li><a href="#" class="dropdown-item">Item 2</a></li>
    <li><a href="#" class="dropdown-item">Item 3</a></li>
  </ul>
</div>

<br /><br />

<!-- Split Button -->
<div class="btn-group">
  <button class="btn btn-danger">Action</button>
  <button class="btn btn-danger dropdown-toggle dropdown-toggle-split" data-bs-toggle="dropdown">
    <span class="visually-hidden">Toggle Dropdown</span>
  </button>
  <ul class="dropdown-menu">
    <li><a href="#" class="dropdown-item">Item 1</a></li>
    <li><a href="#" class="dropdown-item">Item 2</a></li>
    <li><a href="#" class="dropdown-item">Item 3</a></li>
  </ul>
</div>

<br /><br />

<!-- Dark Dropdowns -->
<div class="dropdown">
  <button class="btn btn-primary dropdown-toggle" data-bs-toggle="dropdown">Dropdown</button>
  <ul class="dropdown-menu dropdown-menu-dark">
    <li><a href="#" class="dropdown-item">Item 1</a></li>
    <li><a href="#" class="dropdown-item">Item 2</a></li>
    <li><a href="#" class="dropdown-item">Item 3</a></li>
  </ul>
</div>

<br /><br />

<!-- Dropup -->
<div class="btn-group dropup">
  <button class="btn btn-dark dropdown-toggle" data-bs-toggle="dropdown">Dropup</button>
  <ul class="dropdown-menu dropdown-menu-dark">
    <li><a href="#" class="dropdown-item">Item 1</a></li>
    <li><a href="#" class="dropdown-item">Item 2</a></li>
    <li><a href="#" class="dropdown-item">Item 3</a></li>
  </ul>
</div>

<br /><br />

<!-- Navbar with Dropdown -->
<nav class="navbar navbar-expand-md bg-light">
  <div class="container">
    <a href="#" class="navbar-brand">Navbar</a>
    <button type="button" class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#navbarNav">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item">
          <a href="#" class="nav-link active">Home</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link">About</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link">Services</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link">Contact</a>
        </li>
        <li class="nav-item dropdown">
          <a href="#" class="nav-link dropdown-toggle" data-bs-toggle="dropdown">Dropdown</a>
          <ul class="dropdown-menu">
            <li><a href="#" class="dropdown-item">Item 1</a></li>
```

```
            <li><a href="#" class="dropdown-item">Item 2</a></li>
            <li><a href="#" class="dropdown-item">Item 3</a></li>
          </ul>
        </li>
      </ul>
    </div>
  </div>
</nav>
```

Accordions & Collapse

1. Accordion:
    1. Headers we can click, and content opens
        1. Use-cases: Frequently asked questions
2. Collapse:
    1. Use-case: For anything to open and close on the page
3. Code:

```
<!-- Accordion -->
<div class="accordion">
  <div class="accordion-item">
    <h2 class="accordion-header">
      <button class="accordion-button" data-bs-toggle="collapse" data-bs-target="#collapseOne">Accordion 1</button>
      <!-- data-bs-target contains the id of the content -->
    </h2>
    <div id="collapseOne" class="accordion-collapse collapse show" data-bs-parent="#myaccordion">
      <div class="accordion-body">
        Lorem ipsum dolor sit, amet consectetur adipisicing elit. Amet nemo odit in, corporis animi laboriosam
        culpa. Necessitatibus laborum, quaerat delectus eveniet aliquam, assumenda doloremque est quod commodi totam
        laboriosam fugiat.
      </div>
    </div>
  </div>
  <div class="accordion-item">
    <h2 class="accordion-header">
      <button class="accordion-button" data-bs-toggle="collapse" data-bs-target="#collapseTwo">Accordion 2</button>
    </h2>
    <div id="collapseTwo" class="accordion-collapse collapse" data-bs-parent="#myaccordion">
      <div class="accordion-body">Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptates quia qui
        incidunt quae illo necessitatibus facere dicta voluptatem officia et, porro deleniti quam dignissimos omnis
        amet harum vitae, ut dolorum.</div>
    </div>
  </div>
  <div class="accordion-item">
    <h2 class="accordion-header">
      <button class="accordion-button" data-bs-toggle="collapse" data-bs-target="#collapseThree">Accordion
        3</button>
    </h2>
    <div id="collapseThree" class="accordion-collapse collapse" data-bs-parent="#myaccordion">
      <div class="accordion-body">Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptates quia qui
        incidunt quae illo necessitatibus facere dicta voluptatem officia et, porro deleniti quam dignissimos omnis
        amet harum vitae, ut dolorum.</div>
    </div>
  </div>
</div>

<br /><br />

<!-- Collapse -->
<div class="my-3">
  <button class="btn btn-primary" data-bs-toggle="collapse" data-bs-target="#mycontent">
    Toggle Content
  </button>
</div>
<div class="collapse show" id="mycontent">
  <div class="card">
    <div class="card-body">Lorem ipsum dolor sit amet consectetur adipisicing elit. Eligendi consequatur possimus
      quasi magnam. Doloribus, animi esse repellat illum vel eius omnis eligendi quas consequuntur, nobis voluptate
      veniam quidem accusamus ab!</div>
  </div>
</div>
```

Carousel

1. Carousel: Image slider
2. Code:

```
<!-- Carousel -->
<div class="carousel slide" id="sliderExample">
  <!-- Indicators  -->
  <div class="carousel-indicators">
    <button class="active" data-bs-slide-to="0" data-bs-target="#sliderExample"></button>
    <button data-bs-slide-to="1" data-bs-target="#sliderExample"></button>
    <button data-bs-slide-to="2" data-bs-target="#sliderExample"></button>
  </div>

  <div class="carousel-inner">
    <div class="carousel-item active">
      <img
        src="https://kajabi-storefronts-production.kajabi-cdn.com/kajabi-storefronts-production/file-uploads/themes/2152537062/settings_images/
        class="d-block w-100" alt="">
      <div class="carousel-caption d-none d-md-block bg-secondary opacity-75">
        <h5>Modern JS From the Beginning</h5>
        <p>Lorem ipsum dolor sit amet.</p>
      </div>
```

```
      </div>
      <div class="carousel-item">
        <img
          src="https://kajabi-storefronts-production.kajabi-cdn.com/kajabi-storefronts-production/file-uploads/themes/2152537062/settings_images/
          class="d-block w-100" alt="">
        <div class="carousel-caption d-none d-md-block bg-secondary opacity-75">
          <h5>MERN Stack from Stack</h5>
          <p>Lorem ipsum dolor sit amet.</p>
        </div>
      </div>
      <div class="carousel-item">
        <img
          src="https://kajabi-storefronts-production.kajabi-cdn.com/kajabi-storefronts-production/file-uploads/themes/2152537062/settings_images/
          class="d-block w-100" alt="">
        <div class="carousel-caption d-none d-md-block bg-secondary opacity-75">
          <h5>Tailwind from Scratch</h5>
          <p>Lorem ipsum dolor sit amet.</p>
        </div>
      </div>
    </div>
    <!-- Buttons -->
    <button class="carousel-control-prev" data-bs-slide="prev" data-bs-target="#sliderExample">
      <span class="carousel-control-prev-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" data-bs-slide="next" data-bs-target="#sliderExample">
      <span class="carousel-control-next-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Next</span>
    </button>
  </div>
```

Toast Notification

1. Light-weight notifications (mimics push notifications on mobile)
2. Code:

```
<body>
  <div class="container">
    <h1 class="mb-5">Toasts</h1>

    <button id="toastBtn" class="btn btn-primary">Show Toast</button>

    <div class="toast-container position-fixed bottom-0 end-0 p-3"> <!-- For positioning the toast -->
      <div class="toast" id="myToast">
        <div class="toast-header text-bg-danger">
          <div class="me-auto">Bootstrap</div>
          <small>11 mins ago</small>
        </div>
        <div class="toast-body text-bg-danger">
          Alhmadulillah! This is a toast message!
        </div>
      </div>
    </div>

    <!-- Don't go past here -->
  </div>
  <div style="margin-top: 350px"></div>

  <script src="./assets/js/bootstrap.bundle.min.js"></script>
  <script>
    const toastTrigger = document.querySelector('#toastBtn');
    const toast = document.querySelector('#myToast');

    if (toastTrigger) {
      const toastBootstrap = bootstrap.Toast.getOrCreateInstance(toast); // object available due to `bootstrap.bundle.min.js` above

      toastTrigger.addEventListener('click', () => {
        toastBootstrap.show();
      })
    }
  </script>
</body>
```

Spinners

1. Code:

```
<!-- Border Spinner -->
<div class="spinner-border" role="status">
  <span class="visually-hidden"></span>
</div>

<br /><br />

<!-- Colors -->
<div class="spinner-border text-primary" role="status">
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-secondary" role="status">
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-success" role="status">
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-danger" role="status">
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-warning" role="status">
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-info" role="status">
```

```
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-light" role="status">
  <span class="visually-hidden"></span>
</div>
<div class="spinner-border text-dark" role="status">
  <span class="visually-hidden"></span>
</div>

<br /><br />

<!-- Growing Spinner -->
<div class="spinner-grow" role="status">
  <span class="visually-hidden"></span>
</div>

<br /><br />

<!-- Align Center -->
<div class="d-flex justify-content-center">
  <div class="spinner-border" role="status">
    <span class="visually-hidden"></span>
  </div>
</div>

<br /><br />

<!-- Size -->
<div class="spinner-border spinner-border-sm" role="status">
  <span class="visually-hidden"></span>
</div>

<div class="spinner-border" role="status" style="height: 5rem; width: 5rem">
  <span class="visually-hidden"></span>
</div>

<br /><br />

<!-- In Buttons -->
<button class="btn btn-primary">
  <span class="spinner-border spinner-border-sm"></span>
  Loading...
</button>
```

Modals

1. Modals: To see more info, or content (images, text, forms, ...)
2. Code:

```
<!-- Modal Button -->
<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#myModal">Open Modal</button>

<!-- Modal -->
<div class="modal fade" id="myModal"> <!-- Takes up the whole screen - dark overlay -->
  <div class="modal-dialog"> <!-- Actual box -->
    <div class="modal-content">
      <div class="modal-header">
        <h1 class="modal-title fs-5" id="myModalLabel">
          Modal Title
        </h1>
        <button class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        Lorem, ipsum dolor sit amet consectetur adipisicing elit. Eaque labore suscipit
        blanditiis repellat! Modi illum inventore corporis cumque, autem quos consequatur molestias facilis odio
        delectus, quo perferendis reiciendis asperiores amet.
      </div>
      <div class="modal-footer">
        <button class="btn btn-secondary" data-bs-dismiss="modal">Close</button> <!-- `data-bs-dismiss` closes -->
        <button class="btn btn-primary">Save Changes</button>
      </div>
    </div>
  </div>
</div>
```

Popovers & Tooltips

1. `popper.js` library provides the following, which is included in `bundle`
    1. Popover - a small overlay that appears when we click on an element
    2. Tooltop - smaller than popover, it appears when we hover
2. Code:

```
<body>
  <div class="container">
    <h1 class="mb-5">Popovers & Tooltips</h1>

    <!-- Popover -->
    <button class="btn btn-danger btn-lg" id="popover" data-bs-toggle="popover" data-bs-title="Popover Title"
      data-bs-content="This is the popover content">Toggle Popover</button>
    <br /><br />

    <!-- Tooltip -->
    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Rerum aspernatur, <a href="#" data-bs-toggle="tooltip"
        data-bs-title="Tooltip One">tooltip one</a> obcaecati qui consectetur dolores excepturi consequatur? Unde
      laudantium ullam at, corrupti <a href="#" data-bs-toggle="tooltip" data-bs-title="Tooltip Two">tooltip two</a>
      iure quisquam
      dignissimos commodi eveniet perspiciatis tenetur ut. Dolor.</p>
```

```
    <!-- Don't go past here -->
  </div>
  <div style="margin-top: 350px"></div>

  <script src="./assets/js/bootstrap.bundle.min.js"></script>
  <script>
    const popoverEl = document.getElementById('popover');
    const popover = new bootstrap.Popover(popoverEl);

    const tooltipTriggerList = document.querySelectorAll('[data-bs-toggle="tooltip"]');

    const tooltipList = [...tooltipTriggerList].map((tooltipTriggerEl) => new bootstrap.Tooltip(tooltipTriggerEl));
  </script>
</body>
```

Darkmode Toggle

1. `darkmodetoggle.js`
    1. Stores the theme in local storage so that the browser doesn't forget the theme
2. Code:

```
<div class="card mb-4" style="width: 18rem">
  <div class="card-header">This is a card</div>
  <div class="card-body">Lorem ipsum dolor sit amet consectetur adipisicing elit. Pariatur odio nobis earum nemo ea
    inventore minima explicabo consequuntur error atque?</div>
</div>

<button class="btn btn-dark" data-bs-theme-value="dark">Enable Dark Mode</button>

<button class="btn btn-light" data-bs-theme-value="light">Enable Light Mode</button>
```

Section 5: Min-Project Challenges

Intro & Mini-Project Starter

Pricing Cards

Ratings Components

User List

Section 6: Custom Sass Workflow & Starter Template

What is Sass?

1. Sass is a CSS Pre-Processor that adds extra features to CSS
    1. Sass files usually have a .scss extension (.sass is also acceptable)
    2. Sass files need to be compiled to regular CSS
    3. We can edit Bootstrap Sass variables and then compile our own version of bootstrap.css
2. Why do we need to change?
    1. If we don't want all of our sites to look similar
    2. If we don't want our sites to look bootstrappy

Sass Features

1. Some of the main features that Sass offers
    1. Variables
        1. CSS has custom properties now
        2. These are simpler (no `var()`, no `--`s)
            1. `variables.scss`
                1. We overwrite the file with our own scss files (not edit the file)
    2. Nesting
    3. Mixins
        1. Re-usable sets of css declarations
            1. Similar to functions
            2. They can take parameters
    4. Imports
        1. Allows us to split our stylesheets into smaller chunks
        2. Allows Bootstrap Sass files into our own Sass files
            1. With CSS imports, the server makes multiple calls to get each CSS file
            2. With Sass, all files are included to make large CSS iles
    5. Inheritance (`@extend`)
        1. Allows us to share styles from one selector to the other
    6. Operators
        1. Math operators
            1. +, -, /, ...
        2. To perform calculations on CSS values
    7. Conditionals
        1. If, Else
            1. To apply different styles based on conditions
    8. Modularity & Reusability
        1. With Sass, we can break our stylesheets into smaller modular parts
            1. Each element has its own Sass file
                1. Button
                2. Card
                3. ...

2. Compiling Sass
    1. There are many ways to compile .sass/.scss files to CSS
        1. Task managers (eg. Gulp & Grunt)
            1. JS is required
        2. Sass packages / commandline tools (eg. sass, node-sass)
            1. NPM package `sass` can be used
                1. It watches folder called `scss`, and automatically compiles sass files into CSS
        3. Desktop applications like (eg. Koala)
        4. IDE & editor extensions (eg. Live Sass Compiler - VS Code extension - deprecated)
        5. Build tools (eg. Webpack, Parcel)
            1. For JS developers for complex websites

Install & Setup Sass

1. NPM?
    1. NPM (Node Package Manager) is a tool to install packages via the commandline
        1. Over 1.5 million packages at npmjs.org
        2. Install Node.js to use NPM - nodejs.org
        3. Packages/dependencies are listed in your `package.json` file
            1. It has project info and dependencies
        4. You can install pacakges with:

            ```
            npm install PACKAGENAME
            ```
2. Boilerplate
    1. `bs5-simple-starter` (no heavy tools)
        1. Open in VS Code
        2. `npm init`
            1. Enter for default
                1. Description: Starter template for Bootstrap websites
                2. Author: Brad
                3. ...
        3. `npm install sass`
            1. Install in local environment
            2. Don't push `node_modules` to Github
                1. It is recreated if the dependencies are listed in `package.json`
        4. `.gitignore`

            ```
            node_modules
            ```
        5. Folder: `scss`
            1. styles.scss (custom styling)

                ```
                $primary: #333;

                body {
                    background-color: $primary;
                }
                ```
                1. Browser cannot understand sass
                2. Compilation:
                    1. package.json

                        ```
                        "scripts": {
                            "sass:build": "sass scss:css"
                        }
                        ```
                        1. `scss` - input format
                        2. `css` - output format
                    2. `npm run sass:build`
                        1. `css/style.css`
                        2. `styles.css.map` - source map used to debug sass
                    3. package.json

                        ```
                        "sass --no-source-map scss:css"
                        ```
                        1. No source map
                    4. We need to compile the sass again after making changes
                        1. Solution: Watch

                            ```
                            "sass:watch": "sass --no-source-map --watch scss:css"
                            ```
                            1. Watches for changes and automatically compiles and reloads

Install, Setup & Customize Bootstrap

1. `js`
    1. `script.js`
2. `index.html`

```
<body>
    <!-- -->
    <script src="js/script.js"></script>
</body>
```

3. Bootstrap:

```
npm i bootstrap
```

    1. node_modules
        1. bootstrap
            1. scss (all bootstrap sass files)
                1. _navbar.scss
                2. _variables.scss
                    1. We don't edit this because if we re-install bootstrap, the file will get replaced
                        1. We override in own sass

4. `scss/bootstrap.scss`

```
$primary: purple;

@import "../node_modules/bootstrap/scss/bootstrap.scss";
```

5. Include in index.html

```
<link rel="stylesheet" href="css/bootstrap.css">
```

6. Try

```
<button class="btn btn-primary">Submit</button>
```

7. Copy paste `bootstrap.bundle.min.js` from `node_modules` into `js` folder
8. Add it to `index.html`

```
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/script.js"></script>
```

Install & Setup Font Awesome

1. Installation

```
npm i @fortawesome/fontawesome-free # **(M)**
```

2. `scss/fontawesome.scss`

```
@import "../node_modules/@fortawesome/fontawesome-free/scss/fontawesome.scss";
@import "../node_modules/@fortawesome/fontawesome-free/scss/brands.scss";
@import "../node_modules/@fortawesome/fontawesome-free/scss/solid.scss";
```

    1. `npm run sass:build`

3. Web fonts
    1. Copy `node_modules/@fortawesome/fontawesome-free/webfonts` and paste in root

Starter Template Download

Section 7: Website 1 - Ebook Website

Project Intro

1. E-Book on how to start blogging
    1. Navbar
    2. Header/Hero
        1. Image
        2. Text
        3. Email
        4. Background image
    3. Navbar turns into translucent
        1. JS is required
    4. SVG
        1. Wave effect
    5. Content blocks
        1. Icons
        2. Text
    6. Image/Text
    7. Modal
    8. Testimonials
    9. Ebook
    10. Social media
    11. Footer
    12. Contact

1. Header with SVG
2. Contact form
3. Map

13. Formspree
14. Mobile-friendly

Project Setup

1. Starter
    1. Download and open with VS Code
2. bootstrap.scss

```
// Colors
$primary: #c167ef;
$secondary: #10bcee;
$dark: #2b3041;
$light: #f3f6f9;
```

Navigation & Sass Variables

1. index.html

```
<!-- Navigation -->
<nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
<div class="container">
  <a href="index.html" class="navbar-brand">
    <img src="images/logo.png" alt="" width="225">
  </a>
  <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarNavDropdown">
    <ul class="navbar-nav ms-auto">
      <li class="nav-item">
        <a href="index.html" class="nav-link fw-semibold">Home</a>
      </li>
      <li class="nav-item">
        <a href="#details" class="nav-link fw-semibold">Details</a>
      </li>
      <li class="nav-item">
        <a href="contact.html" class="nav-link btn btn-outline-light fw-semibold px-4 mx-4">Contact</a>
      </li>
    </ul>
  </div>
</div>
</nav>
```

Header/Hero Section

1. index.html

```
<!-- Header -->
  <header class="header">
    <!-- Hero -->
    <div class="hero text-white pt-7">
      <div class="container-xl">
        <div class="row">
          <div class="col-md-6">
            <div class="image-container mb-5 px-4">
              <img src="images/header-ebook.png" alt="" class="img-fluid">
            </div>
          </div>
          <div class="col-md-6">
            <div class="text-container p-4 d-flex flex-column justify-content-center h-100 mb-5">
              <h1 class="display-3 fw-bold">Welcome to Blog Mastery</h1>
              <p class="lead">
                Are you ready to take your blogging journey to new heights? Blog Mastery is your ultimate guide to
                constructing and managing a successful blog that captivates your audience and drives engagement.
              </p>
              <!-- Form -->
              <div class="form-container text-center">
                <form>
                  <div class="my-4">
                    <input type="email" class="form-control form-control-lg rounded-5" placeholder="Email Address">
                  </div>
                  <div class="d-grid">
                    <button class="btn btn-primary btn-lg text-white">
                      Free Download
                    </button>
                  </div>
                </form>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
    <svg class="frame-decoration" data-name="Layer 2" xmlns="http://www.w3.org/2000/svg" preserveAspectRatio="none"
      viewBox="0 0 1920 192.275">
      <defs>
        <style>
          .cls-1 {
            fill: #f3f6f9;
          }
        </style>
      </defs>
      <title>frame-decoration</title>
```

```
        <path class="cls-1"
          d="M0,158.755s63.9,52.163,179.472,50.736c121.494-1.5,185.839-49.738,305.984-49.733,109.21,0,181.491,51.733,300.537,50.233,123.941-1.562
          transform="translate(0 -158.755)" />
      </svg>
    </header>
```

Icon Section

1. inde.html

```
<!-- Icons -->
  <section class="icons bg-light pb-5">
    <div class="container-xl">
      <div class="row hstack g-4">
        <div class="col-md-4 d-flex gap-4">
          <i class="fas fa-user fa-3x text-primary"></i>
          <div>
            <h5 class="fw-bold">Unlock Your Blogging Potential</h5>
            <p class="text-muted">Discover the key to uleashing your true blogging potential. Our ebook provides expert
              guidance on constructing compelling content</p>
          </div>
        </div>
        <div class="col-md-4 d-flex gap-4">
          <i class="fas fa-rocket fa-3x text-secondary"></i>
          <div>
            <h5 class="fw-bold">Skyrocket Your Blog's Success</h5>
            <p class="text-muted">Take your blog to new heights with our proven strategies for driving traffic and
              increasing your blog's visibility.</p>
          </div>
        </div>
        <div class="col-md-4 d-flex gap-4">
          <i class="fas fa-dollar fa-3x text-primary"></i>
          <div>
            <h5 class="fw-bold">Monetize Your Blog</h5>
            <p class="text-muted">Turn your passion for blogging into a profitable venture. Our ebook reveals
              tried-and-tested monetization strategies</p>
          </div>
        </div>
      </div>
    </div>
  </section>
```

Navbar Scroll Effect

1. script.js

```
function userScroll() {
  const navbar = document.querySelector(".navbar");

  window.addEventListener("scroll", () => {
    if (window.scrollY > 50) {
      navbar.classList.add("bg-dark");
      navbar.classList.add("navbar-sticky");
    } else {
      navbar.classList.remove("bg-dark");
      navbar.classList.remove("navbar-sticky");
    }
  });
}

document.addEventListener("DOMContentLoaded", userScroll);
```

Details Sections with Modals

1. index.html

```
<!-- Statement -->
<section class="statement mb-5">
  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="text-container bg-light p-5 rounded-5">
          <h2>Master the Art of Blogging Excellence</h2>
          <p>
            Transform your blog from a mere hobby to a thriving online
            business with our ebook, "Blog Mastery: Monetize Your Passion."
            This invaluable resource is your roadmap to turning your blog
            into a profitable venture. Learn how to monetize your content
            through various strategies such as sponsored posts, affiliate
            marketing, and product creation. Gain insights into building a
            strong brand, attracting lucrative partnerships, and maximizing
            your earning potential. Take the leap and unlock the financial
            rewards of your blogging journey.
          </p>
        </div>
      </div>
    </div>
  </div>
</section>

<!-- Details 2 -->
<section class="details my-5">
  <div class="container">
    <div class="row">
      <div class="col-lg-6">
        <div class="image-container p-5">
          <img src="images/author.png" alt="" class="image-fluid">
        </div>
      </div>
      <div class="col-lg-6">
        <div class="text-container d-flex flex-column justify-content-center h-100">
```

```
            <h2 class="display-6">Craft Remarkable Content</h2>
            <p>
              Discover techniques for effective storytelling, engaging
              visuals, and compelling calls-to-action. Unlock the secrets of
              creating a consistent and authentic brand voice that sets you
              apart from the competition.
            </p>
            <ul class="list-group list-group-flush lh-lg">
              <li class="list-group-item">
                <i class="fas fa-square text-primary"></i>
                <strong>Embrace Your Unique Voice:</strong> Learn how to
                harness the power of your unique voice.
              </li>
              <li class="list-group-item">
                <i class="fas fa-square text-primary"></i>
                <strong>Spark Creativity:</strong> Explore techniques to spark
                creativity and overcome writer's block.
              </li>
              <li class="list-group-item">
                <i class="fas fa-square text-primary"></i>
                <strong>Engage Your Readers:</strong> Discover strategies for
                creating content that engages your readers on a deeper level.
              </li>
            </ul>
            <a class="btn btn-primary text-white mt-4 align-self-start" data-bs-toggle="modal"
              data-bs-target="#modal2">Learn More</a>
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Modal 2 -->
  <div id="modal2" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content p-5">
        <div class="row">
          <div class="col-lg-6">
            <div class="image-container">
              <img src="images/author.png" alt="">
            </div>
          </div>
          <div class="col-lg-6">
            <div class="text-container">
              <h2 class="display-6">Unlock Your Blogging Potential</h2>
              <p>
                Discover techniques for effective storytelling, engaging
                visuals, and compelling calls-to-action. Unlock the secrets of
                creating a consistent and authentic brand voice that sets you
                apart from the competition.
              </p>
              <ul class="list-group list-group-flush lh-lg">
                <li class="list-group-item">
                  <i class="fas fa-square text-primary"></i>
                  <strong>Embrace Your Unique Voice:</strong> Learn how to
                  harness the power of your unique voice.
                </li>
                <li class="list-group-item">
                  <i class="fas fa-square text-primary"></i>
                  <strong>Spark Creativity:</strong> Explore techniques to spark
                  creativity and overcome writer's block.
                </li>
                <li class="list-group-item">
                  <i class="fas fa-square text-primary"></i>
                  <strong>Engage Your Readers:</strong> Discover strategies for
                  creating content that engages your readers on a deeper level.
                </li>
              </ul>
              <a href="" class="btn btn-primary text-white">Free Download</a>
              <button class="btn btn-light" data-bs-dismiss="modal">Cancel</button>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
```

Testimonials, Download Section & Footer

1. index.html

```
  <!-- Testimonials -->
  <section class="testimonials mb-8">
    <div class="container">
      <div class="row">
        <div class="col-md-4 text-center">
          <img src="https://randomuser.me/api/portraits/men/32.jpg" alt="" class="rounded-circle mb-3">
          <p class="lead fst-italic">
            "This ebook completely transformed my blogging journey. The
            practical strategies and valuable insights helped me take my blog
            to new heights. I highly recommend it!"
          </p>
          <p class="fw-bold">Kenny Smith - Portland, ME</p>
        </div>
        <div class="col-md-4 text-center">
          <img src="https://randomuser.me/api/portraits/women/32.jpg" alt="" class="rounded-circle mb-3">
          <p class="lead fst-italic">
            "I'm so grateful for this ebook! It provided me with the guidance
            and inspiration I needed to create engaging content and build a
            loyal readership. It's a game-changer!"
          </p>
          <p class="fw-bold">Laurie Mitchell - Miami, FL</p>
        </div>
```

```
          <div class="col-md-4 text-center">
            <img src="https://randomuser.me/api/portraits/men/31.jpg" alt="" class="rounded-circle mb-3">
            <p class="lead fst-italic">
              "I can't recommend this ebook enough. It's a treasure of blogging
              wisdom. It helped me unlock my creativity, connect with my
              audience, and achieve remarkable results."
            </p>
            <p class="fw-bold">Henry White - Boston, MA</p>
          </div>
        </div>
      </div>
    </section>

    <!-- Donwload -->
    <section class="download">
      <div class="container">
        <div class="row">
          <div class="col-lg-5">
            <div class="image-container mt-n6 mb-5">
              <img src="images/download-ebook.png" alt="" class="img-fluid">
            </div>
          </div>
          <div class="col-lg-7">
            <div class="text-container text-white d-flex flex-column justify-content-center h-100 mb-5">
              <h2 class="fw-bold">Get Your Free Ebook Now</h2>
              <p>
                Unlock the power of knowledge and take your blogging journey to
                the next level. Our ebook, "Blog Mastery: The Ultimate Guide to
                Blogging Success," is your key to success.
              </p>

              <!-- Form  -->
              <form>
                <div class="input-group mb-3">
                  <input type="email" class="form-control" placeholder="Email Address">
                  <button class="btn btn-primary text-white rounded-end">Download</button>
                </div>
              </form>
            </div>
          </div>
        </div>
      </div>
    </section>

    <!-- Social -->
    <section class="social text-bg-dark py-6 overflow-hidden">
      <div class="container">
        <div class="row">
          <div class="col-md-6 offset-md-3 text-center fs-4">
            <p>
              Stay connected and join our vibrant community. For any inquiries
              or assistance, feel free to reach out to us
            </p>
            <div class="social-icons d-flex justify-content-center gap-4">
              <i class="fab fa-facebook fa-2x"></i>
              <i class="fab fa-twitter fa-2x"></i>
              <i class="fab fa-instagram fa-2x"></i>
              <i class="fab fa-linkedin fa-2x"></i>
              <i class="fab fa-pinterest fa-2x"></i>
            </div>
          </div>
        </div>
      </div>
    </section>

    <!-- Footer -->
    <footer class="border-top border-primary bg-dark text-white py-4">
      <div class="container">
        <div class="row">
          <div class="col-md-8">
            <ul class="nav">
              <li class="nav-item">
                <a href="index.html" class="nav-link link-light">Home</a>
              </li>
              <li class="nav-item">
                <a href="#details" class="nav-link link-light">Details</a>
              </li>
              <li class="nav-item">
                <a href="contact.html" class="nav-link link-light">Contact</a>
              </li>
            </ul>
          </div>
          <div class="col-md-4">
            <p class="text-end d-none d-md-block">
              Copyright &copy; Blog Mastery 2023
            </p>
          </div>
        </div>
      </div>
    </footer>
```

Contact Page

1. contact.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link href="https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,400;0,600;0,700;1,400&display=swap"
```

```
    rel="stylesheet" />
  <link rel="stylesheet" href="css/font-awesome.css" />
  <link rel="stylesheet" href="css/bootstrap.css" />
  <link rel="stylesheet" href="css/styles.css" />
  <link rel="icon" href="images/favicon.png" />
  <title>Free E-Book | Start Your Own Blog</title>
</head>

<body>
  <!-- Navigation -->
  <nav class="navbar navbar-expand-lg fixed-top navbar-dark">
    <div class="container">
      <a href="index.html" class="navbar-brand">
        <img src="images/logo.png" alt="" width="225">
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a href="index.html" class="nav-link fw-semibold">Home</a>
          </li>
          <li class="nav-item">
            <a href="#details" class="nav-link fw-semibold">Details</a>
          </li>
          <li class="nav-item">
            <a href="contact.html" class="nav-link btn btn-outline-light fw-semibold px-4 mx-4">Contact</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Header -->
  <header class="header">
    <!-- Hero -->
    <div class="hero text-white pt-7 pb-4">
      <div class="container-xl">
        <div class="row">
          <div class="col-12">
            <h1>Contact Information</h1>
          </div>
        </div>
      </div>
    </div>
    <svg class="frame-decoration" data-name="Layer 2" xmlns="http://www.w3.org/2000/svg" preserveAspectRatio="none"
      viewBox="0 0 1920 192.275">
      <defs>
        <style>
          .cls-1 {
            fill: #f3f6f9;
          }
        </style>
      </defs>
      <title>frame-decoration</title>
      <path class="cls-1"
        d="M0,158.755s63.9,52.163,179.472,50.736c121.494-1.5,185.839-49.738,305.984-49.733,109.21,0,181.491,51.733,300.537,50.233,123.941-1.562
        transform="translate(0 -158.755)" />
    </svg>
  </header>

  <!-- Contact Form -->
  <section class="contact bg-light pb-4">
    <div class="container">
      <div class="row">
        <div class="col-12">
          <form>
            <div class="mb-3">
              <input type="text" class="form-control form-control-lg" placeholder="Name" name="name">
            </div>
            <div class="mb-3">
              <input type="email" class="form-control form-control-lg" placeholder="Email" name="email">
            </div>
            <div class="mb-3">
              <textarea class="form-control form-control-lg" name="message" rows="6" placeholder="Message"></textarea>
            </div>
            <div class="d-grid">
              <button type="submit" class="btn btn-primary text-white mt-3">Submit</button>
            </div>
          </form>
        </div>
      </div>
    </div>
  </section>

  <!-- Map -->
  <section class="location my-5">
    <div class="container">
      <div class="row">
        <div class="col-10 offset-1">
          <h3>Our Location</h3>
          <p class="mb-4">
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Tenetur ipsam rem ea aut odio sit. Asperiores omnis
            optio laudantium! Itaque nulla et quas reiciendis, temporibus voluptatem amet cupiditate natus pariatur!
          </p>
          <div class="map">
            <iframe
              src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d1241.5303553091994!2d-0.14076024298621118!3d51.51210217963597!2m3!1f0!
              allowfullscreen></iframe>
          </div>
        </div>
      </div>
    </div>
  </div>
```

```
    </section>

    <!-- Social -->
    <section class="social text-bg-dark py-6 overflow-hidden">
      <div class="container">
        <div class="row">
          <div class="col-md-6 offset-md-3 text-center fs-4">
            <p>
              Stay connected and join our vibrant community. For any inquiries
              or assistance, feel free to reach out to us
            </p>
            <div class="social-icons d-flex justify-content-center gap-4">
              <i class="fab fa-facebook fa-2x"></i>
              <i class="fab fa-twitter fa-2x"></i>
              <i class="fab fa-instagram fa-2x"></i>
              <i class="fab fa-linkedin fa-2x"></i>
              <i class="fab fa-pinterest fa-2x"></i>
            </div>
          </div>
        </div>
      </div>
    </section>

    <!-- Footer -->
    <footer class="border-top border-primary bg-dark text-white py-4">
      <div class="container">
        <div class="row">
          <div class="col-md-8">
            <ul class="nav">
              <li class="nav-item">
                <a href="index.html" class="nav-link link-light">Home</a>
              </li>
              <li class="nav-item">
                <a href="#details" class="nav-link link-light">Details</a>
              </li>
              <li class="nav-item">
                <a href="contact.html" class="nav-link link-light">Contact</a>
              </li>
            </ul>
          </div>
          <div class="col-md-4">
            <p class="text-end d-none d-md-block">
              Copyright &copy; Blog Mastery 2023
            </p>
          </div>
        </div>
      </div>
    </footer>

    <script src="js/bootstrap.bundle.min.js"></script>
    <script src="js/script.js"></script>
  </body>

  </html>
```

2. styles.scss

```
.map iframe {
  left: 0;
  top: 0;
  height: 400px;
  width: 100%;
  border: none;
}
```

Deploy to Vercel

1. Vercel - They company built the next.js framework
    1. It is good for Next.js application
2. Steps:
    1. Push to github, and it will get deployed
        1. New repository: ebook-website
        2. `git init`
        3. `git add .`
        4. `git commit -m "Ebook project"`
        5. `git remote add origin <url>`
        6. `git branch -M main (--move --force)`
            1. Move or rename a branch, together with its config and reflog
    2. Sign up for Vercel
        1. Hobby - for dev (Pro - production)
            1. Github
            2. Add New > Project
                1. ebook-website - import
            3. Build and Output Settings
                1. Build Command: Override
                    1. `npm run sass:build`
                2. Output Directory: Override
                    1. `/` (default is public)
            4. Deploy
                1. Click on Preview
            5. Whenever we make a change, we run `git push`, and automatically uploads into Vercel

Formspree for Contact Forms

1. formspree.io
    1. Free plan - 50 monthly submissions for free (good for small agencies, or freelancing)
    2. Register

3. Create Form
    1. Ebook Website Form
    2. Email
    3. We can login and see submissions, stats
    4. Copy endpoint
        1. Add it to action
        2. POST
        3. We can use any form elements but `name` must exist
4. We can integrate with other tools:
    1. Discord
    2. Slack
    3. Stripe
    4. Telegram
    5. Trello
    6. ...
    7. Others with paid plan

Section 8: Website 2 - Corso Training Website

Project Intro

1. Corso - website for training or siminar videos
    1. Linear gradient overlay
    2. Social icons
    3. Text with buttons
    4. Carousel
    5. Register area
    6. Details area
    7. Points
        1. Column offsets
        2. d-flex
    8. Course summary
    9. Invitation box
    10. Key takeaways
        1. Cards
    11. Subscribe form
    12. Simple form

Project Setup

1. bootstrap.scss

```
// Font
$font-family-sans-serif: "Montserrat", sans-serif;

// Colors
$primary: #f8b547;
$secondary: #35353a;
$light: #fbf9f5;
$body-lg: $light;

// Spacing
$spacer: 1rem !default;
$spacers: (
  0: 0,
  1: $spacer * 0.25,
  2: $spacer * 0.5,
  3: $spacer,
  4: $spacer * 1.5,
  5: $spacer * 3,
  6: $spacer * 6,
  7: $spacer * 8,
  8: $spacer * 12,
) !default;

$headings-margin-bottom: $spacer * 1;
$line-height-base: 1.7;

// Navbar
$navbar-nav-link-padding-x: 0.8rem;
$navbar-padding-y: 1rem;
$navbar-dark-color: #fff;

// Buttons
$button-radius: 50px;
$button-padding-x: 30px;
$button-padding-y: 10px;

$btn-border-radius: $button-radius;
$btn-border-radius-sm: $button-radius;
$btn-border-radius-lg: $button-radius;
$btn-padding-y: $button-padding-y;
$btn-padding-y-lg: $button-padding-y;
$btn-padding-y-sm: $button-padding-y;
$btn-padding-x: $button-padding-x;
$btn-padding-x-lg: $button-padding-x;
$btn-padding-x-sm: $button-padding-x;

$navbar-toggler-border-radius: 5px;

$headings-font-weight: bold;

@import "../node_modules/bootstrap/scss/bootstrap";
```

Nav & Header

1. Many navbars will be similar
2. Code: styles.css

```
.header {
  min-height: 1000px;
  background: linear-gradient(
      to bottom right,
      rgba(0, 0, 0, 0.8),
      rgba(0, 0, 0, 0.8)
    ),
    url("../images/header-background.jpg") center center no-repeat;
  background-size: cover;
}

@media (max-width: 992px) {
  .navbar {
    background: var(--bs-dark);
  }
}
```

3. Code:

```
<body>
  <nav class="navbar navbar-expand-lg fixed-top navbar-dark">
    <div class="container">
      <a href="index.html" class="navbar-brand">
        <img src="images/logo.png" alt="" width="150">
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a class="nav-link" aria-current="page" href="#home">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#discover">Discover</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#summary">Summary</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#takeaways">Takeaways</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#subscribe">Subscribe</a>
          </li>
        </ul>
        <span class="nav-item">
          <span class="fa-stack">
            <a href="#">
              <i class="fas fa-circle fa-stack-2x"></i>
              <i class="fab fa-facebook-f fa-stack-1x text-white"></i>
            </a>
            <a href=""></a>
          </span>
        </span>
        <span class="nav-item">
          <span class="fa-stack">
            <a href="#">
              <i class="fas fa-circle fa-stack-2x"></i>
              <i class="fab fa-twitter fa-stack-1x text-white"></i>
            </a>
            <a href=""></a>
          </span>
        </span>
      </div>
    </div>
  </nav>

  <!-- Header -->
  <header class="header py-7 vh-100">
    <div class="container">
      <div class="row mb-5 text-center">
        <div class="col-12 text-container">
          <h1 class="display-2 text-white mt-3">
            Explore Our Training and Seminar Videos
          </h1>
          <p class="lead text-white w-75 m-auto mb-4">
            Whether you're a beginner or an experienced professional, our
            carefully curated content will empower you to enhance your skills
            and expand your knowledge
          </p>
          <a href="#register" class="btn btn-primary text-uppercase">Register</a>
          <a href="#discover" class="btn btn-outline-light text-uppercase">Discover</a>
        </div>
      </div>
    </div>
  </header>

  <script src="js/bootstrap.bundle.min.js"></script>
  <script src="js/script.js"></script>
</body>
```

Image Carousel

1. Code: index.html

```
<div class="row">
<div class="col-12">
  <!-- Image Slider -->
  <div id="slider" class="carousel slide" data-bs-ride="carousel">
    <div class="carousel-indicators">
      <button class="active" type="button" data-bs-slide-to="0" data-bs-target="#slider" aria-current="true"
        aria-label="Slide 1"></button>
      <button type="button" data-bs-slide-to="1" data-bs-target="#slider" aria-label="Slide 2"></button>
      <button type="button" data-bs-slide-to="2" data-bs-target="#slider" aria-label="Slide 3"></button>
    </div>
    <div class="carousel-inner rounded-5">
      <div class="carousel-item active">
        <img src="/images/header-slide-1.jpg" alt="" class="d-block w-100 rounded-5">
      </div>
      <div class="carousel-item">
        <img src="/images/header-slide-2.jpg" alt="" class="d-block w-100 rounded-5">
      </div>
      <div class="carousel-item">
        <img src="/images/header-slide-3.jpg" alt="" class="d-block w-100 rounded-5">
      </div>
    </div>
    <!-- Buttons -->
    <button class="carousel-control-prev" type="button" data-bs-slide="prev" data-bs-target="#slider">
      <span class="carousel-control-prev-icon"></span>
      <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-slide="next" data-bs-target="#slider">
      <span class="carousel-control-next-icon"></span>
      <span class="visually-hidden">Previous</span>
    </button>
  </div>
</div>
</div>
```

2. Code: styles.scss

```
.header .slide {
  width: 90%;
  margin: 0 auto;
}
```

Register Area, Nav Scroll & Details

1. index.html

```
<!-- Register -->
  <section class="register bg-primary py-6 overflow-hidden">
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          <h2>Unlock Your Potential with Engaging Content</h2>
          <p>
            Our wide range of training and seminar videos are designed to
            empower you with valuable knowledge and skills.
          </p>

          <ul class="list-unstyled v-stack gap-3">
            <li>
              <i class="fas fa-square"></i>
              <strong>Gain Expertise:</strong> Our videos provide in-depth
              insights and practical tips to enhance your expertise in various
              domains.
            </li>
            <li>
              <i class="fas fa-square"></i>
              <strong>Stay Updated:</strong> Stay up-to-date with the latest
              industry trends and advancements through our informative and
              up-to-date videos.
            </li>
            <li>
              <i class="fas fa-square"></i>
              <strong>Expand Your Network:</strong> Connect with like-minded
              individuals and industry experts, fostering new connections and
              opportunities.
            </li>
          </ul>
        </div>
        <div class="col-lg-6 p-4">
          <form>
            <div class="my-4">
              <input type="text" class="form-control form-control-lg rounded-0 border-0" placeholder="Enter name" />
            </div>
            <div class="my-4">
              <input type="email" class="form-control form-control-lg rounded-0 border-0" placeholder="Enter email" />
            </div>
            <div class="my-4">
              <input type="text" class="form-control form-control-lg rounded-0 border-0"
                placeholder="Enter phone number" />
            </div>
            <div class="form-check">
              <input type="checkbox" class="form-check-input" value="">
              <label for="terms" class="form-check-label">
                I agree to the terms and conditions
              </label>
            </div>
            <div class="d-grid mt-4">
              <button class="btn btn-outline-dark">Register</button>
            </div>
          </form>
        </div>
```

```
      </div>
    </div>
  </section>

  <!-- Details 1 -->
  <section id="discover" class="details py-6 bg-light">
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          <img src="images/instructor.jpg" alt="" class="img-fluid rounded-5 mb-4" />
        </div>
      </div>
      <div class="col-lg-6 d-flex flex-column justify-content-center">
        <h2>Enhance Your Skills with Engaging Training Videos</h2>
        <p>
          Our extensive collection of training videos is designed to help
          you enhance your skills and excel in your chosen field. Whether
          you're looking to improve your technical expertise or develop
          essential soft skills, our videos provide valuable insights and
          practical knowledge.
        </p>
        <p>
          With expert instructors and comprehensive content, you'll gain the
          confidence and competence to tackle challenges and achieve
          success.
        </p>
      </div>
    </div>
  </section>
```

Points & Summary Sections

1. Code: index.html

```
<!-- Points -->
  <section class="points pb-5">
    <div class="container">
      <div class="row text-center mb-5">
        <div class="col-md-8 offset-md-2">
          <h2>Unlock Your Potential with Engaging Training Videos</h2>
        </div>
      </div>
      <div class="row">
        <div class="col-md-6 mb-4">
          <div class="d-flex gap-3">
            <div class="number">
              <span class="bg-primary py-2 px-4 fs-3 rounded-circle">
                1
              </span>
            </div>
            <div>
              <h3 class="fs-4">
                Enhance Your Skills
              </h3>
              <p>
                Our training videos provide comprehensive insights and
                practical tips to help you enhance your skills in various
                domains. From technical expertise to soft skills, we've got
                you covered.
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="d-flex gap-3">
            <div class="number">
              <span class="bg-primary py-2 px-4 fs-3 rounded-circle">2</span>
            </div>
            <div>
              <h3 class="fs-4">Stay Updated</h3>
              <p>
                Keep pace with the latest industry trends and advancements
                through our informative and up-to-date videos. Stay ahead of
                the curve and broaden your knowledge.
              </p>
            </div>
          </div>
        </div>

        <div class="col-md-6 mb-4">
          <div class="d-flex gap-3">
            <div class="number">
              <span class="bg-primary py-2 px-4 fs-3 rounded-circle">3</span>
            </div>
            <div>
              <h3 class="fs-4">Connect with Experts</h3>
              <p>
                Our platform allows you to connect with like-minded
                individuals and industry experts. Expand your network, foster
                new connections, and unlock new opportunities.
              </p>
            </div>
          </div>
        </div>

        <div class="col-md-6 mb-4">
          <div class="d-flex gap-3">
            <div class="number">
              <span class="bg-primary py-2 px-4 fs-3 rounded-circle">4</span>
            </div>
            <div>
              <h3 class="fs-4">Flexible Learning</h3>
              <p>
```

```
                Our training videos are available on-demand, allowing you to
                learn at your own pace and convenience. Access the content
                anytime, anywhere, and tailor your learning experience.
              </p>
            </div>
          </div>
        </div>

        <div class="col-md-6 mb-4">
          <div class="d-flex gap-3">
            <div class="number">
              <span class="bg-primary py-2 px-4 fs-3 rounded-circle">5</span>
            </div>
            <div>
              <h3 class="fs-4">Practical Knowledge</h3>
              <p>
                Gain practical knowledge and apply it directly to real-world
                scenarios. Our videos offer hands-on insights and practical
                tips to help you succeed in your professional endeavors.
              </p>
            </div>
          </div>
        </div>

        <div class="col-md-6 mb-4">
          <div class="d-flex gap-3">
            <div class="number">
              <span class="bg-primary py-2 px-4 fs-3 rounded-circle">6</span>
            </div>
            <div>
              <h3 class="fs-4">Continuous Learning</h3>
              <p>
                Lifelong learning is key to personal and professional growth.
                Explore a vast collection of training videos and embark on a
                journey of continuous learning and self-improvement.
              </p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>

<!-- Course Summary -->
<section id="summary" class="summary bg-light mt-5 w-75 m-auto">
  <div class="container">
    <div class="row">
      <div class="col-12">
        <h2 class="text-center mb-5">Course Summary</h2>
      </div>
    </div>
    <div class="row">
      <div class="col-12">
        <div class="bg-white p-5">
          <ul class="list-unstyled">
            <li class="border-bottom pb-3">
              <h5>1. Comprehensive Training</h5>
              <p>
                Our courses provide comprehensive training in a wide range
                of topics. From beginner-level fundamentals to advanced
                concepts, we offer in-depth content to cater to learners of
                all levels.
              </p>
            </li>
            <li class="border-bottom pb-3 pt-5">
              <h5>2. Expert Instructors</h5>
              <p>
                Learn from industry experts who bring years of experience
                and expertise to the table. Our instructors are passionate
                about sharing their knowledge and helping you succeed.
              </p>
            </li>
            <li class="pb-3 pt-5">
              <h5>3. Practical Application</h5>
              <p>
                We believe in practical learning that goes beyond theory.
                Our courses focus on real-world application, equipping you
                with the skills and knowledge needed to excel in your field.
              </p>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
</section>

<!-- Details 2 -->
<section class="details py-6 bg-light">
  <div class="container">
    <div class="row">
      <div class="col-lg-6">
        <img src="images/audience.jpg" alt="" class="img-fluid rounded-5 mb-4" />
      </div>
    </div>
    <div class="col-lg-6 d-flex flex-column justify-content-center">
      <h2>Elevate Your Learning Journey with Expert Seminars</h2>
      <p>
        Join our expert-led seminars and unlock new possibilities in your
        personal and professional development. Our seminars cover a
        diverse range of topics, from leadership and innovation to
        personal growth and productivity.
      </p>
      <p>
```

```
            Immerse yourself in engaging discussions, interactive workshops,
            and valuable networking opportunities.
          </p>
        </div>
      </div>
    </section>
```

2. Code: styles.scss

```
@media (max-width: 992px) {
  .navbar {
    background: var(--bs-dark);
  }

  .header {
    height: 800px !important; // Required to override Bootstrap style
    min-height: 800px !important; // Required to override Bootstrap style
  }

  .register {
    padding: 40px 0 !important; // Required to override Bootstrap style
  }

  .register h2 {
    text-align: center;
  }

  .summary {
    margin-top: 0 !important;
    width: 90% !important;
  }
}
```

Invitation & Takeaways

1. Code: index.html

```
<!-- Invitation -->
  <section class="invitation mb-5 bg-light">
    <div class="container">
      <div class="row">
        <div class="col-12">
          <div class="invitation-bg text-center py-6 rounded-5">
            <div class="text-white w-75 m-auto">
              <h2 class="display-5 fw-bold">
                Join Us On December 22nd
              </h2>
              <p>
                We cordially invite you to attend a seminar on December 22nd,
                where we will explore various topics and insights related to
                <strong>advertising and marketing</strong>. It will be an
                engaging session where you can gain valuable knowledge about.
                Don't miss out on this opportunity to enhance your skills and
                broaden your horizons. Join us and be a part of this enriching
                experience!
              </p>
              <a href="#register" class="btn btn-primary btn-lg">
                Register Now
              </a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Takeaways -->
  <section id="takeaways" class="takeaways my-5 bg-light">
    <div class="container">
      <div class="row text-center mb-5">
        <div class="col-md-8 offset-md-2">
          <h2>Key Takeaways</h2>
          <p class="lead">
            Here are some of the takeaways and benefits you can expect from
            our programs.
          </p>
        </div>
      </div>

      <!-- Row 1 -->
      <div class="row">
        <div class="col-md-4">
          <div class="card mb-4 rounded-0 border-0 p-3">
            <div class="card-body text-center">
              <i class="fas fa-atom fa-3x text-primary bg-light rounded-circle p-3 my-4"></i>
              <h5 class="card-title">Scientific Insights</h5>
              <p class="card-text">
                Explore the latest scientific research and gain valuable
                insights into various subjects, from physics to biology.
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card mb-4 rounded-0 border-0 p-3">
            <div class="card-body text-center">
              <i class="fas fa-key fa-3x text-primary bg-light rounded-circle p-3 my-4"></i>
              <h5 class="card-title">Cybersecurity Awareness</h5>
              <p class="card-text">
                Discover the importance of cybersecurity and learn how to
                protect yourself and your digital assets from cyber threats.
              </p>
            </div>
```

```
            </div>
          </div>
          <div class="col-md-4">
            <div class="card mb-4 rounded-0 border-0 p-3">
              <div class="card-body text-center">
                <i class="fas fa-newspaper fa-3x text-primary bg-light rounded-circle p-3 my-4"></i>
                <h5 class="card-title">Industry Updates</h5>
                <p class="card-text">
                  Stay informed about the latest news and updates in your
                  industry, keeping you ahead of the curve and facilitating
                  professional growth.
                </p>
              </div>
            </div>
          </div>

          <!-- Second Row -->
          <div class="col-md-4">
            <div class="card mb-4 rounded-0 border-0 p-3">
              <div class="card-body text-center">
                <i class="fas fa-users fa-3x text-primary bg-light rounded-circle p-3 my-4"></i>
                <h5 class="card-title">Collaborative Networking</h5>
                <p class="card-text">
                  Connect with professionals from diverse backgrounds and
                  industries to foster collaboration and expand your
                  professional network.
                </p>
              </div>
            </div>
          </div>

          <div class="col-md-4">
            <div class="card mb-4 rounded-0 border-0 p-3">
              <div class="card-body text-center">
                <i class="fas fa-handshake fa-3x text-primary bg-light rounded-circle p-3 my-4"></i>
                <h5 class="card-title">Partnership Opportunities</h5>
                <p class="card-text">
                  Discover potential partnership opportunities with like-minded
                  individuals and organizations, opening doors to new
                  collaborations and ventures.
                </p>
              </div>
            </div>
          </div>

          <div class="col-md-4">
            <div class="card mb-4 rounded-0 border-0 p-3">
              <div class="card-body text-center">
                <i class="fas fa-chart-bar fa-3x text-primary bg-light rounded-circle p-3 my-4"></i>
                <h5 class="card-title">Data-driven Insights</h5>
                <p class="card-text">
                  Leverage data analytics to gain valuable insights and make
                  informed decisions, unlocking new possibilities for growth and
                  success.
                </p>
              </div>
            </div>
          </div>
        </div>
      </div>
    </section>
```

Subscribe & Footer

1. index.html

```
<!-- Subscribe Form -->
  <section id="subscribe" class="subscribe my-5">
    <div class="container">
      <div class="row">
        <div class="col-md-6 offset-md-3 text-center">
          <h2>Subscribe to our email list and get updates from the experts</h2>
          <form>
            <div class="my-4">
              <input type="email" class="form-control form-control-lg" placeholder="Enter email" />
              <div class="form-text">
                We will never share your email address
              </div>
            </div>
            <div class="d-grid">
              <button class="btn btn-primary">Subscribe</button>
            </div>
          </form>
        </div>
      </div>
    </div>
  </section>

  <footer class="footer mt-4 text-bg-dark py-5">
    <div class="container">
      <div class="row">
        <div class="col-md-4">
          <h5>Lorem Ipsum</h5>
          <p>Lorem ipsum dolor sit, amet consectetur adipisicing elit. Dolores iste officia deserunt ipsa aspernatur.
            Odit adipisci reprehenderit facere non tempora.</p>
        </div>
        <div class="col-md-4">
          <h5>Quick Links</h5>
          <ul class="list-unstyled">
            <li><a href="#home">Home</a></li>
            <li><a href="#discover">Discover</a></li>
            <li><a href="#summary">Summary</a></li>
            <li><a href="#takeaways">Takeaways</a></li>
```

```
            <li><a href="#subscribe">Subscribe</a></li>
          </ul>
        </div>
        <div class="col-md-4">
          <h5>Connect</h5>
          <div class="d-flex gap-3">
            <a href="#"><i class="fab fa-facebook fa-3x text-white"></i></a>
            <a href="#"><i class="fab fa-twitter fa-3x text-white"></i></a>
            <a href="#"><i class="fab fa-linkedin fa-3x text-white"></i></a>
            <a href="#"><i class="fab fa-instagram fa-3x text-white"></i></a>
            <a href="#"><i class="fab fa-youtube fa-3x text-white"></i></a>
          </div>
        </div>
      </div>
    </div>
  </footer>
```

Section 9: Website 3 - Portfolio Website

Project Intro

1. No navbar
2. Types out name
3. About me
4. Next section
    1. Basic info
        1. Profile
        2. Skills
            1. Don't use progress bars for real profiles
5. Images
    1. Hover effect
    2. Projects
    3. Lightbox
        1. It is third party script
            1. Takes to next image
6. Styleshout
    1. For inspiration
    2. Images
    3. Assets
7. Services
8. Stats
9. Form
    1. Bottom border
10. Footer

Project Setup

1. Code: bootstrap.scss

```
// Font
$font-family-sans-serif: "Poppins", sans-serif;

// Color
$primary: #cc005f;
$secondary: #990047;
$dark: #000;
$light: #f4f4f4;

// Buttons
$button-radius: 0;
$button-padding-x: 30px;
$button-padding-y: 12px;

$btn-border-radius: $button-radius;
$btn-border-radius-sm: $button-radius;
$btn-border-radius-lg: $button-radius;
$btn-padding-y: $button-padding-y;
$btn-padding-y-lg: $button-padding-y;
$btn-padding-y-sm: $button-padding-y;
$btn-padding-x: $button-padding-x;
$btn-padding-x-lg: $button-padding-x;
$btn-padding-x-sm: $button-padding-x;

$navbar-toggler-border-radius: 5px;

// Spacing
$spacer: 1rem !default;
$spacers: (
  0: 0,
  1: $spacer * 0.25,
  2: $spacer * 0.5,
  3: $spacer,
  4: $spacer * 1.5,
  5: $spacer * 3,
  6: $spacer * 6,
  7: $spacer * 8,
  8: $spacer * 12,
) !default;

// Container
$container-max-widths: (
  sm: 540px,
  md: 720px,
  lg: 960px,
  xl: 980px,
  xxl: 1000px,
```

```
) !default;

@import "../node_modules/bootstrap/scss/bootstrap";
```

Header with Overlay

1. z-index can be added to element with `position: absolute` or `position: relative`, but not `position: static` (default).
2. Code: index.html

```
<header class="header vh-100 text-center position-relative">
    <div class="text-container position-relative d-flex flex-column justify-content-center align-items-center h-100">
      <h5 class="text-primary fs-3 fw-bold text-uppercase">Hello, World.</h5>
      <h1 id="typing-text" class="display-1 fw-bold text-white">I am Brad Traversy</h1>
      <p class="roles text-white text-uppercase fs-4">
        <span>Full Stack Web Developer | </span>
        <span>Online Educator</span>
      </p>
      <a href="#about" class="btn btn-outline-light btn-lg mt-3">
        <div class="d-flex">
          <div class="me-3">
            <i class="fas fa-chevron-down"></i>
          </div>
          <div class="text-start">
            <span>More About Me</span>
          </div>
        </div>
      </a>
      <div class="social d-flex gap-3 position-absolute">
        <a href="#">
          <i class="fab fa-twitter fa-3x text-white"></i>
        </a>
        <a href="#">
          <i class="fab fa-instagram fa-3x text-white"></i>
        </a>
        <a href="#">
          <i class="fab fa-linkedin fa-3x text-white"></i>
        </a>
        <a href="#">
          <i class="fab fa-facebook fa-3x text-white"></i>
        </a>
        <a href="#">
          <i class="fab fa-youtube fa-3x text-white"></i>
        </a>
        <a href="#">
          <i class="fab fa-github fa-3x text-white"></i>
        </a>
      </div>
    </div>
  </header>
```

3. styles.scss:

```
.header {
  background: #151515 url("../images/intro-bg.jpg") center center no-repeat;
  background-size: cover;
  background-attachment: fixed;
}

.header::after {
  content: "";
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background: rgba(0, 0, 0, 0.7);
}

.header .text-container {
  z-index: 10;
}

.header .roles {
  font-family: "lora-regular", serif;
}

.header .social {
  bottom: 50px;
}

@media (max-width: 767px) {
  .header .social i {
    font-size: 30px;
  }

  .header .roles {
    font-size: 18px !important;
  }
}
```

Typing Effect JavaScript

1. Code: script.js

```
function runTypingEffect() {
  const text = "I am Brad Traversy";
  const typingElement = document.getElementById("typing-text");
  const typingDelay = 100;

  typeText(text, typingElement, typingDelay);
```

```
}

function typeText(text, typingElement, delay) {
  for (let i = 0; i < text.length; i++) {
    setTimeout(() => {
      typingElement.textContent += text.charAt(i);
    }, delay * i);
  }
}

document.addEventListener("DOMContentLoaded", runTypingEffect);
```

About & Skills Sections

1. Code: index.html

```
<!-- Profile & Skills -->
  <section class="profile my-6">
    <div class="container">
      <div class="row">
        <div class="col-md-6">
          <h3 class="text-uppercase fw-bold">Profile</h3>
          <p>
            Here is some more info about myself to help you get to know me
            better.
          </p>
          <ul class="list-group list-group-flush">
            <li class="list-group-item mb-3">
              <h5 class="text-transform">
                <i class="fas fa-user text-primary"></i> Full Name:
              </h5>
              <p>Brad Traversy</p>
            </li>
            <li class="list-group-item mb-3">
              <h5 class="text-transform">
                <i class="fas fa-calendar text-primary"></i> Birth Date:
              </h5>
              <p>August 10, 1981</p>
            </li>
            <li class="list-group-item mb-3">
              <h5 class="text-transform">
                <i class="fas fa-building text-primary"></i> Current Position:
              </h5>
              <p>Owner at Traversy Media</p>
            </li>
            <li class="list-group-item mb-3">
              <h5 class="text-transform">
                <i class="fas fa-home text-primary"></i> Website:
              </h5>
              <p>traversymedia.com</p>
            </li>
            <li class="list-group-item mb-3">
              <h5 class="text-transform">
                <i class="fas fa-envelope text-primary"></i> Email:
              </h5>
              <p>brad@gmail.com</p>
            </li>
          </ul>
        </div>
        <div class="col-md-6">
          <h3 class="text-uppercase fw-bold">Skills</h3>
          <p>
            Here is a list of my skills with these dumb percentages that don't
            mean anything
          </p>
          <h5><i class="fas fa-check"></i> HTML5</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="100" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 100%">100%</div>
          </div>
          <h5><i class="fas fa-check"></i> CSS</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="90" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 90%">90%</div>
          </div>
          <h5><i class="fas fa-check"></i> JavaScript</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="90" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 90%">90%</div>
          </div>
          <h5><i class="fas fa-check"></i> Bootstrap</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="100" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 100%">100%</div>
          </div>
          <h5><i class="fas fa-check"></i> PHP</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="75" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 75%">75%</div>
          </div>
          <h5><i class="fas fa-check"></i> Python</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="70" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 70%">70%</div>
          </div>
          <h5><i class="fas fa-check"></i> UI/UX</h5>
          <div class="progress mb-4" role="progressbar" aria-valuenow="70" aria-valuemin="0" aria-valuemax="100">
            <div class="progress-bar" style="width: 70%">70%</div>
          </div>
        </div>
      </div>
      <div class="row mt-5 text-center">
        <div class="col-12">
          <a href="#" class="btn btn-outline-dark btn-lg text-uppercase px-5 mx-3 py-2">Hire Me Now</a>
          <a href="#" class="btn btn-dark btn-lg text-uppercase px-5 mx-3 py-2">Download CV</a>
        </div>
      </div>
    </div>
  </section>
```

Projects & Lightbox

1. Code: index.html

```
<!-- Portfolio -->
  <section class="portfolio py-5 bg-light">
    <div class="container">
      <div class="text-center mb-5">
        <h4 class="text-uppercase fw-bold text-primary">
          Portfolio
        </h4>
        <hr class="w-25 mx-auto" />
        <h2 class="mb-4">Check Out My Work</h2>
        <p class="lead">Here is a small sample of my projects.</p>
      </div>
      <div class="row">
        <div class="col-md-6 mb-4">
          <div class="project shadow-lg rounded-5">
            <a href="images/project1.jpg" data-lightbox="images" data-title="Clipboard Landing Page">
              <img src="images/project1.jpg" alt="" class="img-fluid rounded-3">
            </a>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="project shadow-lg rounded-5">
            <a href="images/project2.jpg" data-lightbox="images" data-title="Loop Studios Website">
              <img src="images/project2.jpg" alt="" class="img-fluid rounded-3">
            </a>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="project shadow-lg rounded-5">
            <a href="images/project3.jpg" data-lightbox="images" data-title="Shortly Website">
              <img src="images/project3.jpg" alt="" class="img-fluid rounded-3">
            </a>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="project shadow-lg rounded-5">
            <a href="images/project4.jpg" data-lightbox="images" data-title="Flyo Website">
              <img src="images/project4.jpg" alt="" class="img-fluid rounded-3">
            </a>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="project shadow-lg rounded-5">
            <a href="images/project5.jpg" data-lightbox="images" data-title="Bookmark Website">
              <img src="images/project5.jpg" alt="" class="img-fluid rounded-3">
            </a>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="project shadow-lg rounded-5">
            <a href="images/project6.jpg" data-lightbox="images" data-title="Grid Layout Website">
              <img src="images/project6.jpg" alt="" class="img-fluid rounded-3">
            </a>
          </div>
        </div>
      </div>
    </div>
  </section>
```

2. Code: styles.scss

```
.project:hover {
  transform: scale(1.05);
  transition: all 0.5s ease-in-out;
  opacity: 0.8;
}
```

StyleShout & Services

1. Code: styles.scss

```
.services {
  background: url("../images/bg.jpg") center center no-repeat;
  background-size: cover;
  background-attachment: fixed;
}

.services::after {
  content: "";
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background: rgba(0, 0, 0, 0.7);
}

.services .container {
  z-index: 10;
}
```

2. Code: index.html

```
<!-- Styleshout -->
  <section class="styleshout text-bg-dark bg-gradient p-6 text-center">
    <div class="container">
      <div class="row">
        <div class="col-12">
```

```
          <h1>Shoutout to StyleShout</h1>
          <hr class="w-25 mx-auto" />
          <p class="lead mb-5">
            Styleshout is a place for Free HTML5 Templates and Free Wordpress.
            This design was inspired by one of their templates. Check them out
            for templates to use and get inspiration from.
          </p>
          <a href="https://styleshout.com" target="_blank"
            class="btn btn-primary btn-lg text-uppercase px-5 mx-3 my-2">Visit Styleshout</a>
        </div>
      </div>
    </div>
  </section>

  <!-- Services -->
  <section class="services text-bg-dark py-5 position-relative">
    <div class="container position-relative">
      <div class="text-center mb-5">
        <h4 class="text-uppercase fw-bold text-primary">
          Services
        </h4>
        <hr class="w-25 mx-auto" />
        <h2 class="mb-4">What Can I Do for You?</h2>
        <p class="lead">
          Here are some of the services that I offer when it comes to web
          development and business.
        </p>
      </div>
      <div class="row">
        <div class="col-md-4 text-center">
          <i class="fas fa-globe fa-3x text-primary mb-3"></i>
          <h3 class="fs-3">Web Design</h3>
          <hr class="w-25 mx-auto" />
          <p class="fs-5">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Ducimus sapiente voluptates est
            assumenda illo molestiae doloremque cupiditate. Placeat, alias ullam.</p>
        </div>
        <div class="col-md-4 text-center">
          <i class="fas fa-code fa-3x text-primary mb-3"></i>
          <h3 class="fs-3">Web Development</h3>
          <hr class="w-25 mx-auto" />
          <p class="fs-5">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Ducimus sapiente voluptates est
            assumenda illo molestiae doloremque cupiditate. Placeat, alias ullam.</p>
        </div>
        <div class="col-md-4 text-center">
          <i class="fas fa-shopping-cart fa-3x text-primary mb-3"></i>
          <h3 class="fs-3">Advertising & SEO</h3>
          <hr class="w-25 mx-auto" />
          <p class="fs-5">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Ducimus sapiente voluptates est
            assumenda illo molestiae doloremque cupiditate. Placeat, alias ullam.</p>
        </div>
      </div>
    </div>
  </section>
```

Stats & Forms

1. Code: index.html

```
<!-- Stats -->
  <section class="stats py-5 text-bg-secondary">
    <div class="container">
      <div class="row g-0">
        <div class="col-md-4 col-lg-2">
          <div class="stat text-center border-end border-dark">
            <i class="fas fa-users fa-3x mb-3"></i>
            <p class="fs-1">500+</p>
            <h3 class="fs-6 text-uppercase">Clients</h3>
          </div>
        </div>
        <div class="col-md-4 col-lg-2">
          <div class="stat text-center border-end border-dark">
            <i class="fas fa-project-diagram fa-3x mb-3"></i>
            <p class="fs-1">700+</p>
            <h3 class="fs-6 text-uppercase">Projects</h3>
          </div>
        </div>
        <div class="col-md-4 col-lg-2">
          <div class="stat text-center border-end border-dark">
            <i class="fas fa-clock fa-3x mb-3"></i>
            <p class="fs-1">16+</p>
            <h3 class="fs-6 text-uppercase">Years</h3>
          </div>
        </div>
        <div class="col-md-4 col-lg-2">
          <div class="stat text-center border-end border-dark">
            <i class="fas fa-book fa-3x mb-3"></i>
            <p class="fs-1">25</p>
            <h3 class="fs-6 text-uppercase">Publications</h3>
          </div>
        </div>
        <div class="col-md-4 col-lg-2">
          <div class="stat text-center border-end border-dark">
            <i class="fas fa-youtube fa-3x mb-3"></i>
            <p class="fs-1">2.06M</p>
            <h3 class="fs-6 text-uppercase">Subscribers</h3>
          </div>
        </div>
        <div class="col-md-4 col-lg-2">
          <div class="stat text-center border-end border-dark">
            <i class="fas fa-graduation-cap fa-3x mb-3"></i>
            <p class="fs-1">1M+</p>
            <h3 class="fs-6 text-uppercase">Students</h3>
          </div>
```

```
          </div>
        </div>
      </div>
    </section>

    <!-- Contact -->
    <section class="contact text-bg-dark bg-gradient py-5">
      <div class="container">
        <div class="row">
          <div class="col-md-8 offset-md-2">
            <div class="text-center mb-5">
              <h4 class="text-uppercase fw-bold text-primary">Contact</h4>
              <hr class="w-25 mx-auto" />
              <h2 class="mb-4">I'd love to hear from you.</h2>
              <p class="lead">
                If you have any questions or would like to work together, please
                contact me with the form below.
              </p>
            </div>

            <!-- Form -->
            <form>
              <div class="mb-5">
                <input type="text"
                  class="form-control bg-transparent border-top-0 border-start-0 border-end-0 rounded-0 border-muted text-white"
                  placeholder="Name" />
              </div>
              <div class="mb-5">
                <input type="email"
                  class="form-control bg-transparent border-top-0 border-start-0 border-end-0 rounded-0 border-muted text-white"
                  placeholder="Email" />
              </div>
              <div class="mb-5">
                <textarea
                  class="form-control bg-transparent border-top-0 border-start-0 border-end-0 rounded-0 border-muted text-white"
                  placeholder="Message"></textarea>
              </div>
              <div class="mb-5 d-grid">
                <button type="submit" class="btn btn-primary">Submit</button>
              </div>
            </form>
          </div>
        </div>

        <!-- Footer -->
        <div class="d-flex mt-5">
          <p class="flex-grow-1">
            Copyright &copy; 2023 | Design by StyleShout
          </p>
          <div class="hstack gap-3">
            <a href="#">
              <i class="fab fa-facebook fa-2x text-white"></i>
            </a>
            <a href="#">
              <i class="fab fa-twitter fa-2x text-white"></i>
            </a>
            <a href="#">
              <i class="fab fa-instagram fa-2x text-white"></i>
            </a>
            <a href="#">
              <i class="fab fa-linkedin fa-2x text-white"></i>
            </a>
            <a href="#">
              <i class="fab fa-dribbble fa-2x text-white"></i>
            </a>
          </div>
        </div>
      </div>
    </section>
```

Deploy to Netlify

1. Has form service
2. Steps:
    1. New github repository
        1. portfolio-website
        2. Bootstrap Website
    2. `git init`
    3. Add `remote`, commit changes, and push
    4. Netlify
        1. Login
            1. Github account
        2. Import existing project
        3. main branch
        4. Base directory: /
        5. Build command: `npm run sass:build`
        6. Publish directory: /
        7. Deploy
        8. Forms
            1. Enable form detection
            2. Give `name` as per documentation

Section 10: Website 4 - Yavin Office Design

Project Intro

1. Yavin

    1. A company that designs office spaces
2. Navbar
3. Scroll effect
4. Shadow
5. Hero/Header
6. Circle background images
    1. Changing sizes
7. JS to count up from zero
8. Intro
9. Details
10. Inner page
    1. Cards
    2. Text area
11. Line-height is changed
12. Projects
    1. Modals: challenge
13. Slider for testimonials
14. Contact form
15. Show arrow on scroll

Project Setup

1. Open starter
    1. `npm install`
    2. `npm run sass:watch`
    3. Open with live server
2. Code: bootstrap.scss

```
// Font
$font-family-sans-serif: "Open Sans", sans-serif;

// Colors
$primary: #4555d2;
$secondary: #cc2973;
$dark: #191e47;
$light: #f9fafe;
$body-color: #494c52;
$headings-color: $dark;

// Navbar
$navbar-nav-link-paddings-x: 0.8rem;
$navbar-padding-y: 1rem;
$nav-link-font-weight: 700;

// Spacing
$spacer: 1rem !default; // `!default`: assigns value to the variable only if the variable isn't defined or its value is `null`. Otherwise, the
$spacers: (
  0: 0,
  1: $spacer * 0.25,
  2: $spacer * 0.5,
  3: $spacer,
  4: $spacer * 1.5,
  5: $spacer * 3,
  6: $spacer * 6,
  7: $spacer * 8,
  8: $spacer * 12,
) !default;

$headings-margin-bottom: $spacer * 1 !default;
$line-height-base: 1.7;
$headings-font-weight: bold;

// Buttons
$button-radius: 50px;
$button-padding-x: 30px;
$button-padding-y: 10px;

$btn-border-radius: $button-radius;
$btn-border-radius-sm: $button-radius;
$btn-border-radius-lg: $button-radius;
$btn-padding-y: $button-padding-y;
$btn-padding-y-lg: $button-padding-y;
$btn-padding-y-sm: $button-padding-y;
$btn-padding-x: $button-padding-x;
$btn-padding-x-lg: $button-padding-x;
$btn-padding-x-sm: $button-padding-x;
$navbar-toggler-border-radius: 5px;

// Inputs
$input-radius: 30px;
$input-btn-padding-y: 0.7rem;
$input-btn-padding-x: 1rem;
$input-border-radius: $input-radius;
$input-border-radius-sm: $input-radius;
$input-border-radius-lg: $input-radius;

@import "../node_modules/bootstrap/scss/bootstrap";
```

Navigation & Header

1. Code: styles.scss

```
.header .decoration-star {
  top: 80px;
  left: -200px;
```

```
  width: 500px;
  opacity: 0.7;
}

.header .decoration-star-2 {
  top: 80px;
  right: -200px;
  width: 500px;
  opacity: 0.7;
}

.navbar {
  transition: all 0.5s ease-in-out;
}

.navbar-sticky {
  background: #fff;
  opacity: 0.9;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.5);
}

@media (max-width: 992px) {
  .xl-text {
    font-size: 50px;
  }

  .navbar {
    .btn-outline-secondary {
      margin-top: 20px;
    }
  }

  .header {
    margin-top: 0 !important;
    text-align: center;
  }

  .header .decoration-star {
    left: -100px;
    width: 250px;
  }

  .header .decoration-star-2 {
    right: -100px;
    width: 250px;
  }

  .header .image-container {
    margin-top: 30px;
  }
}

@media (max-width: 576px) {
}
```

2. Code: index.html

```
<!-- Navigation -->
  <nav class="navbar navbar-expand-lg sticky-top navbar-light">
    <div class="container">
      <a href="#" class="navbar-brand">
        <img src="images/logo.svg" alt="" width="124">
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a href="#" class="nav-link" aria-current="page">Home</a>
          </li>
          <li class="nav-item">
            <a href="#details" class="nav-link" aria-current="page">Details</a>
          </li>
          <li class="nav-item">
            <a href="#services" class="nav-link" aria-current="page">Services</a>
          </li>
          <li class="nav-item">
            <a href="#projects" class="nav-link" aria-current="page">Projects</a>
          </li>
          <li class="nav-item">
            <a href="#contact" class="nav-link btn btn-outline-secondary px-4 mx-4" aria-current="page">Contact Us</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Header -->
  <header class="header position-relative mt-6 overflow-hidden">
    <img src="images/decoration-star.svg" alt="" class="decoration-star position-absolute" />
    <img src="images/decoration-star.svg" alt="" class="decoration-star-2 position-absolute" />
    <div class="container position-relative z-3">
      <div class="row">
        <div class="col-lg-6">
          <div class="mt-6">
            <h1 class="xl-text">
              The <span class="text-primary">Perfect</span> Office Space
            </h1>
            <p class="lead mb-4">
              We specialize in transforming office spaces into inspiring and
              functional environments. Let us bring your vision to life.
            </p>
```

```
            <a href="#introduction" class="btn btn-primary btn-lg m-2">
              More Details
            </a>
            <a href="#contact" class="btn btn-outline-secondary btn-lg m-2">
              Contact Us
            </a>
          </div>
        </div>
        <div class="col-lg-6">
          <div class="image-container">
            <img src="images/header.png" alt="">
          </div>
        </div>
      </div>
    </div>
  </header>
```

Stats & JavaScript Increment

1. Code: script.js

```
function userScroll() {
  const navbar = document.querySelector(".navbar");

  window.addEventListener("scroll", () => {
    if (window.scrollY > 50) {
      navbar.classList.add("navbar-sticky");
    } else {
      navbar.classList.remove("navbar-sticky");
    }
  });
}

function incrementStats() {
  const counters = document.querySelectorAll(".counter");

  counters.forEach((counter) => {
    counter.innerText = 0;

    const updateCounter = () => {
      const target = +counter.getAttribute("data-target");
      const c = +counter.innerText;

      const increment = target / 200;

      if (c < target) {
        counter.innerText = Math.ceil(c + increment);
        setTimeout(updateCounter, 1);
      } else {
        counter.innerText = target;
      }
    };

    updateCounter();
  });
}

document.addEventListener("DOMContentLoaded", userScroll);
document.addEventListener("DOMContentLoaded", incrementStats);
```

2. Code: index.html

```
<!-- Stats -->
  <section id="stats" class="stats container">
    <div class="row my-6">
      <div class="col-md-3 col-sm-6 text-center">
        <h2 class="counter xl-text" data-target="328"></h2>
        <p>Happy Customers</p>
      </div>
      <div class="col-md-3 col-sm-6 text-center">
        <h2 class="counter xl-text" data-target="285"></h2>
        <p>Isses Solved</p>
      </div>
      <div class="col-md-3 col-sm-6 text-center">
        <h2 class="counter xl-text" data-target="159"></h2>
        <p>Good Reviews</p>
      </div>
      <div class="col-md-3 col-sm-6 text-center">
        <h2 class="counter xl-text" data-target="128"></h2>
        <p>Case Studies</p>
      </div>
    </div>
  </section>
```

Intro, Details & Services

1. Code: index.html

```
  <!-- Introduction -->
  <section id="introduction" class="intro bg-light py-6">
    <div class="container">
      <div class="row">
        <div class="col-lg-8 offset-lg-2 text-center">
          <h2>Constructing <span class="text-secondary">Unique</span> Office Spaces</h2>
          <p class="fs-5">
            At our company, designing office spaces is our passion. We take
            pride in our completed projects that reflect our dedication and
            expertise in creating functional and aesthetically pleasing work
            environments.
          </p>
        </div>
```

```
      </div>
    </div>
  </section>

  <!-- Details 1 -->
  <section id="details" class="details position-relative my-6 overflow-hidden">
    <img src="images/decoration-star.svg" alt="" class="decoration-star position-absolute">
    <div class="container position-relative z-3">
      <div class="row">
        <div class="col-lg-6">
          <div class="image-container d-flex justify-content-center">
            <img src="images/details-1.png" alt="" class="img-fluid">
          </div>
        </div>
        <div class="col-lg-6">
          <div class="mt-4">
            <h2 class="mb-4">Create <span class="text-primary">Inspiring</span> Office Spaces</h2>
            <ul class="list-unstyled">
              <li class="d-flex mb-3">
                <i class="fas fa-check text-primary fa-2x mx-4"></i>
                <p>
                  Our approach ensures that every office space is tailored to
                  the unique needs and preferences of our clients. No two
                  spaces look the same.
                </p>
              </li>
              <li class="d-flex mb-3">
                <i class="fas fa-check text-primary fa-2x mx-4"></i>
                <p>
                  We pay attention to every detail, ensuring that the design
                  elements, furniture, and decor create a harmonious and
                  inspiring atmosphere.
                </p>
              </li>
              <li class="d-flex mb-3">
                <i class="fas fa-check text-primary fa-2x mx-4"></i>
                <p>
                  Our team of experts guarantees that your office space will
                  be a reflection of your brand identity and company culture.
                </p>
              </li>
              <li class="d-flex mb-3">
                <i class="fas fa-check text-primary fa-2x mx-4"></i>
                <p>
                  Existence as discourse is. Pleasure friendly at marriage
                  blessing or should
                </p>
              </li>
            </ul>
          </div>
        </div>
      </div>
    </div>
  </section>
```

2. Code: styles.scss

```
.details .decoration-star {
  left: -200px;
  width: 500px;
}
```

Middle Sections

1. Code: index.html

```
<!-- Details 2 -->
  <section class="details-2 position-relative my-6 overflow-hidden">
    <img src="images/decoration-star.svg" alt="" class="decoration-star position-absolute">
    <div class="container position-relative z-3">
      <div class="row">
        <div class="col-lg-6">
          <div class="text-container text-center text-lg-start mb-4">
            <h2>Transform Your Workspace for Enhanced <span class="text-primary">Productivity</span></h2>
            <p>
              A thoughtfully designed and well-organized office space has a
              profound impact on productivity and employee satisfaction. It
              sets the stage for seamless collaboration, efficient workflows,
              and creative inspiration. At our company, we specialize in
              creating tailored office environments that maximize productivity
              and elevate the overall work experience.
            </p>
            <a href="article.html" class="btn btn-primary">Get Started</a>
          </div>
        </div>
        <div class="col-lg-6">
          <div class="image-container d-flex justify-content-center">
            <img src="images/details-2.png" alt="" class="img-fluid">
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Get Quote -->
  <section class="get-quote bg-light py-6 text-center">
    <div class="container">
      <div class="row">
        <div class="col-lg-8 offset-lg-2">
          <h4 class="lh-base">
            Our team of highly skilled designers and interior construction
            workers can deliver above your level of expections
          </h4>
```

```
          <a href="#contact" class="btn btn-secondary btn-lg">Get Quote</a>
        </div>
      </div>
    </div>
  </section>
```

Projects & Testimonials

1. With white background, margin is used for spacing, but with darker background, padding is used - convention followed here.
2. Code: index.html

```
  <!-- Projects -->
  <section id="projects" class="projects py-6">
    <div class="container">
      <h2 class="text-center pb-4">
        Some of Our <span class="text-secondary">Projects</span>
      </h2>
      <!-- Projects Row 1 -->
      <div class="row mb-4">
        <div class="col-md-4">
          <div class="card border-0">
            <img src="images/project-1.jpg" alt="">
            <div class="card-body">
              <h5 class="card-title">Office space for banking</h5>
              <p class="card-text">
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Deleniti, animi?
                <a href="article.html">Read More</a>
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card border-0">
            <img src="images/project-2.jpg" alt="">
            <div class="card-body">
              <h5 class="card-title">Planning and design for startup</h5>
              <p class="card-text">
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Deleniti, animi?
                <a href="article.html">Read More</a>
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card border-0">
            <img src="images/project-3.jpg" alt="">
            <div class="card-body">
              <h5 class="card-title">Colors and materials update</h5>
              <p class="card-text">
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Deleniti, animi?
                <a href="article.html">Read More</a>
              </p>
            </div>
          </div>
        </div>
      </div>
      <!-- Projects Row 2 -->
      <div class="row mb-4">
        <div class="col-md-4">
          <div class="card border-0">
            <img src="images/project-4.jpg" alt="">
            <div class="card-body">
              <h5 class="card-title">Analysis and floor design</h5>
              <p class="card-text">
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Deleniti, animi?
                <a href="article.html">Read More</a>
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card border-0">
            <img src="images/project-5.jpg" alt="">
            <div class="card-body">
              <h5 class="card-title">Office space decoration</h5>
              <p class="card-text">
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Deleniti, animi?
                <a href="article.html">Read More</a>
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card border-0">
            <img src="images/project-6.jpg" alt="">
            <div class="card-body">
              <h5 class="card-title">Playground from kindergarten</h5>
              <p class="card-text">
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Deleniti, animi?
                <a href="article.html">Read More</a>
              </p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Testimonials -->
  <section id="testimonials" class="testimonials bg-light py-6">
    <div id="testimonialCarousel" class="carousel slide">
      <div class="carousel-inner">
```

```
            <!-- Slide 1 -->
            <div class="carousel-item active">
              <div class="d-flex flex-column justify-content-center align-items-center text-center">
                <img src="images/testimonial-1.jpg" alt="" class="rounded-circle" width="120">
                <p class="w-50 my-4 fst-italic fs-4 mb-4">
                  “Expense bed any sister depend changer off piqued one. Contented
                  continued any happiness instantly objection yet her allowance.
                  Use correct day new brought tedious. By come this been in. Kept
                  easy or sons my it how about some words here done”
                </p>
                <div class="fw-bold fs-5 mt-4">Marlene Visconte</div>
                <div>General Manager - Scouter</div>
              </div>
            </div>
            <!-- Slide 2 -->
            <div class="carousel-item">
              <div class="d-flex flex-column justify-content-center align-items-center text-center">
                <img src="images/testimonial-2.jpg" alt="" class="rounded-circle" width="120">
                <p class="w-50 my-4 fst-italic fs-4 mb-4">
                  “Expense bed any sister depend changer off piqued one. Contented
                  continued any happiness instantly objection yet her allowance.
                  Use correct day new brought tedious. By come this been in. Kept
                  easy or sons my it how about some words here done”
                </p>
                <div class="fw-bold fs-5 mt-4">John Spiker</div>
                <div>Team Lader - Vanquish</div>
              </div>
            </div>
            <!-- Slide 3 -->
            <div class="carousel-item">
              <div class="d-flex flex-column justify-content-center align-items-center text-center">
                <img src="images/testimonial-3.jpg" alt="" class="rounded-circle" width="120">
                <p class="w-50 my-4 fst-italic fs-4 mb-4">
                  “Expense bed any sister depend changer off piqued one. Contented
                  continued any happiness instantly objection yet her allowance.
                  Use correct day new brought tedious. By come this been in. Kept
                  easy or sons my it how about some words here done”
                </p>
                <div class="fw-bold fs-5 mt-4">Stella Virtuoso</div>
                <div>Design Chief - Bikegirl</div>
              </div>
            </div>
          </div>
          <button class="carousel-control-prev" type="button" data-bs-target="#testimonialCarousel" data-bs-slide="prev">
            <i class="fas fa-arrow-circle-left fa-3x text-secondary"></i>
          </button>
          <button class="carousel-control-next" type="button" data-bs-target="#testimonialCarousel" data-bs-slide="next">
            <i class="fas fa-arrow-circle-right fa-3x text-secondary"></i>
          </button>
        </div>
      </section>
```

Contact Form & Footer

1. Code: index.html

```
<!-- Contact -->
  <section id="contact" class="contact my-6 position-relative">
    <img src="images/decoration-star.svg" alt="" class="decoration-star position-absolute">

    <div class="container position-relative z-3">
      <div class="row">
        <div class="col-lg-6 d-none d-md-block">
          <div class="image-container">
            <img src="images/contact.png" alt="" class="image-fluid">
          </div>
        </div>
        <div class="col-lg-6">
          <div class="text-container">
            <h2>Contact Us For a Quote</h2>

            <form action="">
              <div class="mb-3">
                <input type="text" class="form-control" placeholder="Enter name">
              </div>
              <div class="mb-3">
                <input type="email" class="form-control" placeholder="Enter email">
              </div>
              <div class="mb-3">
                <input type="text" class="form-control" placeholder="Enter phone">
              </div>
              <div class="mb-3">
                <textarea class="form-control" placeholder="Enter message" rows="8"></textarea>
              </div>
              <div class="d-grid gap-2">
                <input type="submit" value="Send" class="btn btn-primary btn-block">
              </div>
            </form>
          </div>
        </div>
      </div>
    </div>
  </section>

  <footer class="bg-light py-6">
    <div class="container">
      <div class="row">
        <div class="col-md-4 my-3">
          <h6>About Yavin</h6>
          <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit. A explicabo sequi dolores nam et! Non?
          </p>
        </div>
```

```
        <div class="col-md-4 my-3">
          <h6>Links</h6>
          <ul class="list-unstyled">
            <li>
              Important: <a href="#">Terms & Conditions</a>, <a href="#">Privacy Policy</a>
            </li>
            <li>
              Useful: <a href="#">Icon Library</a>, <a href="#">Illustrations</a>
            </li>
            <li>
              Menu: <a href="#">Home</a>, <a href="#details">Details</a>, <a href="#services">Services</a>, <a
                href="#contact">Contact</a>
            </li>
          </ul>
        </div>
        <div class="col-md-4 my-3">
          <div class="mb-4">
            <a href="#" class="text-decoration-none">
              <i class="fab fa-facebook fa-3x text-dark mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-twitter fa-3x text-dark mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-instagram fa-3x text-dark mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-pinterest fa-3x text-dark mx-2"></i>
            </a>
          </div>
          <p>We would love to hear from you <a href="mailto:contact@site.com"><strong>contact@site.com</strong></a></p>
        </div>
      </div>
    </div>
  </footer>
```

2. Code: styles.scss

```
.contact .decoration-star {
  left: -300px;
  width: 600px;
}
```

Back to Top Button

1. Code: styles.scss

```
.to-top-btn {
  position: fixed;
  z-index: 20;
  bottom: 20px;
  right: 20px;
  opacity: 0;
  width: 52px;
  height: 52px;
  border: 0;
  border-radius: 50%;
  outline: none;
  background-color: #44434a;
  cursor: pointer;
  transition: all 0.5s ease-in-out;
}

.to-top-btn {
  &:hover {
    background-color: #1d1d21;
  }
}

.to-top-button {
  img {
    margin-bottom: 0.25rem;
    width: 18px;
  }
}

.show {
  opacity: 1;
}
```

2. Code: script.js

```
function scrollToTop() {
  document.body.scrollTop = 0; // Safari
  document.documentElement.scrollTop = 0; // Other browsers
}

//...

document.querySelector("#to-top").addEventListener("click", scrollToTop);
```

3. Code: inde.html

```
<button id="to-top" class="to-top-btn">
  <img src="images/up-arrow.png" alt="" />
</button>
```

Inner Article Page

1. Code: article.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300;400;500;600;700&display=swap"
    rel="stylesheet">
  <link rel="stylesheet" href="css/font-awesome.css" />
  <link rel="stylesheet" href="css/bootstrap.css" />
  <link rel="stylesheet" href="css/styles.css" />
  <link rel="icon" href="images/favicon.png" />
  <title>Yavin Office Design</title>
</head>

<body>
  <!-- Navigation -->
  <nav class="navbar navbar-expand-lg sticky-top navbar-light">
    <div class="container">
      <a href="index.html" class="navbar-brand">
        <img src="images/logo.svg" alt="" width="124">
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a href="index.html" class="nav-link" aria-current="page">Home</a>
          </li>
          <li class="nav-item">
            <a href="#details" class="nav-link" aria-current="page">Details</a>
          </li>
          <li class="nav-item">
            <a href="#services" class="nav-link" aria-current="page">Services</a>
          </li>
          <li class="nav-item">
            <a href="#projects" class="nav-link" aria-current="page">Projects</a>
          </li>
          <li class="nav-item">
            <a href="#contact" class="nav-link btn btn-outline-secondary px-4 mx-4" aria-current="page">Contact Us</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Header -->
  <header class="bg-light py-6">
    <div class="container">
      <h1>Article Details</h1>
    </div>
  </header>

  <!-- Image -->
  <section>
    <div class="container">
      <img src="images/article-details-large.jpg" alt="" class="w-100 my-6">
    </div>
  </section>

  <!-- Basic Text -->
  <section class="pt-4">
    <div class="container">
      <div class="row">
        <div class="col-lg-10 offset-lg-1">
          <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Veniam quae animi quo iusto officiis, nesciunt
            laudantium amet voluptatibus architecto doloremque molestias dolor laborum debitis provident enim unde iure
            natus fuga?
          </p>
          <p class="mb-4">
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Magni ut quibusdam eius possimus at, dolore beatae
            natus quisquam? Natus, quibusdam?
          </p>
          <h2 class="mb-3">Advantages of working with this company</h2>
          <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Veniam quae animi quo iusto officiis, nesciunt
            laudantium amet voluptatibus architecto doloremque molestias dolor laborum debitis provident enim unde iure
            natus fuga?
          </p>
          <p class="mb-4">
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Magni ut quibusdam eius possimus at, dolore beatae
            natus quisquam? Natus, quibusdam?
          </p>
        </div>
      </div>
    </div>
  </section>

  <!-- Cards -->
  <section class="my-4">
    <div class="container">
      <div class="row">
        <div class="col-md-4">
          <div class="card">
            <div class="card-body">
              <h5><i class="fas fa-check text-secondary"></i> High Quality Service</h5>
              <p>
                Lorem ipsum dolor, sit amet consectetur adipisicing elit. Dolorum aliquam placeat ex, ea laboriosam
```

```
                facilis.
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4 my-3 my-md-0">
          <div class="card">
            <div class="card-body">
              <h5><i class="fas fa-check text-secondary"></i> Prompt Timely Service</h5>
              <p>
                Lorem ipsum dolor, sit amet consectetur adipisicing elit. Dolorum aliquam placeat ex, ea laboriosam
                facilis.
              </p>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card">
            <div class="card-body">
              <h5><i class="fas fa-check text-secondary"></i> Silled team involved</h5>
              <p>
                Lorem ipsum dolor, sit amet consectetur adipisicing elit. Dolorum aliquam placeat ex, ea laboriosam
                facilis.
              </p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Gray Box -->
  <section class="my-5">
    <div class="row">
      <div class="col-lg-8 offset-lg-2">
        <div class="card bg-light rounded-0 border-0 fs-6">
          <div class="card-body p-4">
            <h3>We Know What Our Customers Want</h3>
            <p>
              Lorem ipsum, dolor sit amet consectetur adipisicing elit. Sint, nobis ab cupiditate eligendi earum quas
              facilis odit quos accusamus. Dicta ut adipisci facere, tempora praesentium ipsum dolores sunt perspiciatis
              pariatur.
            </p>
          </div>
        </div>
      </div>
    </div>
  </section>

  <footer class="bg-light py-6">
    <div class="container">
      <div class="row">
        <div class="col-md-4 my-3">
          <h6>About Yavin</h6>
          <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit. A explicabo sequi dolores nam et! Non?
          </p>
        </div>
        <div class="col-md-4 my-3">
          <h6>Links</h6>
          <ul class="list-unstyled">
            <li>
              Important: <a href="#">Terms & Conditions</a>, <a href="#">Privacy Policy</a>
            </li>
            <li>
              Useful: <a href="#">Icon Library</a>, <a href="#">Illustrations</a>
            </li>
            <li>
              Menu: <a href="#">Home</a>, <a href="#details">Details</a>, <a href="#services">Services</a>, <a
                href="#contact">Contact</a>
            </li>
          </ul>
        </div>
        <div class="col-md-4 my-3">
          <div class="mb-4">
            <a href="#" class="text-decoration-none">
              <i class="fab fa-facebook fa-3x text-dark mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-twitter fa-3x text-dark mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-instagram fa-3x text-dark mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-pinterest fa-3x text-dark mx-2"></i>
            </a>
          </div>
          <p>We would love to hear from you <a href="mailto:contact@site.com"><strong>contact@site.com</strong></a></p>
        </div>
      </div>
    </div>
  </footer>

  <button id="to-top" class="to-top-btn">
    <img src="images/up-arrow.png" alt="" />
  </button>

  <script src="js/bootstrap.bundle.min.js"></script>
  <script src="js/script.js"></script>
</body>

</html>
```

Section 11: Website 5 - Vera Software Solutions

Project Intro

1. For software company
2. Dark theme
3. Background & effects
4. Revolving words
    1. Replace-me script
5. Orange line
6. Partner logos
7. Registration
8. Solution
9. Image cards
10. Details area
11. Points with icons
12. Video modal
    1. Animated logo (custom CSS)
    2. Opens a modal & play a video
13. Pricing boxes
14. Modals
    1. Dark background
15. Subscribe form
16. Footer

Project Setup

1. Code: bootstrap.scss

```
// Font
$font-family-sans-serif: "Poppins", sans-serif;

// Colors
$primary: #fe6b2a;
$secondary: #35353a;
$dark: #000;
$body-bg: #0c0c0e;
$body-color: #fff;

// Spacing
$spacer: 1rem !default;
$spacers: (
  0: 0,
  1: $spacer * 0.25,
  2: $spacer * 0.5,
  3: $spacer,
  4: $spacer * 1.5,
  5: $spacer * 3,
  6: $spacer * 6,
  7: $spacer * 8,
  8: $spacer * 12,
) !default;

$headings-margin-bottom: $spacer * 1 !default;
$line-height-base: 1.7 !default;

// Navbar
$navbar-nav-link-padding-x: 0.8rem;
$navbar-padding-y: 1rem;
$navbar-dark-color: #fff;

// Buttons
$button-radius: 50px;
$button-padding-x: 30px;
$button-padding-y: 10px;

$btn-border-radius: $button-radius;
$btn-border-radius-sm: $button-radius;
$btn-border-radius-lg: $button-radius;
$btn-padding-y: $button-padding-y;
$btn-padding-y-lg: $button-padding-y;
$btn-padding-y-sm: $button-padding-y;
$btn-padding-x: $button-padding-x;
$btn-padding-x-lg: $button-padding-x;
$btn-padding-x-sm: $button-padding-x;
$navbar-toggler-border-radius: 5px;

// Input
$input-radius: 0px;
$input-btn-padding-y: 1rem;
$input-btn-padding-x: 1rem;
$input-border-radius: $input-radius;
$input-border-radius-sm: $input-radius;
$input-border-radius-lg: $input-radius;
$input-border-color: #666;

@import "../node_modules/bootstrap/scss/bootstrap";
```

Header & Rotating Text Script

1. Code: index.html

```
<!-- Header -->
<header class="header position-relative">
  <img src="images/vertical-decoration-left.svg" alt=""
    class="vertical-decoration position-absolute d-none d-md-block">
```

```
      <div class="container">
        <div class="row">
          <div class="col-md-6 pt-5">
            <h1 class="xl-text mt-5">
              Software Solutions for <span class="text-primary fw-bold replace-me">Small Business, Startups,
                Enterprise</span>
            </h1>
            <p class="lead">
              Boost your business with cutting-edge software solutions tailored
              to the needs of modern enterprises.
            </p>
            <a href="#" class="btn btn-primary text-white">Learn More</a>
          </div>
        </div>
      </div>
    </header>
```

Partners & Form

1. Code: index.html

```
<!-- Partners -->
  <section class="partners py-4 overflow-hidden">
    <div class="container">
      <div class="row">
        <div class="col-lg-10 offset-lg-1">
          <h5 class="text-center mb-4 text-uppercase">Our Partners</h5>
          <div class="d-flex justify-content-center align-items-center text-center">
            <div>
              <img src="images/partner-logo-1.png" alt="" class="mx-4">
            </div>
            <div class="d-none d-sm-block">
              <img src="images/partner-logo-2.png" alt="" class="mx-4">
            </div>
            <div class="d-none d-md-block">
              <img src="images/partner-logo-3.png" alt="" class="mx-4">
            </div>
            <div class="d-none d-lg-block">
              <img src="images/partner-logo-4.png" alt="" class="mx-4">
            </div>
            <div class="d-none d-lg-block">
              <img src="images/partner-logo-5.png" alt="" class="mx-4">
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Form Area -->
  <section id="contact" class="contact my-7">
    <div class="container">
      <div class="row">
        <div class="col-md-6">
          <h2 class="fw-bold">Get More Information</h2>
          <hr class="hr-heading" />
          <p class="lead">
            We provide innovative software solutions that empower businesses to
            thrive in the digital era.
          </p>
          <ul class="list-unstyled lh-lg">
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <div>
                <strong>Customized Solutions:</strong> Our solutions are designed
                to meet your specific business needs, ensuring maximum efficiency
                and productivity.
              </div>
            </li>
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <div>
                <strong>Seamless Integration:</strong> We seamlessly integrate our
                software with your existing systems, minimizing disruptions and
                optimizing workflows.
              </div>
            </li>
          </ul>
        </div>
        <div class="col-md-5 offset-md-1">
          <form>
            <div class="mb-4">
              <input type="text" class="form-control bg-secondary" placeholder="Enter name" />
            </div>
            <div class="mb-4">
              <input type="email" class="form-control bg-secondary" placeholder="Enter email" />
            </div>
            <div class="mb-4">
              <input type="text" class="form-control bg-secondary" placeholder="Enter phone" />
            </div>
            <div class="mb-4">
              <select name="interested" id="interested" class="form-control bg-secondary">
                <option>Interested In...</option>
                <option value="erp">ERP Solution</option>
                <option value="crm">CRM Solution</option>
                <option value="cms">CMS Solution</option>
                <option value="sfa">SFA Solution</option>
              </select>
            </div>
            <div class="mb-4 form-check">
              <input type="checkbox" id="agree-check" />
              <label for="agree-check" class="form-check-label">
                I agree to the <a href="privacy.html">Privacy Policy</a>
```

```
              </label>
            </div>
            <div class="d-grid gap-2">
              <input type="submit" value="Submit" class="btn btn-primary text-white" />
            </div>
          </form>
        </div>
      </div>
    </div>
  </section>
```

Nav Scroll & Solutions

1. Code: index.html

```
<!-- Solutions -->
  <section id="solutions" class="solutions my-5">
    <div class="container">
      <div class="row mb-4">
        <div class="col-md-6 offset-md-3 d-flex flex-column align-items-center text-center">
          <h5>
            <span class="badge bg-primary rounded-0 text-uppercase">
              Solutions
            </span>
          </h5>
          <h2 class="fw-bold">
            Vera Provides Software Solutions for Business Acceleration
          </h2>
        </div>
      </div>
      <!-- Solutions Row 1 -->
      <div class="row">
        <div class="col-md-6 mb-4">
          <div class="card bg-secondary">
            <img src="images/solution-1.jpg" alt="" class="card-img-top">
            <div class="card-body">
              <h5 class="card-title fw-bold">ERP Software Solutions</h5>
              <p class="card-text">
                Our ERP software solution streamlines your business processes and
                enhances operational efficiency. With integrated modules for
                finance, human resources, and more, you can make data-driven
                decisions.
              </p>
              <div class="badge bg-primary p-2 text-uppercase">
                Management
              </div>
            </div>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="card bg-secondary">
            <img src="images/solution-2.jpg" alt="" class="card-img-top">
            <div class="card-body">
              <h5 class="card-title fw-bold">CRM Software Solutions</h5>
              <p class="card-text">
                Our CRM software solution helps you build stronger customer
                relationships and drive sales growth. Manage leads, track
                interactions, and deliver personalized experiences to maximize
                customer satisfaction and loyalty.
              </p>
              <div class="badge bg-dark p-2 text-uppercase">
                Marketing
              </div>
            </div>
          </div>
        </div>
      </div>
      <!-- Solutions Row 2 -->
      <div class="row">
        <div class="col-md-6 mb-4">
          <div class="card bg-secondary">
            <img src="images/solution-3.jpg" alt="" class="card-img-top">
            <div class="card-body">
              <h5 class="card-title fw-bold">SFA Software Solutions</h5>
              <p class="card-text">
                Our SFA software solution empowers your sales team with the tools
                they need to drive revenue growth. Streamline sales processes,
                track performance, and enhance collaboration to close deals
                faster.
              </p>
              <div class="badge bg-primary p-2 text-uppercase">
                Management
              </div>
            </div>
          </div>
        </div>
        <div class="col-md-6 mb-4">
          <div class="card bg-secondary">
            <img src="images/solution-4.jpg" alt="" class="card-img-top">
            <div class="card-body">
              <h5 class="card-title fw-bold">WMS Software Solutions</h5>
              <p class="card-text">
                Our WMS software solution optimizes your warehouse operations and
                improves inventory management. Gain real-time visibility, automate
                processes, and reduce costs to ensure efficient logistics.
              </p>
              <div class="badge bg-dark p-2 text-uppercase">
                Marketing
              </div>
            </div>
          </div>
        </div>
      </div>
```

```
      </div>
      </div>
    </section>
```

Details & Expertise

1. Code: index.html

```
<!-- Details 1 -->
  <section id="details" class="details my-5 position-relative">
    <div class="container">
      <div class="row pt-5">
        <div class="col-lg-6">
          <h2 class="fw-bold">Evaluation & Deployment</h2>
          <hr class="hr-heading" />
          <p>
            We offer comprehensive evaluation and deployment services to ensure a smooth and successful implementation
            of our software solutions.
          </p>
          <ul class="list-unstyled lh-lg">
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <div>
                <strong>Customized solutions:</strong> We tailor our solutions to align with your unique business needs
              </div>
            </li>
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <div>
                <strong>Seamless Integration:</strong> Our team ensures smooth integration of the software into your
                existing infrastructure, minimizing disruptions
              </div>
            </li>
          </ul>
        </div>
        <div class="col-lg-6">
          <img src="images/details-1.jpg" alt="" class="img-fluid rounded-2" />
        </div>
      </div>
    </div>
    <img src="images/vertical-decoration-left.svg" alt=""
      class="vertical-decoration position-absolute d-none d-md-block">
  </section>

  <!-- Details 2 -->
  <section class="details-2 my-5 position-relative">
    <div class="container">
      <div class="row pt-5">
        <div class="col-lg-6">
          <img src="images/details-2.jpg" alt="" class="img-fluid rounded-2" />
        </div>
        <div class="col-lg-6">
          <h2 class="fw-bold">Maintenance & Support</h2>
          <hr class="hr-heading" />
          <p>
            We provide comprehensive maintenance and support services to ensure the smooth and uninterrupted operation
            of your software solutions. <a href="#">Learn more about our support services.</a>
          </p>
          <ul class="list-unstyled lh-lg">
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <div>
                <strong>Proactive Maintenance:</strong> We proactively monitor and maintain your software solutions to
                prevent issues and optimize performance.
              </div>
            </li>
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <div>
                <strong>Timely Updates:</strong> We ensure your software is up to date with the latest features,
                security patches, and enhancements.
              </div>
            </li>
          </ul>
        </div>
      </div>
    </div>
    <img src="images/vertical-decoration-right.svg" alt=""
      class="vertical-decoration position-absolute d-none d-md-block">
  </section>

  <!-- Expertise -->
  <section id="expertise" class="expertise bg-secondary py-5 my-6">
    <div class="container">
      <div class="row mb-5">
        <div class="col-md-6 offset-md-3 d-flex flex-column align-items-center text-center">
          <h5>
            <span class="badge bg-primary rounded-0 text-uppercase">Expertise</span>
          </h5>
          <h2 class="fw-bold">Expertise Strong Points</h2>
          <p>
            We take pride in our expertise. With years of experience and a
            dedicated team, we deliver exceptional software solutions tailored to
            your needs. Our strong points include:
          </p>
        </div>
      </div>
      <!-- Expertise Row 1 -->
      <div class="row">
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-lightbulb fa-5x text-primary"></i>
```

```
            </div>
            <div class="card-body">
              <h4 class="card-title">Flexible Services</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-desktop fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Great Design</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-wifi fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Easy to Use</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-cog fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Smart Options</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
      </div>
      <!-- Expertise Row 2 -->
      <div class="row">
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-glasses fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Advanced Tech</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-graduation-cap fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Good Expertise</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-chart-bar fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Detailed Reports</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
        <div class="col-md-3">
          <div class="card bg-transparent border-0 text-center mb-3">
            <div class="card-image">
              <i class="fas fa-cloud fa-5x text-primary"></i>
            </div>
            <div class="card-body">
              <h4 class="card-title">Cloud Storage</h4>
              <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.</p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>
```

Video Section & Animated Button

1. Code: styles.scss

```
// Video Play Button
.video-play-button {
  position: absolute;
  z-index: 10;
  top: 50%;
  left: 50%;
  transform: translateX(-50%) translateY(-50%);
  width: 32px;
```

```
  height: 44px;
  border-radius: 50%;
  display: block;
  box-sizing: content-box; // includes padding and border in element's total width and height
  padding: 1.125rem 1.25rem 1.125rem 1.75rem;
  cursor: pointer;
}

.video-play-button:before {
  content: "";
  position: absolute;
  z-index: 0;
  top: 50%;
  left: 50%;
  transform: translateX(-50%) translateY(-50%);
  width: 76px;
  height: 76px;
  border-radius: 50%;
  display: block;
  background: var(--bs-primary);
  cursor: pointer;
  animation: pulse-border 1500ms ease-in-out infinite;
}

.video-play-button:after {
  content: "";
  position: absolute;
  z-index: 1;
  top: 50%;
  left: 50%;
  transform: translateX(-50%) translateY(-50%);
  width: 70px;
  height: 70px;
  border-radius: 50%;
  display: block;
  background: var(--bs-primary);
  cursor: pointer;
  transition: all 200ms;
}

.video-play-button span {
  position: relative;
  display: block;
  z-index: 3;
  top: 6px;
  left: 4px;
  width: 0;
  height: 0;
  // Draw button
  border-left: 26px solid #fff;
  border-top: 16px solid transparent;
  border-bottom: 16px solid transparent;
}

@keyframes pulse-border {
  0% {
    transform: translateX(-50%) translateY(-50%) translateZ(0) scale(1);
    opacity: 1;
  }
  100% {
    transform: translateX(-50%) translateY(-50%) translateZ(0) scale(1.5);
    opacity: 0;
  }
}
```

2. Code: index.html

```
<!-- Video -->
  <section class="video my-6">
    <div class="container">
      <div class="row">
        <div class="col-12 d-flex flex-column align-items-center">
          <div class="position-relative">
            <img src="images/video-preview.jpg" alt="" class="img-fluid">
            <a class="video-btn" data-bs-toggle="modal" data-bs-target="#videoModal"
              data-bs-src="https://www.youtube.com/embed/u72H_zZzkcw">
              <span class="video-play-button">
                <span></span>
              </span>
            </a>
          </div>
        </div>
      </div>
      <div class="row video-points px-6 mt-5">
        <div class="col-lg-4">
          <h4 class="fw-bold">10 Years of Experience</h4>
          <p>
            With over 10 years of experience, we have gained valuable insights and
            expertise to deliver high-quality software solutions
          </p>
        </div>
        <div class="col-lg-4">
          <h4 class="fw-bold">Enduring Partnerships</h4>
          <p>
            We believe in building enduring partnerships with our clients. We
            establish long-term relationships based on trust
          </p>
        </div>
        <div class="col-lg-4">
          <h4 class="fw-bold">Skilled Capable Team</h4>
          <p>
            Our team consists of skilled and capable professionals who are
            passionate about delivering excellence
          </p>
```

```
          </div>
        </div>
      </div>
    </section>
```

Video Modal

1. An iframe
    1. We need JS
        1. Otherwise, if we close the iframe, the video will still be playing and we can hear it
2. Code: script.js

```
// Video Modal
const videoBtn = document.querySelector(".video-btn");
const videoModal = document.querySelector(".videoModal");
const video = document.querySelector("#video");
let videoSrc;

if (videoBtn != null) {
  videoBtn.addEventListener("click", () => {
    videoSrc = videoBtn.getAttribute("data-bs-src");
  });
}

if (videoModal != null) {
  videoModal.addEventListener("shown.bs.modal", () => {
    video.setAttribute(
      "src",
      videoSrc + "?autoplay=1;modestbranding=1;showInfo=0"
    );
  });

  videoModal.addEventListener("hide.bs.modal", () => {
    video.setAttribute("src", videoSrc);
  });
}
```

3. Code: index.html

```
<!-- Video Modal -->
  <div class="video-modal">
    <div class="modal fade" id="videoModal">
      <div class="modal-dialog">
        <div class="modal-content">
          <div class="ratio ratio-16x9">
            <iframe frameborder="0" class="embed-responsive-item" id="video"></iframe>
          </div>
        </div>
      </div>
    </div>
  </div>
```

Pricing & Project Sections

1. Code: index.html

```
  <!-- Pricing -->
  <section id="pricing" class="pricing my-6">
    <div class="container">
      <div class="row mb-4">
        <div class="col-md-6 offset-md-3 d-flex flex-column align-items-center text-center">
          <h5>
            <span class="badge bg-primary rounded-0 text-uppercase">Pricing</span>
          </h5>
          <h2 class="fw-bold">
            Flexible Pricing Options
          </h2>
        </div>
      </div>
      <div class="row justify-content-center">
        <!-- Pricing Col 1 -->
        <div class="col-md-3">
          <div class="card bg-secondary text-center rounded-0">
            <div class="card-body">
              <div class="xl-text fw-bold">$99</div>
              <h4 class="card-title text-primary text-uppercase fw-bold mb-5">
                Standard
              </h4>
              <p>
                Our standard pricing plan offers a comprehensive set of features
                for your software needs
              </p>
              <ul class="list-unstyled lh-lg mt-5">
                <li class="text-uppercase fs-5 fw-bold">
                  Subscribers List
                </li>
                <li class="text-uppercase fs-5 fw-bold">
                  User Admin Control
                </li>
              </ul>
              <a href="#contact" class="btn btn-primary text-white mt-6 fw-bold">Inquire</a>
            </div>
          </div>
        </div>
        <!-- Pricing Col 2 -->
        <div class="col-md-3">
          <div class="card bg-secondary text-center rounded-0">
            <div class="card-body">
              <div class="xl-text fw-bold">$199</div>
```

```
              <h4 class="card-title text-primary text-uppercase fw-bold mb-5">
                Advanced
              </h4>
              <p>
                Unlock additional enhanced capabilities. Take your software
                solutions to the next level
              </p>
              <ul class="list-unstyled lh-lg mt-5">
                <li class="text-uppercase fs-5 fw-bold">
                  Limited Storage Space
                </li>
                <li class="text-uppercase fs-5 fw-bold">
                  Free Cloud Storage
                </li>
              </ul>
              <a href="#contact" class="btn btn-primary text-white mt-6 fw-bold">Inquire</a>
            </div>
          </div>
        </div>
        <!-- Pricing Col 3 -->
        <div class="col-md-3">
          <div class="card bg-secondary text-center rounded-0">
            <div class="card-body">
              <div class="xl-text fw-bold">$299</div>
              <h4 class="card-title text-primary text-uppercase fw-bold mb-5">
                Complete
              </h4>
              <p>
                Our complete pricing plan offers an all-inclusive package with
                advanced features
              </p>
              <ul class="list-unstyled lh-lg mt-5">
                <li class="text-uppercase fs-5 fw-bold">
                  Deployment Protocol
                </li>
                <li class="text-uppercase fs-5 fw-bold">
                  Premium Support Pack
                </li>
              </ul>
              <a href="#contact" class="btn btn-primary text-white mt-6 fw-bold">Inquire</a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

  <!-- Projects -->
  <section id="projects" class="projects my-6">
    <div class="container">
      <div class="row mb-5">
        <div class="col-md-6 offset-md-3 d-flex flex-column align-items-center text-center">
          <h5>
            <span class="badge bg-primary rounded-0 text-uppercase">
              Projects
            </span>
          </h5>
          <h2 class="fw-bold">Projects We are Proud Of</h2>
          <p>
            We take pride in our successful projects and the value they bring to
            our clients. With our expertise and dedication, we have delivered
            exceptional results. Here are some highlights
          </p>
        </div>
      </div>

      <!-- Projects Row 1 -->
      <div class="row">
        <div class="col-md-4 mb-4">
          <div class="card bg-secondary">
            <a data-bs-toggle="modal" data-bs-target="#modal1">
              <img src="images/project-1.jpg" alt="" class="card-img-top">
              <div class="card-body">
                <p>
                  <strong>Orkla Foods</strong> - Donec bibeum mollis liga sit amet
                  pulvinar sed viverra noris
                </p>
              </div>
            </a>
          </div>
        </div>
        <div class="col-md-4 mb-4">
          <div class="card bg-secondary">
            <a data-bs-toggle="modal" data-bs-target="#modal2">
              <img src="images/project-2.jpg" alt="" class="card-img-top">
              <div class="card-body">
                <p>
                  <strong>First Bank</strong> - Donec bibeum mollis liga sit amet
                  pulvinar sed viverra noris
                </p>
              </div>
            </a>
          </div>
        </div>
        <div class="col-md-4 mb-4">
          <div class="card bg-secondary">
            <a data-bs-toggle="modal" data-bs-target="#modal3">
              <img src="images/project-3.jpg" alt="" class="card-img-top">
              <div class="card-body">
                <p>
                  <strong>All Sweets</strong> - Donec bibeum mollis liga sit amet
                  pulvinar sed viverra noris
                </p>
              </div>
```

```
            </a>
          </div>
        </div>
      </div>

      <!-- Projects Row 2 -->
      <div class="row">
        <div class="col-md-4 mb-4">
          <div class="card bg-secondary">
            <a data-bs-toggle="modal" data-bs-target="#modal4">
              <img src="images/project-4.jpg" alt="" class="card-img-top">
              <div class="card-body">
                <p>
                  <strong>Fast Courier</strong> - Donec bibeum mollis liga sit
                  amet pulvinar sed viverra noris
                </p>
              </div>
            </a>
          </div>
        </div>
        <div class="col-md-4 mb-4">
          <div class="card bg-secondary">
            <a data-bs-toggle="modal" data-bs-target="#modal5">
              <img src="images/project-5.jpg" alt="" class="card-img-top">
              <div class="card-body">
                <p>
                  <strong>Lyra Market</strong> - Donec bibeum mollis liga sit amet
                  pulvinar sed viverra noris
                </p>
              </div>
            </a>
          </div>
        </div>
        <div class="col-md-4 mb-4">
          <div class="card bg-secondary">
            <a data-bs-toggle="modal" data-bs-target="#modal6">
              <img src="images/project-6.jpg" alt="" class="card-img-top">
              <div class="card-body">
                <p>
                  <strong>Monday Stores</strong> - Donec bibeum mollis liga sit
                  amet pulvinar sed viverra
                </p>
              </div>
            </a>
          </div>
        </div>
      </div>
    </div>
  </section>
```

Project Modals

1. Code: index.html

```
<!-- Project Modals -->
<div class="project-modals">
  <!-- Modal 1 -->
  <div id="modal1" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content bg-secondary p-5">
        <div class="row">
          <div class="col-md-6">
            <img src="images/project-1.jpg" alt="" class="img-fluid">
          </div>
          <div class="col-md-6">
            <h3>Orkla Foods</h3>
            <p>
              Aliquam at accumsan nibh. Praesent pretium ut tortor ac commodo.
              Integer semper quam at rutrum interdum. Mauris eu diam ac urna
              laoreet mollis et
            </p>
            <p>
              Praesent lacus tortor, facilisis non enim eu, luctus semper velit.
              Curabitur faucibus diam in lectus.
            </p>
            <a href="#" class="btn btn-primary text-white">
              Details
            </a>
            <button class="btn btn-light" data-bs-dismiss="modal">Close</button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- Modal 2 -->
  <div id="modal2" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content bg-secondary p-5">
        <div class="row">
          <div class="col-md-6">
            <img src="images/project-2.jpg" alt="" class="img-fluid">
          </div>
          <div class="col-md-6">
            <h3>First Bank</h3>
            <p>
              Aliquam at accumsan nibh. Praesent pretium ut tortor ac commodo.
              Integer semper quam at rutrum interdum. Mauris eu diam ac urna
              laoreet mollis et
            </p>
            <p>
              Praesent lacus tortor, facilisis non enim eu, luctus semper velit.
              Curabitur faucibus diam in lectus.
            </p>
```

```
            <a href="#" class="btn btn-primary text-white">
              Details
            </a>
            <button class="btn btn-light" data-bs-dismiss="modal">Close</button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- Modal 3 -->
  <div id="modal3" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content bg-secondary p-5">
        <div class="row">
          <div class="col-md-6">
            <img src="images/project-3.jpg" alt="" class="img-fluid">
          </div>
          <div class="col-md-6">
            <h3>All Sweets</h3>
            <p>
              Aliquam at accumsan nibh. Praesent pretium ut tortor ac commodo.
              Integer semper quam at rutrum interdum. Mauris eu diam ac urna
              laoreet mollis et
            </p>
            <p>
              Praesent lacus tortor, facilisis non enim eu, luctus semper velit.
              Curabitur faucibus diam in lectus.
            </p>
            <a href="#" class="btn btn-primary text-white">
              Details
            </a>
            <button class="btn btn-light" data-bs-dismiss="modal">Close</button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- Modal 4 -->
  <div id="modal4" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content bg-secondary p-5">
        <div class="row">
          <div class="col-md-6">
            <img src="images/project-4.jpg" alt="" class="img-fluid">
          </div>
          <div class="col-md-6">
            <h3>Fast Courier</h3>
            <p>
              Aliquam at accumsan nibh. Praesent pretium ut tortor ac commodo.
              Integer semper quam at rutrum interdum. Mauris eu diam ac urna
              laoreet mollis et
            </p>
            <p>
              Praesent lacus tortor, facilisis non enim eu, luctus semper velit.
              Curabitur faucibus diam in lectus.
            </p>
            <a href="#" class="btn btn-primary text-white">
              Details
            </a>
            <button class="btn btn-light" data-bs-dismiss="modal">Close</button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- Modal 5 -->
  <div id="modal5" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content bg-secondary p-5">
        <div class="row">
          <div class="col-md-6">
            <img src="images/project-5.jpg" alt="" class="img-fluid">
          </div>
          <div class="col-md-6">
            <h3>Lyra Market</h3>
            <p>
              Aliquam at accumsan nibh. Praesent pretium ut tortor ac commodo.
              Integer semper quam at rutrum interdum. Mauris eu diam ac urna
              laoreet mollis et
            </p>
            <p>
              Praesent lacus tortor, facilisis non enim eu, luctus semper velit.
              Curabitur faucibus diam in lectus.
            </p>
            <a href="#" class="btn btn-primary text-white">
              Details
            </a>
            <button class="btn btn-light" data-bs-dismiss="modal">Close</button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- Modal 6 -->
  <div id="modal6" class="modal fade">
    <div class="modal-dialog modal-lg mt-7">
      <div class="modal-content bg-secondary p-5">
        <div class="row">
          <div class="col-md-6">
            <img src="images/project-6.jpg" alt="" class="img-fluid">
          </div>
          <div class="col-md-6">
            <h3>Monday Stores</h3>
            <p>
```

```
                Aliquam at accumsan nibh. Praesent pretium ut tortor ac commodo.
                Integer semper quam at rutrum interdum. Mauris eu diam ac urna
                laoreet mollis et
              </p>
              <p>
                Praesent lacus tortor, facilisis non enim eu, luctus semper velit.
                Curabitur faucibus diam in lectus.
              </p>
              <a href="#" class="btn btn-primary text-white">
                Details
              </a>
              <button class="btn btn-light" data-bs-dismiss="modal">Close</button>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

Newsletter Section & Footer

1. Code: index.html

```
<!-- Newsletter -->
<section id="newsletter" class="newsletter my-6">
  <div class="container">
    <div class="row mb-4">
      <div class="col-md-6 offset-md-3 d-flex flex-column align-items-center text-center">
        <h2 class="fw-bold">Subscribe and Follow</h2>
        <p>
          Stay updated with our latest news and announcements. Subscribe to our
          newsletter and follow us on social media for valuable insights and
          exciting updates.
        </p>
      </div>
    </div>
    <div class="row">
      <div class="col-md-6 offset-md-3 d-flex flex-column align-items-center text-center">
        <div class="input-group mb-3">
          <input type="email" name="" id="" class="form-control" placeholder="Enter Email Address">
          <button class="btn btn-primary text-white rounded-0" type="button">Submit</button>
        </div>
      </div>
    </div>
  </div>
</section>

<!-- Footer -->
<footer class="footer bg-secondary py-6">
  <div class="container">
    <div class="row">
      <div class="col-md-4 my-3">
        <h6>About Vera</h6>
        <p>
          Vera is a dedicated software solutions company that aims to provide
          exceptional services to its clients. We are committed to delivering
          innovative and customized solutions that meet your specific business
          needs.
        </p>
      </div>
      <div class="col-md-4 my-3">
        <h6>Links</h6>
        <ul class="list-unstyled">
          <li>
            Important: <a href="#">Terms & Conditions</a>,
            <a href="privacy.html">Privacy Policy</a>
          </li>
          <li>
            Useful: <a href="index.html#expertise">Expertise</a>,
            <a href="index.html#pricing">Pricing</a>,
            <a href="index.html#newsletter">Newsletter</a>
          </li>
          <li>
            Menu: <a href="index.html">Home</a>, <a href="index.html#details">Details</a>,
            <a href="index.html#solutions">Solutions</a>,
            <a href="index.html#projects">Projects</a>
          </li>
        </ul>
      </div>
      <div class="col-md-4 my-3">
        <div class="mb-4">
          <a href="#" class="text-decoration-none">
            <i class="fab fa-facebook fa-3x text-light mx-2"></i>
          </a>
          <a href="#" class="text-decoration-none">
            <i class="fab fa-twitter fa-3x text-light mx-2"></i>
          </a>
          <a href="#" class="text-decoration-none">
            <i class="fab fa-instagram fa-3x text-light mx-2"></i>
          </a>
          <a href="#" class="text-decoration-none">
            <i class="fab fa-pinterest fa-3x text-light mx-2"></i>
          </a>
        </div>
        <p>
          We would love to hear from you
          <a href="mailto:contact@site.com"><strong>contact@site.com</strong></a>
        </p>
      </div>
    </div>
  </div>
</footer>
```

Privacy Page

1. For inner pages, we need to specify the page

```
<a href="index.html#expertise">Expertise</a>
```

2. Code: privacy.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="preconnect" href="https://fonts.googleapis.com" />
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;700&display=swap" rel="stylesheet" />
  <link rel="stylesheet" href="css/font-awesome.css" />
  <link rel="stylesheet" href="css/bootstrap.css" />
  <link rel="stylesheet" href="css/styles.css" />
  <link rel="icon" href="images/favicon.png" />
  <title>Welcome To Vera</title>
</head>

<body>
  <nav class="navbar navbar-expand-lg sticky-top navbar-dark">
    <div class="container">
      <a class="navbar-brand" href="index.html">
        <img src="images/logo.svg" alt="" width="100" />
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavDropdown">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a class="nav-link" aria-current="page" href="index.html">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="index.html#solutions">Solutions</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="index.html#details">Details</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="index.html#expertise">Expertise</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="index.html#pricing">Pricing</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="index.html#projects">Projects</a>
          </li>
        </ul>
        <span class="nav-item">
          <span class="fa-stack">
            <a href="https://facebook.com" target="_blank">
              <i class="fas fa-circle fa-stack-2x"></i>
              <i class="fab fa-facebook-f fa-stack-1x text-white"></i>
            </a>
          </span>
          <span class="fa-stack">
            <a href="https://twitter.com" target="_blank">
              <i class="fas fa-circle fa-stack-2x"></i>
              <i class="fab fa-twitter fa-stack-1x text-white"></i>
            </a>
          </span>
        </span>
      </div>
    </div>
  </nav>

  <!-- Header -->
  <header class="bg-secondary p-5">
    <div class="container">
      <div class="row">
        <div class="col-12">
          <h1 class="fw-bold">Privacy Policy</h1>
        </div>
      </div>
    </div>
  </header>

  <!-- Page Content -->
  <section class="my-5">
    <div class="container">
      <div class="row">
        <div class="col-lg-10 offset-lg-1">
          <h2>1. Lorem ipsum dolor sit amet.</h2>
          <p class="mb-5">
            Lorem ipsum dolor, sit amet consectetur adipisicing elit. Sunt ipsum accusantium quo assumenda sit minus
            voluptatibus obcaecati quidem odit beatae.
          </p>
          <h4>1.1. Lorem, ipsum dolor.</h4>
          <p class="mb-5">
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Ex beatae culpa porro, eaque
            voluptatibus ab neque hic minima nulla iusto illo earum aspernatur dolor quos ut saepe libero excepturi
            eligendi?
          </p>
          <h2>2. Lorem ipsum dolor sit.</h2>
          <p class="mb-5">
```

```
            Lorem ipsum, dolor sit amet consectetur adipisicing elit. Saepe vitae suscipit placeat mollitia dignissimos
            enim minus, dolor minima! Numquam, ea.
          </p>
          <h4>2.1. Lorem ipsum dolor sit amet.</h4>
          <p class="mb-5">
            Lorem ipsum dolor sit amet consectetur adipisicing elit. Odio perferendis quisquam quas, unde pariatur
            itaque, labore consequuntur sapiente consectetur maiores, corporis incidunt molestiae nostrum obcaecati
            inventore nam ab voluptatum porro?
          </p>
          <ul class="list-unstyled mb-4 lh-lg">
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <p>
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Modi maiores illo exercitationem accusamus
                ducimus culpa?
              </p>
            </li>
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <p>
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Modi maiores illo exercitationem accusamus
                ducimus culpa?
              </p>
            </li>
            <li class="d-flex align-items-center">
              <i class="fas fa-check text-primary mx-3"></i>
              <p>
                Lorem ipsum dolor sit amet consectetur adipisicing elit. Modi maiores illo exercitationem accusamus
                ducimus culpa?
              </p>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </section>

  <!-- Footer -->
  <footer class="footer bg-secondary py-6">
    <div class="container">
      <div class="row">
        <div class="col-md-4 my-3">
          <h6>About Vera</h6>
          <p>
            Vera is a dedicated software solutions company that aims to provide
            exceptional services to its clients. We are committed to delivering
            innovative and customized solutions that meet your specific business
            needs.
          </p>
        </div>
        <div class="col-md-4 my-3">
          <h6>Links</h6>
          <ul class="list-unstyled">
            <li>
              Important: <a href="#">Terms & Conditions</a>,
              <a href="privacy.html">Privacy Policy</a>
            </li>
            <li>
              Useful: <a href="index.html#expertise">Expertise</a>,
              <a href="index.html#pricing">Pricing</a>,
              <a href="index.html#newsletter">Newsletter</a>
            </li>
            <li>
              Menu: <a href="index.html">Home</a>, <a href="index.html#details">Details</a>,
              <a href="index.html#solutions">Solutions</a>,
              <a href="index.html#projects">Projects</a>
            </li>
          </ul>
        </div>
        <div class="col-md-4 my-3">
          <div class="mb-4">
            <a href="#" class="text-decoration-none">
              <i class="fab fa-facebook fa-3x text-light mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-twitter fa-3x text-light mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-instagram fa-3x text-light mx-2"></i>
            </a>
            <a href="#" class="text-decoration-none">
              <i class="fab fa-pinterest fa-3x text-light mx-2"></i>
            </a>
          </div>
          <p>
            We would love to hear from you
            <a href="mailto:contact@site.com"><strong>contact@site.com</strong></a>
          </p>
        </div>
      </div>
    </div>
  </footer>

  <script src="js/replaceme.min.js"></script>
  <script src="js/bootstrap.bundle.min.js"></script>
  <script src="js/script.js"></script>
</body>

</html>
```