

2.3 GHz Intel Core i5 processor. Goodness-of-fit of the simulation was quantified by the explained variance in peak density at the ALAN source, defined as $1 - S_{\text{err}}/S_{\text{tot}}$, with S_{err} the sum of squared residuals between simulated and measured peak density, and S_{tot} the sum of squares of measured peak density. Explained variance for all parameterizations is reported in Table S2.

We visualized simulation runs for a high ($a = 0.95$) and a low ($a = 0.5$) disorientation probability, as well as for moderately strong ($\kappa = 0.2$) and weak ($\kappa = 0.1$) attraction to light (see Fig. 4). Parameterizations are illustrated in Fig. S8. We extracted from the runs the bird density increase factor at the ALAN source and a stabilization time, defined as the time required to reach 95% of the steady state peak density at the ALAN source.

1. La Sorte FA, *et al.* (2015) Seasonal changes in the altitudinal distribution of nocturnally migrating birds during autumn migration. *Royal Society Open Science* 2(12):150347.
2. Bellrose FC (1971) The distribution of nocturnal migrants in the air space. *The Auk* 88(2):397-424.
3. Bioacoustics Research Program (2011) *Raven Pro: interactive sound analysis software. Version 1.4* (The Cornell Lab of Ornithology, Ithaca, New York, USA).
4. Wood SN (2011) Fast stable restricted maximum likelihood and marginal likelihood estimation of semiparametric generalized linear models. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)* 73(1):3-36.
5. Farnsworth A, *et al.* (2016) A characterization of autumn nocturnal migration detected by weather surveillance radars in the northeastern USA. *Ecol. Appl.* 26(3):752-770.
6. Van Doren BM, Horton KG, Stepanian PM, Mizrahi DS, & Farnsworth A (2016) Wind drift explains the reoriented morning flights of songbirds. *Behavioral Ecology* 27(4):1122-1131.
7. Van Doren BM, Sheldon D, Geevarghese J, Hochachka WM, & Farnsworth A (2015) Autumn morning flights of migrant songbirds in the northeastern United States are linked to nocturnal migration and winds aloft. *The Auk* 132(1):105-118.
8. Stahel W (2017) *regr0: Building regression models*. R Package version 1.0-5/r80.
9. Sarkar D (2008) *Lattice: Multivariate Data Visualization with R* (Springer, New York).

10. Harrell Jr. FE (2017) *Hmisc: Harrell Miscellaneous*. R package version 4.0-3.
11. Wickham H (2009) *ggplot2: Elegant Graphics for Data Analysis* (Springer-Verlag, New York).
12. Wilke CO (2017) *cowplot: Streamlined Plot Theme and Plot Annotations for 'ggplot2'*. R package version 0.8.0.
13. Horton KG, Van Doren BM, Stepanian PM, Farnsworth A, & Kelly JF (2016) Seasonal differences in landbird migration strategies. *The Auk* 133(4):761-769.