






Dashboard

▼ Courses

 Learn Python	0%
 Learn Ruby	0%
 Learn HTML	100%
 Learn CSS	100%

Continue Learning



Learn CSS

Great job completing Learn CSS!

Completed

View All Courses

[Reset Progress](#)

Great job finishing CSS Color. Continue learning by visiting our Course Catalog and starting a new course.

Example

```
<h1 style="background-color:DodgerBlue">Hello World</h1>  
<p style="background-color:Tomato">Lorem ipsum...</p>
```

Try it Yourself »

Text Color

You can set the color of text:

Hello World

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Example

```
<h1 style="color:Tomato">Hello World</h1>  
<p style="color:DodgerBlue">Lorem ipsum...</p>  
<p style="color:MediumSeaGreen">Ut wisi ad...</p>
```

Try it Yourself »

Border Color

Example

```
body {  
  background-color: lightblue;  
}
```

Try it Yourself »

With CSS, a color is most often specified by:

- a valid color name - like "red"
- a HEX value - like "#ff0000"
- an RGB value - like "rgb(255,0,0)"

Look at [CSS Color Values](#) for a complete list of possible color values.

In the example below, the <h1>, <p>, and <div> elements have different background colors:

Example

```
h1 {  
  background-color: green;  
}  
  
div {  
  background-color: lightblue;  
}  
  
p {  
  background-color: yellow;
```

Run »

```
<!DOCTYPE html>
<html>
<head>
<style>
p.dotted {border-style: dotted;}
p.dashed {border-style: dashed;}
p.solid {border-style: solid;}
p.double {border-style: double;}
p.groove {border-style: groove;}
p.ridge {border-style: ridge;}
p.inset {border-style: inset;}
p.outset {border-style: outset;}
p.none {border-style: none;}
p.hidden {border-style: hidden;}
p.mix {border-style: dotted dashed solid double;}
</style>
</head>
<body>

<h2>The border-style Property</h2>
<p>This property specifies what kind of border to display:</p>

<p class="dotted">A dotted border.</p>
<p class="dashed">A dashed border.</p>
<p class="solid">A solid border.</p>
<p class="double">A double border.</p>
<p class="groove">A groove border.</p>
<p class="ridge">A ridge border.</p>
<p class="inset">An inset border.</p>
<p class="outset">An outset border.</p>
<p class="none">No border.</p>
<p class="hidden">A hidden border.</p>
<p class="mix">A mixed border.</p>

</body>
</html>
```

Result Size: 945 x 825

The border-style Property

This property specifies what kind of border to display:

A dotted border.

A dashed border.

A solid border.

A double border.

A groove border.

A ridge border.

An inset border.

An outset border.

No border.

A hidden border.

A mixed border.

Type here to search

9:46 PM
10/11/2017

Using individual margin properties

This div element has a top margin of 100px, a right margin of 150px, a bottom margin of 100px, and a left margin of 80px.

Run »

Result Size: 945 x 825

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
  border: 1px solid black;
  background-color: lightblue;
  padding-top: 50px;
  padding-right: 30px;
  padding-bottom: 50px;
  padding-left: 80px;
}
</style>
</head>
<body>

<h2>Using individual padding properties</h2>

<div>This div element has a top padding of 50px, a right padding of 30px, a bottom padding of 50px, and a left
padding of 80px.</div>

</body>
</html>
```

Using individual padding properties

This div element has a top padding of 50px, a right padding of 30px, a bottom padding of 50px, and a left padding of 80px.

Type here to search

9:45 PM 10/11/2017