PDF ingestion test document

A small, intentionally structured file to exercise page splitting, text extraction, headings, Unicode and tables.

DOCUMENT ID	LANGUAGE	EXPECTED PAGES
INGEST-2026-001	English + Hungarian	3

1. Introduction

This document is designed for testing a PDF ingestion pipeline. Its content is selectable text, not a scanned image. A successful extractor should recover the text and preserve the correct page number for each section.

The unique page marker is **PAGE_ONE_ALPHA_173**. Search for this exact token in your extracted text.

1.1 What to check

• MIME detection should return **application/pdf**.

• Text extraction should return words in a readable order.

• Page mapping should associate this content with page 1.

• File size should be determined from file metadata rather than from **io.ReaderAt**.

1.2 Hungarian characters

Árvíztűrő tükörfúrógép. Ősz, űrhajó, gyönyörű, mérnökinformatika. These characters test UTF-8 and font decoding.

1.3 Short sample paragraph

An ingestion job usually reads the file bytes, determines the content type, extracts each page, normalizes text, splits content into chunks and stores the resulting records for search. Each stage may fail independently, so keeping page metadata is useful.

Expected extracted marker: **PAGE_ONE_ALPHA_173**.

Structured data and tables

Page 2 checks table reading order, numbers, currency, percentages and aligned cells.

2. Sample invoice lines

These are fictional amounts. The unique page marker is **PAGE_TWO_BETA_284**.

Description	Qty	Unit price	Net amount	VAT
Electrical installation / Villanyszerelés	2 h	8,000 HUF	16,000 HUF	27%
Site visit / Kiszállási díj	1 pc	5,000 HUF	5,000 HUF	27%
Net total			21,000 HUF	
VAT total			5,670 HUF	
Grand total			26,670 HUF	

2.1 Key-value fields

Invoice number: INV-2026-0042

Issue date: 2026-10-29

Currency: HUF

Reference: TEST-REF-9C73

2.2 Data validation

The arithmetic in the table is consistent: 21,000 + 5,670 = 26,670. Parsers should preserve digit groups and decimal symbols where possible.

Expected extracted marker: **PAGE_TWO_BETA_284**.

Technical content and diagram

Page 3 checks URLs, code-like text, symbols and a vector graphic.

3. Example Go interface

The unique page marker is **PAGE_THREE_GAMMA_395**.

```
type Page struct {
    Number          int
    OriginalContent string
    MarkdownContent string
}
```

3.1 Sample source references

Website: https://example.org/test

Contact: ingestion@example.org

Identifier: **doc_018f8a7e-54d3-7b18-99e1-d53a63a032bf**

3.2 Processing pipeline



This diagram consists of vector shapes, not embedded text paragraphs. Some PDF extractors may recover its labels, while others may ignore them. That is useful for testing the limitations of your extractor.

3.3 Edge-case strings

Mixed punctuation: (alpha), [beta], {gamma}; 12.5%, EUR 1,249.99, and -42.

Accented text: Budapest, München, Ålesund, São Paulo, café, őrület, tűz.

Expected extracted marker: **PAGE_THREE_GAMMA_395**.