

Salesforce Developer - NM Engg

EVENTFORCE MANAGEMENT SYSTEM

Team Lead : GURUKARTHICK D

Team Member : NIVASH B

Team Member : ASHOK KUMAR S

Team Member : SIVANESH V

EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION

User Story:

The EventForce Management System is designed to provide a centralized Salesforce-based solution for managing event planning operations, including client bookings, event scheduling, venue reservations, vendor coordination, cancellation approvals, reminders, and feedback collection. The system enables event teams to manage Events, Clients, Vendors, Venues, and Feedback using a structured Salesforce data model with appropriate relationships. Automated Flows handle event reminders and process updates, while an Approval Process manages event cancellation requests. Apex Classes and Triggers support advanced business logic such as venue availability updates and prevention of double bookings. A Lightning App, Reports, and Dashboards provide real-time visibility into event schedules, vendor activities, and operational performance. This initiative improves event management efficiency, booking coordination, data accuracy, communication, operational visibility, and customer experience.

1. INTRODUCTION

1. Project Overview :

The EventForce Management System is a Salesforce-based CRM solution developed to centralize and streamline event planning and management operations. The system manages clients, events, venues, vendors, feedback, and event cancellations within a structured Salesforce platform.

The solution uses custom objects, relationships, validation rules, Flows, Approval Processes, Apex Triggers and Classes, Reports, and Dashboards to automate key business processes. It supports venue availability management, prevention of double bookings,

automated event reminders, cancellation approvals, feedback management, and operational reporting.

The project aims to reduce manual effort, improve booking coordination and data accuracy, enhance communication with clients and operational teams, and provide better visibility into event activities through a centralized Salesforce platform.

1.2 Purpose :

The purpose of the EventForce Management System is to provide a centralized Salesforce platform for managing and automating event planning operations. The system is designed to:

- Centralize client, event, venue, vendor, and feedback information.
- Streamline event booking and venue reservation processes.
- Prevent double booking of venues through automated Apex logic.
- Automate event reminders and cancellation approval processes.
- Improve coordination between clients, event coordinators, vendors, and venue managers.
- Provide reports and dashboards for better operational visibility and decision-making.
- Reduce manual processes, improve data accuracy, and enhance the overall client experience.


2. IDEATION PHASE

1. Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Event Operations Manager	manage event planning	client, event, venue, and vendor	event management activities	frustrated and concerned

		operations efficiently	information is difficult to manage centrally	require coordination across multiple areas	
PS-2	Event Coordinator	create and manage event bookings efficiently	event details, client information, and venue reservations require multiple manual activities	there is no centralized platform for managing the complete event lifecycle	overwhelmed and frustrated
PS-3	Venue Manager	manage venue availability accurately	the same venue may be assigned to multiple events	venue bookings need proper availability tracking and double-booking prevention	concerned and uncertain
PS-4	Vendor Manager	coordinate vendors for different events	vendor details and event assignments need to be managed separately	events can require multiple vendors and services	overwhelmed and concerned
PS-5	Event Coordinator	communicate event information and reminders on time	reminders have to be handled manually	there is a need to notify clients before upcoming events	stressed and concerned

PS-6	Event Administrator	manage event cancellation requests systematically	cancellation requests require approval and status updates	cancellation decisions need a controlled approval process	frustrated and uncertain
PS-7	Event Coordinator	collect and manage client feedback	feedback information needs to be maintained along with event and client details	feedback is related to both events and clients	concerned about customer satisfaction
PS-8	Event Operations Manager	monitor event operations and performance	operational information is not easily visible in one place	event data needs to be organized into reports and dashboards	concerned and less confident in decision-making



2.2 Empathy Map Canvas


User Persona: Event Coordinator

Role: Event Coordinator

Primary Responsibility: Manage event bookings, client requirements, venue reservations, vendor coordination, reminders, and event status updates.

- **Think & Feel:** Wants to manage events smoothly, avoid booking conflicts, and provide a reliable experience to clients.
- **Hear:** Receives requirements and updates from clients, vendors, venue managers, and event administrators.
- **See:** Event details, client information, venue availability, vendor assignments, cancellations, and feedback.
- **Say & Do:** Coordinates with stakeholders, updates event records, manages bookings, follows up on requirements, and monitors event progress.

- **Pain:** Manual coordination, fragmented information, venue double-booking risks, and difficulty tracking multiple event activities.
- **Gain:** Centralized event information, automated reminders and processes, accurate venue availability, better coordination, and improved operational visibility.



2.3 Brainstorming & Idea Prioritization

Ideas Considered

Idea	Approach	Key Limitation
Manual Registers	Maintain event, client, venue, and vendor details manually	Time-consuming and difficult to maintain
Spreadsheet Tracking	Track bookings and event information using spreadsheets	Limited automation and real-time coordination
Standalone Portal	Develop a dedicated portal for event management	Higher development and maintenance effort
Salesforce CRM	Centralize event operations on a Salesforce platform	Requires proper configuration and implementation

Final Selection

Salesforce CRM selected due to:

- Automation – Automates reminders, approvals, status updates, and business processes.
- Scalability – Supports expanding event operations, users, records, and business requirements.
- Real-Time Visibility – Provides centralized data, reports, and dashboards for operational monitoring.

Decision: Salesforce CRM provides the best fit for creating a centralized, automated, and scalable EventForce Management System.



3. REQUIREMENT ANALYSIS PHASE

1. Customer Journey Map

Stage	Customer Journey Stage	What Happens
1	Event Enquiry & Client Registration	Client requirements and contact details are captured in Salesforce.
2	Event Planning & Booking	Event details such as event type, date, budget, and status are created and managed.
3	Venue Selection & Reservation	Suitable venues are identified, availability is checked, and reservations are managed while preventing double bookings.

Stage	Customer Journey Stage	What Happens
4	Vendor Coordination	Vendors and required services are assigned to events and their availability/status is coordinated.
5	Event Confirmation & Communication	Confirmed events trigger automated communication, including reminders sent to clients before the event.
6	Event Execution & Monitoring	Event progress and operational information are monitored through Salesforce records, reports, and dashboards.
7	Cancellation & Approval	Cancellation requests are submitted through the approval process, with appropriate status updates and notifications.
8	Feedback & Closure	Client feedback is captured after the event, and completed events are updated for operational tracking and future analysis.



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Event management
FR-2	Client management
FR-3	Venue management
FR-4	Vendor management
FR-5	Event–vendor assignment
FR-6	Venue availability & double-booking prevention
FR-7	Automated event reminders
FR-8	Event cancellation approval
FR-9	Feedback management
FR-10	Reports & dashboards
FR-11	Event status automation
FR-12	Data migration through Data Import Wizard

Non-Functional Requirements

NFR	Description
Usability	Lightning App for easy event management and navigation
Security	Profile-, role-, and permission-based access control
Reliability	Accurate automation, approvals, and venue booking validation

Performance	Efficient processing of event and operational data
Availability	Cloud-based Salesforce access for authorized users
Scalability	Supports growing events, clients, vendors, venues, and users
Maintainability	Flows, Apex, validation rules, and security can be monitored and updated
Data Integrity	Validation and controlled data migration to maintain accurate records

3.3 Data Flow Diagram

Flow:

Client / Event Team



Enter Client & Event Details



Salesforce EventForce System



Validate & Store Data



Event, Client, Venue & Vendor Records



Check Venue Availability



Assign Venue & Vendors



Confirm Event



Automated 3-Day Reminder



Event Execution & Status Updates



Feedback Collection



Reports & Dashboards

Supporting Flows

Cancellation Request

Event Coordinator → Cancellation Request → Approval Process → Approved / Rejected
→ Event Status Update → Notifications

Venue Booking Validation

Event → Apex Trigger → Venue Status Helper → Check Existing Venue & Event Date
→ Prevent Double Booking / Update Venue Availability

Event Completion

Event Date Passed → Scheduled Apex → Batch Process → Event Status = Completed

Simple DFD Representation

Clients / Event Coordinators / Vendor Managers / Venue Managers



Salesforce CRM – EventForce



Custom Objects: Event | Client | Vendor | Venue | Feedback | EventVendor



Automation & Business Logic: Flows | Approval Process | Apex




Operational Data & Status Updates



Reports & Dashboards



Event Operations & Decision Making



3.4 Technology Stack

Layer	Technology
Platform	Salesforce CRM / Developer Edition
UI	Salesforce Lightning App
Database	Salesforce Custom Objects
Business Logic	Salesforce Flows, Formula Fields, Validation Rules
Approval	Salesforce Approval Process
Automation	Record-Triggered Flows, Apex Triggers
Processing	Batch Apex, Scheduled Apex
Security	Profiles, Roles, Permission Sets, Sharing Rules, OWD

Reporting	Reports & Dashboards
-----------	----------------------

4. PROJECT DESIGN PHASE

1. Problem–Solution Fit

The EventForce Management System provides a strong fit between identified event-management problems and Salesforce capabilities. The solution combines custom data structures, automation, Apex business logic, approval processes, security controls, and reporting to address the operational challenges of event planning and coordination.

Problem	Solution – EventForce Salesforce System	Fit / Benefit
Client, event, venue, and vendor information is difficult to manage centrally	Custom Salesforce objects for Event, Client, Venue, Vendor, Feedback, and EventVendor	Centralized and structured event data
Event booking requires multiple manual activities	Salesforce Flows and automated processes	Reduces manual effort and improves process efficiency
Risk of venue double booking	Apex Trigger and VenueStatusHelper	Validates venue availability and prevents double bookings
Vendor coordination is difficult to track	EventVendor junction object and Vendor records	Supports event–vendor assignment and coordination
Clients may not receive timely event reminders	3-Day Reminder Flow	Automates reminder communication before confirmed events

Problem	Solution – EventForce Salesforce System	Fit / Benefit
Cancellation requests require controlled processing	Event_Cancellation_Process Approval Process	Provides structured approval and status updates
Client feedback needs to be connected with events	Feedback object with Event and Client relationships	Enables organized feedback management
Operational information is difficult to monitor	Reports and EventForce Operations Dashboard	Provides better visibility for monitoring and decisions
Different users require different levels of access	Profiles, Roles, Permission Sets, OWD, and Sharing Rules	Provides controlled and secure data access



4.2 Proposed Solution

Functional Requirements


Parameter	Description
Problem	Manual and fragmented event management
Solution	Salesforce CRM
Innovation	Automated event reminders, venue validation, and cancellation approvals
Impact	Faster event coordination and improved operational visibility
Business Model	Centralized event planning and management
Scalability	Supports growing events, clients, vendors, venues, and users

3. Solution Architecture

Components:

- Event Object
- Client Object
- Vendor Object
- Venue Object
- EventVendor Junction Object
- Feedback Object
- Validation Rules
- Formula Fields
- Flows
- Approval Process
- Apex Triggers
- Apex Classes
- Batch Apex
- Scheduled Apex
- Profiles & Roles
- Permission Sets & Sharing Rules
- Data Import Wizard
- Lightning App

- Reports
- Dashboards



5. PROJECT PLANNING & SCHEDULING

1. Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Event Management	US-01	As an Event Coordinator, I want to create events with type, date, and status so that event information is standardized.	3	High	Member1
Sprint-1	Client & Venue Management	US-02	As an Event Coordinator, I want to associate a client and venue with an event so that coordination is centralized.	5	High	Member2
Sprint-2	Vendor Management	US-03	As a Vendor Manager, I want to assign multiple vendors to an event so that services can be coordinated.	5	High	Member3
Sprint-2	Notifications & Automation	US-04	As a Client, I want timely event reminders so that I know when my event is approaching.	3	High	Member4
Sprint-3	Approval Management	US-05	As an Event Coordinator, I want cancellation requests to follow an approval process so that cancellations are controlled.	5	High	Member1
Sprint-3	Venue Management & Apex	US-06	As a Venue Manager, I want double bookings prevented so that venue schedules remain accurate.	8	High	Member2
Sprint-4	Security & Access Control	US-07	As an Event Administrator, I want role-based access so that users see only appropriate information.	5	High	Member3
Sprint-4	Reports & Dashboards	US-08	As Management, I want reports and dashboards so that event operations can be monitored.	5	Medium	Member4

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022		
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)

6. Project Development Phase:

Phase 1: Requirement Analysis & Planning

Build an EventForce Management System in Salesforce to help event planners manage client bookings, vendor coordination, venue reservations, and feedback collection — all within a single CRM platform. The system automates key processes such as event scheduling, cancellation approvals, and client reminders, while providing real-time visibility through reports and dashboards.

Functional Scope :

- Custom objects (Event, Client, Vendor, Venue, Feedback, and Event Vendor (Junction Object)).
- Relationship modeling: Lookup, Master-Detail, and Many-to-Many (Event ↔ Vendor).
- Automation using Flows for reminders, feedback notifications, and approval updates.
- Validation Rules and Formula Fields to ensure accurate data entry and event budget calculation.
- Approval Processes for event cancellation requests with email alerts to coordinators and clients.
- Profiles, Roles, and Permission Sets to manage user-level access and security.
- Reports and Dashboards for event summary, vendor performance, and upcoming event insights.

Stakeholder Mapping:

- Clients: Request event services, provide feedback, and view event updates.
- Event Coordinators: Manage event scheduling, client communication, and approval workflows.
- Vendors: Handle assigned event services like catering, decor, and logistics.
- Venue Managers: Manage venue availability and reservations.
- Event Administrators: Oversee system operations, security, and data monitoring.

Execution Roadmap:

1. Object & Field Setup –Creation of Event, Client, Vendor, Venue, Feedback, and Event Vendor objects.
2. Automation Flows –Implement record-triggered flows for event reminders and approvals.
3. Validation Rules & Formula Fields –Enforce data accuracy and budget calculations.
4. Profiles, Roles, and Permission Sets –Configure user access and record visibility.
5. Approval Process –Automate event cancellation request workflow with notifications.
6. Apex Classes & Triggers –Update venue availability and prevent double bookings.
7. Reports & Dashboards –Create analytics for upcoming events and performance insights.

Phase 2 : Backend Development & Configurations

The Backend & Configuration phase built the core functional engine of the EventForce Management System. Using a combination of Salesforce Flows, Apex logic, and Security configurations, this phase focused on developing the system's automation backbone to manage events, clients, vendors, venues, and feedback efficiently.

Declarative tools such as Record-Triggered Flows, Validation Rules, Formula Fields, and Approval Processes were used extensively to automate booking confirmations, reminders, and cancellation approvals. Meanwhile, Apex Classes and Triggers handled advanced business logic like venue availability updates and preventing double bookings, ensuring operational accuracy and scalability.

The phase also included implementing Profiles, Roles, Permission Sets, and Sharing Rules to define user-level access, maintaining data integrity and security across all modules. Altogether, this phase transformed the EventForce application from a static structure into a dynamic, automated, and secure CRM system capable of handling real-world event management workflows.

Milestone 1 : Salesforce Account

What Is Salesforce ?

Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.


Activity 1: Creating Developer Account

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign up form, enter the following details :
 - First name & Last name
 - Email
 - Role : Developer
 - Company : College Name
 - County : India
 - Postal Code : pin code
 - Username : should be a combination of your name and company


This need not be an actual email id, you can give anything in the format :
username@organization.com

Click on sign me up after filling these.




Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins.



2. Click on Verify Account
3. Give a password and answer a security question and click on change password.
4. Then you will redirect to your salesforce setup page.



Data Architecture :

Created Custom objects:

1. Event__c
(Fields: Event Name, Event Date, Event Type, Event Status, Event Budget)
2. Client__c
(Fields: Client Name, Email, Phone, Address, Country, City)
3. Vendor__c
(Fields: Vendor Name, Email, Phone, Service Type, Status)
4. Venue__c
(Fields: Venue Name, Address, Location (URL), Capacity, Availability Status)
5. Feedback__c
(Fields: Feedback ID (Auto Number), Rating, Comments)
6. EventVendor__c (Junction Object)
(Links Event ↔ Vendor for Many-to-Many relationship)

Relationships:

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

Steps to Implement :

Milestone 2- Object:

What is an object?

Salesforce objects are database tables that permit you to store data that is specific to an organization. It consists of fields (columns) and records (rows).

In This Application We Use 5 Custom Objects:

1. Event

2. Client

3. Vendor

4. Venue

5. Feedback

Activity 1: Create Event Object

To create a custom object, follow these steps:

1. From setup click on object manager.
2. Click create, select custom object.
3. Fill in the label as " Event ".
4. Fill in the plural label as " Events ".
5. Record name: "Event Name"



6. Select the data type as "Text".

Custom Object Definition Edit [Save] [Save & New] [Cancel]

Custom Object Information 1% Required Information

The singular and plural labels are used in table, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-sensitive help setting: ☒ Open the standard Salesforce.com help & training window. ☐ Open a website using a Salesforce page.

Context Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, key tabs, related lists, desktops, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name: Example: Account Name

Date Type: Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing [?](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☒ Add Notes and Attachments related list to default page layout

☐ Launch New Custom Tab Wizard after saving this custom object.

[Save] [Save & New] [Cancel]

7. In the Optional Features section, select Allow Reports, Allow Activities and Track Field History.

8. In the Deployment Status section, ensure Deployed is selected.

9. In the Search Status section, select Allow Search.
10. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.
11. Leave everything else as is, and click Save.

Activity 2: Create Client Object

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
 - a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Client
 - c. Plural Label: Clients
 - d. Record Name: Client Name
 - e. Select the data type as "Text".
 - f. Check the Allow Reports checkbox
 - g. Check the Allow Search checkbox
 - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
 - i. Click Save.

Activity 3: Create Vendor Object

1. Click on the gear icon and then select Setup.
 2. Click on the object manager tab just beside the home tab.
 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
- a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Vendor
 - c. Plural Label: Vendors
 - d. Record Name: Vendor Name
 - e. Select the data type as "Text".
 - f. Check the Allow Reports checkbox
 - g. Check the Allow Search checkbox
 - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
 - i. Click Save.

Activity 4: Create Venue Object

1. Click on the gear icon and then select Setup.

2. Click on the object manager tab just beside the home tab.
 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
- a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Venue
 - c. Plural Label: Venues
 - d. Record Name: Venue Name
 - e. Select the data type as "Text".
 - f. Check the Allow Reports checkbox
 - g. Check the Allow Search checkbox
 - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
 - i. Click Save.

Activity 5: Create Feedback Object

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.

- a. On the Custom Object Definition page, create the object as follows:
- b. Label: Feedback
- c. Plural Label:Feedbacks
- d. Record Name: Feedback
- e. Select the data type as "Auto Number".
- f. Under display format enter "F-{0000}"
- g. Enter starting number as 0
- h. Check the Allow Reports checkbox.
- i. Check the Allow Search checkbox.
- j. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.
- k. Click Save.

Milestone 3 - Tabs

Tab:

Tabs in Salesforce help users view the information at a glance. It displays the data of objects and other web content in the application.

Standard Object Tabs:


Standard object tabs display data related to standard objects.

Custom Object Tabs:

Activity 1: Creating a Custom Tab(Event)

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.





3. For Object, select Event

4. For Tab Style, select any icon.

5. Leave all defaults as is. Click Next, Next, and Save.

Activity 2: Creating a Custom Tab(Client)

Creation of Client tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.

2. Under custom object tabs, click New.

3. For Object, select Client.

4. For Tab Style, select any icon.

5. Leave all defaults as is. Click Next, Next, and Save.

Activity 3: Creating a Custom Tab(Vendor)

Creation of Vendor tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Vendor.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 4: Creating a Custom Tab(Venue)

Creation of Venue tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Venue.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 5: Creating a Custom Tab(Feedback)

Creation of Feedback tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Feedback.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Milestone 4 – Fields and Relationship:

What are fields ?

Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record.


There are 2 types of fields in salesforce:

- **Standard fields:** There are four standard fields in every custom object that are Created By, Last Modified By, Owner, and the field created at the time of the creation of an object. These fields cannot be deleted or edited and they are always required. For standard objects, the fields which are present by default in them and cannot be deleted from standard objects are standard fields.
- **Custom fields:** The Custom fields which are added by the administrator/developer to meet the business requirements of any organization. They may or may not be required.

Activity 1: Creation of fields for the Event object:

1. Click the gear icon and select Setup. This launches Setup in a new tab.
2. Click the Object Manager tab next to Home.
3. Select Event
4. Select Fields & Relationships from the left navigation, and click New
5. From the sidebar, click Fields & Relationships. Notice that there are already some fields there.

Those are the standard fields.



Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist.

6. Choose the data type as Picklist, click next

SETUP > OBJECT MANAGER

Event

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Links
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

☐ DateTime
☐ Email
☐ Enumeration
☐ Number
☐ Percent
☐ Phone
☒ Picklist
☐ Picklist (Multi-Select)
☐ Text
☐ Text Area
☐ Text Area (Long)
☐ Text Area (Rich)
☐ Text (Encrypted)
☐ Time
☐ URL
☐ Address

Allows users to enter a date and time, or just a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distances.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:00 PM", "10:00", and "10:00:00" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Allows users to enter a street, city, state/province, zip/postal code, and country, or to search for an address with an external tool. When a user selects an address using the tool, the street, city, state/province, zip/postal code, and country are populated.

Next Cancel

7. For Field Label, “**Event Type**”

8. Select Enter values, with each value separated by a new line and Enter The following Values:

- Wedding
- Corporate
- Birthday
- Anniversary
- Festival
- Concert
- Other

Event

New Custom Field

Step 2 of 4: Enter the details

Field Label:

☐ Use global picklist value set
☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered
☐ Use first value as default value
☒ Restrict picklist to the values defined in the value set

Field Name:

Description:

Previous Next Cancel

9. Click next,next and save.

Now let's create the other fields following the above Activity1 steps ,we must choose the data types of the fields carefully.

1.Select the Date as the Data Type, then click Next.

For Field Label, **“Event Date”**,Click Next, Next, then Save & New.

2. Select the Picklist as the Data Type, then click Next. For Field Label **“Event Status”**,Select The Enter values, with each value separated by a new line and Enter The Values:

- Planned
- Confirmed
- Completed
- Pending Cancellation
- Canceled
- Rejected

Create Formula Field For Event Budget in a Event object:

1. Select Data type as “Formula” and click Next.

The screenshot shows the 'New Custom Field' setup page for the 'Event' object. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'New Custom Field' and shows 'Step 1: Choose the field type'. Below this, it says 'Specify the type of information that the custom field will contain.' The 'Data Type' section lists four options: 'Text/Select', 'Auto Number', 'Formula' (selected and highlighted with a red box), and 'Lookup Relationship'. Each option has a brief description. The 'Formula' description states: 'A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record. A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change. A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.' The 'Next' button is highlighted with a red box.

2. Enter field label Event Budget.
3. Select formula return type Currency, Click Next.

Event
New Custom Field

Step 2 of 5

Field Label: **Event Budget** Field Name: **Event_Budget**

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected Select one of the data types below.

☐ Checkbox Calculate a boolean value.
Example: `TODAY() < CloseDate`

☒ **Currency** Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `Gross Margin / Amount * Cost`

☐ Date Calculate a date, for example, by adding or subtracting days to other dates.
Example: `Reminder Date = CloseDate - 7`

☐ DateTime Calculate a datetime, for example, by adding a number of hours or days to another datetime.
Example: `Next 7 Hours`

☐ Number Calculate a numeric value.
Example: `Fahrenheit = 1.8 * Celsius`

Previous **Next** Cancel

4. Create and insert formula:

```
CASE(
  TEXT(Event_Type_c),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

5. Check the syntax.

Simple Formula Advanced Formula

Insert Field Use Formula Assistant Insert Operator

Event Budget (Currency)

```
CASE(
  TEXT(Event_Type_c),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

Functions: All Function Categories, ABS, ACOS, ADDMONTHS, AND, ASCII, ASIN, Insert Selected Function

Check Syntax No syntax errors in merge fields or functions. (Compiled size: 478 characters)

6. Click Next, Next, then Save.

Activity 2: Creation of fields for the Client object:

1. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”, Click Next, Next, then Save & New.

2. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”, Click Next, Next, then Save.

3. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”, Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Country**”, Select The Enter values, with each value separated by a new line and Enter The Values:

- India
- Philippines
- Saudi Arabia
- USA
- Switzerland
- Thailand
- Maldives
- Dubai
- Sri Lanka
- Bangkok
- Singapore
- Myanmar
- France
- Nepal

5. Click Save.

6. Select the Picklist as the Data Type, then click Next. For Field Label “**City**”, Select The Enter values, with each value separated by a new line and Enter The Values:

- Hyderabad
- Mumbai
- Delhi
- Bangalore
- Chennai
- Alaminos
- Angeles City
- Palayan
- Quezon City
- San Juan
- Riyadh
- Jeddah
- Tayma
- Dammam
- Medina
- New York
- Los Angeles
- Chicago
- Houston
- Columbus
- Geneva
- Basel
- Lausanne
- Bern

- Lucerne

7. Click Save.

Activity 3: Creation of fields for the Vendor object:

1. Select the Multi Select Picklist as the Data Type, then click Next. For Field Label “**Service Type**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Catering
- Decor
- Photography
- Videography
- Lighting
- Stage Setup
- Makeup Artist
- DJ/Music
- Transportation
- Hosting/Anchor

2. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”, Click Next, Next, then Save & New.

3. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”, Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Booked
- Cancelled

Activity 4: Creation of fields for the Venue object:

1. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”, Click Next, Next, then Save.

2. Select the URL as the Data Type, then click Next.

For Field Label, “**Location**”, Click Next, Next, then Save.

3. Select the Number as the Data Type, then click Next.

For Field Label, “**Capacity**” Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Availability Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Reserved
- Not Available

Activity 5: Creation of fields for the Feedback object:

1. Select the Picklist as the Data Type, then click Next. For Field Label “**Rating**”,

Select Enter values, with each value separated by a new line and Enter The Values:

- 1
- 2

- 3
- 4
- 5

2. Select the Long Text as the Data Type, then click Next.

For Field Label, “**Comments**”, Click Next, Next, then Save.

Relationships:

Activity 1:

Creation lookup relationship for the Event objects:

Let's create lookup relationship on Event object

First lookup relationship

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next

Setup > OBJECT MANAGER > Event

New Custom Field

Step 1: Choose the field type

Specify the type of information that this custom field will contain:

Data Type

- ☐ None Selected
- ☐ Auto Number
- ☐ Formula
- ☐ Roll-Up Summary
- ☒ **Lookup Relationship**
- ☐ Master Detail Relationship

Next Cancel

- Choose the related object as Venue & click next

Event > New Relationship

Step 2: Choose the related object

Select the other object to which this object is related:

Related To: **Venue**

Previous **Next** Cancel

- Give the field label(Venue) & click next, next, next and Save.

Event
New Relationship

Step 3: Enter the label and name for the lookup field Step 3 of 8

Field Label:

Field Name:

Description:

Help Text:

Child Relationship Name:

(Required) ☐ Always require a value in this field in order to save a record.

What to do if the lookup record is deleted? ☒ Clear the value of this field. You can't choose this option if you make this field required.

☐ Don't allow deletion of the lookup record that's part of a lookup relationship.

Auto-add to custom report type ☒ Add this field to existing custom report types that contain this entity.

Create Many-to-Many Relationship (Event ↔ Vendor)

Salesforce doesn't allow direct many-to-many, so we create a **junction object** (EventVendor__c) :

Go to Object Manager → Create New Custom Object

- Label: Event Vendor
- Object Name: EventVendor__c

Setup Home Object Manager

New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Set object permissions](#) [Get object permissions](#)

Custom Object Definition Edit

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with word "record" ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account


Description:

Custom Definition Help: Setting ☒ Open for standard Salesforce.com help & training website. ☐ Open a window using a Salesforce page.

Custom Name:

From Setup, go to Object Manager , Select Event Vendor Object

- On the sidebar, click Fields & Relationships.
- Select Master Detail relationship & click next



- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save&New.
- Select Master Detail relationship & click next
- Choose the related object as Vendor & click next
- Give the field label(Vendor) & click next, next, next and Save.

Add Lookup Relationship (Event → Client) :

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

Activity 2:

Creation lookup relationship for the Feedback object:

- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save.

Add Lookup Relationship (Feedback → Client) :


- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

Activity 3: Lookup Filters

Scenario: In an Event Management app, each Event belongs to a Client. When creating Feedback, after selecting a Client, the Event lookup should only show Events of that Client. For example, if Ramesh is chosen, only Ramesh's events appear, not other clients' events.

1. Click the gear → Setup.
2. In Setup Quick Find type Object Manager → open Object Manager.


3. Find and open the Feedback object (Feedback__c).
4. In the left menu click Fields & Relationships.
5. Find the Event lookup field (Event__c) and click it.



6. Click On Edit.
7. Scroll to the Lookup Filter section and click Show filter Settings



8. Build the filter criteria like this:
9. Field (left side): choose the Event object's client field — Event: Client__c.
10. Operator: equals.
11. Value (right side): choose the Field radio button and then select the Client field on the Feedback record — Feedback: Client__c.
12. Make sure to Check Enable this Filter box
13. Click on Save.



Milestone 5 -Validation Rules :

Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

Activity 1:

Create Validation Rules on Client__c :

1. Go to the setup page → click on object manager → type object name(Client) in quick find box, click on the Client object

2. Click on the validation rule → click New.

3. Enter the Rule name as “ Email_Valid_Address”.

4. Select Active

5. Insert the Error Condition Formula as : -

NOT(REGEX(Email__c, "^[a-zA-Z0-9._]+@[a-zA-Z0-9.]+\.[a-zA-Z]{2,}\$"))

6. Enter the Error Message as “Please Enter Valid Email Address”, select the Error location as Field and select the field as “Email”, and click Save.


Milestone 6 : APPROVAL PROCESS

Activity 1: Create an Approval Process for Event Cancellation Approval

Note: Before Implementing Approval Process first Complete Profiles, Roles and Users Milestones.

1.Create Classic Email Template

1. Go to Setup (gear icon on top-right)
2. In the Quick Find box, type: Email Templates
3. Click on Classic Email Templates
4. Click "New Template"



5. You'll now choose the type of email template you want to create.

Choose the type:

- Text – Plain text (no formatting)
- Click Next

6.Email Template Information:

Folder	Public or private folder (use "Unfiled Public Email Templates" for now)
Email Template Name	Event Cancellation Request Notification
Template Unique Name	Auto-filled, or change it (no spaces)
Encoding	Leave default (UTF-8)
Subject	Approval Request: Cancel Event {!Event__c.Name}

Email Body	Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System
------------	---

Email Template information

Folder:

Available For Use: ☒

Email Template Name:

Template Unique Name:

Encoding:

Description:

Subject:

Email Body:

2.Create Another Email Template to Send Customer Email. If Cancellation Approved.

- 1.Template Name : Email to Client After Cancellation
2. Subject : Event Cancellation Notice – {!Event__c.Name}
- 3.Body :

Hello!

We would like to inform you that the event has been canceled.

Event Name: {!Event__c.Name}

Date: {!Event__c.Event_Date__c}

If you have any questions or need assistance, please contact us.

Thank you for your understanding,

Event Management Team

3. Create Another Email Template to Send Owner Email. If Cancellation Approved.

1. Template Name : Approval Notification to Event Owner

2. Subject : Event Cancellation Approved: {!Event__c.Name}

3. Body :

Hello {!Event__c.OwnerFullName}

Your cancellation request for the event {!Event__c.Name} has been approved.

Event Date: {!Event__c.Event_Date__c}

The event status has been updated to Canceled.

Thank you,

EventForce Management System

4. Create Another Email Template to Send Owner Email. If Cancellation Rejected.

1. Template Name : Rejection Notification to Event Owner

2. Subject : Event Cancellation Rejected: {!Event__c.Name}

3. Body :

Hello {!Event__c.OwnerFullName},

Your cancellation request for the event {!Event__c.Name} has been rejected.

Event Date: {!Event__c.Event_Date__c}


The event status has been reverted to Confirmed.

Thank you,

EventForce Management System


5. Create the Approval Process

- In the Quick Find box, type: Approval Processes
- Click on "Approval Processes" under Process Automation
- Click on the object name: Event
- Click Create New Approval Process → Use Standard Setup Wizard



Step 1: Basic Settings

- Name: Event_Cancellation_Process
- Unique Name: Auto-fills (you can keep it as is)
- Click Next



Specify Entry Criteria:

1. This defines when the process will be triggered.
- Choose "Criteria are met"

Set:

- Field: Event→ Event Status
- Operator: Equals
- Value: Pending Cancellation
- Click Next.

Approval Process Edit
Event_Cancellation_Process [Help for this Page](#)

Step 2: Specify Entry Criteria Step 2 of 6

[Previous](#) [Save](#) [Next](#) [Cancel](#)

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following criteria are met ▼

Field	Operator	Value	
Event_ Event Status	equals	Pending Cancellation	AND
—None—	—None—		AND
—None—	—None—		AND
—None—	—None—		AND
—None—	—None—		

[Add Filter Logic...](#)

[Previous](#) [Save](#) [Next](#) [Cancel](#)

Step 2: Select Approver

Option 1: Use a specific user

- Select: Automatically assign using user or queue
- Choose: A specific user (Manager)

Option 2: Use Manager of the user

- Select: Automatically assign to the manager of the user who submitted the record
- (Make sure users have a manager assigned in their User record)
- Click Next

Approval Process Edit
Event_Cancellation_Process [Help for this Page](#)

Step 3: Specify Approver Field and Record Editability Properties Step 3 of 6

[Previous](#) [Save](#) [Next](#) [Cancel](#)

When you define approval steps, you can assign approval requests to different users. One of your options is to use a user field to automatically route these requests. If you want to use this option for any of your approval steps, select a field from the picklist below. Also, when a record is in the approval process, it will always be locked—only an administrator will be able to edit it. However, you may choose to also allow the currently assigned approver to edit the record.

Select Field Used for Automated Approval Routing

Next Automated Approver Determined By Manager ▼

☐ Use Approver Field of Event Owner

Record Editability Properties

☐ Administrators **ONLY** can edit records during the approval process.

☒ Administrators **OR** the currently assigned approver can edit records during the approval process.

[Previous](#) [Save](#) [Next](#) [Cancel](#)

Step 3: Email Template

Approval Assignment Email Template:

- Select Email Template : Event Cancellation Request Notification

The screenshot shows a web interface for configuring an approval process. At the top, it says 'Approval Process Edit' and 'Event_Cancellation_Process'. There's a 'Help for this Page' link. The main heading is 'Step 4. Select Notification Templates' with a 'Step 4 of 6' indicator. Below this, there are navigation buttons: 'Previous', 'Save', 'Next' (highlighted with a red box), and 'Cancel'. A note states: 'Select the email template that will be used to notify approvers that an approval request has been assigned to them. Note that this template will be used for all steps for this process. [Create a new email template](#)'. Under the 'Email Template' section, there are two options: 'Approval Assignment Email Template' and 'Event Cancellation Request' (highlighted with a red box). At the bottom, there are again 'Previous', 'Save', 'Next', and 'Cancel' buttons.

Step 4: Select Fields to Display on Approval Page Layout

You'll see a dual list:

- Available Fields on the left
- Selected Fields on the right

Choose the fields you want approvers to see (typically key business info). Example for Event:

Suggested Fields:

- Event Name
 - Owner
 - Client
 - Last Modified By
 - Created By
 - Event Budget
 - Event Date
 - Event Status
 - Event Type
 - Venue
-
- Use the Add button to move fields from left to right.
 - Use the Up/Down arrows to reorder how they appear.
 - Click Next to proceed.

Approval Processes

Approval Process Edit: **Event_Cancellation_Process**

Step 5: Select Fields to Display on Approval Page Layout. Step 5 of 6

[Previous](#) [Save](#) [Next](#) [Cancel](#)

The approval page is where an approver will actually approve or reject a request. Using the options below, choose the fields to display on this page.

Available Fields	Selected Fields
-None-	Event Name Owner Client Last Modified By Created By Event Budget Event Date Event Status Event Type Venue

[Click here to view an example.](#)

Step 5: Specify Initial Submitters

- Select Event Owner As Initial Submitters.
- Click Save.

Approval Processes

Approval Process Edit: **Event_Cancellation_Process**

Step 6: Specify Initial Submitters Step 6 of 6

[Previous](#) [Save](#) [Cancel](#)

Using the options below, specify which users are allowed to submit the initial request for approval. For example, expense reports should normally be submitted for approval only by their owners.

Initial Submitters

Submitter Type: Search: Owner for:

Available Submitters	Allowed Submitters
-None-	Event Owner a

Step 6: Initial Submission Actions

What should happen when a record is submitted?

- Click Add New → Email Alert

Approval Processes

Event.: Event_Cancellation_Process

Process Definition Detail

Process Name	Event_Cancellation_Process	Action	1
Unique Name	Event_Cancellation_Process	Next Automated Approval Determined By	Manager of Record Submitter
Description	Event Cancellation Request		
Entry Criteria	Event Cancellation Request Status Pending Cancellation		
Record Editability	Administrator OR Current Approver	Allow Submitters to Recall Approval Requests	
Approval Assignment Email Template	Event_Cancellation_Request_Notification		
Initial Submitter	Event Owner		
Created By	Sushanth Sush	Modified By	Sushanth Sush
	9/23/2025, 11:12 PM		7:14 AM

Initial Submission Actions

Action Type	Description
Record Lock	Lock the record

Approval Steps

You have not yet defined any approval steps

Fill in the details:

1. Description → Alert - Event Cancellation Request
2. Unique Name → Auto-filled.
3. Object → Choose the object (Event__c).
4. Email Template → Select the email template you want to send.(Event Cancellation Request Notification)
5. Recipients → Add Role - Event Coordinator.
6. Additional Email →If you want to enter additional emails, then enter in the box.
7. From Email Address → Select Current User's Email Address
8. Click Save.

New Email Alert

Create an email alert to associate with one or more workflow rules, approval processes, or entitlement processes. When changing an email alert, any modifications will apply to all rules, approvals, or entitlement processes associated with it.

Email Alert Edit: Save Save & New Cancel

Edit Email Alert

Description: **Alert - Event Cancellation Request**

Unique Name: **Alert_Event_Cancellation_Re**

Object: **Event**

Email Template: **Event Cancellation Request 1**

Protected Component: ☐

Recipient Type: **Role** First

Recipients:

Available Recipients:

- Role: Director, Channel Sales
- Role: Director, Direct Sales
- Role: Eastern Sales Team
- Role: Event Admin
- Role: Installation & Repair Services
- Role: Marketing Team
- Role: SVP, Customer Service & Support
- Role: SVP, Human Resources
- Role: SVP, Sales & Marketing
- Role: VP, International Sales
- Role: VP, Marketing
- Role: VP, North American Sales
- Role: Vendor Manager
- Role: Western Sales Team

Selected Recipients:

- Role: Event Coordinator

You can enter up to five (5) email addresses to be notified.

Additional Emails:

From Email Address: **Current User's email address** ☐ Make this address the default From email address for this object's email alerts.

Save Save & New Cancel

Step 7: Final Approval Actions

- Click Add New → Field Update

Final Approval Actions Add Existing Add New

Action	Type	Task
Edit	Record Lock	Lock It
		Field Update

- Select Field To Update as Event status.
- Name: Event Status Update
- Field: Event Status
- New Value: Canceled
- Save.

Edit Field Update
Event Status Update

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

Field Update Edit Save Save & New Cancel

Identification Required Information

Name: Event Status Update
 Unique Name: Event_Status_Update
 Description:
 Object: Event
 Field to Update: Event Status
 Field Data Type: Picklist
 Re-evaluate Workflow Rules after Field Change: ☐

Specify New Field Value

Picklist Options

☐ The value above the current one
☐ The value below the current one
☒ A specific value: Canceled

- Click Add New → Email Alert

Final Approval Actions 1

Add Existing Add New

Action	Type	Description
Edit	Record Lock	Lock It
Add	Field Update	Field Update
		Outbound Message

Add New Task Email Alert Field Update Outbound Message

- Description: Alert - Cancellation Approved
- Email Template : Approval Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

Edit Email Alert

Description: Alert - Cancellation Approved
 Unique Name: Alert_Cancellation_Approve
 Object: Event
 Email Template: Approval Notification to Event Owner
 Protected Component: ☐

Recipient Type: Search: Owner
 Available Recipients: None
 Selected Recipients: Event Owner
 Add Remove

You can enter up to five (5) email addresses to be notified.
 Additional Emails:

From Email Address: Current User's email address
☐ Make this address the default from email address for this object's email alerts.

Save Save & New Cancel

Step 8: Final Rejection Actions

- Click Add New → Email Alert
- Description: Alert - Cancellation Rejected
- Email Template : Rejection Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

The screenshot shows the 'Edit Email Alert' form with the following fields and values:

- Description:** Alert - Cancellation Rejected
- Unique Name:** Alert_Cancellation_Rejected
- Object:** Event
- Email Template:** Rejection Notification to Event Owner
- Protected Component:** ☐
- Recipient Type:** Search: Owner for [] Find
- Recipients:**
 - Available Recipients:** -None-
 - Selected Recipients:** Event Owner
- Additional Emails:** [Empty text area]
- From Email Address:** Current User's email address
- Make this address the default From email address for this object's email alerts:** ☐

Buttons at the bottom: Save, Save & New, Cancel.

- Click Add New → Field Update
- Select Field To Update as Event status.
- Name: Event Status To Rejected
- Field: Event Status
- New Value: Rejected
- Save.

Field Update Edit Save Save & New Cancel

Identification

Name: **Event Status To Rejected**

Unique Name: **Event_Status_To_Rejected**

Description:

Object: Event

Field to Update: **Event Status**

Field Data Type: Picklist

Re-evaluate Workflow Rules after Field Change: ☐

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value: **Rejected**

Save Save & New Cancel

Step 9: Approval Steps

- Click Add New Step

Approval Steps New Approval Step

You have not yet defined any approval steps

- Enter: Step Name ("Manager Review")
- Unique Name (auto-filled)
- Step Number (optional – controls order)
- Click Next

SETUP Approval Processes

New Approval Step Help for this Page

1. Enter Name and Description Step 1 of 3 Next Cancel

Enter a name, description, and step number for your new approval step

Enter Name and Description Required Information

Approval Process Name: Event_Cancellation_Process

Name: **Manager Review**

Unique Name: **Manager_Review**

Description:

Step Number: **2**

Next Cancel

1. Specify Step Criteria

- Choose All records should enter this step
- Click Next.



Step 2: Specify Step Criteria Step 2 of 3

Previous Save **Next** Cancel

Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)

Specify Step Criteria

☒ All records should enter this step.

☐ Enter this step if the following criteria are met: also: reject record:

2. Select Assigned Approver

- Now choose who will approve the record at this step:
- Manually chosen from a user field on the record
- Select Automatically assign to approver(s).
- Select A specific user
- A related user (Michael Jackson)
- Click Save.



Step 3: Select Assigned Approver Step 3 of 3

Previous **Save** Cancel

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Select Approver

☐ Let the submitter choose the approver manually.

☐ Automatically assign using the user field selected earlier. (Manager)

☐ Automatically assign to queue

☒ Automatically assign to approver(s)

User:

Add Role Remove Role

When multiple approvers are selected:

☒ Approve or reject based on the FIRST response.

☐ Require UNANIMOUS approval from all selected approvers.

☐ The approver's delegate may also approve this request.

Step 10: Activate the Approval Process

- Click View Approval Process Detail Page
- Click the "Activate" button at the top



SETUP: Approval Processes

Approval Processes

Event: Event_Cancellation_Process Help for this Page

[Back to Approval Process List](#)

Process Definition Detail

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event ... Event ... Event ... Pending Cancellation		
Record Editability	Administrators OR Current Approver	Allow Submitters to Recall Approval Requests	☐
Approved Assignment Email Template	Event_Cancellation_Request_Notifiable		
Initial Submitters	Event_Center		
Created By	Sushanth Singh	Created On	9/22/2023, 11:12 PM
Modified By	Sushanth Singh	Modified On	9/23/2023, 9:47 AM

Milestone 7 - Flows

In Salesforce, a flow is a powerful tool that allows you to automate business processes, collect and update data, and guide users through a series of screens or steps. Flows are built using a visual interface and can be created without any coding knowledge.

Activity 1 : Create Flow to Send 3-Day Reminder Email to Client


Scenario:

When an Event is created/updated with Status = Confirmed and a valid Client with an email address, the system should automatically send a reminder email to the Client 3 days before the Event Date.

1. Go to setup → type Flow in quick find box → Click on the Flow and Select the New Flow.



2. Select the Record Triggered flow. Click on create.



3. Under Object select “Event.”

4. Select A record is Created or Updated.

Configure Start

Select Object
Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object
Event.

Configure Trigger
Trigger the Flow When:

☐ A record is created
☐ A record is updated
☒ A record is created or updated
☐ A record is deleted

Set Entry Conditions
Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

5. Enter Condition as

Field : Event Status

Operator: Equals

Value: Confirmed

6. Select the Optimize the flow for: “Actions and Related Records” and Click on Done.

Configure Start

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

Field	Operator	Value
Event Status X	Equals	Confirmed X

+ Add Condition

When to Run the Flow for Updated Records


☒ Every time a record is updated and meets the condition requirements
☐ Only when a record is updated to meet the condition requirements

Optimize Flow
Optimize the Flow for:

Fast Field Updates
Update fields on the record that triggers the flow to run. This high-performance flow runs **before the record is saved** to the database.

Actions and Related Records
Update any record and perform actions, like send an email. This more flexible flow runs **after the record is saved** to the database.

7. Click On Start Button, and Click on Add Schedule Path



8. Enter Path name as “3_Days_Before” , API name Automatically Populates.

9. Select Time Source as “ Event__c: Event Date”

10. Enter Offset Number : 3

11. Select Offset Options : Days Before, Click on ‘x’ icon.

Configure Scheduled Paths

SCHEDULED PATHS

+

Run Immediately

3_Days_Before

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS

Delete Path

* Path Label

3_Days_Before

* API Name

X3_Days_Before

* Time Source

Event_c: Event Date

* Offset Number


-3

* Offset Options

Days Before

> Show advanced options

12. Select Toolbox from Top left corner,Click on New Resource



13. Select Text Template

New Resource

*Resource Type

Select...

- Variable
Store a value that can be used and changed throughout the flow.
- Constant
Store a value that can be used but not changed throughout the flow.
- Formula
Calculate a value when the formula is used in the flow.
- Text Template**
Store text that can be used and changed throughout the flow.
- Stage
Identify different phases in the flow to track user progress.

14. Enter API Name : Subject

- In the Body Enter: “Reminder: Your Event {!\$Record.Name} is in 3 days”
- Select View as Plain Text.
- Click Done.

Edit Text Template

*API Name ⓘ

Subject

Description

*Body ⓘ

Insert a resource... 🔍

View as Plain Text ▼

Reminder: Your Event {!\$Record.Name} is in 3 days

Cancel Done

- **Create another Resources**

1. Select Text Template

2. Enter API Name : Body
3. In the Body Enter:
Hello {!\$Record.Client__r.Name},

This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date_c}.

Venue: {!\$Record.Venue__r.Name}

Type: {!\$Record.Event_Type_c}

We look forward to seeing you!

- EventForce Team

4. Select View as Plain Text.
5. Click Done.

Edit Text Template

* API Name ⓘ

Body

Description

* Body ⓘ

Insert a resource... 🔍

View as Plain Text ▼

Hello {!\$Record.Client__r.Name},

This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event_Date_c}.

Venue: {!\$Record.Venue__r.Name}


Type: {!\$Record.Event_Type_c}

We look forward to seeing you!


- EventForce Team

Cancel Done

1. Under the 3 Days Before Click on "+" Symbol and In the Drop down List select the "Action".
2. After Click on Action Select Email Action.



3. Search For Send Email, and Click On Send Email



4. Email Action Enter The Label Name as “Alert_Client_3Day_Reminder”

⚡ Send Email

✕

* Label

Alert_Client_3Day_Reminder

* API Name ⓘ

Alert_Client_3Day_Reminder

Description

5. Select the Recipient Address List as Client Email.
6. Select the CC Recipient Address List : Event Owner

⚡ Send Email

✕

later in the flow, store them in variables.

Set Input Values

▼ Configure Recipient Details

Ⓐ Recipient Address List ⓘ

Ⓐ Triggering Event__c > Client > Email ✕

Ⓐ Recipient Address Collection ⓘ

Enter value or search resources...

🔍

Ⓐ CC Recipient Address List ⓘ

Ⓐ Triggering Event__c > Owner ID (User) > Email ✕

Ⓐ CC Recipient Address Collection ⓘ

Enter value or search resources...

🔍

7. In Configure Email Content Select Compose Email Content
8. Select Subject: Subject Resource
9. Body: Body Resource

Send Email ✕

▼ Configure Email Content ▲

Compose Email Content
Set email details and compose message.

Use Email Template
Select an existing email template.

Subject ⓘ

✉ Subject ✕

Body ⓘ

✉ Body ✕

Rich-Text-Formatted Body ⓘ

Enter value or search resources... 🔍

10. Click Save.

11. Enter Flow Label: Client Reminder - 3 Days Before, Click Save & Activate.

Save as

Save As

A New Flow

*Flow Label

Client Reminder - 3 Days Before.

*Flow API Name ⓘ

Client_Reminder_3_Days_Before

Description

Show Advanced

Cancel Save




Milestone 8 – Apex Classes

Activity1:


**Scenario: When an Event is created with a Venue, mark Venue Availability = “Reserved”.
When event is cancelled, mark “Available”**

Create Apex Class:


1. Click Gear Icon and Select Developer Console



2. Click on File and Click New and Click on Apex class



3. Give name as VenueStatusHelper and Click Ok



4. Write your Apex Class Code


Source Code:

```

public with sharing class VenueStatusHelper {
    public static void updateVenueStatus(List<Event__c> events){
        List<Venue__c> venues = new List<Venue__c>();
        for(Event__c ev : events){
            if(ev.Venue__c != null){
                if(ev.Event_Status__c == 'Confirmed'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
                } else if(ev.Event_Status__c == 'Canceled'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
                }
            }
        }
        if(!venues.isEmpty()) update venues;
    }
}


```

5. Save the class using CTRL+S




Now Create Trigger For this Class :

1. Click on File and Click New and Click on Apex Trigger



2. Give name as EventTrigger13 and Select Object: Event__c.


3. Then Click Submit.



4. Write Apex trigger Code

Source Code:

```
trigger EventTrigger13 on Event__c (after insert, after update) {  
    VenueStatusHelper.updateVenueStatus(Triquer.new);  
}
```




Milestone 9 – Apex Trigger

Activity1:

Scenario:Do not allow two events at the same Venue on the same Date.

Create an Apex Trigger:

1. Click on File and Click New and Click on Apex Trigger



2. Give name as PreventDoubleBooking and Select Object: Event__c.

3. Then Click Submit.

4. Write Apex trigger Code

Source Code :

```
trigger PreventDoubleBooking on Event__c (before insert, before update) {
```

```
    Set<Id> venueIds = new Set<Id>();
```

```
    for(Event__c ev : Trigger.new){
```

```
        if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
```

```
    }
```

```
    Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
```

```
    for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
```

```

        FROM Event__c WHERE Venue__c IN :venueIds]){

    if(!venueEventMap.containsKey(e.Venue__c)){

        venueEventMap.put(e.Venue__c, new List<Event__c>());

    }

    venueEventMap.get(e.Venue__c).add(e);

}

for(Event__c ev : Trigger.new){

    if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){

        for(Event__c existing : venueEventMap.get(ev.Venue__c)){

            if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){

                ev.addError("This Venue is already booked on this date.");

            }

        }

    }

}

}

```

5. Save the trigger using CTRL+S.

```

1 • trigger PreventDoubleBooking on Event__c (before insert, before update) {
2     Set<Id> venueIds = new Set<Id>();
3     for(Event__c ev : Trigger.new){
4         if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
5     }
6
7     Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
8     for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
9         FROM Event__c WHERE Venue__c IN :venueIds]){
10         if(!venueEventMap.containsKey(e.Venue__c)){
11             venueEventMap.put(e.Venue__c, new List<Event__c>());
12         }
13         venueEventMap.get(e.Venue__c).add(e);
14     }
15
16     for(Event__c ev : Trigger.new){
17         if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){
18             for(Event__c existing : venueEventMap.get(ev.Venue__c)){
19                 if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){
20                     ev.addError('This Venue is already booked on this date.');
```

Milestone 10: Batchable and Schedulable Asynchronous Apex

Scenario: Mark all past events as Completed every night.

Step 1: Create Batch Apex Class:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as BatchCompleteEvents and Click Ok
4. Write your Apex Class Code

Source Code:

```

global class BatchCompleteEvents implements Database.Batchable<sObject> {
    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator(
```

```

        'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c WHERE
Event_Date__c < TODAY AND Event_Status__c != \'Completed\'
    );
}
global void execute(Database.BatchableContext bc, List<Event__c> scope){
    for(Event__c ev : scope){
        ev.Event_Status__c = 'Completed';
    }
    update scope;
}
global void finish(Database.BatchableContext bc){
    System.debug('Past events marked as Completed');
}
}

```

5. Save the class using CTRL+S

Step 2: Schedulable class Implementation:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as ScheduleCompleteEvents and Click Ok
4. Write your Apex Class Code

Source Code:

```

global class ScheduleCompleteEvents implements Schedulable {

    global void execute(SchedulableContext sc){

        Database.executeBatch(new BatchCompleteEvents(), 200);

    }

}

```

Step 3: Schedule Batch Apex from Salesforce Setup


1. Go to Setup

Click the gear icon → Setup

2. Search for Apex Classes


In the Quick Find box, type Apex Classes

Click Apex Classes



3. Schedule Apex

On the top, click the “Schedule Apex” button



4. Enter Job Details

Job Name: Daily Event Completion

Apex Class: Select ScheduleCompleteEvents (the schedulable class you created)

5. Set Schedule Time

Frequency: Weekly or Monthly → Choose Weekly

Days: Select All Days

Preferred Start Time: Select 08:00 PM

6. Save

Click Save → Your job is now scheduled.

The screenshot shows the 'Apex Classes' setup page in Salesforce. At the top, there are 'Save' and 'Cancel' buttons. Below them, the 'Job Name' is 'Daily Event Completion' and the 'Apex Class' is 'ScheduleCompleteEvents'. The 'Schedule Using' section has 'Schedule Builder' selected. Under 'Schedule Apex Execution', the 'Frequency' is set to 'Weekly'. A dropdown menu for 'Retain every week on' is open, showing checkboxes for all days of the week (Sunday through Saturday), all of which are checked. The 'Start' date is '9/26/2025' and the 'End' date is '9/26/2025'. The 'Preferred Start Time' is set to '8:00 PM'. A note at the bottom states: 'Exact start time will depend on job queue activity.'

Salesforce will now run your BatchCompleteEvents every day at 08 PM and mark past events as Completed.

Phase 3: UI/UX Development & Customization

UI/UX Development & Customization focuses on creating a simple, user-friendly interface for the EventForce Management System.

This phase includes the creation of a custom Lightning App in Salesforce to organize and access all modules such as Events, Clients, Vendors, Venues, and Feedback from a single workspace. Additionally, Reports and Dashboards were developed to visualize event schedules, vendor performance, and client feedback.

Reports such as Upcoming Events by Month were used for analytical tracking, while the EventForce Operations Dashboard provides a clear visual summary of key business metrics. This phase ensures a responsive and data-driven user experience, allowing users to manage and monitor event operations efficiently through Salesforce's Lightning interface.

Milestone 11 - The Lightning App:


What is an App ?

Apps in Salesforce are a group of tabs that help the application function by working together as a unit. It has a name, a logo, and a particular set of tabs. The simplest app usually has just two tabs.

Activity 1: Create a Lightning App

Create the Event Planner Management System app

1. From Setup, enter App Manager in the Quick Find and select App Manager.



2. Click New Lightning App. Event Planner as the App Name,

3. Upload Image ,then click next.

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

*App Name ⓘ

*Developer Name ⓘ

Description ⓘ

App Branding

Image ⓘ



Primary Color Hex Value ⓘ

Or, Theme Options

☐ Use the app's image and color instead of the org's custom theme.

Next

4. Under App Options, leave the default selections and click Next.

5. Under Utility Items, leave as it is and click Next.

6. From Available Items, select Event,Client,Vendor,Venue,Feedback

7. Reports, and Dashboards and move them to Selected Items. Click Next.

New Lightning App

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

Search Items Here...

- Accounts
- Account Locations
- Activation Targets
- Activations
- All Items
- Adaptive Placement Methods

Selected Items


- Events
- Clients
- Vendors
- Venues
- Feedbacks
- Reports
- Dashboards

Back

Next

8. From Available Profiles, select System Administrator and move it to

9. Selected Profiles. Click Save & Finish.



To verify your changes, click the App Launcher, type Event Planner and select the Event Planner app.

Note:

1. App Launcher-Displays available apps.
2. App Name-Displays the current selected app.
3. Navigation menu-Displays the tabs available inside the app.

Milestone 12 : Reports

Activity 1: Create a Report folder

1. Click on the app launcher and search for reports.
2. Click on the report tab, click on the new folder.
3. Enter the Folder label as “EventForce Report” Folder unique name will be auto populated.

4. Click save.

Activity 2: Sharing a Report folder

1. Go to the app → click on the reports tab.
2. Click on the All folder , click on the Drop down arrow for EventForce Report Folder, and Click on share.
3. Select the share with “roles”, in the name field search and select “Event Coordinator”, “ Vendor Manager” give “view” as access for that role.
4. Then click share, and click on Done.

Share folder

These sharing settings apply to all subfolders in this folder.

Share With

Roles

Names

Search Roles...

Search Roles...

Access

View

Share

Who Can Access

Search

Sushanth Sush Users	Manage	X
Event Coordinator Roles	View	X
Vendor Manager	View	X

Done

Activity 3: Create Report

Note : Before creating a report, create at least “10” records in every object.


Try to fill every field in each record for better experience.

Report 1 : Upcoming Events — Summary by Month

Use: See upcoming events and counts by month.

1. Go to the App Launcher → click on the Reports tab.
2. Click New Report.
3. Select the Category as All, search for Events or Events with Client & Venue, select it, and click Start Report.
4. In the outline pane, select the fields mentioned below in the Columns section:
 - Event Name
 - Event Date
 - Event Type
 - Client__r.Name
 - Venue__r.Name
 - Event_Budget__c
5. Remove any unnecessary fields.
6. Toggle Update Preview Automatically.
7. Go to Filters and apply the filters as follows:
 - Show Me = All Events
 - Event Date ≥ TODAY (or Next 30 Days)

- Event Status $\neq$ Canceled
8. In the GROUP ROWS section, select the fields:
 - Event Date $\rightarrow$ click the drop-down $\rightarrow$ Group by Calendar Month
 9. Click on Add Summary, summarize the following:
 - Row Count (auto)
 - Event_Budget__c $\rightarrow$ SUM (to see total budget per month)
 10. Click on Add Chart, select:
 - Chart Type: Column or Line
 - X-axis = Event Date (Calendar Month)
 - Y-axis = Row Count or SUM(Event_Budget__c)
 11. Click Save, give the report name: Upcoming Events by Month.
 12. The Report Unique Name is auto-populated.
 13. Select the folder EventForce Reports $\rightarrow$ click Save $\rightarrow$ Run



Milestone 13 - Dashboards

Activity 1: - Create Dashboard

Create EventForce Dashboard

1. Click on the Dashboards tab from the EventForce Management System application.
2. Click on New Dashboard.
3. Give name – EventForce Operations Dashboard.
4. Click Create.
5. Click on +Widget.
6. Select the Upcoming Events by Month Report.
 - Chart: Donut Chat
 - Max Values Displayed: 6
 - Subtitle: Upcoming Events Overview
 - Widget Theme: Light
 - Click save.



Phase 4 : Data Migration, Testing & Security

Data Migration, Testing & Security focuses on preparing and securing the system before deployment. This phase involved loading validated data into Salesforce, creating users, and implementing role-based access controls to ensure proper data visibility and protection.

During this phase, records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and maintain consistency.

User accounts were created for Event Admin, Event Coordinator, Vendor Manager, and Client, each assigned specific Profiles and Roles aligned with their access levels.

Security configurations included Profiles, Role Hierarchy, Permission Sets, and Sharing Rules to manage visibility and ensure compliance with business workflows. The Organization-Wide Defaults (OWD) were set to Private, allowing controlled record access through sharing rules like Event_Sharing_For_Vendors.

Testing activities validated data accuracy, automation performance, and user permissions.

This phase ensured that the EventForce Management System was secure, reliable, and fully functional for real-time business operations.

Milestone 14- Profile:

What is a profile?

A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab

settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types,

Login hours & Login IP ranges.

A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1:

Create a custom profile:

1. From setup , enter profiles in Quick Find box

2. Click On New Profile.

The screenshot shows the Salesforce Setup interface. At the top, there's a 'Search Setup' bar. Below it, the 'Setup' menu is open, showing 'Home' and 'Object Manager'. The 'Profiles' section is selected in the left sidebar. The main content area shows the 'Profiles' page with a 'Clone Profile' dialog box open. The dialog box has a title 'Clone Profile' and a subtitle 'Enter the name of the new profile.' Below this, a message states 'You must select an existing profile to clone from.' The dialog contains three fields: 'Existing Profile' with a dropdown menu showing 'System Administrator', 'User License' with a text field showing 'Salesforce', and 'Profile Name' with a text field showing 'Event Admin'. At the bottom right of the dialog are 'Save' and 'Cancel' buttons. The 'Save' button is highlighted with a red box.

Search Setup

Setup Home Object Manager

Search profile

Users Profiles

Profiles

Clone Profile

Enter the name of the new profile.

You must select an existing profile to clone from.

Existing Profile System Administrator

User License Salesforce

Profile Name Event Admin

Save Cancel

3. Select Existing Profile as ;System Administration'.

4. Enter Profile Name as '**Event Admin**'.

5. Click On save.

Why use System Administrator as Base?

It already has Modify All Data, Customize Application, and full CRUD access on all objects.


By cloning it, your Event Admin profile automatically inherits full access.

You can then restrict/remove any permissions if needed (but usually Event Admin = full access).

Activity 2:

Create a Custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Event Coordinator**’.
5. Click On save.
6. Click On Edit



7. Select the Custom App settings as default for the Event Planner.

The screenshot shows the 'Custom App Settings' interface. It contains two columns of settings. The first column lists 'Analytics Studio (standard__Insights)', 'App Launcher (standard__AppLauncher)', and 'Event Planner (Event_Planner)'. The second column lists 'Platform (standard__Platform)' and 'WDC (standard__Work)'. Each entry has 'Visible' and 'Default' checkboxes. 'Event Planner (Event_Planner)' is highlighted with a red box, and its 'Default' checkbox is checked.

	Visible	Default
Analytics Studio (standard__Insights)	☐	☐
App Launcher (standard__AppLauncher)	☐	☐
Event Planner (Event_Planner)	☒	☒

	Visible	Default
Platform (standard__Platform)	☒	☐
WDC (standard__Work)	☐	☐

8. Scroll down to Custom Object Permissions Give Access:

Event: CRED (Create, Read, Edit, Delete)

Client: Read / Edit

Vendor: Read

Venue: Read

Feedback: Create / Read

The screenshot shows the 'Custom Object Permissions' interface. It contains two tables. The first table lists objects: 'ACME LOCATIONS', 'Client', 'Event', and 'Event Vendor'. The second table lists objects: 'Feedbacks', 'Vendor', and 'Venue'. Each table has columns for 'Basic Access' (Read, Create, Edit, Delete) and 'Data Administration' (View All Records, Modify All Records, View All Fields). Permissions are indicated by checked checkboxes.

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐
Client	☒	☐	☒	☐	☐	☐	☐
Event	☒	☒	☒	☒	☐	☐	☐
Event Vendor	☐	☐	☐	☐	☐	☐	☐

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
Feedbacks	☒	☒	☐	☐	☐	☐	☐
Vendor	☒	☐	☐	☐	☐	☐	☐
Venue	☒	☐	☐	☐	☐	☐	☐

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

12. Minimum password length should be “ 8 ”, and click save.

Session Settings

Session Times Out After

2 hours of inactivity

Session Security Level Required at Login

None

Password Policies

User passwords expire in

Never expires

Enforce password history

3 passwords remembered

Minimum password length

8

Password complexity requirement

Must include alpha and numeric characters

Password question requirement

Cannot contain password

Maximum invalid login attempts

10

Lockout effective period

15 minutes

Obscure secret answer for password resets

☐

Require a minimum 1 day password lifetime

☐

Don't immediately expire links to forgot password emails

☐

Save

Save & New

Cancel

Activity 3:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Vendor Manager**'.
5. Click On save.
6. Click On Edit
7. Select the Custom App settings as default for the Event Planner.

8.Scroll down to Custom Object Permissions Give Access:

Vendor: CRED

Event: Read Only

Venue: Read Only

Client: Read Only

Feedback: Read Only

[illegible]

9.Changing the session times out after should be “ 2 hours of inactivity”.

10.Change the password policies as mentioned :

11.User passwords expire in should be “ never expires ”.

12.Minimum password length should be “ 8 ”, and click save.

Activity 4:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
- 3.Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Client Profile**’.
5. Click On save.
6. Click On Edit
- 7.Select the Custom App settings as default for the Event Planner.
- 8.Scroll down to Custom Object Permissions Give Access:
Event: Read Only (for their own events)
Feedback: Create / Read (give feedback)
Vendor/Venue: No Access

Custom Object Permissions								
	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records ₁	Modify All Records ₁	View All Fields	
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐	
Clients	☐	☐	☐	☐	☐	☐	☐	
Events	☒	☐	☐	☐	☐	☐	☐	
Event Vendors	☐	☐	☐	☐	☐	☐	☐	

	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records ₁	Modify All Records ₁	View All Fields	
Feedbacks	☒	☒	☐	☐	☐	☐	☐	
Vendors	☐	☐	☐	☐	☐	☐	☐	
Venues	☐	☐	☐	☐	☐	☐	☐	

9.Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :
11. User passwords expire in should be “ never expires ”.
12. Minimum password length should be “ 8 ”, and click save.


Milestone 15 - Role:

In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Event Admin Role

Creation of role :

1. From the Quick find box search for the role and click on the roles option
2. Select the set up roles option



3. Click on
Expand
All and

click on add role under CEO.

 **SETUP**
Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

Your Organization's Role Hierarchy

[Collapse All](#) [Expand All](#)

- Salesforce**
 - [Add Role](#)
 - CEO** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - CFO** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - COO** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - SVP, Customer Service & Support** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - Customer Support, International** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - Customer Support, North America** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - Installation & Repair Services** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - SVP, Human Resources** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - SVP, Sales & Marketing** [Edit](#) | [Del](#) | [Assign](#)
 - [Add Role](#)
 - VP, International Sales** [Edit](#) | [Del](#) | [Assign](#)

4. Give Label as “Event Admin” and the Role name gets auto populated. Then click on Save.

 **SETUP**
Roles

Role Edit

New Role

Role Edit

Label

Event Admin

Role Name

Event_Admin

This role reports to

CEO

Role Name as displayed on reports

Save

Save & New

Cancel

Activity 2: Creating other Role Under Event Admin Role

1. Create Another Role.
2. Create a Role with the Name “**Event Coordinator**”.
3. Below the Event Admin click on add role and enter the label name as a “**Event Coordinator**” and role name, will be Automatically populated and click on save.
4. Follow the steps from above Activity.

Activity 3: Creating other Role Under Event Admin Role

1. Create Another Role.
2. Create a Role with the Name “**Vendor Manager**”.
3. Below the Event Admin click on add role and enter the label name as a “**Vendor Manager**” and role name, will be Automatically populated and click on save.
4. Follow the steps from above Activity.

Activity 4: Creating other Role Under Event Admin Role

1. Create Another Role.
2. Create a Role with the Name “**Client**”.
3. Below the Event Admin click on add role and enter the label name as a “**Client**” and role name, will be Automatically populated and click on save.
4. Follow the steps from above Activity.

Milestone 16 -User:


What is a user?

A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales, reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access.

NOTE- As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

Activity 1: To Create a User :

1. From Setup, enter Users in the Quick Find box, then select Users.
2. Click New User.



3. Fill in the fields :

First Name : Sizzler

Last Name : Jaligam

Alias : Give an Alias Name

Email id : Give your Personal Email id

Username : Username should be in this form: [text@text.text](#) and it must be Unique.

Nick Name : Give a Nickname

Role : Event Admin

User licence : Salesforce

Profiles : Event Admin

4. Click On Save.

SETUP Users

New User

Help for this Page

User Edit: Save Save & New Cancel

General Information * Required Information

First Name: Suzzler
 Last Name: Jelagam
 Alias: suzl
 Email: sushanthj2006@gmail.com
 Username: suzzler.admin@eventplanner
 Nickname: Sizzu
 Title:
 Company:
 Department:
 Division:
 Role: <None Specified>
 User License: Salesforce
 Profile: Event Admin
 Active: ☒
 Marketing User: ☐
 Offline User: ☐
 Knowledge User: ☐
 Flow User: ☐
 Service Cloud User: ☐
 Site.com Contributor User: ☐
 Site.com Publisher User: ☐
 WDC User: ☐
 Data.com User Type: -None-
 Data.com Monthly Addition Limit: Default Limit (300)
 Accessibility Mode (Classic Only): ☐
 High Contrast Palette on Chatter: ☐

Activity 2: Creating Other Users


1. Repeat the steps and create other users using
 - a. Role : Event Coordinator, Vendor Manager, Client
 - b. User licence : Salesforce Platform
 - c. Profile : Event Coordinator, Vendor Manager, Client

Milestone 17 : Permission Set


A Permission Set in Salesforce is a collection of settings and permissions that grant access to various tools, features, and objects without changing the user's profile.

Activity 1: Creating New Permission Set


1. Go to setup >> type Permission Set in quick find box >> Select Permission Set >> click New.
2. Give the Label as "Feedback Manager".
3. Click Save.



4. Select Extra Permission For Feedback Manager Permission Set.
5. Go To the Object Settings.
6. Search Feedback Object,
7. Click On Edit, Go to the Object Permission.
8. Enable The R/E/C/D Permissions.
9. Click Save.



10. Click On the Manage Assign




11. Click On the Add Assignment.



12. Select Event Coordinator Role User.

13. Click Next & Assign.



Milestone 18 : Sharing Settings

Salesforce allows you to configure sharing settings to control how records are accessed and shared within your organization. These settings are crucial for maintaining data security and privacy. Salesforce provides a variety of tools and mechanisms to define and enforce sharing rules, such as:

Organization-Wide Default (OWD) Settings:

In Salesforce, OWD (Organization-Wide Default) is the baseline level of access to records that determines what all users can see and do with records in an organization. It is used to control visibility and access for all records in Salesforce, and you can customize it based on different objects (such as Accounts, Contacts, Opportunities, etc.).

The OWD settings define the default access level to records, which can then be overridden by other sharing mechanisms such as Role Hierarchy, Sharing Rules, Manual Sharing, and Apex Sharing.

Here are the OWD options available for each object in Salesforce:

1. Private:

- Only the record owner and users above them in the role hierarchy can see or edit the record.
- Users cannot see each other's records by default.

2. Public Read Only:

- All users can view the records, but only the record owner and those above them in the role hierarchy can edit the record.
- Other users can only read, not modify, the records.

3. Public Read/Write:

- All users can view and edit records, regardless of ownership.
- This is useful when you want users to freely collaborate and modify each other's records.


4. Controlled by Parent:

- This option applies to child objects (like Tasks or Cases) that are related to a parent object (like Accounts). The access level to the child record is controlled by the parent record's sharing settings.


By setting up OWD correctly, administrators can ensure that the right people have access to the right data while maintaining the necessary security for sensitive information.

Activity 1: Configure OWD

1. Go to Setup → Sharing Settings → Click On Edit.



2. Open The Sharing Setting, In Organization Wide Defaults Select the Event Object.
3. Click On Edit Button, Change the Default Internal Access as **Private**, and Default External Access also as **Private** in Event Object.
4. Click Save.



Sharing Rules:

What are Sharing Rules?

Sharing rules help users to share records based on conditions. It is basically created for objects whose organization-wide defaults (OWD) are set to public read-only or private because sharing rules can only extend the access and not restrict it.


Types of sharing rules:

- Owner-based Sharing Rules
- Criteria-based Sharing Rules

Activity 1:

Create a sharing rule:

1. Go to Sharing Settings, which can be found under the Quick Find section.
2. Scroll down and find the Event object where a sharing rule needs to be added, and then click on New to create a new sharing rule.



3. Give the Label name as “ Event_Sharing_For_Vendors”

4. Rule name is auto populated.

5. In step 3 : Select which records to be shared, members of “ Roles ” >> “ Event Coordinator”

6. In step 4: share with, select “ Roles ” >> “ Vendor Manager ”

7. In step 5 : Change the access level to “ Read Only ”.

8. Click on Save.

SETUP
Sharing Settings

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.
You can use sharing rules only to grant wider access to data, not to restrict access.

Step 1: Rule Name

Label: Event_Sharing_For_Vendor
Rule Name: Event_Sharing_For_Vendor
Description:

Step 2: Select your rule type

Rule Type: ☒ Based on record owner ☐ Based on criteria

Step 3: Select which records to be shared

Event: owned by members of: Roles Event Coordinator

Step 4: Select the users to share with

Share with: Roles Vendor Manager

Step 5: Select the level of access for the users

Access Level: Read Only

Save Cancel

7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to validate vehicle creation, dealer assignment, stock validation triggers, order status updates, batch processing, scheduled reminders, and dashboard analytics. All features were verified to ensure correct functionality and performance.

8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized Data Management – Event, Client, Vendor, Venue, Feedback, and EventVendor information is managed within Salesforce.
- Process Automation – Flows automate reminders and other business processes, reducing manual effort.

- Prevents Double Booking – Apex Trigger and VenueStatusHelper validate venue availability and help prevent booking conflicts.
- Controlled Cancellation Process – Approval Process provides structured handling of event cancellation requests.
- Improved Operational Visibility – Reports and Dashboards provide visibility into event schedules, vendor activities, and feedback.
- Secure Access – Profiles, Roles, Permission Sets, OWD, and Sharing Rules provide controlled access to records.
- Scalable Solution – Salesforce provides a platform that can support future growth and additional business requirements.
- Better Data Quality – Validation Rules and pre-validation during data migration help maintain accurate and consistent data.

Disadvantages

- Developer Edition Limitation – The project was implemented in a Salesforce Developer Edition for academic purposes and was not connected to a production environment.
- Production Deployment Not Performed – Actual migration to production was outside the scope of this implementation.
- Deployment Requires Additional Tools – Real-world deployment may require sandboxes, Change Sets, Salesforce DX, or DevOps/CI-CD tools.
- Configuration Complexity – Managing Flows, Apex, Approval Processes, and security configurations requires appropriate Salesforce knowledge.
- Ongoing Maintenance Required – Flows, Apex jobs, approval processes, validation rules, and sharing settings need regular monitoring and troubleshooting.

9. Conclusion:

The EventForce Management System successfully demonstrates how Salesforce can be used to streamline and automate event planning and management

operations. The project brings Events, Clients, Vendors, Venues, Feedback, and EventVendor data into a centralized platform.

The implementation combines Salesforce Lightning, Flows, Validation Rules, Formula Fields, Approval Processes, Apex Triggers, Apex Classes, Batch Apex, Scheduled Apex, security controls, Reports, and Dashboards to address key business requirements. Automation supports activities such as event reminders, cancellation approvals, venue availability management, double-booking prevention, and event completion.

The project also demonstrates the importance of data migration, testing, security, documentation, and maintenance in a Salesforce implementation. Although the solution was developed and tested in a Developer Edition Org and actual production deployment was not performed, the project reflects real-world Salesforce implementation practices and provides a foundation for future scalability and enhancement.

10. FUTURE SCOPE

The **EventForce Management System** can be further enhanced to support larger-scale event operations and improve automation, integration, and user experience.

- Production Deployment – Deploy the solution from development to a production Salesforce environment using appropriate deployment tools.
- Advanced Event Automation – Extend automation for additional event planning and operational activities.
- Enhanced Vendor Management – Introduce more advanced vendor tracking and performance management capabilities.
- Advanced Analytics – Add more reports and dashboards for deeper insights into events, venues, vendors, and client feedback.

- External Integrations – Integrate Salesforce with external systems and services required for real-world event operations.
- Mobile Accessibility – Enhance the solution for convenient event management through mobile devices.
- Scalability Enhancements – Expand the system to support larger numbers of events, clients, vendors, venues, and users.
- Continuous Maintenance & Optimization – Regularly improve Flows, Apex, validation rules, sharing settings, and other configurations as business requirements evolve.

These enhancements can help transform the current EventForce implementation into a more comprehensive and enterprise-ready **event management CRM solution**. The source document specifically identifies future scalability, deployment readiness, maintenance, and enhancement as areas for continued development.

11. APPENDIX

- A. Custom Objects: Event, Client, Vendor, Venue, EventVendor, Feedback
- B. Automation: Flows, Validation Rules, Approval Process, Apex Triggers & Classes
- C. Processing: Batch Apex and Scheduled Apex
- D. Security: Profiles, Roles, Permission Sets, OWD, Sharing Rules
- E. Data Migration: Salesforce Data Import Wizard
- F. UI & Analytics: Lightning App, Reports & Dashboards
- G. Testing & Documentation: Configuration testing, security testing, automation testing, and project documentation

Thank You

