



## PRODUCTION OVERVIEW

### CONTACT

|          |                                                                |          |                                                                      |
|----------|----------------------------------------------------------------|----------|----------------------------------------------------------------------|
| NAME     | Ash Volz                                                       | NAME     | Morgan Isaac                                                         |
| POSITION | <b>Tour Manager</b>                                            | POSITION | <b>Production Manager</b>                                            |
| EMAIL    | <a href="mailto:ashleigh.volz@me.com">ashleigh.volz@me.com</a> | EMAIL    | <a href="mailto:morgan.Lisaac@gmail.com">morgan.Lisaac@gmail.com</a> |
| CELL     | +1 480 295 9132 (US)                                           | CELL     | +1 703 595 6839 (US)                                                 |

Hello Promoters, Friends & Colleagues,

This is Ash & Morgan with Portugal. The Man

Please find attached the 2026 US Production Rider

This Technical Rider aims to try & answer all your technical questions but if you have further questions (no matter how ever big or small), don't leave anything to chance - drop us a line.

### TOUR OVERVIEW

For this run we are 15x people in total, but please always work on 17x as we have family & management with us sometimes.

## CONTACTS

### CONTACTS – ON THE ROAD

|          |                                                                |          |                                                                      |
|----------|----------------------------------------------------------------|----------|----------------------------------------------------------------------|
| NAME     | Ash Volz                                                       | NAME     | Morgan Isaac                                                         |
| POSITION | <b>Tour Manager</b>                                            | POSITION | <b>Production Manager</b>                                            |
| EMAIL    | <a href="mailto:ashleigh.volz@me.com">ashleigh.volz@me.com</a> | EMAIL    | <a href="mailto:morgan.Lisaac@gmail.com">morgan.Lisaac@gmail.com</a> |
| CELL     | +1 480 295 9132 (US)                                           | CELL     | +1 703 595 839 (US)                                                  |

|          |                                                                |          |                                                            |
|----------|----------------------------------------------------------------|----------|------------------------------------------------------------|
| NAME     | Andrew Primus                                                  | NAME     | Mark Hamilton                                              |
| POSITION | <b>Front of House</b>                                          | POSITION | <b>Monitor Engineer</b>                                    |
| EMAIL    | <a href="mailto:andyprimus@gmail.com">andyprimus@gmail.com</a> | EMAIL    | <a href="mailto:hammieus@gmail.com">hammieus@gmail.com</a> |
| CELL     | +1 615 498 3322 (US)                                           | CELL     | +1 503 830 4594 (US)                                       |

|          |                                                                        |          |                                                                                    |
|----------|------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------|
| NAME     | Quinn Sheppard                                                         | NAME     | Jesse McInturff                                                                    |
| POSITION | <b>Lighting Director</b>                                               | POSITION | <b>Backline/Guitars</b>                                                            |
| EMAIL    | <a href="mailto:quinnmsheppard@gmail.com">quinnmsheppard@gmail.com</a> | EMAIL    | <a href="mailto:j.benjamin.mcinturff@gmail.com">j.benjamin.mcinturff@gmail.com</a> |
| CELL     | +1 516 426 0924 (US)                                                   | CELL     | +1 612 751 3920 (US)                                                               |

|          |                                                                      |          |                      |
|----------|----------------------------------------------------------------------|----------|----------------------|
| NAME     | Nick Guitierrez                                                      | NAME     | Merch Person         |
| POSITION | <b>Backline/Playback</b>                                             | POSITION | <b>Merch Person</b>  |
| EMAIL    | <a href="mailto:nickgbackline@gmail.com">nickgbackline@gmail.com</a> | EMAIL    |                      |
| CELL     | +1 909 775 4036 (US)                                                 | CELL     | +1 000 000 0000 (US) |



## IN ADVANCE

### NICE THINGS

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CONTACTS       | <p>The show specific names &amp; contact details (Email &amp; Mobiles) of the PURCHASER'S team who will work with us directly</p> <ul style="list-style-type: none"> <li>• Promoter</li> <li>• Show Representative (who will be on duty on the day of P.TM's performance) – DOS</li> <li>• Production Representative (who will be on duty on the day of P.TM's performance) – DOS</li> <li>• Venue Electrician</li> <li>• Venue Merchandise Contact (with deal &amp; info &amp; provided facilities outline)</li> <li>• Venue Manager</li> <li>• Venue Security (who will be on duty on the day of the performance)</li> <li>• A postal address too &amp; the best person to receive good / items if we need to have anything sent or delivered to the venue (if different from the info you are sharing)</li> </ul> |
| IMPORTANT INFO | <ul style="list-style-type: none"> <li>• A detailed copy of the Venue's most up to date technical spec's /plots to include Rigging, Stage &amp; Seating areas, kills, Restricted Viewing</li> <li>• If the show is sold out - please send a full sales map</li> <li>• A current copy of the venue's Health &amp; Safety Policy document.</li> <li>• <b>Q:</b> <u>ANY</u> problems with the Catering requirements request outlined in this advance?</li> <li>• <b>Q:</b> <u>ANY</u> problems with any Cash if requested?</li> </ul>                                                                                                                                                                                                                                                                                   |
| SCHEDULE       | <ul style="list-style-type: none"> <li>• Please &gt; Advise / Amend / Change / Edit my Proposed XLS Schedule to suit your particular show that's attached to the advance document</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### PORTUGAL. THE MAN - PARKING



|                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>PARKING</b></p>                 | <ul style="list-style-type: none"> <li>• A detailed map of the local area showing the location of the Venue, the Address &amp; Loading (photos always welcome)</li> <li>• Web Links &amp; Best Practice outline</li> <li>• Details on available shore power points &amp; hook up instructions buses &amp; trucks are encouraged</li> <li>• <b>Q:</b> Gates Codes &amp; Instructions?</li> <li>• <b>Q:</b> Driving Permits if required?</li> <li>• <b>Q:</b> Restrictions – What time can we arrive from?</li> <li>• <b>Q:</b> Restrictions – What time do we need to leave by?</li> <li>• <b>Q:</b> Is there a show either side of our show?</li> </ul> <p>Parking the Day before &amp; the maybe even the Day After – you know the deal here with Driver hours / Days Off etc – we may well request this</p> |
| <p><b>ARRIVAL &amp; CLEARANCE</b></p> | <p>Parking at the venue loading dock must be provided “at least” 1 hour before the advanced load-in time</p> <p>It is imperative that all loading areas be cleared of all vehicles and equipment prior to load-in and load out.</p> <p>If an obstacle or hindrance in any part of the load-in area cannot be removed in time for load-in, the TOUR’S production staff should be informed as early as possible and, in any case, before arrival of the trucks &amp; buses.</p> <p>During inclement weather it is essential that loading areas are kept free from ice &amp; snow. Snow removal equipment, sand or salt must be available to clear the loading areas throughout the day of the concert.</p> <p>These areas must be cleared before the truck arrives.</p>                                         |
| <p><b>BUS PARKING</b></p>             | <p>Please plan to park the Portugal. The Man Buses as close to the venue as possible ensuring Shore Power is easily accessible.</p> <p>The parking must be secure &amp; security must be present at all times</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <p><b>TRUCK PARKING</b></p>           | <p>We have only 1 x Semi across the run, my preference is always having the truck on the dock for the entire time, please let me know if this is not going to be possible and what the alternative arrangements would be</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <p><b>PROTOCOL</b></p>                | <p>If the tour is driving in overnight from another show, the trucks &amp; buses usually arrive at the venue around 2 hours before the call. In the event that there is a day off before our scheduled performance, the truck will typically arrive 24 hours prior to Load In, and will require secure parking at that point, preferably in the same positions as show day parking. If this is not possible due to another scheduled event at the venue, please advise the tour at least a week in advance.</p>                                                                                                                                                                                                                                                                                               |



#### ANY ISSUES

If the truck needs to move after load-in, or if there is not sufficient space at the venue loading dock for all tour trucks, a parking area must be arranged by the Promoter, and the Tour Production Manager must be notified at least 2x weeks in advance. The parking area must be completely secure & within 1 mile of the venue, with easy access so vehicles can pull out and come back to the venue loading dock or backstage lot before the show ends.

## TECHNICAL SPECIFICATIONS

### 1. Venue Atmosphere Requirements

The PURCHASER agrees to provide an atmosphere with the specifications set out as follows.

#### HOUSE

#### **STAFF - MUST ALL BE PRESENT DURING THE DURATION OF LOAD-IN.**

- House General Manager
- House Production Manager
- Promoter Rep
- House Electrician
- House LD
- Riggers (If applicable)
- Touring LD
- Touring Production Manager

#### **HOUSE LIGHTING SETTINGS**

whenever possible, Portugal. The Man LD should have full control of house lighting at his FOH location

- Pre-Show Walk-in Lighting @ (40%): low-mid lighting (only sconces, dim overhead lighting, dark blue overhead on stage)
- Support Set Time Lighting @ (10%): low-dark lighting
- Change-Over Lighting @ (20%): low lighting (lowest possible lighting, one level above full black out) - we like to create a certain vibe before the show starts
- \*Post-Show Walk-Out Lighting @ (40%): low-mid lighting (only sconces, dim overhead lighting, dark blue overhead on stage)

#### **TELEVISIONS/PROJECTIONS**

- NO televisions and NO house projectors should be on or broadcasting during PORTUGAL. THE MAN change-over, performance and break down.

#### STAGE



#### **LOAD-IN:**

- Please have deck completely clear of risers (except for festivals), cables, wedges, audio fills, and stands prior to load in. We will need an entirely clear deck to begin our load-in with the exception of the drum riser.

#### **COMMUNICATION:**

- At festivals and large scale shows a comms system should be made available for communication between Lighting Control, FOH, Monitors and a Stage Right position for Stage Manager/Tech.

#### **CAMERAS:**

- There will be no cameras or videos allowed on stage without permission from the tour and/or artist management. This includes Load In, Sound Check, and Performance. Please advise your staff of this policy prior to load in.

#### **BARRICADE**

- Please inform Production Manager of any barricade stipulations. Generally, Artist/PM will want a barricade. In the event that they would not prefer a barricade it should be possible to strike any barricades.
- All barricades should be professional quality Crash/Mojo barricade. Bike rack will not be suitable as a crowd barricade in any situation.
- Any photography from pit area must be approved by TM and PM prior to doors. This will include any photography related to the house or production entity.

#### **SAFETY AND CLEANLINESS**

The PURCHASER agrees to provide the following prior to scheduled venue access and/or load-in times:

- Fire Extinguishers on Stage Left and Right
- Fire Extinguishers at FOH world
- Fire Extinguishers back stage in dressing rooms, green rooms and touring production offices

The PURCHASER agrees to provide the following prior to scheduled venue access and/or load-in times:

- Garbage Cans/Waste Baskets/Rubbish Bins should be placed @:
  - Stage Left and Right
  - FOH world
  - All dressing rooms
  - Green Rooms and/or Common areas
  - Touring Production Office(s)

The PURCHASER agrees to provide the following prior to scheduled venue access and/or load-in times:

- An ample amount of Yellow Jacket Cable Ramps provided for:
  - Stage Left and Right
  - FOH world
  - Installed WHENEVER Audio and LX Snakes are exposed to foot traffic and loading areas when being routed from FOH to stage. (if failure to do so and snakes are damaged the PURCHASER



will be liable)

For outdoor shows, the PURCHASER agrees to provide the following prior to scheduled venue access and/or load-in times:

- Canopy tents, solar reflective blankets (to reflect the sun) and/or structures to protect FOH world from exposed sunlight and/or rain.
- Visqueen should be provided at FOH World for additional protection.
- Visqueen should be provided for all PORTUGAL. THE MAN back line on or off stage
- Canopy tents, solar reflective blankets (to reflect the sun) and/or structures to protect MON World @ Stage Left from exposed sunlight and/or rain.
- Canopy tents, solar reflective blankets (to reflect the sun) and/or structures to protect Video World @ Stage Right from exposed sunlight and/or rain.
- Visqueen should be provided at MON World for additional protection.
- Visqueen should be provided at Video World for additional protection.

## AUDIO

The PURCHASER agrees to provide a professional sound system with the specifications set out as follows.

**MAIN PA SYSTEM**    **FEST PA [FLOWN] - CODA Audio AIRAY. 8 flown on Stage Left & Stage Right Array**

In order of preference - please provide one of the following options:

- 1st choice: L'Acoustics L2 / K1 or K2 with KS28 in the air and KS 28 on the ground
- 2nd choice: d&b GSL/KSL with companion subs or array processed d&b J w B22
- 3rd choice: Adamson E15 with E219 or E218 Subs or VG series
- 4th choice: JBL VTX or A12 with G28 subs.
- 5th choice: Meyer Panther / Leo with 1100 or 2100 subs.
- 6th choice: Clair Cohesion

- A) System must consist of professional concert touring 3-way stereo speakers.
- B) Speakers must be time aligned/in-phase with a linear "flat" response from 40 Hz to 18 kHz. There must be enough amplifier power and speakers to maintain a clean, undistorted 110 dB of Program SPL metered at the FOH Mix Position (A-weight).
- C) Supplemental speakers with time-alignment and equalization must be provided to cover any balcony or near fill zones. [Coda Audio APS for Front Fills](#)
- D) Front of House Mix Position must be Stage centered and placed approximately 1/3 the length of room or site, but not further than 70 ft, from the stage. [Ok](#)
- E) FOH CONSOLE AND ALL OUTBOARD GEAR WILL BE FOR THE EXCLUSIVE USE OF PORTUGAL. THE MAN. [Festival consoles & gear / accessories are shared with all bands performing at Downtown.](#)

**MIX POSITION MUST BE FREE FROM ALL OBSTRUCTIONS; UNDER BALCONIES, BEHIND WALLS, ETC.**

**SEATS MUST BE REMOVED TO FACILITATE POSITIONING**



## FOH WORLD

Mix Position:

When flying in, we will need a console provided – please provide one of the following options:

- 1<sup>st</sup> Choice: Yamaha PM3
  - 2<sup>nd</sup> Choice: Yamaha PM7 Can the FOH Engineer mix on the Yamaha CL5?
  - 3<sup>rd</sup> Choice: Yamaha DM7
- 
- RIO Racks for FOH control will be needed. Ok
  - FOH AUDIO and LX must not be positioned under any BALCONY OVERHANGS and/or the back of a venue wall.
  - The PURCHASER will need to kill any seats that interfere with FOH World.
  - Our FOH position should be centered between PA system and on the floor. A 16ft wide x 10ft deep space will be needed to accommodate this position.
  - Please make necessary adjustments to house gear that may obstruct this placement prior to load in. Downtown is an outdoor stage in the Circuit park

**IMPORTANT: PORTUGAL. THE MAN IS NOT RESPONSIBLE FOR MIXING OTHER BANDS ON THEIR CONSOLES. HOUSE MUST MIX OTHER BANDS WITH SEPARATE HOUSE CONSOLE/EQ UNLESS OTHERWISE AGREED PER THE ADVANCE.**

## PERSONNEL: LOCAL AUDIO TECHNICIAN:

One qualified FOH technician should be supplied by audio vendor / festival / production company at no cost to artist. Technician will be responsible to arrive at load-in and stay until released by either PORTUGAL. THE MAN FOH engineer or PORTUGAL. THE MAN Production Manager. OK

## MONITOR SYSTEM

When flying in, we will need a console provided – please provide one of the following options:

- Digico Quantum 326 PULSE
- Digico Quantum 338 PULSE Digico Quantum 338

Mix position:

- Our monitor console position is SL. Please make all necessary adjustments to allow optimal placement prior to load-in. Downtown's Monitor World is Stage Right due to ease of cable + power runs
- Mix position should be free of any obstructions to engineer's sightline of the entire stage. ok



Please notify Production Manager if there are any sight line issues.

- **PLEASE PROVIDE: 200 Amp 3 phase power to be provided stage left.**

**PERSONNEL: LOCAL AUDIO STAGE TECHNICIAN:**

- One qualified Stage Technician should be supplied by audio vendor / festival /production company at no cost to artist. **OK**
  - Technician must know the system Inside & Out.
  - Technician will be responsible to arrive at load-in & stay until released by either P.TM Monitor Engineer or P.TM Production Manager.

**MICROPHONES & STANDS**

SEE INPUT LIST ON THE NEXT PAGE. WE WILL NEED AN AMPLE AMOUNT OF 25' & 50' WORKING XLR CABLES FOR THE BELOW LISTED MICS.

**MICROPHONE STAND REQUIREMENTS-**

- (14) Tall tripod boom stands
- (10) Short tripod boom stands
- (2) Large triangle base boom stands
- (3) Tall round base boom stands
- (3) Kick drum boom stands
- (4) LP claws







| Fest |     | PORTUGAL. THE MAN |                |     |              | INPUT LIST V1            |                               | CRUISE                            |       |                    |
|------|-----|-------------------|----------------|-----|--------------|--------------------------|-------------------------------|-----------------------------------|-------|--------------------|
| SUB  | FOH | Fest Rack FOH     | Fest Rack Mons | MON | FOH gains    | INPUT                    | MIC/DI                        | STAND                             | NOTES | POSITION           |
|      | 1   |                   |                | 1   | 8            | KICK IN                  | SHURE BETA 91A                |                                   |       | USC-L - DRUM RISER |
|      | 2   |                   |                | 2   | 16           | KICK OUT                 | DPA 4055                      | K&M LOW-PROFILE TRIPOD W/ BOOM    |       | USC-L - DRUM RISER |
|      | 3   |                   |                | 3   | 10           | SN TOP                   | BEYERDYNAMIC M201             | K&M SHORT TRIPOD W/ BOOM          |       | USC-L - DRUM RISER |
|      | 4   |                   |                | 4   | 8            | SN BTM                   | SHURE SM57                    | LP CLAW                           |       | USC-L - DRUM RISER |
|      | 5   |                   |                | 5   | 10           | HAT 1                    | DPA 2011C                     | K&M SHORT TRIPOD W/ BOOM          |       | USC-L - DRUM RISER |
|      | 6   |                   |                | 6   | 9            | RACK                     | EARTHWORKS DM20 G2            |                                   |       | USC-L - DRUM RISER |
|      | 7   |                   |                | 7   | 9            | FL1                      | EARTHWORKS DM20 G2            |                                   |       | USC-L - DRUM RISER |
|      | 8   |                   |                | 8   | 9            | FL2                      | EARTHWORKS DM20 G2            |                                   |       | USC-L - DRUM RISER |
|      | 9   |                   |                | 9   | 11           | RIDE                     | DPA 2011C                     | K&M SHORT TRIPOD W/ BOOM          |       | USC-L - DRUM RISER |
|      | 10  |                   |                | 10  | 10           | OH SR                    | DPA 2015                      | ATLAS TALL-BOOM W/ MS25 TRIANGLE  |       | USC-L - DRUM RISER |
|      | 11  |                   |                | 11  | 10           | OH SL                    | DPA 2015                      | ATLAS TALL-BOOM W/ MS25 TRIANGLE  |       | USC-L - DRUM RISER |
|      | 12  |                   |                | 12  | 26           | SPD One                  | RND DI                        |                                   |       | USC-L - DRUM RISER |
|      | 13  |                   |                | 13  | 0            | TRK01 - CLICK/CUES       | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 14  |                   |                | 14  | 17           | TRK02 - GUIDE VOCAL      | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 15  |                   |                | 15  | 16           | TRK03 - PERC L           | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 16  |                   |                | 16  | 16           | TRK04 - PERC R           | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 17  |                   |                | 17  | 6            | TRK05 - SYNTH L          | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 18  |                   |                | 18  | 6            | TRK06 - SYNTH R          | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 19  |                   |                | 19  | 16           | TRK07 - SYN B            | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 20  |                   |                | 20  | 0            | TRK08 - BASS             | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 21  |                   |                | 21  | 0            | TRK09 - GTR L            | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 22  |                   |                | 22  | 4            | TRK10 - GTR R            | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 23  |                   |                | 23  | 0            | TRK11 - VOX L            | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 24  |                   |                | 24  | 0            | TRK12 - VOX R            | XLR                           |                                   |       | USC-L - DRUM RISER |
|      | 25  |                   |                | 25  | 16 Zoe synth | (intentionally blank)    |                               |                                   |       |                    |
|      | 26  |                   |                | 26  | 30           | Lead Vox AutoTune Return | XLR From Playback             |                                   |       |                    |
|      | 27  |                   |                | 27  | 17           | BASS DI PRE              | RND DI                        |                                   |       | USC                |
|      | 28  |                   |                | 28  | 17           | BASS DI POST             | RND DI                        |                                   |       | USC                |
|      | 29  |                   |                | 29  | 21           | BASS MIC                 | SENNHEISER 421 KOMPACT        | ATLAS DS7 SMALL ROUND BASE        |       | USC                |
|      | 30  |                   |                | 30  | 26           | GTR1                     | SHURE SM57                    |                                   |       |                    |
|      | 31  |                   |                | 31  | 8            | GTR2 SR JOHN             | ROYER R-122 MKII LIVE         | SE GuitarF Baffle                 |       | USC                |
|      | 32  |                   |                | 32  | 25           | GTR2 SL JOHN             | SHURE SM57                    | SE GuitarF Baffle                 |       | USC                |
|      | 33  |                   |                | 33  |              | AGGUSTIG - JOHN          | RND DI                        |                                   |       |                    |
|      | 35  |                   |                | 34  | 2            | GTR 3 - L (LIV) HELIX    | XLR                           |                                   |       | SR                 |
|      | 36  |                   |                | 35  | 2            | GTR 3 - R (LIV) HELIX    | XLR                           |                                   |       | SR                 |
|      |     |                   |                | 36  | 18           | ZOE KORG L (USC)         | RND DI                        |                                   |       |                    |
|      |     |                   |                | 37  | 18           | ZOE KORG R (USC)         | RND DI                        |                                   |       |                    |
|      |     |                   |                | 38  | -6           | ZOE CHAOS PAD            | RND DI                        |                                   |       | DSC                |
|      |     |                   |                | 39  |              | ZOE MELLOTRON            | RND DI                        |                                   |       | DSC                |
|      |     |                   |                | 40  | 21           | ZOE BULLET VX            | RND DI                        | K&M TALL TRIPOD W/ BOOM           |       | DSC                |
|      | 50  |                   |                | 41  | 27           | VX - DRUM VOX (formerly  | SM58?                         |                                   |       | USC -L DRUM RISER  |
|      | 51  |                   |                | 42  | 21           | JOHN BULLET VX           | RND DI                        |                                   |       | DSC                |
|      | 52  |                   |                | 43  | 30           | VX - JOHN LEAD dry vox   | HEIL RC37                     | K&M TALL TRIPOD W/ BOOM           |       | DSC-R              |
|      | 53  |                   |                | 44  | 18           | VX - JOHN FX             | RND DI                        |                                   |       | DSC-R              |
|      | 55  |                   |                | 45  | 28           | VX - BASS                | SHURE NEXADYNE 8/S w/ Hotshot | K&M TALL TRIPOD W/ BOOM           |       | usc                |
|      | 57  |                   |                | 46  | 27           | VX - LIV                 | SHURE NEXADYNE 8/S w/ Hotshot | K&M TALL TRIPOD W/ BOOM           |       | DSC-L              |
|      | 54  |                   |                | 47  | 30           | VX - COCO                | HEIL RC37 CAPSULE             |                                   |       | USR                |
|      | 56  |                   |                | 48  | 27           | VX - DAVID               | HEIL RC37 CAPSULE             |                                   |       | USR                |
|      |     |                   |                | 49  |              | VX - GST RF 1            | HEIL RC37 CAPSULE             |                                   |       |                    |
|      |     |                   |                | 50  |              | VX - GST RF 2            | HEIL RC37 CAPSULE             |                                   |       |                    |
| 58   |     |                   |                | 51  | 18           | RYAN TRUMPET             | SENNHEISER 421                | ATLAS MS12 SM ROUND BASE STRAIGHT |       |                    |
| 71   |     |                   |                | 52  |              | AMB SR                   | 414 XLS                       |                                   |       |                    |
| 72   |     |                   |                | 53  |              | AMB SL                   | 414 XLS                       |                                   |       |                    |
| 69   |     |                   |                | 54  |              | MON TB                   |                               |                                   |       |                    |
| 70   |     |                   |                | 55  |              | FOH TB                   |                               |                                   |       |                    |
|      |     |                   |                | 56  |              |                          |                               |                                   |       |                    |



|    |                                                                                                                     |
|----|---------------------------------------------------------------------------------------------------------------------|
| 1  | Mic, Boundary, Shure, Beta 91A, Boundary condenser microphone, half-cardioid                                        |
| 1  | Mic, Condenser, LG, DPA, 4055, Kick condenser microphone, cardioid                                                  |
| 1  | Mic, Dynamic, Audix, D6, dynamic microphone, cardioid                                                               |
| 1  | Mic, Dynamic, Beyerdynamic, M 201 TG, dynamic microphone, hypercardioid                                             |
| 6  | Mic, Dynamic, Shure, SM57-LC, dynamic microphone, cardioid                                                          |
| 2  | Mic, Capsule, DPA, MMC2011, 2011 twin diaphragm microphone capsule, cardioid (capsule only, needs MM series preamp) |
| 2  | Mic, Preamp, DPA, MMP-C, compact microphone preamp for MMC capsules                                                 |
| 4  | Mic, Condenser, SM, Earthworks, DM20 Gen 2, small condenser microphone, cardioid                                    |
| 2  | Mic, Condenser, SM, DPA, 2015, condenser microphone, wide cardioid                                                  |
| 2  | Mic, Dynamic, Sennheiser, MD 421 KOMPAKT, dynamic microphone, cardioid                                              |
| 5  | Mic, Dynamic, Shure, Nexadyne, NXN8/S, dual diaphragm handheld dynamic microphone, supercardioid, black             |
| 5  | SE V7                                                                                                               |
| 6  | Mic, Dynamic, Sennheiser, MD 421, dynamic microphone, cardioid                                                      |
| 10 | Mic, Dynamic, Shure, SM58S, dynamic handheld microphone w/switch, cardioid                                          |
| 10 | Direct Box, Active, Rupert Neve, RNDI, 1ch active direct box                                                        |
| 2  | Direct Box, Active, Rupert Neve, RNDI-S, stereo active direct box                                                   |
| 1  | <del>RNDI 8 rack mount di-cased in a 3u rack w/nc14 panel</del>                                                     |
| 2  | Mic, Ribbon, Royer, R-122 L MKII, live ribbon microphone, -36 dB, figure-8                                          |
| 2  | Mic Stand, Acc, SE Electronics, GuitarF, Reflexion Filter                                                           |
| 2  | B58                                                                                                                 |
| 10 | Radial Hotshot DM1 w/ locking xlr if available                                                                      |
| 2  | Radial Hotshot MD                                                                                                   |
| 2  | B58 Capsules                                                                                                        |
| 2  | MD 435 capsule w/ shure adapter                                                                                     |
| 2  | MD 445 capsule w/ shure adapter                                                                                     |
| 6  | HEIL RC37 CAPSULE FOR SHURE                                                                                         |





## LIGHTING & VIDEO

### LIGHTING

There is a separate list that can be provided of lighting instruments & truss where needed & discussed per advance. Artist stage, soft goods & lighting plots will be provided per advance.

#### POWER:

Lighting power must be on a separate & isolated circuit from audio power.

**PLEASE PROVIDE: 200amp 3 Phase @ Stage Right (tour shows)**

#### CONTROL:

On fly-in dates, we will need a lighting console provided. Please provide a GMA3 console. Please note that we may put the console into GMA2 mode to run our show.

#### TRUSS/FIXTURES:

**PLEASE PROVIDE: House lighting plot & patch sheet for our LD**

#### ATMOSPHERE:

ARTIST prefers to use a lot of fog/haze during the show.

**PLEASE PROVIDE: 2x water-based hazers & 2x fogger machines, all controlled from the Lighting console at FOH**

Please notify Morgan Isaac, Production Manager, of haze restrictions of any kind.

#### LIGHTING FOH POSITION:

**PLEASE PROVIDE: 1x 8' x 8' x 1'h riser;** located within 70' of the stage as close to the center of the house as possible, with an unobstructed view of the stage and the overhead lighting rig. This can live besides or directly behind our FOH Audio position. We understand this isn't always possible and are willing to discuss, but the request above is our optimal FOH positioning. 1x 6' table

#### PERSONNEL: NEEDS TO BE PROVIDED BY THE VENUE/SHOW

ARTIST'S LD requires (1) on-time & sober House LD or electrician familiar with the house rig, and (2/4) two to four stagehands to help assemble & dismantle the lighting floor package when applicable. House LD must be available & present from the beginning of load-in through the end of load-out. LD will direct conventional lighting focus to a qualified house technician.

#### FOLLOW-SPOTS:

**ARTIST does NOT use follow-spots under any circumstance.**



## **VIDEO WORLD**

Depending on the circumstances, Portugal. The Man will carry a video show. For festivals/one-offs, we will ask the house video operator to run our Resolume show while sitting next to our LD. We carry our own visuals laptop and the video portion is fairly straightforward.

- All video details are confirmed per advance as they can shift from show to show.

## **BACKLINE**

On festivals/one-offs, we will need backline provided for the band. Exact backline requirements will be determined during the advance.

- Backline rider will be provided per the advance

## **PERSONNEL: VENUE / PROMOTER LABOR**

The ARTIST will provide their own FOH sound person, Monitor Engineer & Lighting Designer, who shall have the ability to, at their discretion, attenuate, or remove completely any compression or limiting that may be inserted into the main FOH mix.

The PURCHASER shall provide (1) ONE competent & sober sound engineer, ONE competent & and ONE competent & sober lighting tech, MINIMUM ONE competent & sober certified rigger pending on venue requirements/advance.

The PURCHASER shall provide a minimum of (8) EIGHT able-bodied people to assist the ARTIST with load-in and load-out of the ARTIST's equipment in accordance with the times stated. These (8) EIGHT people are to be separate of the local production crew's FOH, Monitor and LD. These EIGHT people will have basic understanding of backline, audio, and lighting.

Please ensure that local production crew is available at load in time and that the stage is clear of any debris or equipment prior to the band loading in. Positive attitudes are encouraged and appreciated.

## **SOUNDCHECK REQUIREMENTS**

**We require at least 5x hours from Load In until Doors for set up & soundchecks.**

The ARTIST reserves the right to a thorough soundcheck prior to the doors opening to the public at the venue. Should ARTIST choose to soundcheck, the ARTIST will need at least 60 minutes of exclusive time on the house sound system with the aid of the sound technician working the venue the day of the performance. Soundchecks are closed without exception.



## **PRODUCTION & PERFORMANCE CONTROL**

The ARTIST and their Tour Manager/Production Manager maintain 100% control of the production and presentation of the performance, including but not limited to the following:

1. On/off stage is at the discretion of the ARTIST.
2. Performance volume: Tour Manager and Production Manager must be notified immediately of any sound/dB limitations.
3. House lighting for the duration of the performance. This includes any lighting in the entirety of the house. Production Manager will do a walk through with House Manager to make sure all ambient light meets the requirements of the ARTIST.
4. Atmosphere (Haze/Smoke) in the performance area.
5. House music for pre- and post-show will be controlled by the ARTIST.

## **RISERS**

- 8'x8' Drum riser with locking castors. Lowest height possible!
- (3) Amp skids 3'x3' with locking castors.

**THESE RISERS MUST BE SAFE & WILL BE CHECKED BEFORE LOAD IN.  
- ABSOLUTE LOWEST HEIGHT POSSIBLE -  
BACKLINE SETUP WILL NOT BEGIN UNTIL THE TOURING PARTY IS CONFIDENT RISERS ARE FULLY  
FUNCTIONING, BRACE & SAFE. WHEEL LOCKS MUST WORK!**

## **ACCREDITATION**

The PORTUGAL. THE MAN core touring party consists of around 15x People on this run but we will have family & friends with us. Sometimes more on those bigger / busier cities, the Guest List is always a good indicator (obviously)

**WE WILL BE CARRYING OUR OWN ACCREDITATION: PLEASE CONSULT WITH TM IN ADVANCE**

All band, crew, supports, friends & family are on Laminates.

We have our own Wristbands for VIP, Guest, Aftershow & Press / Photo

- A Pass sheet with full artwork will be provided to the promoter & show rep on the day of the show  
> This is the security master, all clearance MUST come from touring production



- **NO VENUE OR PROMOTER PASSES PERMITTED** > without prior clearance, we like a very nice & relaxed dressing room, backstage & do not like strangers.
- Only P.TM Laminates in the Dressing Room(s) & Crew Room during show time as we are working. After the show we will allow / invite local buddies & pals to come hang.
- All Supporting artists & local working crews local accreditation will have passes supplied by P.TM. P.TM production will issue a copy of the pass system / pass sheet in place so that if any changes are required, they can be done so straight away. We will need you to have pass sheets color copied locally and distributed to all security points.
- **EARLY ARRIVALS** - We may have family, friends & colleagues arriving throughout the day. We will provide an early arrivals list. If there's any issue, please call the Tour Manager or Production Manager immediately. No matter who it is...

#### **PHOTOGRAPHERS / AUDIENCE CAMERAS / ETIQUETTE**

- A) Professional-style cameras will only be allowed for those possessing a "PHOTO" sticky pass. Approved Photographers are cleared to shoot only the first songs.

Applicable to both professionals AND the audience: NO FLASH PHOTOGRAPHY whatsoever will be allowed. Additionally, any other distracting activities from either professionals or audience members will not be tolerated. This includes loud and/or obstructive cameras and other devices, as well as people physically and/or verbally detracting from the performance. It is of the utmost importance that audience members are able to enjoy the performance, free from the distractions of overly busy cameramen, iPaders, hooligans, lazer pointers, etc...

- B) ANY professional audio/video recording MUST HAVE PRIOR CONSENT of Tour Manager & P.TM management.
- C) PORTUGAL. THE MAN reserves the right of prior approval regarding any/all co-promotions- radio, TV, newspaper, and magazine advertisements or interviews- that are proposed to take place in conjunction with this performance.
- D) The name of the artist may not be used or associated with ANY product or service without prior approval from PORTUGAL. THE MAN.