

methane, layer 1 (additive KAN, 53 -> 3): edge functions, the 8 inputs with the largest share, per node. Solid: range in the training states (ticks); dotted: outside.
(%) = edge's share of the hidden node's spread over the training states.
edge value into h1
T -> h1 (12 %)
normalized T
H2O -> h1 (10 %)
normalized H2O
N2O -> h1 (9 %)
normalized N2O
H2 -> h1 (9 %)
normalized H2
CO2 -> h1 (7 %)
normalized CO2
NO -> h1 (6 %)
normalized NO
CH4 -> h1 (6 %)
normalized CH4
O2 -> h1 (5 %)
normalized O2
edge value into h2
T -> h2 (15 %)
normalized T
CH4 -> h2 (12 %)
normalized CH4
N2O -> h2 (8 %)
normalized N2O
HNO -> h2 (8 %)
normalized HNO
N2 -> h2 (7 %)
normalized N2
O2 -> h2 (6 %)
normalized O2
N -> h2 (5 %)
normalized N
CO2 -> h2 (5 %)
normalized CO2
edge value into h3
HNO -> h3 (16 %)
normalized HNO
O2 -> h3 (15 %)
normalized O2
N2O -> h3 (11 %)
normalized N2O
NO2 -> h3 (9 %)
normalized NO2
N -> h3 (6 %)
normalized N
CO2 -> h3 (4 %)
normalized CO2
T -> h3 (4 %)
normalized T
NO -> h3 (3 %)
normalized NO