

LET'S MAKE A GEM

WHAT IS A GEM?

LET'S MAKE A GEM

1. Creating a Gem with Bundler

LET'S MAKE A GEM

1. Creating a Gem with Bundler
2. Testing it with rspec

LET'S MAKE A GEM

1. Creating a Gem with Bundler
2. Testing it with rspec
3. Setting up continuous integration

LET'S MAKE A GEM

1. Creating a Gem with Bundler
2. Testing it with rspec
3. Setting up continuous integration
4. Publishing to Rubygems

LET'S MAKE A GEM

1. Creating a Gem with Bundler
2. Testing it with rspec
3. Setting up continuous integration
4. Publishing to Rubygems
5. Publishing to a private gem server

1. Creating a Gem

RVM
BUNDLER
RUBYGEMS

INITIALIZING OUR GEM

```
$ rvm use 2.1.0
$ gem install bundler
$ bundle gem eleventh
$ cd eleventh
$ rvm --rvmrc --create 2.1.0@eleventh
$ cd ..; cd -
```

GENERATED STRUCTURE

```
$ ls
eleventh
|--- README.md
|--- eleventh.gemspec
|--- Rakefile
|--- Gemfile
|--- lib
      |--- eleventh.rb
      |--- eleventh
            |--- version.rb
```

EXPLORING THE GENERATED STRUCTURE

```
$ vim eleventh.gemspec  
$ vim Gemfile  
$ vim lib/eleventh.rb  
$ vim lib/eleventh/version.rb  
$ rake -T
```

MAKE IT DO SOMETHING

```
$ vim lib/eleventh/array_access.rb  
$ vim lib/eleventh.rb  
$ git add .  
$ git commit -m "Version 1"
```

MAKE IT DO SOMETHING

```
# ./lib/eleventh/array_access.rb
```

```
class Array
  def eleventh
    self[10]
  end
end
```

```
# ./lib/eleventh.rb
```

```
require "eleventh/version"
require "eleventh/array_access"
```

2. Testing our gem with rspec

TESTING OUR GEM

```
$ mkdir spec  
$ vim spec/spec_helper.rb  
$ vim spec/array_access_spec.rb  
$ rspec spec/array_access.rb
```


TESTING OUR GEM

```
# ./spec/spec_helper.rb  
require 'rubygems'  
require 'bundler/setup'
```

```
Bundler.setup
```

```
require 'eleventh'
```

```
RSpec.configure do |config|  
end
```

TESTING OUR GEM

```
# ./spec/array_access.rb
require 'spec_helper'

describe Array do
  describe '#eleventh' do
    it 'should return the eleventh element' do
      arr = (1..15).to_a

      arr.eleventh.should eq(11)
    end
  end
end
```

TESTING OUR GEM

```
$ rspec spec/array_access.rb  
..  
Finished in 0.00135 seconds  
2 examples, 0 failures
```

TESTING OUR GEM

```
$ vim Rakefile
```

```
# ./Rakefile
```

```
require "bundler/gem_tasks"
```

```
require 'rspec/core/rake_task'
```

```
RSpec::Core::RakeTask.new('spec')
```

```
task :default => :spec
```

TESTING OUR GEM

```
$ rake
```

```
/Users/bmorris/.rvm/rubies/ruby-2.1.0-p247/bin/ruby -S
```


```
..
```

3. Setting up continuous integration



JENKINS

CIRCLE CI



Travis CI - Free Hosted Co... x

https://travis-ci.org

☆

☰

travis

HomeBlogStatusHelpTravis CI for Private Repositories

Sign in with GitHub

Search all repositories

Recent

pyca/cryptography

1 min 19 sec

Finished: -

3293

jhawthorn/spree

12 sec

Finished: -

39

Betahackers/quito-backend

6 sec

Finished: -

76

h0ru5/angularwt

1 sec

Finished: -

68

stevenosloan/slack-notifier

2 sec

Finished: -

26

getsentry/raven-php

21 sec

Finished: -

271

pyca/cryptography

build passing

⚙

cryptography is a package designed to expose cryptographic primitives and recipes to Python developers.

Current

Build History

Pull Requests

Branch Summary

Build

3293

Commit

43cf3aa (master)

State

Started

Pull Request

#915 update travis config to be more concise

Finished

-

Author

Paul Kehrer

Duration

1 min 19 sec

Committer

Paul Kehrer

Message

remove some commented out code

Build Matrix

Job	Duration	Finished	OS	Compiler	ENV
3293.1	-	-	linux	clang	TOX_ENV=py26
3293.2	-	-	linux	clang	TOX_ENV=py27
3293.3	-	-	linux	clang	TOX_ENV=py32
3293.4	-	-	linux	clang	TOX_ENV=py33
3293.5	-	-	linux	clang	TOX_ENV=py34
3293.6	-	-	linux	clang	TOX_ENV=pypy
3293.7	-	-	linux	clang	TOX_ENV=py26 OPENSSL=0.9.8
3293.8	-	-	linux	clang	TOX_ENV=py27 OPENSSL=0.9.8
3293.9	-	-	linux	clang	TOX_ENV=py32 OPENSSL=0.9.8
3293.10	-	-	linux	clang	TOX_ENV=py33 OPENSSL=0.9.8

TRAVIS CI

SETTING UP CONTINUOUS INTEGRATION

```
$ vim travis.yml  
$ vim eleventh.gemspec  
$ vim README.md  
$ vim git commit -m "Setting up Travis CI"  
$ git push
```

SETTING UP CONTINUOUS INTEGRATION

```
# ./travis.yml
```

```
language: ruby
```

```
rvm:
```

```
- 2.1.0
```

4. Publishing to Rubygems

PUBLISHING TO RUBYGEMS

```
$ rake -T
```

```
$ rake release
```

```
$ gem build eleventh.gemspec
```

```
$ gem push eleventh-0.0.1.gem
```

```
$ open rubygems.org
```



TA-DA!


REMOVING THE GEM


```
$ gem yank eleventh -v 0.0.1
```

5. Publishing to a private gem server

WHY PRIVATE?


GITHUB





GEMINABOX

GEMFURY



PUBLISHING TO GEMFURY

```
$ gem install gemfury  
$ gem build eleventh.gemspec  
$ fury push eleventh-0.0.1.gem  
  
$ git remote add fury https://bnmrrs@git.fury.io/bnmrrs
```

PUBLISHING TO GEMFURY

```
$ cd ../other-project
```

```
$ vim Gemfile
```

```
# ../other-project/Gemfile
```

```
source 'https://TOKEN@gem.fury.io/bnmrrs/'
```

```
$ bundle install
```

PUBLISHING A NEW VERSION

```
$ vim lib/eleventh/version.rb  
$ gem build eleventh.gemspec  
$ git add .  
$ git commit -m "Version 2"  
$ fury push eleventh-0.0.2.gem  
$ fury list
```

QUESTIONS?

@bnmrrs

www.boltmade.com

<https://github.com/bnmrrs/talks>