```
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Meta tags included for accessibility and responsive design -->
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Home page</title> <!--Title of the webpage displayed at the top of
the search engine-->
    <link rel="stylesheet" href="styles.css"> <!--Link the css style sheet to</pre>
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script src="https://code.jquery.com/ui/1.13.2/jquery-ui.js"></script>
    <script src="javascript.js" defer></script> <!-- link java script file to</pre>
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
    <!-- Favicon logo (website logo above the search bar)-->
    <link rel="icon" href="images/favicon.ico">
    <!--Font Awesome link-->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.5.2/css/all.min.css">
</head>
<!--Main page content goes between the body tags-->
<body onload="display_ct()">
<!-- Anchor tag for skip-to-top function -->
<a id="top"></a>
<!--Navigation Bar-->
<nav class="navbar navbar-expand-lg navbar-light bg-dark fixed-top" data-bs-</pre>
theme="dark">
    <a class="navbar-brand offset-4" href="index.html">
        <img id="Logo" src="images/favicon.ico" alt="Logo">
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```
<a class="nav-link" href="index.html">Home</a>
       <a class="nav-link" href="contactform.html">Contact Us</a>
       <a class="nav-link" href="booking.html">Book Now</a>
       <a class="nav-link">
              <i class="fa-solid fa-magnifying-glass-plus"</pre>
onclick="increase_font_size()">
          </a>
       <a class="nav-link">
              <i class="fa-solid fa-magnifying-glass-minus"</pre>
onclick="decrease font size()">
              </i>
          </a>
       <a class="nav-link dropdown-toggle order-lg-1" href="#"</pre>
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
          Accessibility
       </a>
       <div class="dropdown-menu" aria-labelledby="navbarDropdown">
          <a class="dropdown-item" onclick="toggleTheme()"> Toggle High
Contrast </a>
          <a class="dropdown-item" onclick="resetFontSize()"> Reset Text
Size </a>
          <div class="dropdown-divider"></div>
              <a class="dropdown-item" href="#bottom">Scroll to Bottom</a>
              <a class="dropdown-item" href="#top">Scroll to Top</a>
          </div>
       <div class="row">
       <div class="col">
          <input id="tags" class="form-control mr-sm-1" type="search"</pre>
          placeholder="Search" aria-label="Search"
onchange="searchRedirect()" autocomplete="off">
       </div>
       <div class="col-auto">
```

```
<button class="btn btn-outline-success"</pre>
type="submit">Search</button>
        </div>
    </div>
   </div>
</nav>
  <!--Display Time-->
  <!-- Movie Slide Show -->
  <div class="slideshow-container">
    <div class="slideshow-slide">
        <img src="images/americanSoc.webp" alt="American Soc">
       <div class="overlay-text">
           <div class="row">
                <div class="col">
                    <div class="col-6 col-md-3 d-none d-md-block">
                       <img class="movie poster"</pre>
src="images/TTMFCTRSposter.webp">
                    </div>
                   <h2 class="fw-bold fs-3 fs-md-2">The American Society of
Magical Negroes</h2>
                   Comedy, Fantasy
                   <image src="movie_rating_icons/rated_12A.png"</pre>
alt="rating"> </image>
                   <i class="fa-solid fa-circle-play fa-2x"</pre>
onclick="playVideo('gizIbhk5Eu4')"></i>
                   <div id="videoPlayer 3" class="video-player"></div>
                   <i class="close-button fa-solid fa-circle-xmark fa-2x"</pre>
onclick="closeVideo('videoPlayer_3')"></i>
                    <a id="book-now-button" href="booking.html">Book Now</a>
               </div>
           </div>
        </div>
    </div>
    <div class="slideshow-slide">
        <img src="images/iss.webp" alt="ISS">
        <div class="overlay-text">
           <div class="row">
               <div class="col">
                   <div class="col-6 col-md-3 d-none d-md-block">
                       <img class="movie_poster" src="images/issPoster.jpg">
                   </div>
                   <h2 class="fw-bold fs-3 fs-md-2">I.S.S.</h2>
                   Sci-Fi, Thriller
```

```
<image src="movie_rating_icons/rated_18.png" alt="rating">
</image>
                    <i class="fa-solid fa-circle-play fa-2x"</pre>
onclick="playVideo('Yw04cw-KWGA')"></i>
                    <div id="videoPlayer 1" class="video-player"></div>
                    <i class="close-button fa-solid fa-circle-xmark fa-2x"</pre>
onclick="closeVideo('videoPlayer 1')"></i>
                    <a id="book-now-button" href="booking.html">Book Now</a>
                </div>
            </div>
        </div>
    </div>
    <div class="slideshow-slide">
        <img src="images/TTMFCTRS.webp" alt="Slide 3">
        <div class="overlay-text">
            <div class="row">
                <div class="col">
                    <div class="col-6 col-md-3 d-none d-md-block">
                        <img class="movie poster"</pre>
src="images/ttmfctrsPosterProper.jpg">
                    </div>
                    <h2 class="fw-bold fs-3 fs-md-2">That They May face The
Rising Sun</h2>
                    Drama
                    <image src="movie_rating_icons/rated 12A.png"</pre>
alt="rating"> </image>
                    <i class="fa-solid fa-circle-play fa-2x"</pre>
onclick="playVideo('4I08DEh1Re0')"></i>
                    <div id="videoPlayer_4" class="video-player"></div>
                    <i class="close-button fa-solid fa-circle-xmark fa-2x"</pre>
onclick="closeVideo('videoPlayer_4')"></i>
                    <a id="book-now-button" href="booking.html">Book Now</a>
                </div>
            </div>
        </div>
    </div>
    <div class="slideshow-slide">
        <img src="images/ScaryGirl.webp" alt="ScaryGirl">
        <div class="overlay-text">
            <div class="row">
                <div class="col">
                    <div class="col-6 col-md-3 d-none d-md-block">
```

```
<img class="movie_poster"</pre>
src="images/ScaryGirlPoster.webp">
                    </div>
                    <h2 class="fw-bold fs-3 fs-md-2">ScaryGirl</h2>
                    Adventure, Animation, Fantasy
                    <image src="movie_rating_icons/rated_pg.png" alt="rating">
</image>
                    <i class="fa-solid fa-circle-play fa-2x"</pre>
onclick="playVideo('13Zbh GPNCM')"></i>
                    <div id="videoPlayer_5" class="video-player"></div>
                    <i class="close-button fa-solid fa-circle-xmark fa-2x"</pre>
onclick="closeVideo('videoPlayer 5')"></i></i>
                    <button id="book-now-button" href="booking.html">Book
Now</button>
                </div>
            </div>
        </div>
    </div>
    <div class="slideshow-slide">
        <img src="images/starwars.webp" alt="StarWars 25th Anniversary">
        <div class="overlay-text">
            <div class="row">
                <div class="col">
                    <div class="col-6 col-md-3 d-none d-md-block">
                        <img class="movie_poster"</pre>
src="images/starwarsPoster.webp">
                    </div>
                    <h2 class="fw-bold fs-3 fs-md-2">StarWars: Episode 1 25th
Anniversary</h2>
                    Action, Adventure, Fantasy,
Thriller
                    <image src="movie_rating_icons/rated_pg.png" alt="rating">
</image>
                    <i class="fa-solid fa-circle-play fa-2x"</pre>
onclick="playVideo('bD7bpG-zDJQ')"></i>
                    <div id="videoPlayer_2" class="video-player"></div>
                    <i class="close-button fa-solid fa-circle-xmark fa-2x"</pre>
onclick="closeVideo('videoPlayer_2')"></i></i>
                    <button id="book-now-button" href="booking.html">Book
Now</button>
                </div>
            </div>
        </div>
    </div>
  </div>
   <!-- Previous and next buttons -->
```

```
<div class="SlideshowControl">
        <a class="prev" onclick="plusSlides(-1)">&#10094;</a>
        <a class="next" onclick="plusSlides(1)">&#10095;</a>
    </div>
    <!--Home page Intro-->
    <div class="intro">
            <h1> Welcome to nY Cinemas!</h1>
             Experience the magic of the silver screen in our state-of-the-
art theaters.
                From blockbusters to classics, our immersive experience
promises unforgettable
                moments. Join us for an unparalleled cinematic journey.
            </div>
    <!--Image Gallery-->
    <div class="row js-slidein">
        <div class="image-gallery">
            <div class="gallery-item">
                <img src="images/cinema1.webp" alt="Cinema screen">
                <div class="text-block">
                    <h4>Hawaiian Leather</h4>
                    Enjoy our state of the art Hawaiian leather seats
                </div>
            </div>
            <div class="gallery-item">
                <img src="images/cinemaContact.webp" alt="Cinema shop">
                <div class="text-block">
                    <h4>Stylish Shop</h4>
                    Grab a popcorn or a yummy drink & more...!
                </div>
            </div>
            <div class="gallery-item">
                <img src="images/outsideCinema.jpg" alt="View outside the</pre>
cinema">
            </div>
        </div>
    </div>
    <!--Calls the vertical dividing line class (refer to css)-->
    <div class="vertical-line"></div>
    <!--Bootstrap for vertical line-->
    <div class="vr vr-blurry" style="height: 400px;"></div>
```

```
<!--About Section-->
    <div class="container js-slidein">
        <div class="row justify-content-center">
            <div class="col-lg-6">
                <div class="H LeftSide text-center">
                    <div class="H Content1">
                        <h2>About nY Cinemas</h2>
                         At nY Cinemas, we believe that watching a movie is
not just an activity; it's an
                            experience. That's why we're dedicated to
providing our audiences with the best
                            cinematic experience possible, from the moment
they step through
                            our doors to the final credits roll.<br>
                            <span id="toggle-button1" title="Show more</pre>
content"><u>show more...</u></span><br><br><br>
                            <span id="show-more1">Our story began over a
decade ago, with a vision to create a space where movie enthusiasts could come
together to enjoy the latest blockbusters, timeless classics, and everything
in between. Since then, we've grown into a beloved destination for film lovers
of all ages, offering state-of-the-art facilities, comfortable seating, and
unparalleled customer service.<br>
                                But nY Cinemas is more than just a movie
theater - it's a community. From our friendly staff to our loyal patrons,
we're united by our shared love of film and the joy it brings to our lives.
Whether you're a casual moviegoer or a dedicated cinephile, you'll always feel
at home at nY Cinemas.<br>
                                As we continue to evolve and grow, our
commitment to excellence remains unwavering. We're constantly exploring new
ways to enhance the movie-watching experience, from innovative technology to
exciting special events. With each new day, we strive to exceed expectations
and create memories that will last a lifetime. <br>
                        </span>
                            <a href="https://www.learnmoreuk.com/" title="Go</pre>
to Contact Us Page">Learn more <span>here</span></a>
                        </div>
                    <div class="H_Content3">
                        <h2>Why US? </h2>
                         Exceptional Movie Experience: At nY Cinemas, we're
committed to delivering an
```

```
exceptional movie experience. With state-of-the-
art facilities and comfortable
                            seating, we provide the perfect environment for
you to enjoy the latest
                            blockbusters or indie favorites. Our theaters are
equipped with cutting-edge
                            technology to ensure that every screening is a
memorable one.
                            <span id="toggle-button2" title="Show more</pre>
content"><u>show more...</u></span><br><br>><br>
                            <span id="show-more2">Community-Centric Approach:
We pride ourselves on being more than just a cinema;
                            we're an integral part of the community. From
hosting special screenings to
                            collaborating with local businesses and
organizations, we strive to create
                            meaningful connections and enrich the lives of our
patrons. At nY Cinemas, you're
                            not just a moviegoer - you're part of our extended
family.<br><br>
                            Dedication to Customer Satisfaction: Your
satisfaction is our top priority at nY
                            Cinemas. Our friendly and knowledgeable staff are
always on hand to assist you
                            and ensure that your visit is enjoyable from start
to finish. Whether it's
                            helping you find the perfect seat or addressing
any concerns you may have, we're
                            here to make your movie-going experience as
seamless as possible.</span>
                        </div>
                </div>
            </div>
            <div class="col-lg-6">
                <div class="H RightSide text-center">
                    <img src="images/staff.webp" alt="Cinema Staff"</pre>
class="img-fluid rounded-circle">
                </div>
            </div>
        </div>
    </div>
    <!--Bootstrap for horizontal line-->
    <hr class="hr hr-blurry js-slidein" />
```

```
<!--Accordion-->
    <div class="row">
        <div id="accordion" class="accordion">
            <h3>Now Showing </h3>
            <div>
                   Check out our latest movie releases! From action-packed
blockbusters to heartwarming dramas, we have something for everyone. Grab your
popcorn and get ready for an unforgettable cinematic experience.
            </div>
            <h3>Coming Soon <a></a></h3></ba>
                   Get a sneak peek at the upcoming movies hitting our
screens soon. Stay tuned for exciting trailers, exclusive behind-the-scenes
footage, and release dates. Be the first to know what's next in the world of
cinema.
                </div>
            <h3>Special Screenings ($)</h3>
            <div>
                   Experience cinema like never before with our special
screenings. Whether it's a classic film marathon, a midnight showing of cult
favorites, or a themed event, these screenings offer something unique for
movie enthusiasts.
                <l
                   Sci-Fi Weekend Extravaganza
                   Halloween Horror Nights
                   Retro Movie Mondays
               </div>
            <h3>Exclusive Offers ($)</h3>
            <div>
                   Don't miss out on our exclusive offers and promotions.
From discounted ticket prices to loyalty rewards, we make your movie-going
experience even more enjoyable. Join our membership program today to unlock
special benefits.
                   Sign up for our newsletter to receive updates on upcoming
movies, special events, and exclusive offers straight to your inbox.
           </div>
```

```
</div>
   </div>
   <!--Bootstrap for horizontal line-->
   <hr class="hr hr-blurry"/>
   <!-- Anchor tag for Scroll-to-bottom feature-->
   <div id="bottom"></div>
   <!--Footer-->
   <footer class="py-3 my-4">
       <div class="container">
          class="nav-item">
                 <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="index.html">Home</a>
              <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="contactform.html">Contact Us</a>
              <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="#">Pricing</a>
              <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="#">FAQs</a>
              flex">
                 class="ms-3">
                     <a class="text-body-secondary footer-icon"</pre>
href="https://twitter.com/">
                        <svg class="bi" width="24" height="24">
                            <use xlink:href="#twitter">
                               <symbol id="twitter" viewBox="0 0 16 16">
                                   <path d="M5.026 15c6.038 0 9.341-5.003</pre>
9.341-9.334 0-.14 0-.282-.006-.422A6.685 6.685 0 0 0 16 3.542a6.658 6.658 0 0
1-1.889.518 3.301 3.301 0 0 0 1.447-1.817 6.533 6.533 0 0 1-2.087.793A3.286
3.286 0 0 0 7.875 6.03a9.325 9.325 0 0 1-6.767-3.429 3.289 3.289 0 0 0 1.018
4.382A3.323 3.323 0 0 1 .64 6.575v.045a3.288 3.288 0 0 0 2.632 3.218 3.203
3.203 0 0 1-.865.115 3.23 3.23 0 0 1-.614-.057 3.283 3.283 0 0 0 3.067
```

```
2.277A6.588 6.588 0 0 1 .78 13.58a6.32 6.32 0 0 1-.78-.045A9.344 9.344 0 0 0
5.026 15z"></path>
                                    </symbol>
                                </use>
                            </svg>
                        </a>
                    class="ms-3">
                        <a class="text-body-secondary footer-icon"</pre>
href="https://www.instagram.com/">
                            <svg class="bi" width="24" height="24">
                                <use xlink:href="#instagram">
                                    <symbol id="instagram" viewBox="0 0 16</pre>
16">
                                        <path d="M8 0C5.829 0 5.556.01</pre>
4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0 0 0-1.417.923A3.927 3.927 0
0 0 .42 2.76C.222 3.268.087 3.85.048 4.7.01 5.555 0 5.827 0 8.001c0 2.172.01
2.444.048 3.297.04.852.174 1.433.372 1.942.205.526.478.972.923
1.417.444.445.89.719 1.416.923.51.198 1.09.333 1.942.372C5.555 15.99 5.827 16
8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916 3.916 0 0 0
1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99
10.445 16 10.173 16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-
1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0 0 0 13.24.42c-.51-.198-1.092-
.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717 1.442h.718c2.136 0
2.389.007 3.232.046.78.035 1.204.166
1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275
1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-
.275 1.485a2.47 2.47 0 0 1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-
1.485.276-.843.038-1.096.047-3.232.047s-2.39-.009-3.233-.047c-.78-.036-1.203-
.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 1-.6-.92c-.109-.281-
.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-2.136.008-2.388.046-
3.231.036-.78.166-1.204.276-1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-
.598.282-.11.705-.24 1.485-.276.738-.034 1.024-.044 2.515-.045v.002zm4.988
1.328a.96.96 0 1 0 0 1.92.96.96 0 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 0
8.217 4.109 4.109 0 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334 2.667 2.667
0 0 1 0-5.334z"></path>
                                    </symbol>
                                </use>
                            </svg>
                        </a>
                    class="ms-3">
                        <a class="text-body-secondary footer-icon"</pre>
href="https://www.facebook.com/">
                            <svg class="bi" width="24" height="24">
                                <use xlink:href="#facebook">
                                    <symbol id="facebook" viewBox="0 0 16 16">
```

```
<path d="M16 8.049c0-4.446-3.582-8.05-</pre>
8-8.05C3.58 0-.002 3.603-.002 8.05c0 4.017 2.926 7.347 6.75 7.951v-5.625h-
2.03V8.05H6.75V6.275c0-2.017 1.195-3.131 3.022-3.131.876 0 1.791.157
1.791.157v1.98h-1.009c-.993 0-1.303.621-1.303 1.258v1.51h2.218l-.354
2.326H9.25V16c3.824-.604 6.75-3.934 6.75-7.951z"></path>
                                      </symbol>
                               </use>
                            </svg>
                        </a>
                    0 nY Cinemas, Inc
        </div>
    </footer>
    <!--Contrast Toggler (Sun/Moon)-->
    <div class="contrast">
        <svg class="d.none" xmlns="http://www.w3.org/2000/svg">
            <symbol id="check2" viewBox="0 0 16 16">
                <path d="M13.854 3.646a.5.5 0 0 1 0 .7081-7 7a.5.5 0 0 1-.708</pre>
01-3.5-3.5a.5.5 0 1 1 .708-.708L6.5 10.293l6.646-6.647a.5.5 0 0 1 .708
0z"></path>
            </symbol>
            <symbol id="moon-stars-fill" viewBox="0 0 16 16">
                <path d="M6 .278a.768.768 0 0 1 .08.858 7.208 7.208 0 0 0-.878
3.46c0 4.021 3.278 7.277 7.318 7.277.527 0 1.04-.055 1.533-.16a.787.787 0 0 1
.81.316.733.733 0 0 1-.031.893A8.349 8.349 0 0 1 8.344 16C3.734 16 0 12.286 0
7.71 0 4.266 2.114 1.312 5.124.06A.752.752 0 0 1 6 .278z"></path>
                <path d="M10.794 3.148a.217.217 0 0 1 .412 01.387</pre>
1.162c.173.518.579.924 1.097 1.09711.162.387a.217.217 0 0 1 0 .4121-
1.162.387a1.734 1.734 0 0 0-1.097 1.097l-.387 1.162a.217.217 0 0 1-.412 0l-
.387-1.162A1.734 1.734 0 0 0 9.31 6.593l-1.162-.387a.217.217 0 0 1 0-
.41211.162-.387a1.734 1.734 0 0 0 1.097-1.0971.387-1.162zM13.863.099a.145.145
0 0 1 .274 0l.258.774c.115.346.386.617.732.732l.774.258a.145.145 0 0 1 0
.274l-.774.258a1.156 1.156 0 0 0-.732.732l-.258.774a.145.145 0 0 1-.274 0l-
.258-.774a1.156 1.156 0 0 0-.732-.732l-.774-.258a.145.145 0 0 1 0-.274l.774-
.258c.346-.115.617-.386.732-.732L13.863.1z"></path>
            </symbol>
            <symbol id="sun-fill" viewBox="0 0 16 16">
                <path d="M8 12a4 4 0 1 0 0-8 4 4 0 0 0 0 8zM8 0a.5.5 0 0 1</pre>
.5.5v2a.5.5 0 0 1-1 0v-2A.5.5 0 0 1 8 0zm0 13a.5.5 0 0 1 .5.5v2a.5.5 0 0 1-1
0v-2A.5.5 0 0 1 8 13zm8-5a.5.5 0 0 1-.5.5h-2a.5.5 0 0 1 0-1h2a.5.5 0 0 1
.5.5zM3 8a.5.5 0 0 1-.5.5h-2a.5.5 0 0 1 0-1h2A.5.5 0 0 1 3 8zm10.657-
5.657a.5.5 0 0 1 0 .707l-1.414 1.415a.5.5 0 1 1-.707-.708l1.414-1.414a.5.5 0 0
1 .707 0zm-9.193 9.193a.5.5 0 0 1 0 .707L3.05 13.657a.5.5 0 0 1-.707-
.70711.414-1.414a.5.5 0 0 1 .707 0zm9.193 2.121a.5.5 0 0 1-.707 0l-1.414-
1.414a.5.5 0 0 1 .707-.707l1.414 1.414a.5.5 0 0 1 0 .707zM4.464 4.465a.5.5 0 0
```

```
1-.707 OL2.343 3.05a.5.5 0 1 1 .707-.707l1.414 1.414a.5.5 0 0 1 0
.708z"></path>
            </symbol>
        </svg>
        <button class="btn btn-bd-primary py-2 d-flex align-items-center"</pre>
id="bd-theme" type="button" aria-label="Toggle theme (light)"
onclick="toggleTheme()">
            <svg class="bi my-1 theme-icon-active" width="1em"</pre>
height="1em"><use href="#sun-fill"></use></svg>
            <span class="visually-hidden" id="bd-theme-text">Toggle
theme</span>
        </button>
    </div>
    <!--Accessibility Go to top // Go to bottom buttons-->
    <a href="#top" id="back-to-top"><i class="fas fa-arrow-up" aria-</pre>
hidden="true"></i></a>
    <a href="#bottom" id="back-to-bottom"><i class="fas fa-arrow-down" aria-</pre>
hidden="true"></i></a>
    <!-- Bootstrap links -->
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.8/dist/umd/popper.min.js
" integrity="sha384-
I7E8VVD/ismYTF4hNIPjVp/Zjvgyol6VFvRkX/vR+Vc4jQkC+hVqc2pM80Dewa9r"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.min.js"
integrity="sha384-
OpUGZvbkm6XF6gxjEnlmuGrJXVbNuzT9qBBavbLwCsOGabYfZoOTOto5eqruptLy"
crossorigin="anonymous"></script>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
        <!-- Meta tags included for accessibility and responsive design -->
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Home page</title> <!--Title of the webpage displayed at the top
of the search engine-->
        <link rel="stylesheet" href="styles.css"> <!--Link the css style sheet</pre>
to apply it-->
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
       <script src="https://code.jquery.com/ui/1.13.2/jquery-ui.js"></script>
       <script src="javascript.js" defer></script> <!-- link java script file</pre>
to the page-->
       link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
       <!-- Favicon logo (website logo above the search bar)-->
       <link rel="icon" href="images/favicon.ico">
       <!--Font Awesome link-->
       <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css">
       <link rel="stylesheet" href="booking.css">
   </head>
<!--Body Tag - Main Content-->
   <body class="booking-page">
       <!-- Anchor tag for skip-to-top function -->
       <a id="top"></a>
       <nav class="navbar navbar-expand-lg navbar-light bg-dark fixed-top"</pre>
data-bs-theme="dark">
           <a class="navbar-brand offset-4" href="index.html">
               <img id="Logo" src="images/favicon.ico" alt="Logo">
           </a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
               <span class="navbar-toggler-icon"></span>
           </button>
           <div class="collapse navbar-collapse" id="navbarSupportedContent">
           <a class="nav-link" href="index.html">Home</a>
               <a class="nav-link" href="contactform.html">Contact Us</a>
               <a class="nav-link" href="booking.html">Book Now</a>
```

```
<a class="nav-link">
                       <i class="fa-solid fa-magnifying-glass-plus"</pre>
onclick="increase_font_size()">
                      </i>
                   </a>
               <a class="nav-link">
                       <i class="fa-solid fa-magnifying-glass-minus"</pre>
onclick="decrease_font_size()">
                   </a>
               <a class="nav-link dropdown-toggle order-lg-1" href="#"</pre>
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                   Accessibility
               <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                   <a class="dropdown-item" onclick="toggleTheme()"> Toggle
High Contrast </a>
                   <a class="dropdown-item" onclick="resetFontSize()"> Reset
Text Size </a>
                   <div class="dropdown-divider"></div>
                      <a class="dropdown-item" href="#bottom">Scroll to
Bottom</a>
                      <a class="dropdown-item" href="#top">Scroll to Top</a>
                   </div>
               <div class="row">
               <div class="col">
                   <input id="tags" class="form-control mr-sm-1"</pre>
type="search"
                   placeholder="Search" aria-label="Search"
onchange="searchRedirect()" autocomplete="off">
               </div>
               <div class="col-auto">
                   <button class="btn btn-outline-success"</pre>
type="submit">Search</button>
               </div>
           </div>
           </div>
       </nav>
```

```
<div class="containerBook">
        <header>
            <h1>Select from one of our YUMMY products!:</h1>
        </header>
            <div class="container">
                <div class="row">
                    <div class="col-md-4">
                        <div class="listProduct">
                             <div class="item">
                                 <img src="images/popcorn2.webp" alt="Popcorn</pre>
image">
                                 <h2>Popcorn L</h2>
                                 <div class="price">£8</div>
                                 <button>Add To Cart
                            </div>
                        </div>
                    </div>
                    <div class="col-md-4">
                        <div class="listProduct">
                             <div class="item">
                                 <img src="images/popcorn2.webp" alt="Popcorn</pre>
image">
                                 <h2>Popcorn M</h2>
                                 <div class="price">f6</div>
                                 <button>Add To Cart</putton>
                             </div>
                        </div>
                    </div>
                    <div class="col-md-4">
                        <div class="listProduct">
                             <div class="item">
                                 <img src="images/popcorn2.webp" alt="Popcorn</pre>
image">
                                 <h2>Popcorn S</h2>
                                 <div class="price">£4</div>
                                 <button>Add To Cart</putton>
                             </div>
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-4">
                        <div class="listProduct">
                            <div class="item">
```

```
<img src="images/drink-cup.webp" alt="Drink</pre>
Image">
                                 <h2>Popcorn L</h2>
                                 <div class="price">f8</div>
                                 <button>Add To Cart
                             </div>
                         </div>
                    </div>
                     <div class="col-md-4">
                         <div class="listProduct">
                             <div class="item">
                                 <img src="images/drink-cup.webp" alt="Drink</pre>
Image">
                                 <h2>Popcorn M</h2>
                                 <div class="price">f6</div>
                                 <button>Add To Cart</putton>
                             </div>
                         </div>
                     </div>
                     <div class="col-md-4">
                         <div class="listProduct">
                             <div class="item">
                                 <img src="images/drink-cup.webp" alt="Drink</pre>
Image">
                                 <h2>Popcorn S</h2>
                                 <div class="price">£4</div>
                                 <button>Add To Cart</putton>
                             </div>
                         </div>
                     </div>
                </div><br>
                <div class="js-slidein"></div>
                <div class="container">
                     <label>Adult (£12.50):</label>
                     <input type="text" name="adultQty" class="qty"</pre>
maxlength="12" value="0" class="input-text qty" />
                     <div class="button-container">
                         <button class="cart-qty-plus" type="button"</pre>
value="+">+</button>
                         <button class="cart-qty-minus" type="button" value="-</pre>
">-</button>
                    </div>
                </div>
                <div class="container">
                    <label>Student (£10.50):</label>
```

```
<input type="text" name="studentQty" class="qty"</pre>
maxlength="12" value="0" class="input-text gty" />
                     <div class="button-container">
                         <button class="cart-qty-plus" type="button"</pre>
value="+">+</button>
                         <button class="cart-qty-minus" type="button" value="-</pre>
">-</button>
                    </div>
                </div>
                <div class="container">
                     <label>Child (£7.50):</label>
                     <input type="text" name="childQty" class="qty"</pre>
maxlength="12" value="0" class="input-text qty" />
                     <div class="button-container">
                         <button class="cart-qty-plus" type="button"</pre>
value="+">+</button>
                         <button class="cart-qty-minus" type="button" value="-</pre>
">-</button>
                    </div>
                     >Date: <input type="text" id="datepicker">
                </div>
                <!--Choose seats -->
                <div class="modal fade" id="popupContent" tabindex="-1"</pre>
role="dialog" aria-labelledby="popupContentLabel" aria-hidden="true">
                     <div class="modal-dialog" role="document">
                     <div class="modal-content">
                         <div class="modal-header">
                         <h5 class="modal-title" id="popupContentLabel">Book
Your Seat!</h5>
                         <button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close">
                             <span aria-hidden="true">&times;</span>
                         </button>
                         </div>
                         <div class="modal-body" id="pageContent"></div>
                     </div>
                     </div>
                </div>
                <button id="loadPage">Select Your Seats HERE!</button>
                <div class="container">
                     <h3 id="totalPrice">Total Price: £0.00</h3>
                </div>
        </div>
```

```
</div>
   <!-- Button Validating the Checkout page-->
   <a id="joe" href="checkout.html" onclick="validateCheckout()">Check
Out</a>
   <!--Choose seats -->
   <!-- Check out end -->
   <div id="bottom"></div>
   <footer class="py-3 my-4">
       <div class="container">
          <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="index.html">Home</a>
             <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="contactform.html">Contact Us</a>
             <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="booking.html">Pricing</a>
             flex">
                 class="ms-3">
                    <a class="text-body-secondary footer-icon"</pre>
href="https://twitter.com/">
                        <svg class="bi" width="24" height="24">
                           <use xlink:href="#twitter">
                               <symbol id="twitter" viewBox="0 0 16 16">
                                  <path d="M5.026 15c6.038 0 9.341-5.003</pre>
9.341-9.334 0-.14 0-.282-.006-.422A6.685 6.685 0 0 0 16 3.542a6.658 6.658 0 0
1-1.889.518 3.301 3.301 0 0 0 1.447-1.817 6.533 6.533 0 0 1-2.087.793A3.286
3.286 0 0 0 7.875 6.03a9.325 9.325 0 0 1-6.767-3.429 3.289 3.289 0 0 0 1.018
```

```
4.382A3.323 3.323 0 0 1 .64 6.575v.045a3.288 3.288 0 0 0 2.632 3.218 3.203
3.203 0 0 1-.865.115 3.23 3.23 0 0 1-.614-.057 3.283 3.283 0 0 0 3.067
2.277A6.588 6.588 0 0 1 .78 13.58a6.32 6.32 0 0 1-.78-.045A9.344 9.344 0 0 0
5.026 15z"></path>
                                    </symbol>
                                </use>
                            </svg>
                        </a>
                    class="ms-3">
                        <a class="text-body-secondary footer-icon"</pre>
href="https://www.instagram.com/">
                            <svg class="bi" width="24" height="24">
                                <use xlink:href="#instagram">
                                    <symbol id="instagram" viewBox="0 0 16</pre>
16">
                                        <path d="M8 0C5.829 0 5.556.01</pre>
4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0 0 0-1.417.923A3.927 3.927 0
0 0 .42 2.76C.222 3.268.087 3.85.048 4.7.01 5.555 0 5.827 0 8.001c0 2.172.01
2.444.048 3.297.04.852.174 1.433.372 1.942.205.526.478.972.923
1.417.444.445.89.719 1.416.923.51.198 1.09.333 1.942.372C5.555 15.99 5.827 16
8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916 3.916 0 0 0
1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99
10.445 16 10.173 16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-
1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0 0 0 13.24.42c-.51-.198-1.092-
.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717 1.442h.718c2.136 0
2.389.007 3.232.046.78.035 1.204.166
1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275
1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-
.275 1.485a2.47 2.47 0 0 1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-
1.485.276-.843.038-1.096.047-3.232.047s-2.39-.009-3.233-.047c-.78-.036-1.203-
.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 1-.6-.92c-.109-.281-
.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-2.136.008-2.388.046-
3.231.036-.78.166-1.204.276-1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-
.598.282-.11.705-.24 1.485-.276.738-.034 1.024-.044 2.515-.045v.002zm4.988
1.328a.96.96 0 1 0 0 1.92.96.96 0 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 0
8.217 4.109 4.109 0 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334 2.667 2.667
0 0 1 0-5.334z"></path>
                                    </symbol>
                                </use>
                            </svg>
                        </a>
                    class="ms-3">
                        <a class="text-body-secondary footer-icon"</pre>
href="https://www.facebook.com/">
                            <svg class="bi" width="24" height="24">
                                <use xlink:href="#facebook">
```

```
<symbol id="facebook" viewBox="0 0 16 16">
                                       <path d="M16 8.049c0-4.446-3.582-8.05-</pre>
8-8.05C3.58 0-.002 3.603-.002 8.05c0 4.017 2.926 7.347 6.75 7.951v-5.625h-
2.03V8.05H6.75V6.275c0-2.017 1.195-3.131 3.022-3.131.876 0 1.791.157
1.791.157v1.98h-1.009c-.993 0-1.303.621-1.303 1.258v1.51h2.218l-.354
2.326H9.25V16c3.824-.604 6.75-3.934 6.75-7.951z"></path>
                                   </symbol>
                               </use>
                           </svg>
                       </a>
                   0 nY Cinemas, Inc
       </div>
    </footer>
        <a href="#top" id="back-to-top"><i class="fas fa-arrow-up" aria-</pre>
hidden="true"></i></a>
        <a href="#bottom" id="back-to-bottom"><i class="fas fa-arrow-down"</pre>
aria-hidden="true"></i></a>
        <script src="booking.js"></script>
       <!-- Bootstrap links -->
        <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.8/dist/umd/popper.min.js
 integrity="sha384-
I7E8VVD/ismYTF4hNIPjVp/Zjvgyol6VFvRkX/vR+Vc4jQkC+hVqc2pM80Dewa9r"
crossorigin="anonymous"></script>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.min.js"
integrity="sha384-
0pUGZvbkm6XF6gxjEn1muGrJXVbNuzT9qBBavbLwCsOGabYfZo0T0to5eqruptLy"
crossorigin="anonymous"></script>
    </body>
</html>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
    <head>
        <!-- Meta tags included for accessibility and responsive design -->
        <meta charset="UTF-8">
       <meta name="viewport" content="width=device-width, initial-scale=1.0";</pre>
```

```
<title>Home page</title> <!--Title of the webpage displayed at the top
of the search engine-->
       <link rel="stylesheet" href="styles.css"> <!--Link the css style sheet</pre>
       <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<!--Jquery link-->
       <script src="https://code.jquery.com/ui/1.13.2/jquery-ui.js"></script>
       <script src="javascript.js" defer></script> <!-- link java script file</pre>
to the page-->
       link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
       <!-- Favicon logo (website logo above the search bar)-->
       <link rel="icon" href="imagestest/favicon.ico">
       <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css">
    </head>
  <body class="booking-page">
  <a id="top"></a>
  <nav class="navbar navbar-expand-lg navbar-light bg-dark fixed-top" data-bs-</pre>
theme="dark">
             <a class="navbar-brand offset-4" href="index.html">
                 <img id="Logo" src="images/favicon.ico" alt="Logo">
             </a>
             <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
                 <span class="navbar-toggler-icon"></span>
             </button>
             <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
             <a class="nav-link" href="index.html">Home</a>
                 <a class="nav-link" href="contactform.html">Contact Us</a>
```

```
<a class="nav-link" href="booking.html">Book Now</a>
                 <a class="nav-link">
                        <i class="fa-solid fa-magnifying-glass-plus"</pre>
onclick="increase_font_size()">
                    </a>
                class="nav-item">
                    <a class="nav-link">
                        <i class="fa-solid fa-magnifying-glass-minus"</pre>
onclick="decrease_font_size()">
                    </a>
                 <a class="nav-link dropdown-toggle order-lg-1" href="#"</pre>
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                    Accessibility
                </a>
                 <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <a class="dropdown-item" onclick="toggleTheme()"> Toggle
High Contrast </a>
                    <a class="dropdown-item" onclick="resetFontSize()">
Reset Text Size </a>
                    <div class="dropdown-divider"></div>
                        <a class="dropdown-item" href="#bottom">Scroll to
Bottom</a>
                        <a class="dropdown-item" href="#top">Scroll to
Top</a>
                    </div>
                <div class="row">
                <div class="col">
                    <input id="tags" class="form-control mr-sm-1"</pre>
type="search"
                    placeholder="Search" aria-label="Search"
onchange="searchRedirect()" autocomplete="off">
                </div>
                <div class="col-auto">
                    <button class="btn btn-outline-success"</pre>
type="submit">Search</button>
                </div>
```

```
</div>
              </div>
  </nav>
  <!-- Checkout Content -->
  <div class="col-75 form-margin">
        <div class="container">
          <form action="/action_page.php">
            <div class="row">
              <div class="col-50">
                 <h3>Billing Address</h3>
                 <label for="fname"><i class="fa fa-user"></i> Full
Name</label>
                <input type="text" id="fname" name="firstname"</pre>
placeholder="John M. Doe">
                <label for="email"><i class="fa fa-envelope"></i></i>
Email</label>
                 <input type="text" id="email" name="email"</pre>
placeholder="john@example.com">
                 <label for="adr"><i class="fa fa-address-card-o"></i></i>
Address</label>
                 <input type="text" id="adr" name="address" placeholder="542 W.</pre>
15th Street">
                <label for="city"><i class="fa fa-institution"></i>
City</label>
                 <input type="text" id="city" name="city" placeholder="New</pre>
York">
                 <div class="row">
                   <div class="col-50">
                     <label for="state">State</label>
                     <input type="text" id="state" name="state"</pre>
placeholder="NY">
                   </div>
                   <div class="col-50">
                     <label for="zip">Zip</label>
                     <input type="text" id="zip" name="zip"</pre>
placeholder="10001">
                   </div>
                </div>
              </div>
              <div class="col-50">
                <h3>Payment</h3>
```

```
<label for="fname">Accepted Cards</label>
                <div class="icon-container">
                  <i class="fa fa-cc-visa" style="color:navy;"></i></i>
                  <i class="fa fa-cc-amex" style="color:blue;"></i></i>
                  <i class="fa fa-cc-mastercard" style="color:red;"></i></i>
                   <i class="fa fa-cc-discover" style="color:orange;"></i></i>
                 </div>
                 <label for="cname">Name on Card</label>
                 <input type="text" id="cname" name="cardname"</pre>
placeholder="John More Doe">
                <label for="ccnum">Credit card number</label>
                <input type="text" id="ccnum" name="cardnumber"</pre>
placeholder="1111-2222-3333-4444">
                <label for="expmonth">Exp Month</label>
                 <input type="text" id="expmonth" name="expmonth"</pre>
placeholder="September">
                <div class="row">
                   <div class="col-50">
                     <label for="expyear">Exp Year</label>
                     <input type="text" id="expyear" name="expyear"</pre>
placeholder="2018">
                  </div>
                  <div class="col-50">
                     <label for="cvv">CVV</label>
                     <input type="text" id="cvv" name="cvv" placeholder="352">
                  </div>
                </div>
              </div>
            </div>
            <label>
              <input type="checkbox" checked="checked" name="sameadr">
Shipping address same as billing
            </label>
            <input type="submit" value="Continue to checkout" class="btn">
          </form>
        </div>
  <!-- Check out end -->
  <div id="bottom"></div>
  <!--Footer-->
```

```
<footer class="py-3 my-4">
       <div class="container">
           class="nav-item">
                  <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="index.html">Home</a>
               <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="contactform.html">Contact Us</a>
               <a class="nav-link px-2 text-body-secondary footer-link"</pre>
href="booking.html">Pricing</a>
               flex">
                  class="ms-3">
                      <a class="text-body-secondary footer-icon"</pre>
href="https://twitter.com/">
                          <svg class="bi" width="24" height="24">
                              <use xlink:href="#twitter">
                                 <symbol id="twitter" viewBox="0 0 16 16">
                                     <path d="M5.026 15c6.038 0 9.341-5.003</pre>
9.341-9.334 0-.14 0-.282-.006-.422A6.685 6.685 0 0 0 16 3.542a6.658 6.658 0 0
1-1.889.518 3.301 3.301 0 0 0 1.447-1.817 6.533 6.533 0 0 1-2.087.793A3.286
3.286 0 0 0 7.875 6.03a9.325 9.325 0 0 1-6.767-3.429 3.289 3.289 0 0 0 1.018
4.382A3.323 3.323 0 0 1 .64 6.575v.045a3.288 3.288 0 0 0 2.632 3.218 3.203
3.203 0 0 1-.865.115 3.23 3.23 0 0 1-.614-.057 3.283 3.283 0 0 0 3.067
2.277A6.588 6.588 0 0 1 .78 13.58a6.32 6.32 0 0 1-.78-.045A9.344 9.344 0 0 0
5.026 15z"></path>
                                 </symbol>
                             </use>
                          </svg>
                      </a>
                  class="ms-3">
                      <a class="text-body-secondary footer-icon"</pre>
href="https://www.instagram.com/">
                          <svg class="bi" width="24" height="24">
                              <use xlink:href="#instagram">
                                 <symbol id="instagram" viewBox="0 0 16</pre>
16">
                                     <path d="M8 0C5.829 0 5.556.01</pre>
4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0 0 0-1.417.923A3.927 3.927 0
0 0 .42 2.76C.222 3.268.087 3.85.048 4.7.01 5.555 0 5.827 0 8.001c0 2.172.01
2.444.048 3.297.04.852.174 1.433.372 1.942.205.526.478.972.923
1.417.444.445.89.719 1.416.923.51.198 1.09.333 1.942.372C5.555 15.99 5.827 16
```

```
8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916 3.916 0 0 0
1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99
10.445 16 10.173 16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-
1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0 0 0 13.24.42c-.51-.198-1.092-
.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717 1.442h.718c2.136 0
2.389.007 3.232.046.78.035 1.204.166
1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275
1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-
.275 1.485a2.47 2.47 0 0 1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-
1.485.276-.843.038-1.096.047-3.232.047s-2.39-.009-3.233-.047c-.78-.036-1.203-
.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 1-.6-.92c-.109-.281-
.24-.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-2.136.008-2.388.046-
3.231.036-.78.166-1.204.276-1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-
.598.282-.11.705-.24 1.485-.276.738-.034 1.024-.044 2.515-.045v.002zm4.988
1.328a.96.96 0 1 0 0 1.92.96.96 0 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 0
8.217 4.109 4.109 0 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 0 5.334 2.667 2.667
0 0 1 0-5.334z"></path>
                                   </symbol>
                               </use>
                           </svg>
                   class="ms-3">
                       <a class="text-body-secondary footer-icon"</pre>
href="https://www.facebook.com/">
                           <svg class="bi" width="24" height="24">
                               <use xlink:href="#facebook">
                                   <symbol id="facebook" viewBox="0 0 16 16">
                                       <path d="M16 8.049c0-4.446-3.582-8.05-</pre>
8-8.05C3.58 0-.002 3.603-.002 8.05c0 4.017 2.926 7.347 6.75 7.951v-5.625h-
2.03V8.05H6.75V6.275c0-2.017 1.195-3.131 3.022-3.131.876 0 1.791.157
1.791.157v1.98h-1.009c-.993 0-1.303.621-1.303 1.258v1.51h2.218l-.354
2.326H9.25V16c3.824-.604 6.75-3.934 6.75-7.951z"></path>
                                     </symbol>
                               </use>
                           </svg>
                       </a>
               0 nY Cinemas, Inc
  </footer>
  <!--Anchor Tags for Accessibility-->
  <a href="#top" id="back-to-top"><i class="fas fa-arrow-up" aria-</pre>
hidden="true"></i></a>
```

```
<a href="#bottom" id="back-to-bottom"><i class="fas fa-arrow-down" aria-</pre>
hidden="true"></i></a>
    <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.8/dist/umd/popper.min.js
 ' integrity="sha384-
I7E8VVD/ismYTF4hNIPjVp/Zjvgyol6VFvRkX/vR+Vc4jQkC+hVqc2pM80Dewa9r"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.min.js"
integrity="sha384-
0pUGZvbkm6XF6gxjEn1muGrJXVbNuzT9qBBavbLwCsOGabYfZo0T0to5eqruptLy"
crossorigin="anonymous"></script>
</body>
</html>
 * Validates the registration form using jQuery Validation plugin.
 * @global
$(function() {
    $("form[name='registration']").validate({
        rules: {
            TOS: "required",
            name: {
                required: true,
                minlength: 2,
                maxlength: 25,
                regex: /^[a-zA-Z\s]+$/
            },
            phonenum: {
                required: true,
                minlength: 8,
                maxlength: 15,
                // Add regex for phone number validation
                regex: /^\d{8,15}$/
            },
            email: {
                required: true,
                email: true,
                maxlength: 50
            },
            message: {
                required: true,
```

```
minlength: 10,
            maxlength: 100,
    },
    messages: {
        name: {
            required: "Enter your First Name",
            regex: "Enter a valid First Name"
        },
        phonenum: {
            required: "Enter a valid Phone Number",
            regex: "Enter a valid Phone Number"
        },
        email: {
            required: "Please enter a valid email address",
            email: "Please enter a valid email address",
            maxlength: "Your email must be below 50 characters"
        },
        message: {
            required: "Please enter a message",
            minlength: "Message should be at least 10 characters long",
            maxlength: "Length must not exceed 100 characters"
        },
        TOS: {
            required: "This is a required field"
    },
    errorPlacement: function(error, element) {
        // Display error message below the checkbox for TOS field
        if (element.attr("name") === "TOS") {
            error.insertAfter(element.parent());
        } else {
            error.insertBefore(element);
        error.css("color", "red");
        element.addClass("error-field");
    },
    submitHandler: function(form) {
        form.submit();
});
// Add custom method for regex validation
$.validator.addMethod("regex", function(value, element, regexp) {
    return regexp.test(value);
}, "Please enter a valid format.");
$('#newsletter').change(function() {
```

```
if ($(this).is(':checked')) {
            $('#topicSection').show();
        } else {
            $('#topicSection').hide();
    });
});
 * Adjusts the font size of headers, paragraphs, and intro elements based on
the provided new font size.
 * Updates local storage with the new font size.
 * @param {number} newFontSize - The new font size value in pixels.
 * @global
document.addEventListener('DOMContentLoaded', function() {
    // Function to adjust font size for headers, paragraphs, and intro
    function adjust_font_size(newFontSize) {
        // Update body font size
        document.body.style.fontSize = newFontSize + 'px';
        // Update font size for .intro elements
        var intros = document.guerySelectorAll('.intro');
        intros.forEach(function(intro) {
            intro.style.fontSize = newFontSize + 'px';
        });
        // Update font size for headers
        var headers = document.querySelectorAll('h1, h2, h3, h4, h5, h6');
        headers.forEach(function(header) {
            header.style.fontSize = newFontSize + 'px';
        });
        // Update font size for paragraphs
        var paragraphs = document.querySelectorAll('p');
        paragraphs.forEach(function(paragraph) {
            paragraph.style.fontSize = newFontSize + 'px';
        });
        // Update local storage
        localStorage.setItem('fontSize', newFontSize);
    // Function to increase font size
    function increase_font_size() {
        var currentFontSize = parseInt(localStorage.getItem('fontSize')) ||
16: // Get current font size from local storage or default to 16px
```

```
var newFontSize = currentFontSize + 10; // Increase font size by 10
        adjust_font_size(newFontSize);
    // Function to decrease font size
    function decrease font size() {
        var currentFontSize = parseInt(localStorage.getItem('fontSize')) ||
16; // Get current font size from local storage or default to 16px
        var newFontSize = currentFontSize - 10; // Decrease font size by 10
pixels
        adjust font size(newFontSize);
    // Event listener for magnifying glass icon to increase font size
    document.querySelector('.fa-magnifying-glass-
plus').addEventListener('click', function() {
        increase_font_size();
    });
    // Event listener for magnifying glass icon to decrease font size
    document.querySelector('.fa-magnifying-glass-
minus').addEventListener('click', function() {
        decrease_font_size();
    });
    // Apply font size from local storage on page load
    var storedFontSize = parseInt(localStorage.getItem('fontSize'));
    if (storedFontSize) {
        adjust_font_size(storedFontSize);
});
 * Resets font sizes to their original values by removing font-size styles and
 larger-text' class from all elements.
 * Removes the 'fontSize' item from local storage.
 * @global
function resetFontSize() {
    // Reset font sizes to their original values
    document.querySelectorAll('*').forEach(element => {
        // Check if the element has font-size style defined
        if (element.style.fontSize) {
            element.style.removeProperty('font-size');
        // Check if the element has font-size class defined
        if (element.classList.contains('larger-text')) {
```

```
element.classList.remove('larger-text');
    });
    // Update local storage to remove fontSize item
    localStorage.removeItem('fontSize');
 * Applies the stored page style (light/dark) on page load.
function applyStylesOnLoad() {
    var body = document.body;
    var storedStyle = localStorage.getItem('pageStyle'); // Use the same
storage key
    if (storedStyle === 'dark') {
        applyDarkMode(body);
    } else {
        applyLightMode(body);
 * Applies dark mode styles to the specified element.
* @param {HTMLElement} element - The element to which dark mode styles will
be applied.
function applyDarkMode(element) {
    element.style.backgroundColor = "#333";
    element.style.color = "rgb(245, 245, 245)";
    element.style.transition = "background-color 0.5s ease, color 0.5s ease";
// Add transition
     var footer = document.querySelector('footer');
    if (footer) {
        footer.style.backgroundColor = "#333";
        footer.style.color = "white";
    var intro = document.querySelector('.intro');
    if (intro) {
        intro.style.backgroundColor = "#333";
        intro.style.color = "rgb(245, 245, 245)";
    // Store the current page style
    localStorage.setItem('pageStyle', 'dark'); // Use the same storage key
```

```
* Applies light mode styles to the specified element.
* @param {HTMLElement} element - The element to which light mode styles will
be applied.
function applyLightMode(element) {
    element.style.backgroundColor = "#fff";
    element.style.color = "#333";
   element.style.transition = "background-color 0.5s ease, color 0.5s ease";
// Add transition
    var footer = document.querySelector('footer');
    if (footer) {
        footer.style.backgroundColor = ""; // Reset to default
        footer.style.color = "#333";
    var intro = document.querySelector('.intro');
    if (intro) {
        intro.style.backgroundColor = "#fff";
        intro.style.color = "#333";
    // Store the current page style
    localStorage.setItem('pageStyle', 'light'); // Use the same storage key
 * Toggles between light and dark theme modes and updates the theme icon
accordingly when called.
* @callback ThemeToggleCallback
* @global
function toggleTheme() {
   var body = document.body;
   var currentTheme = localStorage.getItem('pageStyle');
    if (currentTheme === 'dark') {
        applyLightMode(body);
        localStorage.setItem('pageStyle', 'light');
    } else {
        applyDarkMode(body);
        localStorage.setItem('pageStyle', 'dark');
   updateIcon();
```

```
* Updates the theme icon based on the current theme mode stored in
localStorage.
 * @callback UpdateIconCallback
 * @global
function updateIcon() {
    var currentTheme = localStorage.getItem('pageStyle');
    var themeIcon = document.querySelector('.theme-icon-active use');
    if (currentTheme === 'dark') {
        themeIcon.setAttribute('href', '#moon-stars-fill');
    } else {
        themeIcon.setAttribute('href', '#sun-fill');
// Apply styles on page load
applyStylesOnLoad();
// Add event listener for storage change
window.addEventListener('storage', applyStylesOnLoad);
/* END OF DARK MODE
 * Initializes the autocomplete feature for a search input field with a
predefined list of movie titles when the DOM content is fully loaded and
parsed.
 * @callback AutocompleteInitializationCallback
 * @global
$(document).ready(function() {
    var availableTags = [
        "Dune",
        "No Time to Die",
        "Spider-Man: No Way Home",
        "Black Widow",
        "Shang-Chi and the Legend of the Ten Rings",
        "The Matrix Resurrections",
        "Eternals",
        "Venom: Let There Be Carnage",
        "The Batman",
        "The Suicide Squad",
        "Free Guy",
```

```
"Jungle Cruise",
        "Cruella",
        "A Quiet Place Part II",
        "F9: The Fast Saga",
        "Luca",
        "Godzilla vs. Kong",
        "Space Jam: A New Legacy",
        "The Green Knight",
        "01d"
    ];
    $("#tags").autocomplete({
        source: availableTags,
        open: function(event, ui) {
            $('.ui-autocomplete').css({
                'color': 'red', // Change 'red' to the color you want
                'z-index': '9999' // Set z-index to a high value
            });
   });
});
 * Initializes a slideshow that cycles through slides automatically when the
DOM content is fully loaded and parsed.
* @callback SlideshowInitializationCallback
* @global
$(document).ready(function() {
    let slideIndex = 1;
    showSlides();
    function showSlides() {
        let slides = $(".slideshow-slide");
        slides.css("right"); // Start all slides off screen to the right
        // Slide in the current slide from the right
        slides.eq(slideIndex).css("left", "100%").show().animate({ left: 0 },
1000);
        // Slide out the previous slide to the left
        let prevSlideIndex = slideIndex === 0 ? slides.length - 1 : slideIndex
- 1;
        slides.eq(prevSlideIndex).animate({ left: "-100%"}, 1000);
        // Move to the next slide
        slideIndex++;
        if (slideIndex >= slides.length) {
```

```
slideIndex = 0;
        // Repeat the process after 4 seconds
        setTimeout(showSlides, 5000);
});
 * Displays the slideshow slide specified by the slide index when called.
 * @callback ShowSlidesCallback
 * @param {number} n - The index of the slide to be displayed.
 * @global
var slideIndex = 1;
 showSlides(slideIndex);
  function plusSlides(n) {
    showSlides(slideIndex += n);
  function showSlides(n) {
   var i;
    var slides = document.getElementsByClassName("slideshow-slide");
   if (n > slides.length) { slideIndex = 1 }
    if (n < 1) { slideIndex = slides.length }</pre>
    for (i = 0; i < slides.length; i++) {</pre>
      slides[i].style.display = "none";
    slides[slideIndex - 1].style.display = "block";
* Updates the displayed time every second with a greeting based on the time
of the day when the DOM content is fully loaded and parsed.
* @callback TimeDisplayUpdateCallback
* @global
$(document).ready(function(){
    var timeDisplay = document.getElementById("time");
    function refreshTime() {
        var now = new Date();
        var hour = now.getHours();
        var greeting;
        if (hour >= 12 && hour < 18) {
```

```
greeting = "Good afternoon";
        } else if (hour >= 18 || hour < 6) {</pre>
            greeting = "Good evening";
        } else {
            greeting = "Good morning";
        var dateString = now.toLocaleString("en-US");
        var formattedString = dateString.replace(", ", " - ");
        timeDisplay.innerHTML = `${greeting}, ${formattedString}`;
    setInterval(refreshTime, 1000);
    // Initial call to display time immediately
   refreshTime();
});
content is fully loaded and parsed.
 * @callback TooltipInitializationCallback
 * @global
$( function() {
   $( document ).tooltip();
 } );
 * Initializes dropdown functionality for elements with the 'dropdown-toggle'
class when the DOM content is fully loaded and parsed.
 * @callback DropdownInitializationCallback
* @global
$(document).ready(function(){
    // Dropdown toggle event binding
    $('.dropdown-toggle').dropdown();
});
* Initializes hover effects for footer links, increasing font size on hover
and reverting back when not hovered, when the DOM content is fully loaded and
parsed.
* @callback FooterLinkHoverEffectInitializationCallback
* @global
$(document).ready(function(){
const footerLinks = document.querySelectorAll('.footer-link');
```

```
$(document).ready(function(){
    $('.footer-link').hover(function(){
        $(this).animate({ fontSize: '1.1em' }, 'fast');
    }, function(){
        $(this).animate({ fontSize: '1em' }, 'fast');
    });
});
});
 * Plays a YouTube video corresponding to the given video ID and updates the
HTML with the embedded video player when called.
 * @param {string} videoId - The ID of the YouTube video to be played.
* @global
function playVideo(videoId) {
    const videoPlayers = {
         'Yw04cw-KWGA':'videoPlayer 1',
         'bD7bpG-zDJQ':'videoPlayer 2',
         'gizIbhk5Eu4':'videoPlayer_3'
         '4IO8DEhlRe0':'videoPlayer 4',
         '13Zbh_GPNCM':'videoPlayer_5',
        // Update the player ID to match the HTML
        // Add more video IDs and corresponding player IDs as needed
    };
    console.log('Playing video with ID:', videoId);
    console.log('Available video IDs:', Object.keys(videoPlayers));
    // Get the video player container by ID
    const playerContainerId = videoPlayers[videoId];
    console.log('Player container ID for video ID:', playerContainerId);
    const playerContainer = $('#' + playerContainerId);
    // Check if the player container exists
    if (playerContainer.length) {
        // Replace the placeholder with the YouTube iframe player
        playerContainer.html(`<iframe width="560" height="315"</pre>
src="https://www.youtube.com/embed/${videoId}" frameborder="0"
allow="autoplay; encrypted-media" allowfullscreen></iframe>`);
        // Show the close button
        playerContainer.siblings('.close-button').show();
    } else {
        console.error(`Player container with ID '${playerContainerId}' not
found. `);
```

```
* Closes the YouTube video player associated with the given player container
* @param {string} playerContainerId - The ID of the container holding the
video player.
 * @global
function closeVideo(playerContainerId) {
    const playerContainer = $('#' + playerContainerId);
    if (playerContainer.length) {
        playerContainer.html(''); // Clear the content to close the video
player
        // Hide the close button
        playerContainer.siblings('.close-button').hide();
    } else {
        console.error(`Player container with ID '${playerContainerId}' not
found. `);
 * Initializes event listeners for video play, close, and show/hide
functionality when the DOM content is fully loaded and parsed.
 * @callback VideoFunctionalityInitializationCallback
 * @global
$(document).ready(function() {
    // Hide the close button initially when the page loads
    $('.close-button').addClass('d-none');
    // Add click event listener to the circle-play button
    $('.fa-circle-play').click(function() {
        // Hide the circle-play button when clicked
        $(this).addClass('d-none');
        // Show the close button when the circle-play button is clicked
        $(this).siblings('.close-button').removeClass('d-none');
    });
    // Add click event listener to the close button
    $('.close-button').click(function() {
        // Show the circle-play button when the close button is clicked
        $(this).siblings('.fa-circle-play').removeClass('d-none');
        // Hide the close button when clicked
        $(this).addClass('d-none');
```

```
});
 * Initializes the accordion functionality for the element with the id
'accordion' when the DOM content is fully loaded and parsed.
 * @callback AccordionInitializationCallback
 * @global
$( function() {
    $( "#accordion" ).accordion();
  } );
 * Initializes the show/hide functionality for the element with the id 'show-
more1' and the corresponding toggle button when the DOM content is fully
loaded and parsed.
 * @callback ShowHideInitializationCallback1
* @global
$(document).ready(function(){
    $("#show-more1").hide();
    $("#toggle-button1").click(function(){
        $("#show-more1").slideToggle();
    });
});
more2' and the corresponding toggle button when the DOM content is fully
loaded and parsed.
 * @callback ShowHideInitializationCallback2
 * @global
$(document).ready(function(){
    $("#show-more2").hide();
    $("#toggle-button2").click(function(){
        $("#show-more2").slideToggle();
   });
});
* Applies a fade-in effect to elements with the 'fade-in' class as they
become visible in the viewport while scrolling.
 * @callback FadeInScrollCallback
 * @global
$(window).scroll(function() {
   $('#fade-in').each(function() {
```

```
var elemTop = $(this).offset().top;
        var elemBottom = elemTop + $(this).height();
        var scrollTop = $(window).scrollTop();
        var windowHeight = $(window).height();
        if (elemBottom < scrollTop + windowHeight) {</pre>
            $(this).addClass('fade-in');
    });
});
 * Handles the incrementation of quantity input value when the plus button is
clicked in a shopping cart.
 * @callback CartQtyPlusClickCallback
 * @global
$(document).ready(function() {
    $(".cart-qty-plus").click(function() {
        var $input = $(this).closest(".container").find(".qty");
        $input.val(parseInt($input.val()) + 1);
    });
    $(".cart-qty-minus").click(function() {
        var $input = $(this).closest(".container").find(".qty");
        var amount = parseInt($input.val());
        if (amount > 0) {
            $input.val(amount - 1);
    });
});
 * Loads content from 'test.html' into a modal popup when the element with the
id 'loadPage' is clicked.
 * @callback LoadPageClickCallback
 * @global
$(document).ready(function() {
    $("#loadPage").click(function() {
        // AJAX request to load test.html content
        $.ajax({
            url: "test.html",
            type: "GET",
            success: function(response) {
                // On success, load the content into the popup
                $("#pageContent").html(response);
                $("#popupContent").modal(); // Open the popup
```

```
error: function(xhr, status, error) {
                console.error("Error loading page:", error);
       });
   });
});
 * Resets font sizes to their original values by removing any custom font size
styles or classes.
 * @callback ResetFontSizeCallback
 * @global
function resetFontSize() {
    // Reset font sizes to their original values
    document.querySelectorAll('*').forEach(element => {
        // Check if the element has font-size style defined
        if (element.style.fontSize) {
            element.style.removeProperty('font-size');
        if (element.classList.contains('larger-text')) {
            element.classList.remove('larger-text');
    });
* Handles the search functionality by checking if the search input is empty
or not. If it's empty, it adds an error class and displays an error message.
If not, it redirects to the 'booking.html' page.
 * @callback SearchRedirectCallback
 * @global
function searchRedirect() {
    // Check if the search input has a value
    if ($('#tags').val().trim() === '') {
        // If the search input is empty, add CSS class to turn the field red
        $('#tags').addClass('error');
        // Insert text indicating that a movie must be selected
        $('#searchError').text('A movie must be selected.');
    } else {
        // If there is a value, remove any existing error styling and text
        $('#tags').removeClass('error');
        $('#searchError').text('');
        // Redirect to the booking.html page
        window.location.href = 'booking.html';
```

```
* Initializes the slide-in effect for elements with the class 'js-slidein'
when the DOM content is fully loaded and parsed.
 * @callback SlideInInitializationCallback
 * @global
$(document).ready(function () {
    var breakpoint = 840;
    // If the screen is smaller then 840px wide remove all classes.
    if ($(window).width() < breakpoint) {</pre>
      $('.js-slidein').removeClass('js-slidein');
    // Check which of the elements with this class is visible on the page
    $('.js-slidein').each(function (i) {
      var bottomObject = $(this).offset().top;
      var bottomWindow = $(window).scrollTop() + $(window).height();
      if (bottomWindow > bottomObject) {
        $(this).removeClass('js-slidein');
    });
    // Trigger the slide-in effect on scroll
    $(window).scroll(function () {
      $('.js-slidein').each(function (i) {
        var bottomObject = $(this).offset().top + $(this).outerHeight() / 3;
        var bottomWindow = $(window).scrollTop() + $(window).height();
        if (bottomWindow > bottomObject) {
          $(this).addClass('js-slidein-visible');
      });
   });
  });
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="style.css" />
    <title>Movie Seat Booking</title>
```

```
<script src="test.js" defer></script> <!-- link java script file to the</pre>
 <link rel="stylesheet" href="test.css">
<body>
 <div class="movie-container">
   <label> Select a movie:</label>
   <select id="movie">
     <option value="12.5">Godzilla vs Kong</option>
     <option value="12.5">Challengers </option>
     <option value="12.5">I.S.S. </option>
     <option value="12.5">Fall Guy</option>
     <option value="12.5">The American Society of Negroes
   </select>
 </div>
 <
     <div class="seat"></div>
     <small>Available
   <1i>>
     <div class="seat selected"></div>
     <small>Selected</small>
   <1i>>
     <div class="seat sold"></div>
     <small>Sold</small>
   <div class="container">
   <div class="screen"></div>
   <div class="row">
     <div class="seat"></div>
     <div class="seat"></div>
   </div>
   <div class="row">
     <div class="seat"></div>
     <div class="seat"></div>
```

```
<div class="seat"></div>
   <div class="seat sold"></div>
   <div class="seat sold"></div>
   <div class="seat"></div>
   <div class="seat"></div>
    <div class="seat"></div>
 </div>
 <div class="row">
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat sold"></div>
   <div class="seat sold"></div>
 </div>
 <div class="row">
   <div class="seat"></div>
   <div class="seat"></div>
 </div>
 <div class="row">
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat sold"></div>
   <div class="seat sold"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
 </div>
 <div class="row">
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat"></div>
   <div class="seat sold"></div>
   <div class="seat sold"></div>
   <div class="seat sold"></div>
   <div class="seat"></div>
  </div>
</div>
```

```
You have selected <span id="count">0</span> seat for a price of £<span
        id="total"
       >0</span
   <script src="script.js"></script>
  </body>
</html>
 * Retrieves data from local storage and populates UI with previously selected
movie and seats.
const container = document.querySelector(".container");
const seats = document.querySelectorAll(".row .seat:not(.sold)");
const count = document.getElementById("count");
const total = document.getElementById("total");
const movieSelect = document.getElementById("movie");
populateUI();
let ticketPrice = +movieSelect.value;
// Save selected movie index and price
function setMovieData(movieIndex, moviePrice) {
 localStorage.setItem("selectedMovieIndex", movieIndex);
  localStorage.setItem("selectedMoviePrice", moviePrice);
// Update total and count
function updateSelectedCount() {
  const selectedSeats = document.querySelectorAll(".row .seat.selected");
 const seatsIndex = [...selectedSeats].map((seat) =>
[...seats].indexOf(seat));
  localStorage.setItem("selectedSeats", JSON.stringify(seatsIndex));
  const selectedSeatsCount = selectedSeats.length;
  count.innerText = selectedSeatsCount;
  total.innerText = selectedSeatsCount * ticketPrice;
  setMovieData(movieSelect.selectedIndex, movieSelect.value);
// Get data from localstorage and populate UI
```

```
function populateUI() {
  const selectedSeats = JSON.parse(localStorage.getItem("selectedSeats"));
  if (selectedSeats !== null && selectedSeats.length > 0) {
    seats.forEach((seat, index) => {
      if (selectedSeats.indexOf(index) > -1) {
        console.log(seat.classList.add("selected"));
   });
  const selectedMovieIndex = localStorage.getItem("selectedMovieIndex");
 if (selectedMovieIndex !== null) {
   movieSelect.selectedIndex = selectedMovieIndex;
    console.log(selectedMovieIndex)
console.log(populateUI())
// Movie select event
movieSelect.addEventListener("change", (e) => {
 ticketPrice = +e.target.value;
 setMovieData(e.target.selectedIndex, e.target.value);
 updateSelectedCount();
});
// Seat click event
container.addEventListener("click", (e) => {
    e.target.classList.contains("seat") &&
    !e.target.classList.contains("sold")
    e.target.classList.toggle("selected");
    updateSelectedCount();
});
// Initial count and total set
updateSelectedCount();
@import url("https://fonts.googleapis.com/css?family=Lato&display=swap");
  box-sizing: border-box;
.movie-container {
 margin: 20px 0;
```

```
.movie-container select {
 background-color: #fff;
 border: 0;
 border-radius: 5px;
 font-size: 16px;
 margin-left: 10px;
 padding: 5px 15px 5px 15px;
 -moz-appearance: none;
 -webkit-appearance: none;
 appearance: none;
.container {
 perspective: 1000px;
 margin-bottom: 30px;
.seat {
 background-color: #444451;
 height: 26px;
 width: 32px;
 margin: 3px;
 font-size: 50px;
 border-top-left-radius: 10px;
 border-top-right-radius: 10px;
.seat.selected {
 background-color: green;
.seat.sold {
 background-color: #fff;
.seat:nth-of-type(2) {
 margin-right: 18px;
.seat:nth-last-of-type(2) {
 margin-left: 18px;
.seat:not(.sold):hover {
 cursor: pointer;
 transform: scale(1.2);
```

```
.showcase .seat:not(.sold):hover {
 cursor: default;
 transform: scale(1);
.showcase {
 background: rgba(0, 0, 0, 0.1);
 padding: 5px 10px;
 border-radius: 5px;
 color: #777;
 list-style-type: none;
 display: flex;
  justify-content: space-between;
.showcase li {
 display: flex;
 align-items: center;
 justify-content: center;
 margin: 0 10px;
.showcase li small {
 margin-left: 2px;
.row {
 display: flex;
.screen {
 background-color: #fff;
 height: 120px;
 width: 100%;
 margin: 15px 0;
 transform: rotateX(-48deg);
 box-shadow: 0 3px 10px rgba(255, 255, 255, 0.7);
p.text{
   margin: 5px 0;
p.text span{
    color: rgb(158, 248, 158);
/* Background color makes text pop - accessibility
```

```
Font-family back ups are accessible and allow all web pages
   to use at least one of them
body {
    background-color: rgb(245, 245, 245); /* Slightly off-white background */
    color: #333; /* Darker font color for better readability */
    font-family: Helvetica, Arial, sans-serif; /* Back up font types added
incase browser doesn't support some */
    transition: background-color 0.5s ease, color 0.5s ease;
/* Make the company name larger within the nav bar so it 'pops' out */
.navbar-brand img {
    max-width: 80px;
   height: auto;
.navbar-nav .nav-link {
    color: white !important;
    font-size: 25px;
    transition: color 0.4s ease;
.navbar-nav .nav-link:hover {
    color: yellow !important;
.navbar.fixed-top {
   position: fixed;
   top: 0;
   width: 100%;
    z-index: 1000; /* Ensure it stays on top of other elements */
.nav-item-divider {
    position: relative;
.nav-item-divider::after {
    content: '';
    position: absolute;
    top: 50%;
    right: -2px; /* Adjust the position of the divider */
    width: 1px; /* Adjust the thickness of the divider */
    height: 30px; /* Adjust the height of the divider */
    background-color: white; /* Adjust the color of the divider */
   transform: translateY(-50%);
```

```
@keyframes dropdownAnimation {
    from { opacity: 0; transform: translateY(-10px); }
    to { opacity: 1; transform: translateY(0); }
.dropdown-menu {
    animation: dropdownAnimation 0.4s ease forwards;
.nav-item.dropdown:hover .dropdown-menu {
    display: block;
#H_ContrastB {
    background: none;
   border: none;
   padding: 0;
   margin: 0;
#H_ContrastB img {
   display: block;
   margin-left: auto;
/* Home page elements */
.intro {
   margin: 0 auto;
   text-align: center;
   background-color: rgb(198, 200, 200);
   padding: 5% 0 5% 0;
.intro p {
 margin: 0 auto;
 width: 60%;
 font-size: 30px
.intro h1 {
   font-size: 60px;
    font-style: bold;
```

```
/* Responsive font sizes */
@media screen and (max-width: 768px) {
    .intro p {
        font-size: 20px;
        width: 80%;
    .intro h1 {
        font-size: 40px;
   position: absolute;
    justify-content: center;
   left: 50%;
@media (max-width: 1500px) {
     display: none !important;
.image-placeholder {
   width: 450x;
   height: 350px;
   border: 2px dashed #aaa;
   margin: 0 auto;
   margin-top: 35%;
    display: flex;
    justify-content: center;
    align-items: center;
    text-align: center;
   font-size: 20px;
    color: #666;
#time {
   margin-top: 74px;
   margin-bottom: 0;
   text-align: center;
   background-color: gold;
```

```
/* Contact Form Elements */
/* Contact Form heading aligned in the center */
#C heading {
   text-align: center;
   margin-top: 106px;
/* Centers company's contact information */
.C info {
    justify-content: flex-end;
   text-align: center;
.C_info img {
    height: auto; /* Maintains natural resolution */
   width: 20px;
/* Position the "Scroll to Top" link */
/* Align the contact form in the center of the web page */
form {
   width: 400px;
   margin: 0 auto;
   font-size: 16px;
   line-height: 1.5;
label {
   display: block;
   margin-bottom: 5px;
input[type="text"],
input[type="email"],
textarea {
   width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 5px;
    font-size: 16px;
    line-height: 1.5;
   margin-bottom: 15px;
```

```
input[type="submit"] {
    background-color: #555;
    color: #fff;
    padding: 10px 20px;
   border: none;
   border-radius: 5px;
    font-size: 16px;
    cursor: pointer;
input[type="submit"]:hover {
   background-color: #777;
.larger-text {
   font-size: 30px;
.error-field {
   border-color: red !important;
.form-group {
   margin-bottom: 15px; /* Add some space between each form group */
.error-field {
    position: relative; /* Ensure the parent container is positioned */
.error-field .error {
   position: absolute; /* Position the error message absolutely */
    color: red; /* Set the color of the error message */
    top: 100%; /* Position the error message below the input field */
.slideshow-container {
   width: 100%;
   overflow: hidden;
   position: relative;
   height: 55vh;
.slideshow-slide {
```

```
position: absolute;
   width: 100%;
   height: 100%;
    left: 0;
.slideshow-slide img {
   width: 100%;
   height: 100%;
   object-fit: cover;
   display: block;
   margin: 0;
   padding: 0;
.overlay-text {
    position: absolute;
   bottom: 0;
   left: 0;
   right: 0;
    color: #fff;
   padding: 10px;
   font-size: 20px;
   text-align: center;
.overlay-text img {
    position: absolute;
   width: auto;
   height: 30px;
   display: inline;
   vertical-align: middle;
   margin-left: 10px;
img.movie_poster {
   max-width: 150px;
   height: auto;
    position: absolute;
   left: 25%;
   bottom: 5%;
#book-now-button {
   width: 100px;
   height: 40px;
```

```
background-color: yellow;
    color: black;
    border: none;
    cursor: pointer;
    transition: background-color 0.3s, color 0.3s; /* Smooth transition on
hover */
   border-radius: 20px;
    position: absolute;
    right: 25%;
   bottom: 5%;
   text-decoration: none;
#book-now-button:hover {
   background-color: white;
    color: black;
@media only screen and (max-width: 768px) {
    #book-now-button {
        right: 5%;
.prev, .next {
    position: absolute;
    top: 40%;
    transform: translateY(-50%);
    z-index: 99;
    cursor: pointer;
    font-size: 24px;
    padding: 16px;
   background-color: rgba(0, 0, 0, 0.5);
    color: #fff;
   border: none;
   border-radius: 50%;
   transition: background-color 0.2s ease;
.prev:hover, .next:hover {
background-color: rgba(143, 140, 140, 0.8);
.prev {
left: 0;
.next {
```

```
right: 0;
.footer-icon, .navbar-brand img {
    transition: transform 0.3s ease;
.footer-icon:hover svg, .navbar-brand img:hover {
    transform: scale(1.2);
.fontSize * {
   font-size: 30px !important;
.close-button, .fa-circle-play {
   transform: scale(1); /* Apply scale transformation to both normal and
hover states */
   transition: transform 0.3s ease, color 0.3s ease; /* Add transitions for
.fa-circle-play:hover, .close-button:hover {
    color: gold; /* Change color to gold on hover */
    transform: scale(1.2); /* Scale up on hover */
.theme-icon-active use {
    transition: all 0.3s ease;
.theme-icon-active-dark use {
   transform: rotate(180deg);
#bd-theme {
    position: fixed;
    right: 17px; /* Adjust this value to your preference */
   bottom: 22px; /* Adjust this value to your preference */
    padding: 10px 20px;
   border-radius: 5px;
    text-decoration: none;
    color: black;
#bd-theme:hover {
   background-color: #0056b3;
```

```
opacity: 0.5
.image-gallery {
    display: flex;
    flex-direction: column; /* Stack items vertically */
.gallery-item:not(:last-child) {
   margin-bottom: 20px; /* Adjust as needed for the desired space between
.gallery-item {
   display: flex;
    justify-content: center; /* Center the image horizontally */
    margin-bottom: 20px; /* Adjust as needed for the desired space between
.gallery-item img {
   max-width: 50%; /* Ensure images don't exceed container width */
    height: auto; /* Maintain aspect ratio */
    border-radius: 20px; /* Adjust the value to control the roundness of the
corners */
.gallery-item {
   position: relative;
 /* Text block styles */
.text-block {
    position: absolute;
    bottom: 20px;
    right: 25%;
    background-color: rgb(0, 0, 0);
    color: white;
    padding-left: 20px;
    padding-right: 20px;
@media screen and (max-width: 768px) {
    .image-gallery .gallery-item .text-block {
        display: none; /* Hide the text block on smaller devices */
@media screen and (max-width: 768px) {
```

```
.image-gallery .gallery-item img {
        max-width: 100%; /* Set the maximum width to 100% */
        height: auto; /* Maintain aspect ratio */
        width: 80%; /* Set the width to 80% of the container on smaller
devices */
        margin: 0 auto; /* Center the images horizontally */
body {
    animation: fadeIn 0.7s ease-in-out;
/* Animation shit */
.booking-page .row {
    display: -ms-flexbox;
    display: flex;
   -ms-flex-wrap: wrap;
   flex-wrap: wrap;
   margin: 0 -16px;
  .booking-page .col-25 {
    -ms-flex: 25%;
    flex: 25%;
  .booking-page .col-50 {
    -ms-flex: 50%;
   flex: 50%;
  .booking-page .col-75 {
   -ms-flex: 75%;
   flex: 75%;
  .booking-page .col-25,
  .booking-page .col-50,
  .booking-page .col-75 {
   padding: 0 16px;
  .booking-page .container {
    background-color: #f2f2f2;
    padding: 5px 20px 15px 20px;
    border: 1px solid lightgrey;
   border-radius: 3px;
```

```
}
  .booking-page input[type=text] {
   width: 100%;
   margin-bottom: 20px;
    padding: 12px;
   border: 1px solid #ccc;
   border-radius: 3px;
  .booking-page label {
   margin-bottom: 10px;
   display: block;
  .booking-page .icon-container {
   margin-bottom: 20px;
   padding: 7px 0;
   font-size: 24px;
  .booking-page .btn {
    background-color: #04AA6D;
   color: white;
   padding: 12px;
   margin: 10px 0;
   border: none;
   width: 100%;
   border-radius: 3px;
   cursor: pointer;
   font-size: 17px;
  .booking-page .btn:hover {
   background-color: #45a049;
  .booking-page span.price {
   float: right;
   color: grey;
 /* Responsive layout - when the screen is less than 800px wide, make the two
columns stack on top of each other instead of next to each other (and change
the direction - make the "cart" column go on top) */
 @media (max-width: 800px) {
    .booking-page .row {
     flex-direction: column-reverse;
```

```
.booking-page .col-25 {
      margin-bottom: 20px;
#back-to-top {
    position: fixed;
    right: 20px;
   bottom: 80px;
    padding: 10px 20px;
    border-radius: 5px;
    text-decoration: none;
    color: black;
    transition: opacity 0.3s ease;
/* Style the link on hover */
#back-to-top:hover, #back-to-bottom:hover {
    background-color: #0056b3;
    opacity: 0.5
#back-to-bottom {
   position: fixed;
    right: 20px; /* Adjust this value to your preference */
    bottom: 50px; /* Adjust this value to your preference */
    padding: 10px 20px;
   border-radius: 5px;
    text-decoration: none;
    color: black;
.js-slidein {
   opacity: 0;
    transform: translateY(100px);
    -webkit-transition: all 300ms ease-in-out;
    transition: all 700ms ease-in-out;
  .js-slidein-visible {
    opacity: 1 !important;
    transform: translateY(0) !important;
  .form-margin {
    margin-top: 100px; /* Adjust the value as needed */
```

```
body{
    font-family: Arial, Helvetica, sans-serif;
    overflow-x: hidden;
    font-synthesis: 15px;
    padding-top: 80px;
a{
    text-decoration: none;
.containerBook{
   width: 1200px;
   margin: auto;
   max-width: 90%;
    transition: transform 1s;
header img{
   width: 60px;
header{
   display: flex;
    align-items: center;
    justify-content: space-between;
header .iconCart{
   position: relative;
    z-index: 1;
header .totalQuantity{
   position: absolute;
   top: 0;
    right: 0;
    font-size: x-large;
   background-color: #b31010;
   width: 40px;
   height: 40px;
    color: #fff;
    font-weight: bold;
    display: flex;
    justify-content: center;
    align-items: center;
    border-radius: 50%;
    transform: translateX(20px);
.listProduct{
   display: grid;
.listProduct .item img {
   width: 100%; /* Make the image fill the entire width of its container */
```

```
height: 430px; /* Set a fixed height for the image */
    object-fit: scale-down; /* Ensure the image covers the entire container,
preserving its aspect ratio */
.listProduct .item{
    position: relative;
.listProduct .item h2{
    font-weight: 700;
   font-size: x-large;
.listProduct .item .price{
    font-size: x-large;
.listProduct .item button{
   position: absolute;
    top: 50%;
    left: 50%;
    background-color: #e6572c;
    color: #fff;
   width: 50%;
   border: none;
    padding: 20px 30px;
    box-shadow: 0 10px 50px #000;
    cursor: pointer;
    transform: translateX(-50%) translateY(100px);
    opacity: 0;
.listProduct .item:hover button{
    transition: 0.5s;
    opacity: 1;
    transform: translateX(-50%) translateY(0);
.cart{
    color: #fff;
    position: fixed;
   width: 400px;
   max-width: 80vw;
   height: 100vh;
   background-color: #0E0F11;
    top: 0px;
    right: -100%;
    display: grid;
    grid-template-rows: 50px 1fr 50px;
    gap: 20px;
    transition: right 1s;
```

```
.cart .buttons .checkout{
    background-color: #E8BC0E;
   color: #000;
.cart h2{
   color: #E8BC0E;
   padding: 20px;
   height: 30px;
   margin: 0;
.cart .listCart .item{
    display: grid;
   grid-template-columns: 50px 1fr 70px;
    align-items: center;
   gap: 20px;
   margin-bottom: 20px;
.cart .listCart img{
   width: 100%;
   height: 70px;
   object-fit: cover;
   border-radius: 10px;
.cart .listCart .item .name{
   font-weight: bold;
.cart .listCart .item .quantity{
   display: flex;
    justify-content: end;
   align-items: center;
.cart .listCart .item .quantity span{
   display: block;
   width: 50px;
   text-align: center;
.cart .listCart{
   padding: 20px;
   overflow: auto;
.cart .listCart::-webkit-scrollbar{
   width: 0;
```

```
.cart .buttons{
   display: grid;
   grid-template-columns: repeat(2, 1fr);
   text-align: center;
.cart .buttons div{
   background-color: #000;
   display: flex;
   justify-content: center;
   align-items: center;
   font-weight: bold;
   cursor: pointer;
.popup-content .container {
   perspective: 1000px;
   margin-bottom: 30px;
.popup-content .row {
   display: flex;
   justify-content: center; /* Center the rows horizontally */
 .popup-content .seat {
   background-color: #444451;
   height: 26px;
   width: 32px;
   margin: 3px;
   font-size: 50px;
   border-top-left-radius: 10px;
   border-top-right-radius: 10px;
 .seat.selected {
   background-color: green;
 .seat.sold {
   background-color: #fff;
 .popup-content .seat:nth-of-type(2) {
   margin-right: 18px;
```

```
.popup-content .seat:nth-last-of-type(2) {
 margin-left: 18px;
.popup-content .seat:not(.sold):hover {
 cursor: pointer;
 transform: scale(1.2);
.popup-content .showcase .seat:not(.sold):hover {
 cursor: default;
 transform: scale(1);
.popup-content .showcase {
 background: rgba(0, 0, 0, 0.1);
 padding: 5px 10px;
 border-radius: 5px;
 color: #777;
 list-style-type: none;
 display: flex;
 justify-content: space-between;
.popup-content .showcase li {
 display: flex;
 align-items: center;
 justify-content: center;
 margin: 0 10px;
.popup-content .showcase li small {
 margin-left: 2px;
.popup-content .row {
 display: flex;
.popup-content .screen {
 background-color: #fff;
 height: 120px;
 width: 100%;
 margin: 15px 0;
 transform: rotateX(-48deg);
 box-shadow: 0 3px 10px rgba(255, 255, 255, 0.7);
```

```
.popup-content p.text {
   margin: 5px 0;
 .popup-content p.text span {
   color: rgb(158, 248, 158);
.seat.selected:hover {
 background-color: yellow;
#joe {
   width: 100px;
   height: 40px;
   background-color: yellow;
    color: black;
    border: 2px solid black; /* Adding border */
   border-radius: 20px; /* Adjust the value to control the roundness of the
corners */
    cursor: pointer;
    transition: background-color 0.3s, color 0.3s; /* Smooth transition on
hover */
    position: absolute;
   left: 50%;
   transform: translateX(-50%); /* Center horizontally */
   text-align: center;
   text-decoration: none; /* Remove underline */
   box-shadow: 0 10px 50px #000; /* Adding box shadow */
#joe:hover {
    color: white; /* Change the text color on hover */
    background-color: black; /* Change the background color on hover */
#loadPage {
   width: 200px; /* Set the initial width */
   height: 60px; /* Set the initial height */
   font-size: 1.2em; /* Set the initial font size */
   transition: width 0.3s, height 0.3s, font-size 0.3s; /* Add transition for
smooth hover effect */
}
#loadPage:hover {
   width: 250px; /* Increase width on hover */
```

```
height: 70px; /* Increase height on hover */
font-size: 1.3em; /* Increase font size on hover */
}
```