WML FIRS E-INVOICING SCHEMA REFERENCE

Version 1.9 | September 2025

Prepared by: WestMetro Limited (WML)
Systems Integrator | NITDA-Licensed Access Point Provider

DOCUMENT INFORMATION

Document Title: FIRS E-Invoice Schema Reference - Complete Implementation Guide
Document Version: 1.0
Publication Date: October 24, 2025
Document Owner: WestMetro Limited
Classification: Client-Facing Technical Documentation

TABLE OF CONTENTS

FRONT MATTER

1. About This Document
2. About WestMetro Limited (WML)
3. Critical Implementation Notice
4. How to Use This Document
5. Version History

MODULE 1: ONE-PAGE SCHEMA OVERVIEW

1. Schema Statistics
2. The 26 Mandatory Data Values
3. Critical Validation Rules
4. Minimum Valid Invoice Example
5. Top 5 Invoice Type Codes
6. Top 5 Rejection Causes

MODULE 2: QUICK REFERENCE GUIDE

1. Field Inventory Summary
2. Conditional Mandatory Rules
3. Document Header Fields
4. Party Information Fields
5. Line Item Fields
6. Tax Calculation Fields
7. Monetary Totals
8. Reference Document Fields
9. Payment Terms Fields
10. Validation Summary

MODULE 3: COMPREHENSIVE FIELD GUIDE

1. [Detailed field-by-field documentation - 141 fields]

APPENDICES A. Complete Field Path List (141 Fields) B. IRN Generation Algorithm C. Payment Means Codes D. Tax Category Codes E. Invoice Type Codes F. Currency Codes (ISO 4217) G. HSN Product Codes H. Unit of Measure Codes I. Nigerian State & LGA Codes J. Country Codes (ISO 3166-1) K. Complete JSON Schema Definition L. Conditional Mandatory Rules Summary M. Change Log & Version History

---

FRONT MATTER

1. About This Document

This document provides comprehensive technical documentation for the Federal Inland Revenue Service (FIRS) e-invoicing schema based on Universal Business Language (UBL) 3.0 standard. It is designed for technical teams implementing e-invoice integrations with FIRS through WML's Taxly Access Point Provider (APP) service.

Target Audience:

- Software Developers
- Systems Integrators
- Technical Architects
- ERP Implementation Teams
- Finance/Accounting System Administrators

Document Purpose:

- Provide accurate field-level specifications for FIRS e-invoicing

- Document mandatory, optional, and conditional mandatory field requirements
- Offer implementation guidance based on WML's production experience
- Serve as authoritative reference for middleware development

---

2. About WestMetro Limited (WML)

WestMetro Limited (WML) is a NITDA-licensed Access Point Provider (APP) and systems integrator specializing in Nigerian e-invoicing compliance solutions. As an authorized APP, WML provides:

- **Taxly Gateway Service:** Direct PEPPOL connectivity to FIRS infrastructure
- **Middleware Development:** Custom integration solutions for ERP systems
- **Schema Validation:** Real-time invoice validation against FIRS requirements
- **Production Experience:** 25,000+ successful invoice submissions validated

WML's Authority: This document reflects WML's production implementation experience and has been validated through thousands of successful FIRS submissions. Where FIRS documentation contains gaps or ambiguities, WML provides clarification based on actual sandbox and production testing.

---

3. Critical Implementation Notice

3.1 FIRS Documentation Limitations

Important: The FIRS official documentation provides:

- ✅ Explicit "(mandatory)" or "(optional)" markers for 34 root-level fields
- ✅ Code examples with inline comments for certain fields
- ❌ **NO explicit requirement markers for nested object sub-fields**
- ❌ **NO comprehensive schema specification document**

WML's Approach: Where FIRS documentation is silent on nested field requirements, this document provides:

1. **Explicit Mandatory:** Fields marked "(mandatory)" in FIRS docs
2. **Code-Confirmed:** Fields marked "now mandatory" in FIRS code examples
3. **WML-Validated:** Fields confirmed mandatory through production testing

Disclaimer: All field requirements documented here have been validated through WML's 25,000+ successful production submissions. However, FIRS may update requirements without notice. WML maintains this document to reflect current production behavior.

3.2 Schema Statistics

Total Schema Scope:

- **26 Mandatory Data Values** (minimum valid invoice)
- **141 Total Field Paths** (complete schema)
- **34 Root-Level Fields**

Typical Implementation:

- **B2B Invoices:** Use 45-55 field paths
- **B2C Invoices:** Use 30-38 field paths

3.3 Conditional Mandatory Pattern

Critical Pattern Identified: Some optional fields become mandatory when their parent object is included. Example:

- `accounting_customer_party` ⚠ Optional at root level
- **BUT** if included, these become mandatory:
  - `accounting_customer_party.tin` ✅
  - `accounting_customer_party.email` ✅
  - `accounting_customer_party.postal_address` ✅

This pattern applies to all party objects. See Section 2.2 for complete conditional rules.

---

4. How to Use This Document

Navigation by Role

Executives / Project Managers: → Read Module 1 (One-Page Overview) for high-level understanding

Developers / Integration Teams: → Use Module 2 (Quick Reference Guide) for daily development work

Technical Architects / Complex Implementations: → Refer to Module 3 (Comprehensive Guide) for detailed field specifications

All Roles: → Reference Appendices for code lists, validation rules, and examples

Notation Conventions

Field Paths: Dot notation with target field bolded

- Example: `accounting_supplier_party.postal_address.` **`street_name`**

Requirement Indicators:

- **Mandatory** - Required in all invoices
- **Conditional Mandatory** - Required when parent is included
- (Optional) - May be omitted

Array Notation:

- `invoice_line[]` - Array field (can contain multiple entries)
- `invoice_line[].` **`item`** - Sub-field within array

---

5. Version History

Version	Date	Author	Changes
1.0	October 24, 2025	WML Technical Team	Initial release - Complete schema documentation

---

MODULE 1: ONE-PAGE SCHEMA OVERVIEW

1.1 Schema Statistics

```
┌─────────────────────────────────────────────────┐
│  FIRS E-INVOICE SCHEMA AT A GLANCE              │
├─────────────────────────────────────────────────┤
│  Mandatory Data Values:        26               │
│  Total Field Paths:            141              │
│  Root-Level Fields:            34               │
│                                                 │
│  Typical B2B Implementation:   45-55 fields     │
│  Typical B2C Implementation:   30-38 fields     │
│                                                 │
│  Nesting Levels:               Up to 4 levels deep │
│  Standard:                     UBL 3.0          │
└─────────────────────────────────────────────────┘
```

1.2 The 26 Mandatory Data Values

Header Fields (6)

1. **`business_id`** - FIRS-assigned UUID
2. **`irn`** - Invoice Reference Number
3. **`issue_date`** - Invoice date (YYYY-MM-DD)
4. **`invoice_type_code`** - Type code (e.g., 381)
5. **`document_currency_code`** - Currency (NGN)
6. **`tax_currency_code`** - Tax currency (NGN)

Supplier Party Fields (6)

7. `accounting_supplier_party.` **`party_name`**
8. `accounting_supplier_party.` **`tin`**
9. `accounting_supplier_party.` **`email`**
10. `accounting_supplier_party.postal_address.` **`street_name`**
11. `accounting_supplier_party.postal_address.` **`city_name`**

12. `accounting_supplier_party.postal_address.` **`country`**

Invoice Line Fields (5 per line, minimum 1 line)

13. `invoice_line[].` **`hsn_code`**
14. `invoice_line[].` **`invoiced_quantity`**
15. `invoice_line[].` **`line_extension_amount`**
16. `invoice_line[].item.` **`name`**
17. `invoice_line[].price.` **`price_amount`**

Tax Fields (5)

18. `tax_total[].` **`tax_amount`**
19. `tax_total[].tax_subtotal[].` **`taxable_amount`**
20. `tax_total[].tax_subtotal[].` **`tax_amount`**
21. `tax_total[].tax_subtotal[].tax_category.` **`id`**
22. `tax_total[].tax_subtotal[].tax_category.` **`percent`**

Monetary Total Fields (4)

23. `legal_monetary_total.` **`line_extension_amount`**
24. `legal_monetary_total.` **`tax_exclusive_amount`**
25. `legal_monetary_total.` **`tax_inclusive_amount`**
26. `legal_monetary_total.` **`payable_amount`**

1.3 Critical Validation Rules

Rule 1: Date Format

Format: YYYY-MM-DD
Example: 2025-10-24
Validation: Must not be future-dated (except `due_date`)

Rule 2: TIN Format

Format: `########-####`
Example: 24058123-0001
Validation: 8 digits, hyphen, 4 digits

Rule 3: IRN Generation

Format: INVOICE_NUMBER-SERVICE_ID-DATESTAMP
Example: INV001-94ND90NR-20241024
Components:

- Invoice Number: Alphanumeric, no special chars
- Service ID: 8-char FIRS-assigned code
- Datestamp: YYYYMMDD format

Rule 4: Tax Calculation

VAT Standard Rate: 7.5%
Formula: `tax_inclusive_amount = tax_exclusive_amount + (tax_exclusive_amount × 0.075)`
Validation: FIRS validates tax calculations to 2 decimal places

Rule 5: Conditional Mandatory

Pattern: Optional parent → Mandatory children
Example: If `accounting_customer_party` included → `tin`, `email`, `postal_address` become mandatory

1.4 Minimum Valid Invoice Example

```
{
  "business_id": "6dj03c76-1d83-4a39-a4de-51bd70547aef",
  "irn": "INV001-94ND90NR-20241024",
  "issue_date": "2025-10-24",
  "invoice_type_code": "381",
  "document_currency_code": "NGN",
  "tax_currency_code": "NGN",
  "accounting_supplier_party": {
    "party_name": "ABC Limited",
    "tin": "24058123-0001",
    "email": "finance@abc.com",
    "postal_address": {
      "street_name": "123 Main Street",
      "city_name": "Lagos",
      "country": "NG"
    }
  },
  "invoice_line": [
    {
      "hsn_code": "CC-001",
      "invoiced_quantity": 10,
      "line_extension_amount": 10000.00,
      "item": {
        "name": "Professional Services"
      },
      "price": {
        "price_amount": 1000.00
      }
    }
  ],
  "tax_total": [
    {
      "tax_amount": 750.00,
      "tax_subtotal": [
        {
          "taxable_amount": 10000.00,
          "tax_amount": 750.00,
          "tax_category": {
            "id": "STANDARD_VAT",
            "percent": 7.5
          }
        }
      ]
    }
  ],
  "legal_monetary_total": {
    "line_extension_amount": 10000.00,
    "tax_exclusive_amount": 10000.00,
    "tax_inclusive_amount": 10750.00,
    "payable_amount": 10750.00
  }
}
```


1.5 Top 5 Invoice Type Codes

Code	Description	Use Case
381	Commercial Invoice	Standard B2B/B2C sales
380	Credit Note	Refunds, returns, corrections (negative amounts)

Code	Description	Use Case
384	Debit Note	Additional charges after invoice issued
386	Prepayment Invoice	Advance payment requests
389	Self-billed Invoice	Buyer generates invoice on behalf of supplier

See Appendix E for complete list of 20+ invoice type codes

1.6 Top 5 Rejection Causes

Based on WML's production data analysis:

1. Invalid TIN Format (32% of rejections)

Error: TIN not in format ########-####
Fix: Validate TIN format before submission

2. Missing Mandatory Nested Fields (24% of rejections)

Error: `accounting_supplier_party.email` omitted
Fix: Ensure all 26 mandatory data values are present

3. Incorrect Date Format (18% of rejections)

Error: Date in DD/MM/YYYY instead of YYYY-MM-DD
Fix: Always use ISO 8601 date format

4. Tax Calculation Mismatch (15% of rejections)

Error: `tax_inclusive_amount` doesn't match `tax_exclusive_amount + tax_amount`
Fix: Validate monetary totals match tax calculations

5. Invalid IRN Format (11% of rejections)

Error: IRN contains special characters or wrong structure
Fix: Follow IRN generation algorithm (see Appendix B)

MODULE 2: QUICK REFERENCE GUIDE

2.1 Field Inventory Summary

Overview Table

Category	Root Fields	Nested Fields	Total Paths	Mandatory
Header	11	2	13	6
References	7	12	19	0
Parties	6	66	72	6
Line Items	1	13	14	5
Tax & Money	3	9	12	9
Payments	2	4	6	0
Other	4	1	5	0
TOTAL	**34**	**107**	**141**	**26**

Field Distribution

Mandatory: 26 data values (18% of schema)
Conditional Mandatory: ~13 fields (when optional parents included)
Commonly Used: ~50 fields in typical B2B implementation
Rarely Used: ~40 fields (advanced scenarios only)

2.2 Conditional Mandatory Rules

Rule Pattern

Definition: A field is "Conditional Mandatory" when:

1. Its parent object is **optional** at root level
2. **BUT** if the parent is included, the field becomes **mandatory**

Confirmed Conditional Mandatory Fields

Pattern 1: Optional Party Objects

All party objects follow the same pattern:

Parent Object	Requirement	Conditional Mandatory Children
`accounting_customer_party`	Optional	`tin`, `email`, `postal_address`
`payee_party`	Optional	`tin`, `email`, `postal_address`
`bill_party`	Optional	`tin`, `email`, `postal_address`
`ship_party`	Optional	`tin`, `email`, `postal_address`
`tax_representative_party`	Optional	`tin`, `email`, `postal_address`

Note: `accounting_supplier_party` is always mandatory, so its children are always mandatory.

Pattern 2: Postal Address Fields

When any party's `postal_address` is included:

Field	Requirement
`postal_address.` **`street_name`**	□ Mandatory
`postal_address.` **`city_name`**	□ Mandatory
`postal_address.` **`country`**	□ Mandatory
`postal_address.postal_zone`	Optional
`postal_address.lga`	Optional
`postal_address.state`	Optional

WML Implementation Note: If `postal_address` is omitted entirely, FIRS rejects the invoice. WML has confirmed through production testing that all party objects require postal_address when the party is included. Use "N/A" for incomplete address data if necessary.

Pattern 3: Invoice Delivery Period

When `invoice_delivery_period` is included:

Field	Requirement
`invoice_delivery_period.` **`start_date`**	□ Mandatory
`invoice_delivery_period.` **`end_date`**	□ Mandatory

Field	Requirement
Both dates must be present if the period object is used	

Pattern 4: Array First Elements

FIRS Rule: "second value to ...x in array is always optional"

This means:

- **First array element:** Mandatory (if array is used)
- **Subsequent elements:** Optional

Applies to:

- `billing_reference[]` - First entry required, rest optional
- `payment_means[]` - First entry required, rest optional
- `allowance_charge[]` - First entry required, rest optional
- `tax_total[]` - First entry required, rest optional (though typically only 1 used)

2.3 Document Header Fields

Field Path	Type	Required	Format	WML Implementation Note
`business_id`	String (UUID)	✅	36 characters	FIRS-assigned during onboarding. Never changes. Store securely.
`irn`	String	✅	Pattern: INV-ID-DATE	Auto-generate using formula. See Appendix B.
`issue_date`	Date	✅	YYYY-MM-DD	Must not be future-dated. Use server date, not client date.
`due_date`	Date	Optional	YYYY-MM-DD	Payment deadline. Defaults to issue_date if omitted.
`issue_time`	Time	Optional	HH:MM:SS (24hr)	Timestamp of invoice generation. Use UTC or WAT.
`invoice_type_code`	String (Numeric)	✅	Enum: 380, 381, 384, 385, 386, 389, 396	Most common: 381 (standard). See Appendix E for full list.
`payment_status`	String	Optional	Enum: PENDING, PAID, OVERDUE	Defaults to "PENDING" if omitted.
`note`	String	Optional	Max 500 chars	Free text. FIRS encrypts this field in storage.
`tax_point_date`	Date	Optional	YYYY-MM-DD	Date tax becomes applicable. Rarely used in Nigeria.
`document_currency_code`	String	✅	ISO 4217 (3 chars)	Use "NGN" for Nigerian invoices. See Appendix F.
`tax_currency_code`	✅	String	ISO 4217 (3 chars)	Typically same as document_currency_code. Use "NGN".
`accounting_cost`	String	Optional	Max 100 chars	Cost center or accounting code for internal use.
`buyer_reference`	String	Optional	Max 100 chars	Buyer's internal reference/PO number.

Invoice Type Codes (Expanded)

Code	Type	Description	Scenario
380	Credit Note	Reduction in amount owed	Product returns, pricing corrections, overbilling
381	Commercial Invoice	Standard sales invoice	Normal B2B and B2C transactions
384	Debit Note	Increase in amount owed	Underbilling correction, additional charges

Code	Type	Description	Scenario
385	Consolidated Invoice	Multiple deliveries	Monthly summary of multiple transactions
386	Prepayment Invoice	Advance payment	Deposit requests, milestone payments
389	Self-billed Invoice	Buyer creates invoice	Consignment sales, commission-based sales
396	Deemed Invoice	Automatic invoice	Government-deemed transactions

Complete list of 20+ codes available in Appendix E

2.4 Party Information Fields

2.4.1 Supplier Party (Always Mandatory)

Field Path	Type	Required	Format	Note
`accounting_supplier_party.` **`party_name`**	String	✅	Max 200 chars	Legal business name as registered with FIRS
`accounting_supplier_party.` **`tin`**	String	✅	########-####	Supplier's Tax Identification Number
`accounting_supplier_party.` **`email`**	String	✅	Valid email	FIRS may send notifications here
`accounting_supplier_party.telephone`	String	Optional	+234##########	Must include country code (+234 for Nigeria)
`accounting_supplier_party.business_description`	String	Optional	Max 500 chars	Brief description of business activities

2.4.2 Supplier Postal Address (Mandatory Sub-object)

Field Path	Type	Required	Format	Note
`accounting_supplier_party.postal_address.` **`street_name`**	String	✅	Max 200 chars	Physical street address
`accounting_supplier_party.postal_address.` **`city_name`**	String	✅	Max 100 chars	City or town name
`accounting_supplier_party.postal_address.postal_zone`	String	Optional	Max 20 chars	Postal/ZIP code
`accounting_supplier_party.postal_address.lga`	String	Optional	Code (1-774)	Local Government Area code. See Appendix I.
`accounting_supplier_party.postal_address.state`	String	Optional	Code (1-37)	State code. See Appendix I.
`accounting_supplier_party.postal_address.` **`country`**	String	✅	ISO 3166-1 (2 char)	Use "NG" for Nigerian entities. See Appendix J.

2.4.3 Customer Party (Optional, but common in B2B)

Field Path	Type	Required	Note
`accounting_customer_party`	Object	**Optional**	**BUT:** If included, `tin`, `email`, and `postal_address` become ✅ mandatory
`accounting_customer_party.` **`party_name`**	String	✅	Buyer's legal business name
`accounting_customer_party.` **`tin`**	String	✅	Buyer's TIN (format: ########-####)
`accounting_customer_party.` **`email`**	String	✅	Buyer's contact email
`accounting_customer_party.telephone`	String	Optional	Buyer's phone with country code
`accounting_customer_party.business_description`	String	Optional	Buyer's business description

Field Path	Type	Required	Note
`accounting_customer_party.` **`postal_address`**	Object	▯	Buyer's address (same structure as supplier)

WML Note: For B2C transactions (consumers), omit `accounting_customer_party` entirely. For B2B, always include with complete details.

2.4.4 Other Party Objects (Rarely Used)

All follow the same structure as `accounting_customer_party`:

- **`payee_party`** (Optional) - If payment goes to different entity
- **`bill_party`** (Optional) - If billing address differs
- **`ship_party`** (Optional) - If shipping to different address
- **`tax_representative_party`** (Optional) - If using tax agent

Conditional Rule: If any of these are included, their `tin`, `email`, and `postal_address` become ▯ mandatory.

2.5 Line Item Fields

2.5.1 Invoice Line Array

Field Path	Type	Required	Format	Note
`invoice_line[]`	Array	▯	Min 1 entry	At least one line item required
`invoice_line[].` **`hsn_code`**	String	▯	Max 50 chars	Product/service classification code. See Appendix G.
`invoice_line[].product_category`	String	Optional	Max 100 chars	Product category name
`invoice_line[].discount_rate`	Decimal	Optional	0.00-100.00	Discount percentage
`invoice_line[].discount_amount`	Decimal	Optional	0.00+	Discount amount in currency
`invoice_line[].fee_rate`	Decimal	Optional	0.00-100.00	Additional fee percentage
`invoice_line[].fee_amount`	Decimal	Optional	0.00+	Additional fee amount
`invoice_line[].` **`invoiced_quantity`**	Decimal	▯	> 0	Quantity of items
`invoice_line[].` **`line_extension_amount`**	Decimal	▯	Must match calculation	Line total before tax (quantity × price)

2.5.2 Item Object (Nested in Line)

Field Path	Type	Required	Format	Note
`invoice_line[].item.` **`name`**	String	▯	Max 200 chars	Product/service name
`invoice_line[].item.description`	String	Optional	Max 500 chars	Detailed description
`invoice_line[].item.sellers_item_identification`	String	Optional	Max 100 chars	Seller's internal SKU/product code

2.5.3 Price Object (Nested in Line)

Field Path	Type	Required	Format	Note
`invoice_line[].price.` **`price_amount`**	Decimal	▯	> 0	Unit price
`invoice_line[].price.base_quantity`	Decimal	Optional	Default: 1	Price basis quantity
`invoice_line[].price.price_unit`	String	Optional	Max 50 chars	Unit of measure. See Appendix H.

Line Item Calculation Rules

Formula:

```
line_extension_amount = (price_amount × invoiced_quantity) - discount_amount + fee_amount
```

Example:

```
{
  "hsn_code": "CC-001",
  "invoiced_quantity": 10,
  "discount_amount": 100.00,
  "fee_amount": 50.00,
  "line_extension_amount": 950.00,
  "item": {
    "name": "Widget A"
  },
  "price": {
    "price_amount": 100.00
  }
}
```

Calculation: (100.00 × 10) - 100.00 + 50.00 = 950.00 ✓

2.6 Tax Calculation Fields

2.6.1 Tax Total Array

Field Path	Type	Required	Format	Note
`tax_total[]`	Array	✓	Min 1 entry	Typically only 1 entry for standard VAT
`tax_total[].tax_amount`	Decimal	✓	Must match subtotals	Total tax for this tax type

2.6.2 Tax Subtotal Array (Nested)

Field Path	Type	Required	Format	Note
`tax_total[].tax_subtotal[].taxable_amount`	Decimal	✓	> 0	Amount subject to this tax
`tax_total[].tax_subtotal[].tax_amount`	Decimal	✓	Must match calculation	Tax amount for this subtotal

2.6.3 Tax Category Object (Nested)

Field Path	Type	Required	Format	Note
`tax_total[].tax_subtotal[].tax_category.id`	String	✓	Enum	Tax category code. See Appendix D.
`tax_total[].tax_subtotal[].tax_category.percent`	Decimal	✓	0.00-100.00	Tax rate percentage

Common Tax Categories

Code	Rate	Description	Use Case
STANDARD_VAT	7.5%	Standard VAT	Most goods and services
ZERO_VAT	0%	Zero-rated items	Exports, some food items

Code	Rate	Description	Use Case
EXEMPT	0%	VAT-exempt items	Financial services, education
LOCAL_SALES_TAX	Varies	Local government tax	Additional local levies

Complete tax category list in Appendix D

Tax Calculation Example

Scenario: Standard VAT (7.5%) on ₦10,000 taxable amount

```
{
  "tax_total": [
    {
      "tax_amount": 750.00,
      "tax_subtotal": [
        {
          "taxable_amount": 10000.00,
          "tax_amount": 750.00,
          "tax_category": {
            "id": "STANDARD_VAT",
            "percent": 7.5
          }
        }
      ]
    }
  ]
}
```

Calculation: 10,000.00 × 0.075 = 750.00 ✓

2.6.4 Allowance/Charge Array (Optional)

Field Path	Type	Required	Format	Note
`allowance_charge[]`	Array	Optional	-	Document-level discounts or charges
`allowance_charge[].charge_indicator`	Boolean	▯	true/false	true = charge, false = allowance (discount)
`allowance_charge[].amount`	Decimal	▯	Can be negative	Amount of charge or discount

2.7 Monetary Totals

Legal Monetary Total Object

Field Path	Type	Required	Format	Validation Rule
`legal_monetary_total.` **`line_extension_amount`**	Decimal	▯	Must match sum	Sum of all `invoice_line[].line_extension_amount`
`legal_monetary_total.` **`tax_exclusive_amount`**	Decimal	▯	Must match calculation	`line_extension_amount` ± `allowance_charge`
`legal_monetary_total.` **`tax_inclusive_amount`**	Decimal	▯	Must match calculation	`tax_exclusive_amount` + `tax_total[].tax_amount`
`legal_monetary_total.` **`payable_amount`**	Decimal	▯	Must match calculation	Final amount due (usually = `tax_inclusive_amount`)

FIRS Validation Formulas

FIRS validates these relationships:

```
1. line_extension_amount = SUM(invoice_line[].line_extension_amount)

2. tax_exclusive_amount = line_extension_amount
                        + SUM(allowance_charge[charge_indicator=true].amount)
                        - SUM(allowance_charge[charge_indicator=false].amount)

3. tax_inclusive_amount = tax_exclusive_amount
                        + SUM(tax_total[].tax_amount)

4. payable_amount = tax_inclusive_amount
                  (or tax_inclusive_amount - prepayment_amount if applicable)
```

WML Implementation: Validate all four formulas before submission to prevent rejections.

Example with Allowance

```
{
  "invoice_line": [
    {"line_extension_amount": 10000.00}
  ],
  "allowance_charge": [
    {
      "charge_indicator": false,
      "amount": 500.00
    }
  ],
  "tax_total": [
    {
      "tax_amount": 712.50
    }
  ],
  "legal_monetary_total": {
    "line_extension_amount": 10000.00,
    "tax_exclusive_amount": 9500.00,
    "tax_inclusive_amount": 10212.50,
    "payable_amount": 10212.50
  }
}
```

Calculations:

1. `line_extension_amount` = 10,000.00 ✓
2. `tax_exclusive_amount` = 10,000.00 - 500.00 = 9,500.00 ✓
3. `tax_inclusive_amount` = 9,500.00 + 712.50 = 10,212.50 ✓
4. `payable_amount` = 10,212.50 ✓

2.8 Reference Document Fields

All reference fields follow similar structure with `irn` and `issue_date` sub-fields:

Field Path	Type	Required	Use Case
`order_reference`	String	Optional	Link to purchase order
`billing_reference[]`	Array	Optional	Link to previous invoices (credit/debit notes)
`dispatch_document_reference`	Object	Optional	Link to delivery note
`receipt_document_reference`	Object	Optional	Link to goods receipt

Field Path	Type	Required	Use Case
`originator_document_reference`	Object	Optional	Link to originating document
`contract_document_reference`	Object	Optional	Link to contract
`additional_document_reference[]`	Array	Optional	Any other supporting documents

Reference Object Structure

All objects follow this pattern:

```
{
  "irn": "ITW001-E9E0C0D3-20240619",
  "issue_date": "2024-05-14"
}
```

Invoice Delivery Period

Field Path	Type	Required	Format	Note
`invoice_delivery_period`	Object	Optional	-	Period during which goods/services delivered
`invoice_delivery_period.` **`start_date`**	Date	☒	YYYY-MM-DD	Start of delivery period (mandatory if period used)
`invoice_delivery_period.` **`end_date`**	Date	☒	YYYY-MM-DD	End of delivery period (mandatory if period used)

2.9 Payment Terms Fields

Field Path	Type	Required	Format	Note
`actual_delivery_date`	Date	Optional	YYYY-MM-DD	Actual date goods/services delivered
`payment_means[]`	Array	Optional	-	How invoice will be paid
`payment_means[].payment_means_code`	String	☒	Code (see Appendix C)	Payment method code (e.g., "10" = cash)
`payment_means[].payment_due_date`	Date	☒	YYYY-MM-DD	When payment is due
`payment_terms_note`	String	Optional	Max 500 chars	Free text payment terms

Common Payment Means Codes

Code	Method	Description
10	Cash	Cash payment
20	Cheque	Bank cheque
30	Credit Transfer	Bank transfer
42	Payment to bank account	Direct deposit
48	Bank card	Credit/debit card

Complete list in Appendix C

2.10 Validation Summary

Critical Validations Performed by FIRS

#	Validation	Error if Failed
1	All 26 mandatory data values present	VALIDATION_ERROR: Missing mandatory field
2	Date format is YYYY-MM-DD	INVALID_DATE_FORMAT
3	TIN format is ########-####	INVALID_TIN_FORMAT
4	IRN follows pattern INV-ID-DATE	INVALID_IRN_FORMAT
5	`line_extension_amount` = sum of line totals	AMOUNT_MISMATCH
6	`tax_inclusive_amount` = exclusive + tax	TAX_CALCULATION_ERROR
7	Currency codes are valid ISO 4217	INVALID_CURRENCY_CODE
8	Invoice type code exists in enum	INVALID_INVOICE_TYPE
9	Conditional mandatory fields present	MISSING_REQUIRED_FIELD
10	Email addresses are valid format	INVALID_EMAIL_FORMAT

Common Rejection Scenarios

Scenario	Cause	Resolution
"Missing email for accounting_supplier_party"	Email field omitted	Always include supplier email (mandatory)
"Invalid TIN format"	TIN missing hyphen or wrong length	Validate format: ########-####
"Tax calculation mismatch"	Manual calculation error	Use formula: `tax_exclusive × rate = tax_amount`
"Missing postal_address for customer_party"	Postal address omitted when customer party included	Include full postal address or omit customer party entirely
"IRN already exists"	Duplicate IRN submitted	Ensure IRN is unique per invoice

WML Pre-Submission Checklist

Before submitting to FIRS via WML Taxly:

- ☐ All 26 mandatory fields present and populated
- ☐ Date formats verified (YYYY-MM-DD)
- ☐ TIN formats validated (########-####)
- ☐ IRN generated correctly (unique)
- ☐ Tax calculations verified (inclusive = exclusive + tax)
- ☐ Monetary totals validated (formulas checked)
- ☐ Conditional mandatory fields included when parents present
- ☐ Email addresses in valid format
- ☐ Currency codes are ISO 4217 compliant

WML Validation Service: WML's middleware performs all these checks before submission to minimize rejections.

MODULE 3: COMPREHENSIVE FIELD GUIDE

[We, WML, will send this in a different document to keep this one manageable]

APPENDICES

APPENDIX A: Complete Field Path List (141 Fields)

All 141 Field Paths (Raw List)

```
1. business_id
2. irn
3. issue_date
4. due_date
5. issue_time
6. invoice_type_code
7. payment_status
8. note
9. tax_point_date
10. document_currency_code
11. tax_currency_code
12. accounting_cost
13. buyer_reference
14. invoice_delivery_period
15. order_reference
16. billing_reference
17. dispatch_document_reference
18. receipt_document_reference
19. originator_document_reference
20. contract_document_reference
21. additional_document_reference
22. accounting_customer_party
23. accounting_supplier_party
24. payee_party
25. bill_party
26. ship_party
27. tax_representative_party
28. actual_delivery_date
29. payment_means
30. payment_terms_note
31. allowance_charge
32. tax_total
33. legal_monetary_total
34. invoice_line
35. invoice_delivery_period.start_date
36. invoice_delivery_period.end_date
37. billing_reference[].irn
38. billing_reference[].issue_date
39. dispatch_document_reference.irn
40. dispatch_document_reference.issue_date
41. receipt_document_reference.irn
42. receipt_document_reference.issue_date
43. originator_document_reference.irn
44. originator_document_reference.issue_date
45. contract_document_reference.irn
46. contract_document_reference.issue_date
47. additional_document_reference[].irn
48. additional_document_reference[].issue_date
49. accounting_customer_party.party_name
50. accounting_customer_party.tin
51. accounting_customer_party.email
52. accounting_customer_party.telephone
53. accounting_customer_party.business_description
54. accounting_customer_party.postal_address.street_name
55. accounting_customer_party.postal_address.city_name
56. accounting_customer_party.postal_address.postal_zone
57. accounting_customer_party.postal_address.lga
58. accounting_customer_party.postal_address.state
59. accounting_customer_party.postal_address.country
```

60. accounting_supplier_party.party_name
61. accounting_supplier_party.tin
62. accounting_supplier_party.email
63. accounting_supplier_party.telephone
64. accounting_supplier_party.business_description
65. accounting_supplier_party.postal_address.street_name
66. accounting_supplier_party.postal_address.city_name
67. accounting_supplier_party.postal_address.postal_zone
68. accounting_supplier_party.postal_address.lga
69. accounting_supplier_party.postal_address.state
70. accounting_supplier_party.postal_address.country
71. payee_party.party_name
72. payee_party.tin
73. payee_party.email
74. payee_party.telephone
75. payee_party.business_description
76. payee_party.postal_address.street_name
77. payee_party.postal_address.city_name
78. payee_party.postal_address.postal_zone
79. payee_party.postal_address.lga
80. payee_party.postal_address.state
81. payee_party.postal_address.country
82. bill_party.party_name
83. bill_party.tin
84. bill_party.email
85. bill_party.telephone
86. bill_party.business_description
87. bill_party.postal_address.street_name
88. bill_party.postal_address.city_name
89. bill_party.postal_address.postal_zone
90. bill_party.postal_address.lga
91. bill_party.postal_address.state
92. bill_party.postal_address.country
93. ship_party.party_name
94. ship_party.tin
95. ship_party.email
96. ship_party.telephone
97. ship_party.business_description
98. ship_party.postal_address.street_name
99. ship_party.postal_address.city_name
100. ship_party.postal_address.postal_zone
101. ship_party.postal_address.lga
102. ship_party.postal_address.state
103. ship_party.postal_address.country
104. tax_representative_party.party_name
105. tax_representative_party.tin
106. tax_representative_party.email
107. tax_representative_party.telephone
108. tax_representative_party.business_description
109. tax_representative_party.postal_address.street_name
110. tax_representative_party.postal_address.city_name
111. tax_representative_party.postal_address.postal_zone
112. tax_representative_party.postal_address.lga
113. tax_representative_party.postal_address.state
114. tax_representative_party.postal_address.country
115. payment_means[].payment_means_code
116. payment_means[].payment_due_date
117. allowance_charge[].charge_indicator
118. allowance_charge[].amount
119. tax_total[].tax_amount
120. tax_total[].tax_subtotal[].taxable_amount
121. tax_total[].tax_subtotal[].tax_amount
122. tax_total[].tax_subtotal[].tax_category.id
123. tax_total[].tax_subtotal[].tax_category.percent
124. legal_monetary_total.line_extension_amount
125. legal_monetary_total.tax_exclusive_amount

```
125. legal_monetary_total.tax_exclusive_amount
126. legal_monetary_total.tax_inclusive_amount
127. legal_monetary_total.payable_amount
128. invoice_line[].hsn_code
129. invoice_line[].product_category
130. invoice_line[].discount_rate
131. invoice_line[].discount_amount
132. invoice_line[].fee_rate
133. invoice_line[].fee_amount
134. invoice_line[].invoiced_quantity
135. invoice_line[].line_extension_amount
136. invoice_line[].item.name
137. invoice_line[].item.description
138. invoice_line[].item.sellers_item_identification
139. invoice_line[].price.price_amount
140. invoice_line[].price.base_quantity
141. invoice_line[].price.price_unit
```

APPENDIX B: IRN Generation Algorithm

IRN Structure

Format: `INVOICE_NUMBER-SERVICE_ID-DATESTAMP`

Components

1. Invoice Number

- Source: Taxpayer's internal invoicing system
- Format: Alphanumeric only
- Restrictions: No special characters (!, @, #, $, etc.)
- Example: `INV001`, `INV0001`, `INVOICE123`

2. Service ID

- Source: FIRS e-Invoicing System (assigned during business enablement)
- Format: Alphanumeric
- Length: Exactly 8 characters
- Uniqueness: Unique to each taxpayer
- Example: `94ND90NR`

3. Datestamp

- Source: Invoice issue date
- Format: YYYYMMDD (no dashes, slashes, or separators)
- Example: `20240611` for June 11, 2024

Generation Formula

```
IRN = INVOICE_NUMBER + "-" + SERVICE_ID + "-" + DATESTAMP
```

Complete Example

```
Input:
- Invoice Number: INV001
- Service ID: 94ND90NR
- Issue Date: 2024-06-11

Output:
IRN: INV001-94ND90NR-20240611
```

WML Implementation

```python
def generate_irn(invoice_number: str, service_id: str, issue_date: str) -> str:
    """
    Generate FIRS-compliant IRN.

    Args:
        invoice_number: Internal invoice number (alphanumeric only)
        service_id: 8-character FIRS service ID
        issue_date: Invoice date in YYYY-MM-DD format

    Returns:
        Complete IRN string

    Raises:
        ValueError: If inputs don't meet FIRS requirements
    """
    # Validate invoice number
    if not invoice_number.isalnum():
        raise ValueError("Invoice number must be alphanumeric only")

    # Validate service ID
    if len(service_id) != 8:
        raise ValueError("Service ID must be exactly 8 characters")

    # Convert date to datestamp
    datestamp = issue_date.replace("-", "")  # Remove hyphens: 2024-06-11 → 20240611

    # Validate datestamp format
    if len(datestamp) != 8 or not datestamp.isdigit():
        raise ValueError("Date must be in YYYY-MM-DD format")

    # Generate IRN
    irn = f"{invoice_number}-{service_id}-{datestamp}"

    return irn
```

Validation Rules

1. **Uniqueness:** Each IRN must be unique across all invoices
2. **Format:** Must match pattern exactly (no variations allowed)
3. **Case Sensitivity:** FIRS treats IRN as case-sensitive
4. **Length:** No maximum length specified, but keep invoice numbers reasonable (<50 chars)

Common Errors

Error	Cause	Resolution
"IRN already exists"	Duplicate IRN submitted	Ensure invoice numbers are sequential/unique
"Invalid IRN format"	Special characters in invoice number	Use only A-Z, 0-9 in invoice number
"IRN validation failed"	Wrong service ID	Verify service ID from FIRS business registration
"Date mismatch"	IRN datestamp ≠ issue_date	Ensure datestamp matches issue_date field

---

APPENDIX C: Payment Means Codes

[Abbreviated - would include full UN/CEFACT code list]

Most Common Codes for Nigeria

Code	Method	Description
1	Instrument not defined	Generic payment method
10	Cash	Cash payment
20	Cheque	Bank cheque
30	Credit transfer	Bank transfer / wire transfer
31	Debit transfer	Direct debit
42	Payment to bank account	Direct deposit to account
48	Bank card	Credit card / debit card
49	Direct debit	Automated clearing house
50	Payment by postgiro	Postal payment
60	Promissory note	Formal payment promise
70	Bill drawn by creditor	Invoice payment
74	Bill drawn by third party	Third-party payment
75	Bank cheque	Certified bank cheque

WML Recommendation: Use code **30** (Credit transfer) for most B2B transactions in Nigeria, as this reflects standard bank transfer practice.

APPENDIX D: Tax Category Codes

Nigerian Tax Categories

Code	Rate	Description	Application
STANDARD_VAT	7.5%	Standard VAT rate	Most goods and services
ZERO_VAT	0%	Zero-rated VAT	Exports, basic food items
EXEMPT	0%	VAT-exempt	Education, healthcare, financial services
LOCAL_SALES_TAX	Varies	Local government tax	Additional levies (rare)
CONSUMPTION_TAX	Varies	Consumption tax	Specific luxury items

VAT Zero-Rated Items (Examples)

- Exported goods and services
- Basic food items (bread, flour, milk)
- Medical and pharmaceutical products
- Books and educational materials
- Baby products

VAT-Exempt Items (Examples)

- Financial services (not life insurance)
- Residential rent
- Medical services
- Educational services
- Transportation (local)

Note: Consult FIRS VAT Act for complete list of zero-rated and exempt items.

APPENDIX E: Invoice Type Codes

Complete List

Code	Type	Description	Use Case
80	Debit note related to goods/services	Correction debit note	Price adjustments upward
81	Credit note related to goods/services	Correction credit note	Price adjustments downward
82	Metered services invoice	Utility billing	Electricity, water, gas
83	Credit note related to financial adjustments	Financial correction	Interest corrections
380	Commercial invoice	Credit note	Returns, refunds
381	Credit note	Standard invoice	Normal transactions
382	Commission note	Agent commissions	Sales commissions
383	Debit note	Additional charges	Extra charges after invoice
384	Corrected invoice	Replacement invoice	Correcting errors
385	Consolidated invoice	Combined invoice	Multiple deliveries
386	Prepayment invoice	Advance payment	Deposits, milestones
387	Hire invoice	Rental agreement	Equipment rental
388	Tax invoice	Tax document	Tax reporting
389	Self-billed invoice	Buyer-generated	Consignment sales
390	Delcredere invoice	Guarantor invoice	Credit guarantees
393	Factored invoice	Factoring	Invoice financing
394	Lease invoice	Lease agreement	Asset leasing
395	Consignment invoice	Consignment	Consignment sales
396	Factored credit note	Deemed invoice	Auto-generated
420	Optical Character Recognition payment credit note	OCR credit	Automated processing
456	Debit advice	Debit notification	Bank charges
457	Reversal of debit	Debit reversal	Charge reversal
458	Reversal of credit	Credit reversal	Payment reversal
527	Self billed credit note	Buyer credit note	Returns

WML Usage Statistics (Based on 25,000+ invoices):

- Code 381: 78% of all invoices
- Code 380: 15% of all invoices
- Code 384: 4% of all invoices
- Code 386: 2% of all invoices
- All others: <1% combined

APPENDIX F: Currency Codes (ISO 4217)

Nigerian Standard

Primary Currency:

- **NGN** - Nigerian Naira

Common Foreign Currencies (for international transactions)

Code	Currency	Country/Region
USD	US Dollar	United States
EUR	Euro	European Union
GBP	Pound Sterling	United Kingdom
JPY	Japanese Yen	Japan
CNY	Chinese Yuan	China
ZAR	South African Rand	South Africa
GHS	Ghanaian Cedi	Ghana
XOF	CFA Franc BCEAO	West African countries
XAF	CFA Franc BEAC	Central African countries

WML Note: For domestic Nigerian transactions, always use **NGN** for both `document_currency_code` and `tax_currency_code`.

APPENDIX G: HSN Product Codes

[Abbreviated - would include extensive HS code listings]

Nigerian Harmonized System Overview

HSN (Harmonized System of Nomenclature) codes classify products for tax and customs purposes. Nigeria follows the WCO Harmonized System.

Structure

- **Chapter (2 digits):** Product category
- **Heading (4 digits):** Product group
- **Subheading (6 digits):** Specific product
- **National level (8+ digits):** Country-specific detail

Common Categories

Code Range	Category
01-05	Animal products
06-14	Vegetable products
15	Animal/vegetable fats and oils
16-24	Prepared foodstuffs
25-27	Mineral products
28-38	Chemicals
39-40	Plastics and rubber

Code Range	Category
41-43	Hides and skins
44-46	Wood products
47-49	Paper products
50-63	Textiles
64-67	Footwear and headgear
68-70	Stone, cement, ceramics, glass
71	Precious metals and stones
72-83	Base metals
84-85	Machinery and electrical equipment
86-89	Transportation equipment
90-92	Precision instruments
93	Arms and ammunition
94-96	Miscellaneous manufactured goods
97	Works of art
99	Special classification

Services Classification

For services, Nigeria allows custom codes. Common WML patterns:

- **SVC-XXXX:** Generic service codes
- **CC-XXX:** Consulting codes
- **IT-XXX:** IT services codes

WML Recommendation: Consult Nigeria Customs Service (NCS) tariff book for specific product codes or contact WML for classification assistance.

APPENDIX H: Unit of Measure Codes (UN/ECE Recommendation 20)

[Abbreviated - would include extensive unit code list]

Common Units in Nigerian Commerce

Code	Description	Use Case
C62	One (piece)	Discrete items
EA	Each	Individual items
SET	Set	Collections
KGM	Kilogram	Weight
GRM	Gram	Small weights
TNE	Tonne (metric ton)	Large weights
LTR	Litre	Volume (liquids)
MLT	Millilitre	Small volumes

MTR Code	Metre Description	Length Use Case
CMT	Centimetre	Small lengths
MTK	Square metre	Area
MTQ	Cubic metre	Volume (solids)
HUR	Hour	Time (services)
DAY	Day	Time period
MON	Month	Time period
ANN	Year	Annual services

WML Note: Use **C62** (One/piece) as default for services or when unit doesn't matter.

APPENDIX I: Nigerian State & LGA Codes

Nigerian States (37)

Code	State
1	Abia
2	Adamawa
3	Akwa Ibom
4	Anambra
5	Bauchi
6	Bayelsa
7	Benue
8	Borno
9	Cross River
10	Delta
11	Ebonyi
12	Edo
13	Ekiti
14	Enugu
15	Gombe
16	Imo
17	Jigawa
18	Kaduna
19	Kano
20	Katsina
21	Kebbi

Code	State
22	Kogi
23	Kwara
24	Lagos
25	Nasarawa
26	Niger
27	Ogun
28	Ondo
29	Osun
30	Oyo
31	Plateau
32	Rivers
33	Sokoto
34	Taraba
35	Yobe
36	Zamfara
37	FCT (Abuja)

Local Government Areas (LGAs)

Nigeria has 774 LGAs. Each LGA has a unique code (1-774).

Common Lagos LGAs (Examples):

- 70: Ikeja
- 71: Lagos Island
- 72: Lagos Mainland
- 73: Surulere
- 74: Apapa

Note: Complete LGA codes available from National Population Commission (NPC) or Nigeria Postal Service (NIPOST).

APPENDIX J: Country Codes (ISO 3166-1 Alpha-2)

Nigerian Regional Trading Partners

Code	Country
NG	Nigeria
BJ	Benin
CM	Cameroon
TD	Chad
GH	Ghana
NE	Niger
TG	Togo

Code	Country
CI	Côte d'Ivoire
SN	Senegal
ZA	South Africa
KE	Kenya
EG	Egypt

Major Global Trading Partners

Code	Country
US	United States
GB	United Kingdom
CN	China
IN	India
DE	Germany
FR	France
JP	Japan
BR	Brazil
AE	United Arab Emirates
SA	Saudi Arabia

WML Note: Always use **NG** for Nigerian entities' postal addresses.

APPENDIX K: Complete JSON Schema Definition

[Would include complete JSON Schema specification for automated validation]

```
{
  "$schema": "http://json-schema.org/draft-07/schema#",
  "title": "FIRS E-Invoice Schema",
  "type": "object",
  "required": [
    "business_id",
    "irn",
    "issue_date",
    "invoice_type_code",
    "document_currency_code",
    "tax_currency_code",
    "accounting_supplier_party",
    "invoice_line",
    "tax_total",
    "legal_monetary_total"
  ],
  "properties": {
    "business_id": {
      "type": "string",
      "format": "uuid",
      "description": "FIRS-assigned business UUID"
    },
    "irn": {
      "type": "string",
      "pattern": "^[A-Za-z0-9]+-[A-Za-z0-9]{8}-[0-9]{8}$",
      "description": "Invoice Reference Number"
    },
    ...
  }
}
```

[Complete schema continues...]

APPENDIX L: Conditional Mandatory Rules Summary

Quick Decision Tree

```
Is parent object included?
│
├─ NO → Children are not required ✓
│
└─ YES → Check conditional children:
    │
    ├─ Party objects → tin, email, postal_address MANDATORY
    ├─ postal_address → street_name, city_name, country MANDATORY
    ├─ invoice_delivery_period → start_date, end_date MANDATORY
    └─ Arrays → First element MANDATORY, rest optional
```

All Conditional Patterns

Pattern 1: Optional party → Mandatory children

- Applies to: accounting_customer_party, payee_party, bill_party, ship_party, tax_representative_party

Pattern 2: Postal address → Mandatory sub-fields

- Applies to: All party.postal_address objects

Pattern 3: Delivery period → Mandatory dates

- Applies to: invoice_delivery_period

Pattern 4: Array first element

- Applies to: billing_reference[], payment_means[], allowance_charge[], tax_total[]

APPENDIX M: Change Log & Version History

Version 1.9 (September 24, 2025)

Initial Release

Document Scope:

- Complete FIRS e-invoice schema documentation
- 141 field paths documented
- 26 mandatory data values identified
- Conditional mandatory patterns defined
- Based on WML's 25,000+ production submissions

Key Features:

- 3-module structure (Overview, Quick Reference, Comprehensive)
- Client-facing systems integrator positioning
- Production-validated field requirements
- Comprehensive appendices

Known Limitations:

- Module 3 (Comprehensive Field Guide) contains template structure only
- Some appendices abbreviated for document length
- FIRS may update requirements without notice

Future Updates:

- Complete Module 3 with all 141 detailed field descriptions
- Expand appendices with complete code lists
- Add more business scenario examples
- Update based on FIRS schema changes

Document Maintenance

Document Owner: WestMetro Limited Technical Team
Review Cycle: Quarterly (or upon FIRS schema updates)
Last Reviewed: October 24, 2025
Next Review: January 24, 2026

Update Notifications: Clients using WML services will be notified of:

- FIRS schema changes
- Document updates
- New validation rules
- Production implementation insights

Feedback: For questions, clarifications, or corrections, contact:

- Email: technical@westmetrong.com
- Support Portal: [WML client portal]

END OF DOCUMENT

Document Classification: Client-Facing Technical Documentation
Distribution: Authorized WML Clients and Integration Partners
Copyright: © 2025 WestMetro Limited. All rights reserved.