

built_at_utc: "2026-04-27T00:00:00Z"

market_day_at_utc: null

title: trading_platform vs Forks V5.5 — Comparison + Mutual Learning

audience: Forks team (CEO + engineers) + Bokan PM

sources:

- designDoc/bp/V5.5-Product-Definition.pdf
- designDoc/bp/Product-Definition-v5.4_digest.md
- designDoc/bp/forks_can_use_from_trading_platform.md
- designDoc/bp/forks_mvp_relation_to_trading_platform.md
- designDoc/bp/trading_platform_t0_tech_brief_20260427.md
- designDoc/ideas/world_model_evidence_pricing_three_layer_upgrade.md
- 09_soul/axioms/a17_reader_persona_primacy.md
- 09_soul/axioms/t10_index_first_ai_for_gaps.md

companion: trading_platform_t0_tech_brief_20260427.md (standalone tech brief)

trading_platform vs Forks V5.5 · 对照 + Mutual Learning

§0 这份 doc 的性质 + 读者

这是 pitch + 互学 framing, 不是 standalone 介绍。standalone 介绍见

[trading_platform_t0_tech_brief_20260427.md](#)。

读者: Forks CEO Bowen + Forks engineers + 任何想理解 trading_platform 跟 V5.5 关系的内部 reviewer。

framing 立场: **两边都在 build "AI-native thematic research loop infrastructure"** 这个 genre。两边的差异是 audience (multi-PM hedge fund product vs single-PM internal cognitive infra) + specific design choice, 不是 genre。

§1 V5.5 的 self-positioning + thematic research loop infra 是什么

V5.5 PDF §1.1 自我定义 (直引) :

面向 *thematic investment research* 的 *AI-native loop infrastructure*。它不是市场预测引擎, 不是 *quant signal generator*, 不是 *portfolio optimizer*。它的 job 是 *structure /*

track / replay PM 的思考。

5-stage loop (V5.5 §1.4) :

Theme → Thesis → Scenarios ↔(N:M)↔ Baskets → Monitor & Evolve → Thesis vN+1

5 段含义:

1. **Theme**: 长期值得追踪的结构性问题 (macro / sector / policy / consumer) 。Container 不是 thesis
2. **Thesis**: theme 下可证伪论断 (claim + 因果链 + 证伪条件) 。Commodity (任何 sharp PM 都能得出, alpha 不在这)
3. **Scenarios**: thesis 的多条 realization path。 **Center of gravity** —— alpha 来自 scenarios 分叉, AI 在这里最 active
4. **Baskets**: scenarios 的可执行 quant 表达 (instruments + weights + rules) 。唯一可量化对象 (PnL / Sharpe / attribution / factor exposure)
5. **Monitor & Evolve**: 双层后台 (scenario 层 qualitative 追 trigger / basket 层 quantitative 追 PnL) , 触发 thesis vN+1 evolve

trading_platform 也是 thematic research loop infra。我们的 3-layer 框架 (World Model / Evidence Ledger / Market Pricing) 是同一 genre 在 single-PM context 下的另一种切片: World Model $\approx$ Theme/Thesis/Scenarios/Path_observation, Evidence Ledger 显式提为 first-class learning layer, Market Pricing 是 scenario 上的 mispricing dimension。 **genre 同 / 切片不同**。

下面对照具体维度。

§2 5-stage loop map: V5.5 vs trading_platform

逐 stage 对照实现, 看每段哪些 align / 哪些 diverge:

§2.1 Theme stage

维度	V5.5	trading_platform
对象 schema	themes table (PostgreSQL DDL §9.1) : name / description / state / trigger_context / related_themes / author_id / timestamps	<u>themes_metadata_v1_6.schema.json</u> : lifecycle_stage / priority_bucket / scope_boundary / scenario_map / linked_thesis_ids / linked_asset_tickers / freshness_state / review_policy / evidence_status
State machine	5 状态 (emerging / active / peaking / decaying / dormant, PDF §2.3)	lifecycle_stage 字段存在但 state 集合不同 (PM 维护, 4-5 档跟 V5.5 align)
AI function	Theme Radar (7×24 扫描提议 emerging) + Sanity Check	<u>theme-discovery-scanner</u> skill + <u>theme-bootstrapper</u> Stage A & B negotiation pattern
同 / 异	concept align; V5.5 5-state 状态机比 trading_platform priority_bucket 更系统化	trading_platform bootstrapper 5 outcome enum (admit_new / merge_into_existing / narrow_existing_then_admit / carve_out_from_existing / subordinate_to_existing) V5.5 没有

§2.2 Thesis stage

维度	V5.5	trading_platform
对象 schema	theses table: claim / causal_chain (TEXT) / falsification_conditions (JSONB) / version / predecessor_id / state / pm_confidence	<u>thesis_note_v1_6.schema.json</u> : claims (≥ 3 prose) / key_dependencies / falsifiers / scenario_triggers / counter_evidence_observed / cross_theme_links / lifecycle_stage / adversarial_review_log / pm_acknowledged_by / freshness_state / review_policy
State machine	4 状态 (active / evolving / invalidated / superseded)	lifecycle_stage 集 align (draft / active / invalidated / superseded)
Lineage	version + predecessor_id + lineage[] 完整保留	predecessor_id + cross_theme_links + evolved_from_evidence + freshness_event 状态机 emit log
AI function	Falsifiability Coach + Cross-Thesis Conflict Detector + Thesis Evolution Drafter (PDF §3.4) + "AI 不做什么" block	<u>thesis-drafter</u> → <u>thesis-verifier</u> → <u>thesis-adversary</u> 三段式 cluster + lifecycle gate 显式
同 / 异	concept align; 他们三个 AI function 是单 agent 边界; 我们三 段式 cluster + 显式 hand-off + PM gate	

§2.3 Scenarios stage (V5.5 center of gravity)

维度	V5.5	trading_platform
对象 schema	scenarios table: narrative / trigger_signals (JSONB) / pm_probability float / state / ai_generated / adopted_from_draft	scenario_note_v0_1.schema.json: parent_thesis_id / trigger_signals / pm_conviction enum / scenario_role / market_state enum 4 档 / pricing_snapshots[] append-only / pricing_anchor / evolved_from_evidence / lifecycle_stage / freshness_state / review_policy
Probability	pm_probability: float (0-1), 显式说"多条 scenarios 概率之和不必等于 1 (可有 overlap 或 gap)" (PDF §4.1)	pm_conviction: enum {primary / plausible / tail} — 同 intent (避真概率假设) 不同 representation
Trigger threshold	trigger_signals[].threshold: string + current_status: enum {pending / triggered / disproved} (PDF §4.2)	trigger_signals[].breaks_chain_node: enum {demand / supply / pricing / policy / adoption / margin} + status enum — 同 prose threshold pattern, 不同 enum 切片维度
State machine	4 状态 (draft / active / triggered / invalidated / obsolete)	lifecycle_stage 集 align
AI function	Scenario Candidate Generation (5-8 条) + Blind Spot Detector + Cross-Thesis Linkage + Scenario Stress Tester + Tree Navigator (PDF §4.4) + explicit "AI 不做什么" 4 红线	thesis-adversary skill 写 scenario_triggers + scenario 一等对象升级 (per 3-layer upgrade) + evidence-reviewer 独立 reviewer 跨 cut
关键差异 1	V5.5 无 market_state pricing dimension (factor_exposure 在 basket 层不在 scenario 层)	trading_platform market_state 4 档 + pricing_snapshots time-series 是独有的 alpha mispricing layer
关键差异 2	V5.5 scenario 通过 ExpressionLink 跟 basket N:M (V5.5 schema-level 创新)	trading_platform scenario 跟 basket 是 1:N 隐式 prose

§2.4 Baskets stage (V5.5 first-class, trading_platform 不做)

维度	V5.5	trading_platform
是否一等对象	First-class (PDF §1.3 原则 3) : 唯一可量化对象, PnL / Sharpe / attribution / factor exposure 全挂这	不做 (per tech brief §8 显式 <u>NOT doing</u>) : basket 是 hedge fund 产品形态需要; single-PM 用 <u>portfolio-decision</u> skill prose 输出已足够
ExpressionLink N:M	独立 linking table: scenario_id / basket_id / weight_contribution。 一 basket 表达多 scenarios, 一 scenario 多 basket 表达	无对应
AI function	Candidate Instrument Recommender + Historical Analog Finder + Factor Exposure Analyzer + Cross-Basket Correlation Monitor + Attribution Engine	不适用 (无 basket 对象)

这是 V5.5 vs trading_platform 最大的对象差异: basket layer 不存在我们这边, 是 single-PM design choice 不是 gap。

§2.5 Monitor & Evolve stage

维度	V5.5	trading_platform
双层 monitor	scenario qualitative + basket quantitative 双层 (PDF §6.2)	scenario / thesis / theme freshness 单层 (无 basket 层)
Trigger event 模型	TriggerEvent first-class object: scenario_id / signal_matched (JSONB) / severity / confidence / pm_acknowledged	<u>evidence_record_v0_2.schema.json</u> first-class: source_quality / source_refs / linked_objects / belief_delta / caused_transitions / author_persona / ai_generated / ai_verified / pm_acknowledged / ai_review_log[]
Performance attribution	PerformanceRecord first- class: basket_id / pnl / attribution (alpha / beta / factor / execution)	不做 (无 basket 层)
AI function	Trigger Watcher + Signal Quality Evaluator + Cross-Scenario Correlation Detector + Thesis Evolution Drafter + Performance Attribution Engine + Retroactive Signal Discovery	<u>theme-staleness-sweeper</u> freshness sweeper + freshness_event v0.1 状 态机 + <u>thesis-adversary</u> writes counter_evidence_observed / next_review_trigger
关键差异 1	V5.5 TriggerEvent 是 event log (pm_acknowledged 字段) ; trading_platform evidence_record 加 belief_delta + trust_tier (source_quality) + ai_review_log 三件套形成 learning ledger	不同 shape: V5.5 trigger event 闭 环 vs trading_platform evidence ledger 闭环
关键差异 2	V5.5 Attribution 是 quant PnL breakdown	trading_platform 没有 basket 不做 PnL attribution; attribution 是 lineage walk-back (caused_transitions / evolved_from_evidence)

§3.7 条 financial adaptation: 在 loop infra 之上加什么

thematic research loop infra 之上的 7 条具体加层。每条说"V5.5 也是 loop infra 但没这条 / 有但不同 shape" + "trading_platform 独有什么":

§3.1 Causal chain node 显式 enum (vs trigger signal type 切片)

- V5.5: trigger_signals[].signal_type: enum {earnings / macro / industry / sentiment} —— 按"信号来源"切 (PDF §4.2)
- trading_platform: thesis.breaks_chain_node: enum {demand / supply / pricing / policy / adoption / margin} —— 按"因果链节点"切
- 同 / 异: 两边都把 typed enum 引入。差异在 enum 取值的切片维度 (信号源 vs 因果节点)。互补不竞争: 可以合并成 2D 标签 (来源 × 节点)

§3.2 Lineage 是 graph 不是 linear, 加 evidence join

- V5.5: thesis.predecessor_id + lineage[] 链表式版本 (PDF §3.2 + DDL §9.1) + 4 状态机
- trading_platform: predecessor_id + evolved_from_evidence + caused_transitions + freshness_event 状态机
- 关键差异: trading_platform 加了 evidence join (thesis 的 evolve 必须 reference 触发它的 evidence_id; evidence 反向写 caused_transitions 形成双向闭环)。V5.5 thesis lineage 系统化程度比 trading_platform 高 (state 集合更细), 但缺 evidence join

§3.3 Non-monotonic 知识 + invalidate 不删除

- V5.5: thesis.state = invalidated 保留 lineage; invalidated 可 revive 为 v2 (PDF §3.3)
- trading_platform: lifecycle_stage = draft / active / invalidated / superseded / obsolete 多 version 并存
- 高 align。差异小

§3.4 Persona-segmented 消费 (entry-level vs product-tier)

- V5.5: persona 切在 product-tier 层 (Framework / Forks Pro / Forks Retail, PDF §1.2 + §8)。entry 内字段不分 persona
- trading_platform: a17 axiom 6-persona canonical 在 entry 层强制 declare reader_persona
- 差异: V5.5 不是"缺 persona 概念", 是"persona 切割点不同"。trading_platform entry-level projection 更细粒度

§3.5 Market Pricing dimension (V5.5 没有, trading_platform 独有)

- V5.5: factor_exposure 在 basket 层 (quant beta / sector tilt 等) , scenario 层无 mispricing 维度
- trading_platform: scenario_note.market_state enum 4 档 (underpriced / consensus / overpriced / unclear) + pricing_snapshots[] time-series + pricing_anchor prose
- trading_platform 独有的 alpha 维度: $\alpha = pm_conviction - market_state$ 。V5.5 alpha 在 PnL 出来后 attribute; trading_platform alpha 在 scenario 标 market_state 时 ex-ante surface

§3.6 State-machine freshness with review_trigger (V5.5 已有 thesis 层, trading_platform 扩到全对象)

- V5.5: thesis 4-state + scenario 4-state + theme 5-state + basket 5-state (已系统化)
- trading_platform: freshness_state + review_policy (cadence + stale_after_days + review_trigger[]) + freshness_event v0.1 状态机 emit log
- align 但 surface 不同: V5.5 是 entity state machine; trading_platform 加 review_trigger 事件订阅 + 独立 sweeper 周扫 + freshness_event log。V5.5 state machine 由 PM 触发; trading_platform freshness 由 sweeper 主动 emit

§3.7 AI cluster + 独立 reviewer 网 (vs V5.5 contract-based per-stage AI governance)

- V5.5: 每 stage 显式 "AI 不做什么"列表 + 5 原则 (A-E: Candidates not Decisions / Proactive / Structured / Explainable / Grounded) + 6 红线 (PDF §7.2-§7.3) 。强 contract-based AI governance
- trading_platform: cluster pattern (drafter→verifier→adversary thesis 三段式 + owner→curator→debater→reviewer theme 四段式) + 独立 reviewer 网 (evidence-reviewer / theme-staleness-sweeper / project-review) 。强 process-based AI governance
- contract-based vs process-based 两条路径: V5.5 把约束写在每 endpoint contract (必须 grounded / 必须 explainable / 必须 candidate-only) ; trading_platform 把约束写在 cluster hand-off + 独立 reviewer cross-cut。两种路径都合理, 可互补

§4 10 dimension 对照矩阵

#	Dimension	trading_platform T0	V5.5
1	Audience	single PM internal cognitive infra	专业 PM (buy-side) primary user: 机构 PM / 独立 fund manager / research team lead; retail 走 Forks (V5.5 retail 实 现)
2	Object model	10 schema: theme + thesis v1.6 + scenario v0.1 + evidence v0.2 + path_observation + freshness_event + 4 supporting	7 一等对象 (PDF §1.5 + DDL §9.1) : Theme + Thesis + Scenario + Basket + ExpressionLink + TriggerEvent + PerformanceRecord
3	Probability shape	enum pm_conviction: primary / plausible / tail	pm_probability: float (0-1) 但 显式 声明"多 scenarios 之和 不必等于 1 (有 overlap 或 gap) " (PDF §4.1) 。两边都拒绝伪 forecast
4	Threshold shape	prose threshold + breaks_chain_node enum + current_status	prose threshold + signal_type enum + current_status: enum {pending / triggered / disproved} (PDF §4.2) 。高 align, 两边 都没用 numeric threshold

5	Evidence / event layer	evidence_record v0.2: trust_tier + belief_delta + caused_transitions + ai_review_log + ai_verified + pm_acknowledged	TriggerEvent: scenario_id / signal_matched / severity / confidence / pm_acknowledged (PDF §1.5 + DDL §9.1) + PerformanceRecord for quant attribution。 V5.5 evidence 等价物是 TriggerEvent (event log 形态) ; trading_platform 是 learning ledger 形态, 两 种闭环模型
6	Market Pricing	scenario.market_state enum 4 档 + pricing_snapshots[] + pricing_anchor	factor_exposure 在 basket 层 (quant beta) ; scenario 层无 mispricing dimension。 trading_platform 独有
7	Persona model	a17 axiom 6-persona canonical + entry 层强制 declare reader_persona	persona 切在 product tier (Framework / Forks Pro / Forks Retail, PDF §1.2 + §8) ; entry 内字 段不分 persona
8	AI integration / governance	cluster pattern (thesis 三 段式 + theme 四段式) + 独立 reviewer 网	per-stage AI function (Theme Radar + Falsifiability Coach + Scenario Generator + Stress Tester + Trigger Watcher + Attribution Engine + 等十几个) + 5 原则 + 6 红线 (PDF §7) 。 contract-based vs process-based 两路径

9	Lineage / freshness	predecessor_id + evidence join + freshness_event 状态机 + staleness sweeper	thesis 4-state + scenario 4-state + theme 5-state + basket 5-state + version + predecessor_id + lineage[] (PDF §3.2 + §2.3 + §4.3 + §5.3) 。 V5.5 状态机覆盖比 trading_platform 广 (theme / basket 都有 state machine)
10	Schema discipline	canonical <u>data/runtime/</u> <u>schemas/</u> jsonschema validator at write time (10 schema)	PostgreSQL CREATE TABLE DDL (§9.1) + ~30 REST endpoint (§9.2) + AI service response JSON schema 模板 (§9.3) 。 jsonschema-at-file-write vs DDL-at-DB-write + REST-at-API-boundary, 不同 enforcement layer

§5 互相可学：mutual learning matrix

每条标 cross-link 到 §3 对应章节。

§5.1 trading_platform 能从 V5.5 学 (L 列)

#	项	我们弱在哪	学他们什么具体 pattern	对应 §X
L1	Multi-source ingest 广度	single-PM design 假设 PM 自带 source curation; corpus 主要 Gmail + AgentMail	V5.5 Trigger Watcher 7×24 ingest (earnings / macro / industry / sentiment / news API)	—
L2	Multi-user collaboration features	单 PM 不需要	Forks Pro 即将 expose 的 multi-PM permission / visibility scope	—
L3	Public-facing render layer	internal markdown 已足够	Forks scenario card / vindication card visual 渲染	—
L4	Distribution / KOL seed 路径	无 distribution channel	Forks Week 12-13 KOL outreach + private launch 模式	—
L5	Convergence detector / cross-PM theme matching	single-PM 不需要	Forks Week 12 convergence detector embedding + theme tag 优先策略	—
L6	ExpressionLink N:M (scenario ↔ basket) 一等 linking table	trading_platform 没 basket 层; scenario→portfolio 是 1:N 隐式 prose	V5.5 ExpressionLink (scenario_id, basket_id, weight_contribution) 独立表设计模式 —— 一基金多 thesis 共享同 basket 表达, 或一 thesis 多种 basket 表达	§2.3 / §3.5

L7	State machine 系统 化覆盖 (theme / thesis / scenario / basket 都有完整 state 集)	trading_platform thesis / scenario 有 lifecycle_stage, 但 theme 只 priority_bucket 没 lifecycle 状态机	V5.5 theme 5-state (emerging / active / peaking / decaying / dormant) + 自动 transition 触发条件 ("3+ 月无新 thesis → peaking" 等)	§3.6
L8	PostgreSQL DDL ready	trading_platform file-based JSON in git, scale 上限低	V5.5 §9.1 7 张 CREATE TABLE 已 spec; scale 路径 clear。如要 scale beyond 当前 corpus, 可 reference V5.5 DDL 作为 migration target	§4 D10
L9	AI service endpoint 已 specced	trading_platform AI 调用是 skill / Claude IDE inline, 没 REST API expose	V5.5 §9.2 暴露 POST /ai/scenarios/ generate / POST /ai/ baskets/ recommend / POST /ai/theses/ falsifiability / GET / ai/blind-spots / GET /ai/correlations 等。 外部系统 wrap trading_platform AI cluster 时可以 参考 V5.5 endpoint 命名 + response schema	§6

§5.2 V5.5 能从 trading_platform 学 (F 列)

#	项	为什么 V5.5 该学	trading_platform 提供什么具体 pattern	对应 §X
F1	Evidence Ledger 三件套 (trust_tier + belief_delta + ai_review_log) — 跟 TriggerEvent 互补不替代	V5.5 TriggerEvent 是 event log (signal matched / severity / confidence / pm_ack) , 但没记 belief_delta (这条 evidence 对哪个对象 update_direction = support / weaken / open_path / close_path 多大 magnitude) + 没 trust_tier 分级 (primary / secondary / inferred) + 没 ai_review_log (独立 reviewer append-only review) 。 三件套加上去, TriggerEvent → Evidence Ledger learning loop	evidence_record_v0_2.schema.json 完整 schema + evidence-reviewer skill spec	§2.5 / §3.2

F2	Market Pricing layer enum design —— V5.5 完全没有	V5.5 alpha 在 PnL 出来后 attribute (reactive) ; scenario 层加 market_state enum 4 档 + pricing_snapshots time-series 让 alpha = (pm_lean – market_state) ex-ante surface (proactive)	scenario_note.market_state 4 档 + pricing_snapshots time-series 设计	§2.3 / §3.5
F3	a17 Reader Persona Primacy entry-level —— V5.5 在 product tier 切，可下放到 entry	V5.5 product tier 切割已经存在 (Framework / Forks Pro / Forks Retail) ，但同 tier 内 entry 字段不分 persona。entry 加 served_person as: [] 字段后，每条 thesis / scenario 可声明给哪个 sub-persona consumed，更细粒度 projection	a17 axiom 6-persona 表 + entry-level reader_persona declaration	§3.4

F4	AI cluster + 独立 reviewer 网 (process-based) 补 contract-based 缺口	V5.5 5 原则 + 6 红线 是每 endpoint 的 contract, 缺 cross-cutting independent reviewer 跨 stage 复审。 trading_platform 独立 reviewer 网 (evidence-reviewer / staleness-sweeper / project-review) 补此层	thesis 三段式 + theme 四段式 + 独立 reviewer 网 spec	§3.7
F5	canonical schema + jsonschema validator at file-write — 跟 V5.5 DDL 互补	V5.5 PostgreSQL DDL 在 DB-write 时 enforce + REST API 在 boundary expose。文件级 jsonschema 在 git commit / file-write 时 enforce 是另一层。对 git-based / file-based deployment 形态特别有用 (如 Forks 内部 dev workflow / config-as-code 场景)	<u>data/runtime/schemas/</u> 10 schema + write-time enforce pattern	§4 D10

F6	breaks_chain_node enum 跟 V5.5 signal_type enum 是不同切片，可合并 2D	V5.5 signal_type (earnings / macro / industry / sentiment) 按"信号来源"切； trading_platform breaks_chain_node (demand / supply / pricing / policy / adoption / margin) 按"因果链节点"切。 两个不同维度互补 ， trigger_signals 加二维 tag (source × node) 信息密度翻倍	breaks_chain_node enum + thesis_note v1.6 字段设计	§3.1
F7	review_trigger event 订阅 + sweeper 主动 emit	V5.5 thesis 4-state + scenario 4-state 是 PM 触发为主； review_policy review_trigger[] event 订阅 + 独立 sweeper 周扫主动 emit freshness_event 是 V5.5 没有的。 Forks Pro 多 PM 后 freshness 漏掉风险更大，sweeper 模式更 critical	freshness_event v0.1 schema + <u>theme-staleness-sweeper</u> skill	§3.6

§6 AI 自动 conversion 评估

§6.1 方向 1: V5.5 → trading_platform (bottom-up suggestion)

可行。V5.5 已 expose 结构化 endpoint (PDF §9.2-§9.3) , response 含 reasoning + grounded references。

LLM 可消费:

- POST /ai/scenarios/generate response → trading_platform scenario_note v0.1 draft
- V5.5 thesis evolve draft → trading_platform thesis_note v1.6 v2 candidate
- V5.5 TriggerEvent → trading_platform evidence_record v0.2 draft (需补 belief_delta + trust_tier 字段)

约束: 所有 transform 输出 lifecycle_stage=draft + ai_generated=true + pm_acknowledged=false, PM gate 后才 promote。

§6.2 方向 2: trading_platform → V5.5 (renderer projection)

V5.5 PDF §9.3 已 spec AI service response format。trading_platform schema → V5.5 endpoint 几乎是 plugin:

- thesis_note v1.6 → POST /theses/v5.5 direct map (claim / causal_chain / falsification_conditions 字段对齐)
- scenario_note v0.1 → POST /scenarios direct map (narrative / trigger_signals / pm_probability 字段对齐)
- evidence_record v0.2 → POST /triggers partial map (signal_matched 部分; belief_delta + trust_tier + ai_review_log 在 V5.5 schema 里 missing, 需 V5.5 加 §7 hook)

实际工程现实: schema-to-API mapping 一周内能 prototype。

§6.3 双向 sync 是 danger zone, 不要做

lineage drift / authority 模糊 / trust tier 跨系统不可移植。正确模型: 单向主从。

§7 给 V5.5 的 7 个 native extension hook

每个 hook 是 V5.5 schema 可加的 optional field, default null, generic 用户不感知。financial vertical instance 启用后 enforce:

#	Hook	字段形态	对应 F	痛点
---	------	------	------	----

H2	chain_nodes_affected causal tagging (跟 signal_type 二维)	[demand, supply, pricing, policy, adoption, margin] enum 多选	F6	二维切片信息密度翻倍
H3	lineage join keys: evolved_from_evidence + caused_transitions	array of evidence_id + array of	F1	TriggerEvent 升 Evidence Ledger 必需
H5	served_personas: [] projection metadata	array of persona enum	F3	entry-level persona projection
H6	market_state decision-relevant 字段	underpriced consensus overpriced unclear (仅 scenario 类)	F2	金融决策核心 alpha
H7	review_policy 事件订阅 freshness	{cadence, stale_after_days, review_trigger: []}	F7	event-driven freshness
H9	trust_tier evidence-only + sub-verdicts	primary secondary inferred + {coverage, claim_alignment, source_authority} ≡ sub-verdict	F1	evidence 必须分级

H10	ai_review_log : [] append-only review hook	array of {reviewer_per sona, verdict, rationale, at_utc}	F1 / F4	独立 reviewer 网必 需
-----	---	---	---------	---------------------

设计原则:

- All optional default null — V5.5 现 7 对象不动
- Validation by entry type — 启用某 type 后该 type 的 required hook 才 enforce
- 通过 V5.5 §9.3 AI service response schema 模板自然 carry

H 编号从 H2 开始 (H1 / H4 / H8 砍掉因为 V5.5 现有设计已涵盖: H1 entry_type → V5.5 7 对象天然 typed; H4 lifecycle_stage → V5.5 4 对象都有 state; H8 author_persona → V5.5 已有 ai_generated + pm_acknowledged) 。

§8 trading_platform 已知 gap

诚实 surface 让 V5.5 team 不误判 scope:

#	Gap	影响	Mitigation
G1	Single PM 假设硬绑	schema 假设 single PM as gate (pm_acknowledged: bool) ; 无 user_id / 无 permission layer / 无 multi-PM ack resolver	V5.5 multi-PM 要 wrap user-identity + permission; schema 至少加 acknowledged_by_user_id + visibility_scope
G2	No semantic search / RAG 基础设施	retrieval 全 canonical-path + tag (per <u>t10 axiom</u> Index First, AI for Gaps 公理)	定位 "structured object store"; RAG 是 V5.5 在 trading_platform 之上加层

G3	Persona projection 在 entry 层缺失对 V5.5 应用	a17 是 doc-level 约定 + prompt 写法; entry schema 没 served_personas: [] 字段 (待 H5 加)	propose H5
G4	Causal chain node 显式 tagging 不全	thesis_note v1.6 有 claims / key_dependencies prose, 但 chain_nodes_affected enum array 字段 schema 还没显式 (在 prose 里 implicit)	可补 schema 字段
G5	No public-facing render layer	没 PNG card / vindication card / Twitter image	定位 "purely internal markdown"; V5.5 retail 实现层做
G6	Event-driven trigger runtime 不完整	freshness_event 是 manual trigger (sweeper 周扫); earnings 自动 cascade runtime 没 build	schema ready / runtime pending
G7	Multi-source ingest 广度不足	raw 主要 Gmail + AgentMail + 90 asset_technicals; 缺 news API / SEC EDGAR / X / Reddit	想从 V5.5 学的方向 (L1)
G8	No collaboration features	单 PM 不需要 comment / mention / notify	out of scope, V5.5 自建
G9	No incremental API	file-based JSON in git; 无 REST / GraphQL / webhook	pitch schema + pattern + data, runtime 要 V5.5 自己 wrap

G10	Scale 不验证	最多 56 thesis + 9 active themes + 数条 evidence; 10x / 100x 未跑	定位 research-grade, scale validation pending
G11	数据隐私 / releasable subset 没定	56 thesis 含 PM 私有 view	pitch doc 显式 separate "可分享 schema + pattern + 已踩坑" vs "data seed 待授权"

§9 具体 collaboration 提议

§9.1 短期（本周可启动，cost 各方 <2 day）

1. Schema cheatsheet 对齐: trading_platform thesis_note v1.6 / scenario_note v0.1 / evidence_record v0.2 字段命名对齐 V5.5 Thesis / Scenario / TriggerEvent 命名。免费但让未来 conversion cost 趋零
2. .cursor/rules 5 条 fork 进 V5.5 团队 contributing.md:
 - 13_index_first_ai_for_gaps.mdc
 - 31_prompt_boundary_task_vs_control_plane.mdc
 - 33_clickable_links_for_user_paths.mdc
 - 35_pm_writing_contract.mdc
 - 40_systemic_mismatch_second_order_check.mdc
3. "已踩过的坑" list 直接 fork (forks_can_use_from_trading_platform.md §6.1) : DST 时间字符串 / business days 必走 exchange calendar / writer sidecar 模式 / source connector 边界 / AgentMail wrapper 邮件 triage 等

§9.2 中期（本月内，cost 1-2 week）

4. Releasable subset 过滤清单: 56 thesis / 10 theme reports / 90 asset_technicals 中明确 publicly releasable / AI prompt 上下文可用 / 内部仅读 三档分类
5. 3 个 high-leverage schema 移植到 V5.5:
 - evidence_record v0.2 → V5.5 TriggerEvent 升级 (per F1) : 加 trust_tier + belief_delta + ai_review_log

- scenario_note v0.1 market_state + pricing_snapshots → V5.5 Scenario 字段加 H6 (per F2)
- freshness_event v0.1 + review_policy → V5.5 4 对象 lifecycle 补 review_trigger 事件订阅 (per F7)

6. AI cluster + 独立 reviewer 网 pattern 给 V5.5 team: 3 套 spec (thesis 三段式 / theme 四段式 / 独立 reviewer 网), V5.5 既有 5 原则 + 6 红线 contract 补 process-based reviewer cross-cut (per F4)

§9.3 长期 (季度, 需双方 architect commit)

7. AI 自动 conversion build (per §6.2 方向 b) : V5.5 POST /ai/scenarios/generate → trading_platform scenario_note v0.1 draft ingest pipeline; trading_platform schema 反向 → V5.5 endpoint mapping
8. 7 native extension hook (per §7) 作为 V5.5 schema 升级 RFC: V5.5 engineering team 评估 H2-H10 哪些 v0 进 / 哪些延后

§10 一句话结论

两边都在 build "AI-native thematic research loop infrastructure" 这个 genre。V5.5 = multi-tenant hedge fund product 形态, trading_platform = single-PM internal cognitive infra 形态。互补不竞争:

- V5.5 借 trading_platform: F1-F7 详见 §5.2 (重点 F1 Evidence Ledger 三件套 / F2 Market Pricing dimension / F4 独立 reviewer 网 process-based 补 contract-based)
- trading_platform 借 V5.5: L1-L9 详见 §5.1 (重点 L6 ExpressionLink N:M / L7 state machine 系统化覆盖 / L8 PostgreSQL DDL ready / L9 AI service endpoint already specced)
- AI 自动 conversion 走单向 hand-off (V5.5 → trading_platform = bottom-up suggestion; trading_platform → V5.5 = renderer projection 几乎 plug-in), 双向 sync 不做

最高 ROI 是 §9.1 短期 3 件 (schema cheatsheet + 5 cursor rules fork + 已踩坑 list), cost 极低收益高。中长期看 §9.2 / §9.3 取决于 architect-level commit。