
























JOVIVE WALNUT CREEK - WOUND CARE DRESSING GUIDE










Quick reference for wound care products available in clinic





















COMMONLY ORDERED OINTMENTS AND GELS			
Image	Name & Type	Description & Instructions	Frequency
	Medihoney Gel <i>Medical-grade honey gel</i>	Promotes debridement and reduction of bioburden. Available on unit carts.	Change: Daily
	Iodosorb <i>Cadexomer iodine gel</i>	Absorbs drainage and promotes debridement. Comes from pharmacy.	Change: 2-3 times weekly
	Triad Cream <i>Incontinence-associated dermatitis</i>	Protects periwound and intact skin from moisture damage. Ideal for sacral breakdown. Reapply after each soiling.	Change: After each soiling
	Gentamicin <i>Infected wounds with gram-negative organisms</i>	Topical antibiotic effective against gram-negative bacteria.	Change: 2-3 times daily
	Calmoseptine <i>Moisture protection, rashes</i>	Moisture barrier and antiseptic for irritated skin. zinc oxide and menthol	Change: As needed
Each of these can be spread over a piece of oil emulsion gauze first, then applied to the wound, to ensure coverage of the wound bed.			
COMMONLY ORDERED WOUND FILLERS AND MEDICATED DRESSINGS			
Image	Name & Type	Description & Instructions	Frequency
	Hydrofera Blue <i>Methylene Blue/Gentian Violet Foam</i>	Blue foam, absorbs drainage. Plain blue side touches wound. Obtain extra from SWAT.	Change: 1-3 days
	Xeroform <i>Petroleum gauze with Bismuth</i>	Non-adherent, antimicrobial sheets. Useful for skin tears, burns, painful wounds. On unit carts.	Change: Daily










	Adaptic/Telfa Oil Emulsions <i>Fragile skin, graft sites, skin tears</i>	Nonadherent contact layer. Use when minimizing trauma during dressing changes is important. Apply over ointments if needed.	Change: Daily
COMMONLY ORDERED COVER DRESSINGS			
Image	Name & Type	Description & Instructions	Frequency
	ABD Pads <i>Heavily draining wounds</i>	Layer of absorption. Not a primary dressing. Used over packing or as pressure padding.	Change: As needed
	Kerlix Wrap <i>Securing dressings to limbs/head</i>	Stretch gauze; allows breathable coverage. Can be used with saline as wet-to-dry dressing base.	Change: As needed
CATALOG ITEMS FOR REVIEW			
Compression Systems			
	UrgoK2 Dual Compression System <i>Ankle compression 30-40mmHg</i>	Two-layer compression system for venous insufficiency and edema management.	Change: Weekly
	UrgoK2 Lite Dual Compression <i>Light compression therapy</i>	Lighter compression system for sensitive patients or mild edema.	Change: Weekly
	Spandagrip Compression Size E <i>Light compression support</i>	Graduated compression bandage for support and edema control.	Change: Daily
	Spandagrip Compression Size F <i>Moderate compression support</i>	Medium compression bandage for moderate edema and support.	Change: Daily
	Spandagrip Compression Size G <i>Firm compression support</i>	Higher compression bandage for significant edema management.	Change: Daily










	Unna Boot with Calamine <i>Venous leg ulcers, edema control</i>	Zinc oxide-impregnated bandage with calamine for venous insufficiency.	Change: Weekly
Additional Medications			
	Lidocaine 5% Ointment <i>Topical anesthesia for painful wounds</i>	Local anesthetic ointment for pain relief during wound care.	Change: As needed
	Hydrocortisone Cream 2.5% <i>Inflammatory skin conditions</i>	Mid-potency topical steroid for inflammatory dermatoses.	Change: 1-2 times daily
	Triamcinolone Acetonide 0.1% Cream <i>Inflammatory dermatoses</i>	Mid-potency topical steroid for eczema and inflammatory skin conditions.	Change: 1-2 times daily
	Nystatin Topical Powder <i>Fungal infections, moisture areas</i>	Antifungal powder for treating candida infections in skin folds.	Change: 2-3 times daily
	Antifungal Cream <i>Fungal skin infections</i>	Topical antifungal for treating superficial fungal infections.	Change: 2-3 times daily
	Calmoseptine Ointment 1/8oz <i>Minor skin irritation</i>	Small tube format of moisture barrier and antiseptic ointment.	Change: As needed
Advanced/Specialty Dressings			
	Fibracol Collagen Dressing <i>Chronic wounds, granulation stimulation</i>	Collagen matrix dressing that supports wound healing and tissue regeneration.	Change: Weekly
	Hydrofera Blue ReadyTransfer <i>Infected wounds, moderate exudate</i>	Ready-to-use antimicrobial foam with methylene blue and gentian violet.	Change: 1-3 days




	Calcium Alginate (Plain) <i>Moderate to heavy exudate</i>	Non-silver alginate dressing for absorbing wound drainage.	Change: 1-3 days
	Calcium Alginate with Silver <i>Infected wounds with heavy exudate</i>	Silver-impregnated calcium alginate for antimicrobial wound management.	Change: 1-3 days
	Gelling Fiber with Silver (Rope) <i>Deep tunneling wounds with infection risk</i>	High-absorbent silver gelling fiber in rope form for tunnels and undermining.	Change: 1-3 days
	Hydrocellular Non-Adherent Foam <i>Moderate to heavy exudate</i>	Non-adherent foam dressing that requires secondary dressing.	Change: 1-3 days
	Thin Hydrocolloid Dressing <i>Shallow wounds, minimal exudate</i>	Thin hydrocolloid for superficial wounds with light drainage.	Change: 3-7 days
	Xtrasorb Super Absorbent <i>Heavily exuding wounds</i>	Super absorbent dressing for managing high levels of wound exudate.	Change: 1-2 days
Additional Foam/Silicone Options			
	Allevyn Life Lite Silicone 4x4 <i>Light exudate wounds</i>	Thin silicone foam dressing for wounds with minimal drainage.	Change: 2-3 days
	Allevyn Life Lite Silicone (Large) <i>Light exudate wounds (large)</i>	Larger thin silicone foam dressing for bigger wound areas.	Change: 2-3 days
	Silicone Foam with Border 6x6 <i>Moderate exudate wounds</i>	Larger bordered silicone foam for moderate drainage wounds.	Change: 2-3 days

	Silicone Foam with Border 3x3 <i>Small moderate exudate wounds</i>	Small bordered silicone foam for smaller wounds with moderate drainage.	Change: 2-3 days
Tapes & Securing Materials			
	Paper Adhesive Tape 2 inch <i>Gentle dressing securement</i>	Hypoallergenic paper tape for sensitive skin applications.	Change: As needed
	Hypafix Retention Tape <i>Securing large dressings</i>	Wide adhesive tape for securing large or awkwardly placed dressings.	Change: As needed
	Retention Tape 2 inch <i>Securing large dressings</i>	Non-woven retention tape for securing bulky or large dressings.	Change: As needed
	Cohesive Bandage (Tan) <i>Self-adhering wrap</i>	Self-adhering elastic wrap that sticks to itself, not skin.	Change: As needed
	Conform Stretch Bandage <i>Securing dressings</i>	Lightweight stretch bandage for securing dressings without constriction.	Change: As needed
Additional Wound Care Supplies			
	Wound Hydrogel (Amorphous) <i>Dry wound beds</i>	Amorphous hydrogel for adding moisture to dry wounds.	Change: Daily
	Saline Irrigation Solution <i>Wound irrigation and cleaning</i>	Sterile 0.9% sodium chloride for wound irrigation and cleaning.	Change: As needed
	Dermal Wound Cleanser Spray <i>Wound irrigation and cleaning</i>	No-rinse wound cleanser spray for gentle wound bed preparation.	Change: As needed

	Vashe Wound Wash <i>Wound cleaning and irrigation</i>	Hypochlorous acid wound cleanser that's gentle yet effective.	Change: As needed
	Island Border Gauze Dressing <i>General wound coverage</i>	Sterile bordered gauze dressing with adhesive perimeter.	Change: Daily
Instruments & Tools			
	Silver Nitrate Applicators <i>Cauterization, granulation control</i>	Caustic applicators for cauterizing small bleeding points and hypergranulation.	Change: As needed
	Disposable Biopsy Punch <i>Tissue sampling</i>	Sterile disposable punches for skin biopsy procedures.	Change: Single use
	Dermal Curette 2mm <i>Tissue debridement</i>	Disposable curette for gentle tissue debridement and sampling.	Change: Single use
	Dermal Curette 4mm <i>Tissue debridement</i>	Disposable curette for tissue debridement of larger areas.	Change: Single use
	Surgical Blade #15 Carbon Steel <i>Precise tissue cutting</i>	Sterile disposable surgical blade for debridement and minor procedures.	Change: Single use
	Skin Staple Remover Tray <i>Staple removal</i>	Sterile staple remover with prep materials for safe staple removal.	Change: Single use
	Suture Removal Tray <i>Suture removal</i>	Sterile tray with instruments for safe suture removal procedures.	Change: Single use

	Paper Wound Measuring Ruler <i>Wound measurement documentation</i>	Disposable paper rulers for accurate wound measurement and documentation.	Change: Single use
Prep & Cleaning Supplies			
	Adhesive Remover Wipes <i>Safe adhesive removal</i>	Gentle removal of adhesive residue from skin without trauma.	Change: As needed
	Alcohol Prep Pads <i>Skin antisepsis</i>	70% isopropyl alcohol for skin preparation and antisepsis.	Change: As needed
	Povidone Iodine Prep Pads <i>Antiseptic skin preparation</i>	10% povidone iodine prep pads for surgical site preparation.	Change: As needed
	Benzoin Tincture Compound <i>Adhesive enhancement</i>	Enhances tape/dressing adhesion and protects skin from moisture.	Change: As needed
	No-Sting Skin Prep Wipes <i>Skin protection before adhesive application</i>	Protective barrier wipes that enhance adhesion without stinging.	Change: As needed
	Sanicloth Super Germicidal Wipes <i>Surface disinfection</i>	Broad-spectrum disinfectant wipes for equipment and surface cleaning.	Change: As needed
Basic Supplies			
	Gauze Sponge 2x2 (8-ply) <i>Wound cleaning, packing</i>	Small sterile gauze sponges for wound care and cleaning.	Change: Single use
	Gauze Sponge 4x4 (12-ply) <i>Wound cleaning, absorption</i>	Standard sterile gauze sponges for wound care and cleaning procedures.	Change: Single use

	Cotton-Tip Applicators 6 inch <i>Precise application, wound cleaning</i>	Sterile cotton-tipped applicators for precise medication application.	Change: Single use
	Tongue Depressor Blades <i>Oral examination, mixing</i>	Sterile wooden tongue depressors for examinations and mixing compounds.	Change: Single use
	Reinforced Skin Closure Strips <i>Wound edge approximation</i>	Sterile adhesive strips for closing minor lacerations and incisions.	Change: Until healing
	Tubular Elastic Net Size 6 <i>Dressing retention on limbs</i>	Tubular elastic net for holding dressings in place on arms/legs.	Change: As needed
	Tubular Elastic Net Size 9 <i>Dressing retention on torso</i>	Larger tubular elastic net for torso and larger body areas.	Change: As needed
Specialty Items			
	Iodoform Packing Strip (Multiple Widths) <i>Nasal hemorrhage control</i>	Iodoform-impregnated packing strips. Available in 1/4" and 1/2".	Change: Single use
	Plain Packing Strip (Multiple Widths) <i>Nasal support, non-antiseptic packing</i>	Non-medicated packing strips. Available in 1/2" and 1".	Change: Single use
	Brava Moldable Ostomy Ring <i>Ostomy seal enhancement</i>	Moldable ring for improving ostomy appliance seal and preventing leakage.	Change: With appliance changes
	Saline Inhalation Solution <i>Respiratory therapy</i>	0.9% saline for nebulization and respiratory treatments.	Change: As prescribed
General Supplies			

	Light Absorbent Underpad <i>Patient positioning, fluid protection</i>	Disposable underpad for protecting surfaces during procedures.	Change: Single use
	Procedure Towel 3-ply <i>Patient draping, fluid absorption</i>	Disposable 3-ply towel with poly backing for procedures.	Change: Single use
	Drape Sheet 40x48 <i>Sterile field creation</i>	Sterile drape for creating sterile field during procedures.	Change: Single use

Important: Always assess wound bed, surrounding skin, and patient factors before selecting dressing. For detailed protocols visit: <https://example.com/wound-care-protocols>