



Universal Waste Handling & Disposal

Lamps · ballasts · batteries · mercury devices

Your facilities stay compliant. Your records stay complete. On every retrofit, repair, removal and installation, FSG manages the waste we generate under the EPA Universal Waste Rule (40 CFR Part 273) and the applicable state program, from removal through recycling, so your team never touches it.

HOW WE HANDLE IT, EVERY SITE

- 1 **Identify.** Fluorescent, CFL, HID and UV lamps, PCB and non-PCB ballasts, batteries and mercury devices are classified as universal waste before removal begins.
- 2 **Remove intact.** Lamps are removed whole. Crushing, breaking or drum-top crushing on client property is not permitted.
- 3 **Containerize.** Waste goes into closed, structurally sound containers labeled "Universal Waste – Lamps" (or the matching stream) with the accumulation start date.
- 4 **Remove from your facility.** FSG crews take the materials off site at the close of work unless the client directs us to use their own on-site recycling containers. Nothing is left behind in a mechanical room or dock.
- 5 **Bulk-recycle at FSG facilities.** Materials are consolidated at FSG locations and recycled in bulk through permitted universal-waste recyclers. Bulk volume earns the lowest recycling cost, and that saving is passed to you. Nothing goes in dumpsters or general trash.
- 6 **Consolidate across the program.** On national rollouts and service work, small retrofits and repairs are combined into program-level batches. That eliminates the labor and time of recycling site by site and keeps your cost down.

WHAT'S COVERED

Stream	Examples
Lamps	Fluorescent tubes, CFL, HID (metal halide, HPS, MV), UV and neon
Ballasts	Magnetic (PCB / non-PCB) and electronic ballasts, LED drivers
Batteries	Emergency-lighting, exit-sign, UPS and controls batteries
Mercury devices	Thermostats, switches, relays and sensors

IF A LAMP BREAKS

- Clear and ventilate the area; keep people out for 15 minutes.
- No vacuuming or sweeping of fragments. Debris is collected with stiff card and tape into a sealed, labeled container and managed as universal waste.
- The incident is noted in the project record and reported to the client's site contact.

State rules can be stricter.

Where a state program (for example California, Minnesota or Vermont) exceeds federal requirements, FSG follows the state rule. Our crews are trained on this policy before mobilizing.

Questions about an active project? Ask your FSG project manager.