

Salesforce Certified Industries CPQ Developer

****1.** A company has two telesales teams: one that does business in Russian and another that does business in English. The developer decides to enable the multi-language feature in the shared catalog. However, during testing, Russian translations do not display in the Cart. ******

Which three things should the developer verify?

****Choose 3 answers****

- ☐ A. Russian translations for the products exist in the StringTranslation object.
- ☐ B. User's Locale is set to Russian.
- ☐ C. The Russian Locale is activated in the Vlocity Locale Code picklist.
- ☐ D. User's Language is set to Russian.
- ☐ E. Russian translations for the products exist in the Translation Workbench.

****2.** Which two custom settings need to be set to true in order to avoid passing large sets of items to the configuration rules and the pricing engine? ******

****Choose 2 answers****

- ☐ A. CacheAPI.TimeToLiveInDays
- ☐ B. CacheAPIFields
- ☐ C. DeltaPrice
- ☐ D. DeltaValidate

****3.** When creating a custom pricing plan step for attribute-based pricing in the Default Pricing Plan, where should the step be placed in the sequence? ******

- ☐ A. Between the step Initialize Pricing Context and the step Load Price List Entries
- ☐ B. Before the step Initialize Pricing Context
- ☐ C. After the step Apply Parent Variables

- ☐ D. Between the step Initialize Pricing Variables and the step Apply Offer Adjustments

****4. What is a context mapping?****

- ☐ A. The relational path from a root sObject, such as an Order, to related sObjects, such as Account

- ☐ B. A multi-dimensional array of sObject data

- ☐ C. A variable that stores rule condition values

- ☒ D. A link to data stored in sObjects, calculated using a function, or typed in during design-time

****5. What must a developer set to allow a user to modify an attribute in the Cart's configuration window?****

- ☐ A. Not Hidden property

- ☒ B. Active property

- ☐ C. Filterable property

- ☐ D. Run-time Configurable property

****6. What tasks must be done when moving product catalog data containing product attributes between orgs or spinning a sandbox?****

- ☐ A. Use Data Loader to load attribute record ids

- ☐ B. Run the Product Hierarchy Maintenance batch job

- ☒ C. Regenerate the record ids stored in the JSONAttribute field

- ☐ D. Run Refresh Platform Cache

****7. Which of the following use cases should be solved using Discounts functionality?****

- ☐ A. Evaluate if a customer is eligible for a limited time price reduction

- ☐ B. Discount the price as the quantity of product ordered passes certain thresholds

- ☒ C. Automatically apply negotiated discounts to customers with existing contracts

- ☐ D. Qualify customers for discounts using a discount code

****8.** A developer needs to create a context rule in a Digital Commerce guided selling experience to evaluate the technology configuration installed at the account's location. The developer configures a new context dimension for the rule as shown below.**

Property	Value
Name	AcctTechnology
Code	AcctTech-Code
Condition Weight	[null]
Data Type	Text
Domain Type	Picklist
Vlocity Picklist	PKL_AcctTech
Cacheable Mode	True
Default Value	[null]
Values for caching	[null]
Active	True

The developer prepares to test the rule by running the appropriate API cache job, but the job fails.

Which two properties are causing the job to fail?

****Choose 2 answers****

☒ A. Default Value

☒ B. Values for caching

☐ C. Code

☐ D. Data Type

****9.** Which type of discount can be used to apply negotiated discounts to customer orders using frame/pricing agreements?**

☐ A. Order

☐ B. Contract

☐ C. Group

☐ D. Account

****10. The developer notices that the Digital Commerce APIs are returning incorrect or no results.****

Which cache should the developer refresh?

☐ A. CPOPartition cache

☐ B. CachedAPIResponse cache

☐ C. VlocityMetadata cache

☐ D. VlocityAPIResponse cache

****11. When creating context rules, where can a developer create a failure message that will display for the product or promotion in the Disqualified tab in the Cart?****

☐ A. Rule Set

☐ B. Context Dimension

☐ C. Rule Condition

☐ D. Rule

****12. When a user performs a search on the product list in the Cart, which two fields are queried?****

****Choose 2 answers****

☐ A. Product Code

☐ B. Product Name

☐ C. Product Description

☐ D. List Price

****13.** A company wants to charge different prices for a service depending on the bandwidth and network selected by the customer.**

- If bandwidth is 1 GB and network is "internal," then the price is \$10/monthly and \$5/one-time-charge

- If bandwidth is 10 GB and network is "external," then the price is \$20/monthly and \$0/one-time-charge

Which type of pricing should the developer configure to meet these requirements?

- ☐ A. Context rules for pricing adjustments

- ☐ B. Usage Pricing

- ☐ C. Cost and Margin Pricing

- ☒ D. Attribute Based Pricing

****14.** Asset-based ordering capabilities are powered by which OmniStudio features?**

- ☒ A. OmniScript and Integration Procedures

- ☐ B. Calculation Procedures and Matrices

- ☐ C. FlexCards and OmniScript

- ☐ D. OmniScript and Calculation Matrices

****15.** When adding products to the Cart, the developer notices that nothing renders in the cart. The developer uses the browser console network tab to troubleshoot the issue.**

Which method should the developer look for in the responses to begin troubleshooting?

- ☐ A. getBasketDetails

- ☒ B. postCartsItems

- ☐ C. getCartsItems

- ☐ D. createCart

****16.** A developer is creating a website for a communications company. As part of the site experience, the developer needs to retrieve products and display them to anonymous users for selection.******

What should the developer use to meet this requirement?

☒ A. Digital Commerce API - Get Offers By Catalog (getOffersByCatalogCode)

☐ B. Digital Commerce API - Get Offer Details (getOfferDetails)

☐ C. Cart-Based API - Get List of Products API (getCartProducts)

☐ D. Cart-Based API - Get Cart Items (getCartItems)

****17.** In which sequence do rules execute to ensure a perfect order in the Cart?******

☐ A. Eligibility Rules, Context Rules, Advanced Rules

☐ B. Context Rules Framework, Compatibility Rules Framework, Advanced Rules Framework

☐ C. Advanced Rules Framework, Context Rules Framework, Compatibility Rules

☒ D. Context Rules Framework, Advanced Rules Framework

****18.** A developer needs to create a new context rule for a B2B product that is sold using the full sales cycle of opportunity, quote to order and then to asset.******

Which context scope should the developer configure when creating the context mapping?

☐ A. Order and Quote

☐ B. Order, Quote, Opportunity, and Asset

☐ C. Opportunity

☒ D. Any

****19.** What does a sales catalog define?******

- ☐ A. A set of products and promotions

- ☐ B. A set of products that are related through Relies On dependencies

- ☐ C. A catalog of prices

- ☐ D. A catalog of technical and commercial products

****20. What is a context scope?****

- ☐ A. A link to data stored in sObjects, calculated using a function, or typed in during design-time

- ☐ B. A multi-dimensional array of sObject data

- ☐ C. The relational path from a root sObject, such as an Order, to related sObjects, such as Account

- ☐ D. A variable that stores rule condition values

****21. How can a developer require that the user enter a value for an attribute during order capture?****

- ☐ A. By setting the Required attribute metadata property

- ☐ B. By setting the product attribute type to Required

- ☐ C. By assigning the attribute to the Required product object type

- ☐ D. By setting the Run-time Configurable attribute metadata property

****22. A company wants to automatically decrease the price of a smartphone product within specified time frames.****

What should a developer configure to meet this requirement?

- ☐ A. Multiple price lists with effectivity time frames

- ☐ B. A context rule on the smartphone product and time policies

- ☐ C. A price list entry with effectivity time frames

- ☐ D. A promotion and time policies

****23.** A developer needs to configure a new installation product that will not be charged to customers. The developer creates the product using the Installation object type and adds a product code MODEM5G-INST. To simplify configuration, the developer does not configure a price. The developer sets the Selling Start Date to 1 month from now.******

To test the new product, the developer configures an order in the Cart and selects the default price list. The developer searches the products list, but the new product does not appear.

What is causing this issue?

- ☐ A. The product code contains a non-alphanumeric character (-).
- ☐ B. The developer did not run Refresh Platform Cache.
- ☒ C. The developer did not configure a price.
- ☐ D. The Selling Start Date price is in the future.

****24.** A developer manages a very large catalog that includes over 5 million products. The developer needs to write a rule that will apply to all products in the catalog.******

Which type of rule will be easiest for the developer to implement?

- ☐ A. Evaluation Rule
- ☒ B. Advanced Rule
- ☐ C. Qualification Rule
- ☐ D. Context Rule

****25.** A developer needs to create a new product bundle that includes a child product. There can only be one child product at a time in the bundle; it must be added automatically to the cart with the parent product. Users should be prevented from deleting it.******

How should the developer meet these requirements?

- ☐ A. Create an Auto-Add product configuration rule and a Requires product configuration rule
- ☒ B. Create a child product with a cardinality of 1, 1, 1

- ☐ C. Create a configuration context rule
- ☐ D. Set the Auto-Add and No Delete properties

****26. If a developer assigns a new attribute to an object type, how is that attribute propagated to all products linked to the object type?****

- ☐ A. By running the EPCProductAttributeBatchJob to regenerate the product attribute JSON field
- ☐ B. Dynamically through inheritance
- ☒ C. By running the Attribute Hierarchy Maintenance job on the CMT Administration screen
- ☐ D. Via a deep copy to Product2

****27. Why would a developer use getCartProducts input parameters to reduce the number of products returned in a guided selling experience?****

- ☐ A. To prevent hitting Salesforce transaction governor limits
- ☐ B. To ensure the results set does not exceed the maximum number of records
- ☒ C. To reduce the number of choices presented to the user
- ☐ D. Because the filters parameter is required

****28. In order to evaluate product attribute values, what must be set on the entity filter?****

- ☒ A. Attribute Lookup Field Name
- ☐ B. Evaluation Criteria
- ☐ C. Formula for Conditions
- ☐ D. Entity Filter Type

****29. A company wants to offer a promotion only to new customers. The developer builds a context rule to meet this requirement.****

The developer creates:

- A picklist named Account Status that contains values of New, Active, and Closed
- A context dimension named Account Status and links it to the Account Status picklist
- A context mapping that uses the AnyAccountScope and a source expression of Status_c
- A context rule called "New Customer Accounts" with a rule condition that will evaluate the Account Status context dimension using a Hard Fail Fall Level
- A rule set with a Rule Type=Qualification and an Action Taken=Quality, adds the context rule to it, and then adds it to the promotion

The developer confirms that all context rule components are active and effective. The developer configures an order for a new account in the Cart, but the promotion does not appear in the list of qualified promotions.

What should the developer have done?

- ☒ A. Create a context dimension name without a space.
- ☐ B. Run the Product Hierarchy Maintenance job.
- ☐ C. Set the Rule Type to Evaluation.
- ☐ D. Set the rule condition to have a Fall Level=Soft Fail.

****30. When should a developer use a percentage to discount the price of a product in a promotion instead of changing the price with an override?****

- ☒ A. When the charge recurs monthly
- ☐ B. When the charge is only for one time
- ☐ C. When the cost of the product for the company is variable
- ☐ D. When the product can be returned

****31. Which type of rule can evaluate order line items?****

- ☒ A. Advanced Rule - Configuration Validation (Compatibility)
- ☐ B. Advanced Rule - Eligibility
- ☐ C. Context Rule - Qualification
- ☐ D. Advanced Rule - Availability

****32. A developer has updated the price of a product but still sees the previous price in the Digital Commerce API response.****

What job should the developer run to correct this issue?

- ☐ A. Delete Expired API Cache job
- ☒ B. Populate API Cache job
- ☐ C. (Option C was not listed in the original text)
- ☐ D. (Option D was not listed in the original text)

****33. How can a user understand changes to pricing applied in the cart?****

- ☒ A. By clicking the Price Details icon on the line item
- ☐ B. Pricing adjustments do not display in the cart
- ☐ C. The display text in the Products list in the cart
- ☐ D. Popup message window after the order is submitted

****34. A company has an existing bundle that contains a mobile phone product. Customers are allowed to purchase up to 3 phones as part of this bundle. The company decides that they want to increase the limit and allow customers to purchase up to 5 phones. The developer adjusts the maximum cardinality for the child product from 3 to 5. However, after making the change, the bundle still restricts users to 3 phones.****

Which two actions should the developer take to troubleshoot this issue?

****Choose 2 answers****

- ☐ A. Run EPCProductAttribJSONBatchJob
- ☒ B. Run Product Hierarchy Maintenance
- ☒ C. Run Refresh Platform Cache
- ☐ D. Run Load API Metadata

****35. What is the purpose of the Collapse Hierarchy property when defining a product bundle?****

- ☐ A. Allows the product to inherit the parent product's cardinality
- ☐ B. Collapses the product hierarchy data key value pairs, in order to improve performance for very large bundles
- ☐ C. Restricts the product from retrieving cardinality settings from any linked object types
- ☒ D. Enables a Search Item dialog for the product bundle in the cart line items pane

****36. A large communications company wants to create a product bundle that includes several services including a TV service. The marketing department decides that the TV service will be automatically included when the bundle is added to the cart. The customer should have the option to remove the TV service.****

How should the developer configure the cardinality of the TV service product in the bundle?

- ☒ A. Minimum Cardinality = 0; Default Cardinality = 1; Maximum Cardinality = 1
- ☐ B. Minimum Cardinality = 1; Default Cardinality = 0; Maximum Cardinality = 0
- ☐ C. Minimum Cardinality = 1; Default Cardinality = 1; Maximum Cardinality = 1
- ☐ D. Minimum Cardinality = 0; Default Cardinality = 1; Maximum Cardinality = 0

****37. How is a context key used by the Digital Commerce APIs?****

- ☐ A. To price products using attribute-based pricing
- ☐ B. To unlock web pages in anonymous sessions
- ☒ C. To describe the customer in rules processing
- ☐ D. To submit an order for processing

****38. Which two actions must the user take before a completed Master Quote can be submitted for a Multi-Service Point Group?****

****Choose 2 answers****

- ☐ A. Apply to Group
- ☒ B. Price and Validate
- ☒ C. Configure line items
- ☐ D. Add to Cart

****39.** A company is building a B2C website for its customers. The company wants to allow its customers to buy its products online, so they are designing the website to support a self-service selling journey. When the company launches new promotions, website traffic dramatically increases by several million API calls.******

Which type of APIs should the developer use to meet these requirements?

- ☐ A. Cart-Based APIs
- ☐ B. DataRaptor APIs
- ☒ C. Digital Commerce APIs
- ☐ D. Integration Procedure APIs

****40.** How does the Cart represent products with a default quantity cardinality of 0?******

- ☒ A. As a line item with an Add to Cart button
- ☐ B. In a yellow font as a Recommended Product
- ☐ C. As a line item with a quantity of 0
- ☐ D. As an available product in the Search Item dialog

****41.** Which two of the following are features of the Product List in the Cart?******

****Choose 2 answers****

- ☐ A. It is displayed on the Opportunity tab.
- ☒ B. It uses rules to display available and eligible products.
- ☐ C. It allows hierarchical product structures.
- ☒ D. It is based on a specific price list.

****42. How are promotions applied to an order in the Cart?****

- ☒ A. By clicking on Add to Cart for a promotion in the Promotions list
- ☐ B. Automatically using context rules
- ☐ C. By clicking the Take Me There configuration icon
- ☐ D. By running the Promotion Hierarchy Batch job

****43. When adding a new product to the shared catalog, which three conditions must be met in order for it to display in the Cart's product list?****

****Choose 3 answers****

- ☐ A. The product must have an object type.
- ☒ B. The Orderable property must be checked.
- ☒ C. The Active property must be checked.
- ☒ D. The product must have a price list entry.
- ☐ E. The Product Hierarchy Maintenance job must be run.

****44. Which two line items actions will display in the Cart when performing a Move order from one account to another?****

****Choose 2 answers****

- ☐ A. Change
- ☒ B. Existing
- ☐ C. Suspend
- ☒ D. Disconnect

****45. Which two responses are parts of a pricing element?****

****Choose 2 answers****

- ☐ A. The price category
- ☐ B. The pricing calculation
- ☒ C. The charge (amount)
- ☒ D. The currency code

****46.** A company wants to charge different prices for the same product when it is contained in the context of different bundles. ******

Where should the developer change the product's price in order to accomplish this?

- ☐ A. In the One Time or Recurring order line item columns in the cart
- ☐ B. The price list where the price list entry is located
- ☐ C. The price of child products within a bundle cannot be changed
- ☒ D. The product structure of the bundle

****47.** A product manager wants to create a product bundle that can only be ordered between January 5th and January 31st. ******

How should the developer configure the product bundle to meet this requirement?

- ☐ A. Enable the Active property on January 5 and disable the Active property on January 31
- ☐ B. Set the Fulfillment Start Date to January 4, Selling Start Date to January 5, and the End of Life Date to February 1
- ☐ C. Set the Fulfillment Start Date to January 5 and the End of Life Date to January 31
- ☒ D. Set the Selling Start Date to January 5 and the Selling End Date to January 31

****48.** Which two features are used to implement attribute-based pricing in Industries CPQ? ******

****Choose 2 answers****

- ☒ A. Pricing Plans
- ☐ B. Product Configuration Procedures

- ☐ C. Calculation Procedures & Matrices

- ☐ D. Context Rules

****49. A developer wants to add product images to a guided selling experience.****

What must the developer pass to the getCartProducts method to enable this?

- ☐ A. Set the SearchBy parameter to Product2.Images

- ☐ B. Create a subaction to invoke getProductImages

- ☒ C. Set the includeAttachment parameter to true

- ☐ D. Set the Render property to true

****50. A company creates a new product, as shown below.****

****Product A****

- Selling Start Date: July 31, 2021

- Selling End Date: October 31, 2021

- Fulfillment Start Date: July 31, 2021

- End of Life Date: October 31, 2022

On November 22, 2021, which action can be taken on this product?

- ☐ A. Change

- ☒ B. Disconnect

- ☐ C. Add to Cart

- ☐ D. Move

****51. A developer selects a smart thermostat from an account's list of assets and clicks Change to Order. While reviewing the order in the Cart, the developer notices the price of the existing asset in the Change order does not match the price that was displayed in the Service Asset Management view.****

What is the reason for this discrepancy?

- ☐ A. The asset was originally priced for a different user.
- ☒ B. One-time charges are zeroed out on Change orders.
- ☐ C. The asset has a status of Disconnect in Change orders.
- ☐ D. The product's price has changed.

****52. What can a developer use to make sure a subscription ends at the end of the subscription plan?****

- ☐ A. An Effective Until date
- ☒ B. A time policy
- ☐ C. An Effective From date
- ☐ D. A time plan

****53. Which two jobs must be run when new product bundles are added to the shared catalog?****

****Choose 2 answers****

- ☒ A. Product Hierarchy Maintenance
- ☒ B. Refresh Platform Cache
- ☐ C. EPCProductAttribJSONBatchJob
- ☐ D. Load API Metadata

****54. What does an attribute binding do?****

- ☒ A. It binds an attribute to a picklist.
- ☐ B. It binds an attribute to a field.
- ☐ C. It binds an attribute to a price list entry.
- ☐ D. It binds an attribute to a pricing variable.

****55. A developer creates a new bundle with 3 levels of child products, as shown below.****

Bundle A (\$0/month)

|-- Child A.1 (\$20/month)

| |-- Child A.1.1 (\$10/month)

| |-- Child A.1.2 (\$15/month)

| |-- Child A.1.2.1 (\$5/month)

|-- Child A.2 (\$10 one time)

To test the new bundle, the developer adds it to the Cart, but only the parent product displays.

What is causing this issue?

- ☐ A. The bundle is trying to roll up monthly prices, and one of the child products has a one-time price.
- ☒ B. The product hierarchy data in the platform cache has not been refreshed.
- ☐ C. One of the child products has an incorrect Selling Start Date or End Date.
- ☐ D. The bundle's hierarchy exceeds the limit of 2 levels of child products.

****56. Which three ways can a developer filter the list of products when using the getCartProducts method?****

****Choose 3 answers****

- ☒ A. Using a product category
- ☒ B. Using a value that is contained within a Product2 field
- ☐ C. Using a context rule that qualifies a set of products
- ☐ D. Using a value that is contained within a product attribute
- ☒ E. Using a value that will be matched exactly to a value in a Product2 field

****57.** A developer configures a context rule to allow customers with Premium Service Level Agreements (SLA) to be eligible for Premium Device products. To test the rule, the developer creates an order for a Premium SLA customer and configures the order in the Cart. In the Cart, the developer notices the Premium Device product is displayed only under the Disqualified tab and cannot be added to the Cart.******

What is causing this issue?

☐ A. The Clear Managed Platform Cache job has not been run.

☐ B. The rule does not have the active property selected.

☐ C. The Product Hierarchy Maintenance job has not been run.

☐ D. The rule set has not been assigned to the Premium Device product.

****58.** A company wants to sell 10 different types of phones, and each type of phone has different color options. Customers need to select a color when ordering a phone.******

How should the developer configure the products to support these requirements following best practices?

☐ A. Create an object type for each phone. Create a Color attribute, and assign it to each of the object types. On each object type, override the default picklist with custom picklists.

☐ B. Create a Color attribute and assign it to an object type. Create products for each phone using the object type, and override the inherited Color attribute's picklist with a custom picklist.

☐ C. Create Product2 record types for each phone. Create a Color attribute and assign it to the record types. Create global picklists for each set of possible colors, and assign the picklists to the record types.

☐ D. Create a Color formula field on the Product2 object. Use a function to display different values depending on a product code lookup.

****59.** Which functionality can a developer use to include or exclude an attribute picklist value based on the value of another attribute?******

☐ A. Product configuration procedures

☐ B. Object types

☐ C. Attribute metadata

- [] D. Context rules framework

****60. When the Cost & Margin feature is enabled, where are the upper and lower margin bounds data stored?****

- [] A. In a Margin attribute

- [] B. In a price list

- [] C. In a Cost price list entry

- [] D. In a calculation matrix

61. A developer has updated the price of a product but still sees the previous price in the Digital Commerce API response.

What job should the developer run to correct this issue?

- A. Populate API Cache job

- B. Delete Expired API Cache job

- C. Migrate Cache Records job

- D. Regenerate Cached API Records job

62. A company is building a B2C website for its customers. The company wants to allow its customers to buy its products on designing the website to support a self-service selling journey. When the company launches new promotions, website tra increases by several million API calls.

Which type of APIs should the developer use to meet these requirements?

- A. DataRaptor APIs

- B. Integration Procedure APIs

- C. Digital Commerce APIs

- D. Cart-Based APIs

63. A company has an existing bundle that contains a mobile phone product. Customers are allowed to purchase up to 3 phones a bundle. The company decides that they want to increase the limit and allow customers to purchase up to 5 phones. The development of the maximum cardinality for the child product from 3 to 5. However, after making the change, the bundle still restricts users to the next.

Which two actions should the developer take to troubleshoot this issue?

Choose 2 answers

- A. Run Refresh Platform Cache

- B. Run EPCProductAttribJSONBatchJob

- C. Run Product Hierarchy Maintenance

- D. Run Load API Metadata

64. Which two jobs must be run when new product bundles are added to the shared catalog?

Choose 2 answers

- A. Refresh Platform Cache

- B. Load API Metadata

- C. Product Hierarchy Maintenance

- D. EPCProductAttribJSONBatchJob

65. Which two aspects of a promotion are determined by its time policy?

Choose 2 answers

- A. The start date

- B. The duration

- C. The purchase date

- D. The end date

66. In the Cart, how are the prices in the selectable Product List calculated?

Options:

(a) Using the price list entry marked as base price with no calculation.

(b) Using Context Rules associated with the price list.

(c) Using the price list entry marked as list price with no calculation.

(d) Using the price list entry marked as list price with the calculation based on the pricing element.

67. When adding products to the Cart, the developer notices that nothing renders in the cart. The developer uses the browse tab to troubleshoot the issue.

Which method should the developer look for in the responses to begin troubleshooting?

- A. getBasketDetails

- B. createCart

- C. postCarstItems

- D. getCarstItems

68. A developer needs to create a context rule in a Digital Commerce guided selling experience to evaluate the technology confi at the account's location. The developer configures a new context dimension for the rule as shown below.

Property	Value
-----	-----
Name	AccrTechnology
Code	AccrTech-Code
Condition Weight	[null]
Data Type	Text
Domain Type	Picklist
Vocity Picklist	PRL_AccrTech
Cacheable Mode	True
Default Value	[null]
Values for caching	[null]
Active	True

The developer prepares to test the rule by running the appropriate API cache job, but the job fails.

Which two properties are causing the job to fail?

Choose 2 answers

- A. Default Value

- B. Values for caching

C. Data type

D. Code

69. In which sequence do rules execute to ensure a perfect order in the Cart?

- A. Eligibility Rules, Context Rules, Advanced Rules

- B. Context Rules Framework, Compatibility Rules Framework, Advanced Rules Framework

- C. Context Rules Framework, Advanced Rules Framework

- D. Advanced Rules Framework, Context Rules Framework, Compatibility Rules

70. A developer is creating a website for a communications company. As part of the site experience, the developer needs to display them to anonymous users for selection.

What should the developer use to meet this requirement?

- A. Cart-Based API - Get Cart Items (getCartItems)
- B. Cart-Based API - Get List of Products API (getCartProducts)
- C. Digital Commerce API - Get Offers By Catalog (getOffersByCatalogCode)
- D. Digital Commerce API - Get Offer Details (getOfferDetails)

71. Which two actions must the user take before a completed Master Quote can be submitted for a Multi-Service Point Group?

Choose 2 answers

- A. Price and Validate
- B. Configure line items
- C. Apply to Group
- D. Add to Cart

72. A company creates a new product, as shown below.

****Product A****

- Selling Start Date: July 31, 2021
- Selling End Date: October 31, 2021
- Fulfillment Start Date: July 31, 2021
- End of Life Date: October 31, 2022

On November 22, 2021, which action can be taken on this product?

- A. Move
- B. Disconnect
- C. Add to Cart
- D. Change

73. The developer notices that the Digital Commerce APIs are returning incorrect or no results.

Which cache should the developer refresh?

- A. CPQPartition cache
- B. VlocityAPIResponse cache
- C. VlocityMetadata cache
- D. CachedAPIResponse cache

74. A company wants to automatically decrease the price of a smartphone product within specified time frames.

What should a developer configure to meet this requirement?

- A. Multiple price lists with effectivity time frames
- B. A context rule on the smartphone product and time policies
- C. A promotion and time policies
- D. A price list entry with effectivity time frames

75. How can a developer make a product not assetizable?

Choose 2 answers

- A. Create a context rule to control assetization
- B. Check the Do Not Assetize property in the Cart's line item configuration window
- C. Check the Virtual Item property
- D. Check the Is Not Assetizable property

76. A company wants to charge different prices for a service depending on the bandwidth and network selected by the customer.

- If bandwidth is 1 GB and network is "internal," then the price is \$10/monthly and \$5/one-time-charge
- If bandwidth is 10 GB and network is "external," then the price is \$20/monthly and \$0/one-time-charge

Which type of pricing should the developer configure to meet these requirements?

- A. Usage Pricing
- B. Attribute Based Pricing
- C. Cost and Margin Pricing
- D. Context rules for pricing adjustments

77. What is CpqAppHandler?

- A. The remote method used to filter products from the shared catalog
- B. An Angular directive within the persistent cart templates that contains CPQ logic
- C. An integration procedure invoked by the persistent cart that performs CPQ functions
- D. A specialized global Apex class that includes methods to perform CPQ functions

78. Which of the following use cases should be solved using Discounts functionality?

- A. Automatically apply negotiated discounts to customers with existing contracts
- B. Evaluate if a customer is eligible for a limited time price reduction
- C. Qualify customers for discounts using a discount code
- D. Discount the price as the quantity of product ordered passes certain thresholds

79. What tasks must be done when moving product catalog data containing product attributes between orgs or spinning a sandbag?

- A. Run the Product Hierarchy Maintenance batch job
- B. Use Data Loader to load attribute record ids
- C. Regenerate the record ids stored in the JSONAttribute field
- D. Run Refresh Platform Cache

80. Which value should be entered in the source expression of a context mapping?

- A. %%field%%
- B. The API name of an sObject field
- C. A calculated formula used by the context rule service engine
- D. {{field}}

81. Which three ways can a developer filter the list of products when using the getCartProducts method?

Choose 3 answers

- A. Using a value that will be matched exactly to a value in a Product2 field
- B. Using a product category
- C. Using a value that is contained within a Product2 field
- D. Using a value that is contained within a product attribute
- E. Using a context rule that qualifies a set of products

82. Which functionality can a developer use to include or exclude an attribute picklist value based on the value of another a

- A. Attribute metadata
- B. Product configuration procedures

- C. Context rules framework
- D. Object types

83. A developer needs to make sure that when gold SLA customers order an installation service product, the installation service service-level attribute is set to "Full Service."

Which type of rule should the developer use to meet this requirement?

- A. An advanced rule of type Eligibility that includes an entity filter on Account.SLA and a product relationship of type Auto
- B. A context rule with a context dimension that invokes a function to modify attributes on the line item with a context map Account.SLA
- C. An advanced rule of type Configuration that includes an entity filter on Account.SLA and a product relationship of type Attributes
- D. A context rule with a context mapping that evaluates the Account.SLA and a function to modify attributes

84. How is a context key used by the Digital Commerce APIs?

- A. To describe the customer in rules processing
- B. To submit an order for processing
- C. To price products using attribute-based pricing
- D. To unlock web pages in anonymous sessions

85. Which two line items actions will display in the Cart when performing a Move order from one account to another?

Choose 2 answers

- A. Suspend
- B. Existing
- C. Disconnect
- D. Change

86. A developer needs to configure a new installation product that will not be charged to customers. The developer creates the pre installation object type and adds a product code MODEM5G-INST. To simplify configuration, the developer does not configure a developer sets the Selling Start Date to 1 month from now.

To test the new product, the developer configures an order in the Cart and selects the default price list. The developer searches list, but the new product does not appear.

What is causing this issue?

- A. The developer did not configure a price.

- B. The Selling Start Date price is in the future.
- C. The developer did not run Refresh Platform Cache.
- D. The product code contains a non-alphanumeric character.

87. A developer configures a context rule to allow customers with Premium Service Level Agreements (SLA) to be eligible for Premium Products. To test the rule, the developer creates an order for a Premium SLA customer and configures the order in the Cart. In this developer notices the Premium Device product is displayed only under the Disqualified tab and cannot be added to the Cart.

What is causing this issue?

- A. The rule does not have the active property selected.
- B. The Clear Managed Platform Cache job has not been run.
- C. The rule set has not been assigned to the Premium Device product.
- D. The Product Hierarchy Maintenance job has not been run.

88. Which two actions are taken by the checkout method?

Choose 2 answers

- A. Moves the opportunity, quote or order to the next state of the ordering process
- B. Validates the pricing and configuration of the line items
- C. Invokes an integration procedure to fulfil the order
- D. Invokes a calculation procedure to validate and finalize pricing

89. What are three appropriate use cases for a promotion?

Choose 3 answers

- A. The product needs to be sold quickly.
- B. Special pricing should only be available for a limited time.
- C. The product should have a cancellation penalty.
- D. The product should only be available to B2C customers.
- E. The product's price should change based on the customer type.

90. Which of the following returns a Boolean true/false value?

- A. Evaluation entity filter
- B. Qualification entity filter
- C. DefaultProductValidationImplementation

- D. DefaultProductEligibilityImplementation

91. Product cardinality can be used to configure which two use cases?

Choose 2 answers

- A. An optional product in a product bundle
- B. Product has a default quantity of 2
- C. Product is discounted based on the quantity
- D. Product is not available to customers in France

92. When creating a pricing adjustment, what should a developer do to make sure that the user can understand why the adjusted?

- A. Include a configuration message for the pricing adjustment
- B. Use a clear name for the pricing adjustment
- C. Include display text for the pricing adjustment
- D. Include help text for the pricing adjustment

93. A red clock icon next to a line item in the Cart indicates which product selling period date?

- A. Selling Start Date
- B. End of Life Date
- C. Fulfilment Start Date
- D. Selling End Date

94. Which type of inheritance architecture do object types use?

- A. Protected (Private) inheritance architecture
- B. IS-A inheritance architecture
- C. HAS-A inheritance architecture
- D. Hybrid (Virtual) inheritance architecture

95. When adding a new product to the shared catalog, which three conditions must be met in order for it to display in the Cart's product

Choose 3 answers

- A. The product must have an object type.
- B. The product must have a price list entry.

- C. The Orderable property must be checked.
- D. The Active property must be checked.
- E. The Product Hierarchy Maintenance job must be run.

96. What operations are available to users with regard to asset management?

- A. Change to Opportunity, Change to Order and Move
- B. MACD, ABO, and Copy to Order
- C. Change to Quote, Change to Order and Move
- D. Move, Reprice, and Check Contract

97. Which two features are used to implement attribute-based pricing in Industries CPQ?

Choose 2 answers

- A. Pricing Plans
- B. Context Rules
- C. Calculation Procedures & Matrices
- D. Product Configuration Procedures

98. A large communications company wants to create a product bundle that includes several services including a TV service. The marketing department decides that the TV service will be automatically included when the bundle is added to the cart. The customer should have option to remove the TV service.

How should the developer configure the cardinality of the TV service product in the bundle?

- A. Minimum Cardinality = 1; Default Cardinality = 1; Maximum Cardinality = 1
- B. Minimum Cardinality = 1; Default Cardinality = 0; Maximum Cardinality = 0
- C. Minimum Cardinality = 0; Default Cardinality = 1; Maximum Cardinality = 0
- D. Minimum Cardinality = 0; Default Cardinality = 1; Maximum Cardinality = 1

99. Vlocity Picklists can be assigned to attributes at which of the following levels?

- A. Attributes and Products
- B. Attributes and Object Types
- C. Attributes, Attribute Categories and Products
- D. Attributes, Object Types, and Products

100. A company wants to offer a promotion only to new customers. The developer builds a context rule to meet this requirement.

The developer creates:

- A picklist named Account Status that contains values of New, Active, and Closed
- A context dimension named Account Status and links it to the Account Status picklist
- A context mapping that uses the AnyAccountScope and a source expression of Status_c
- A context rule called "New Customer Accounts" with a rule condition that will evaluate the Account Status context dimension with a Hard Fail Level
- A rule set with a Rule Type Qualification and an Action Taken Qualify, adds the context rule to it, and then adds it to the promotion

The developer confirms that all context rule components are active and effective. The developer configures an order for a new account Cart, but the promotion does not appear in the list of qualified promotions.

What should the developer have done?

A. Create a context dimension name without a space.

B. Run the Product Hierarchy Maintenance job.

C. Set the Rule Type to Evaluation.

D. Set the rule condition to have a Fail Level Fail.

101. A developer creates a new bundle with 3 levels of child pre

Bundle A (50/month)

- **Child A.1 (520/month)**

- I -- Child A.1.1 (510/month)

- I -- Child A.1.2 (515/month)

- I -- Child A.1.2.1 (55/month)

- **Child A.2 (510 one time)**

To test the new bundle, the developer adds it to the Cart, but only the parent product displays.

What is causing this issue?

- A. The bundle is trying to roll up monthly prices, and one of the child products has a one-time price.

- B. The product hierarchy data in the platform cache has not been refreshed.

- C. The bundle's hierarchy exceeds the limit of 2 levels of child products.

- D. One of the child products has an incorrect Selling Start Date or End Date.

102. When creating a custom pricing plan step for attribute-based pricing in the Default Pricing Plan, where should the step be ****place**** to ****place**** sequence?

- A. Between the step Initialize Pricing Context and the step Load Price List Entries
- B. Between the step Initialize Pricing Variables and the step Apply Offer Adjustments
- C. Before the step Initialize Pricing Context
- D. After the step Apply Parent Variables

103. A developer selects a smart thermostat from an account's list of assets and clicks Change to Order. While reviewing the order in the development notes the price of the existing asset in the Change order does not match the price that was displayed in the Service A Management view.

What is the reason for this discrepancy?

- A. One-time charges are zeroed out on Change orders.
- B. The asset has a status of Disconnect in Change orders.
- C. The product's price has changed.
- D. The asset was originally priced for a different user.

104. A company has two ****telesales teams****: one that does business in Russian and another that does business in English. The developer enables the multi-language feature in the shared catalog. However, during testing, Russian translations do not display in the Cart.

Which three things should the developer verify?

Choose 3 answers

- A. Russian translations for the products exist in the Translation Workbench.
- B. User's Language is set to Russian.
- C. The Russian Locale is activated in the Vlocity Locale Code picklist.
- D. User's Locale is set to Russian.
- E. Russian translations for the products exist in the StringTranslation object.

105. What does a sales catalog define?

- A. A catalog of prices
- B. A set of products and promotions

- C. A catalog of technical and commercial products
- D. A set of products that are related through Relies On dependencies

106. A company wants to sell 10 different types of phones, and each type of phone has different color options. Customers need to select a given order in a phone.

How should the developer configure the products to support these requirements following best practices?

- A. Create a Color attribute and assign it to an object type. Create products for each phone using the object type, and override the inherited Color attribute's picklist with a custom picklist.

- B. Create an object type for each phone. Create a Color attribute, and assign it to each of the object types. On each object type, override the default picklist with custom picklists.
- C. Create a Color formula field on the Product2 object. Use a function to display different values depending on a product code lookup.
- D. Create Product2 record types for each phone. Create a Color attribute and assign it to the record types. Create global picklists for each set of possible colors, and assign the picklists to the record types.

107. Which two custom settings need to be set to true in order to avoid passing large sets of items to the configuration rules and ti engine?

Choose 2 answers

- A. CacheAPIFields
- B. DeltaValidate
- C. DeltaPrice
- D. CacheAPI.TimeToLiveInDays

108. Which of the following Attribute Category fields displays at run-time during order capture in the Cart?

- A. Name
- B. Display Name
- C. Category
- D. No Attribute Category fields display at run-time

109. If a product varies in price depending on how it is configured, how can a developer inform the user that the pricing will?

- A. Make all child products optional

- B. Add a description to the price list entry
- C. Adjust the price of the parent product
- D. Change the display text of the price list entry

110. What does the effectivity date for a product's price list entry control?

- A. Whether the product displays in the Products list of the cart
- B. Whether a pricing element can be paired with a pricing variable
- C. Whether a pricing element is used or not
- D. Whether an adjustment or an override can be used to discount the product

111. When the Cost & Margin feature is enabled, where are the upper and lower margin bounds data stored?

- A. In a calculation matrix
- B. In a Margin attribute
- C. In a price list
- D. In a Cost price list entry

112. A product manager wants to create a product bundle that can only be ordered between January 5th and January 31st.

How should the developer configure the product bundle to meet this requirement?

- A. Set the Selling Start Date to January 5 and the Selling End Date to January 31
- B. Enable the Active property on January 5 and disable the Active property on January 31
- C. Set the Fulfillment Start Date to January 4, Selling Start Date to January 5, and the End of Life Date to February 1
- D. Set the Fulfillment Start Date to January 5 and the End of Life Date to January 31

113. Which type of discount can be used to apply negotiated discounts to customer orders using frame/pricing agreements?

- A. Account
- B. Group

- C. Order
- D. Contract

114. What does an attribute binding do?

- A. It binds an attribute to a field.
- B. It binds an attribute to a pricing variable.
- C. It binds an attribute to a price list entry.
- D. It binds an attribute to a picklist.

115. In which two cases should a developer use child price lists?

Choose 2 answers

- A. Creating pricing for different regions
- B. Changing the pricing of child products in bundles
- C. Creating pricing for products that are only available to certain customers using context rules
- D. Changing the pricing of the parent product in a bundle

116. When creating a context rule, where can a developer set the rule fail level?

- A. Context Dimension
- B. Rule Set
- C. Rule Condition
- D. Context Mapping

117. What is a context dimension?

- A. A variable that stores rule condition values
- B. A multi-dimensional array of sObject data
- C. The relational path from a root sObject, such as an Order, to related sObjects, such as Account
- D. A link to data stored in sObjects, calculated using a function, or typed in during design-time

118. Which type of action can be used in a Configuration/Validation Advanced Rule?

- A. Penalty
- B. Qualification
- C. Restriction
- D. Product Relationship

119. Where do product images appear in the Cart?

- A. Product images must be configured in the Cart's templates
- B. In the Product List
- C. In the Cart's Line Item pane
- D. In the Product Details modal window

120. A developer is creating rules to help launch a company's Smart Widget product. The company has planned a soft launch only for opportunities for existing B2B customers.

Which context scope should the developer use in the context mapping for this rule?

- A. Opportunity.Account
- B. Account
- C. Order.Account
- D. Opportunity