

### Question 1 of 60



Choose 2 options.

Which two actions must the user take before a completed Master Quote can be submitted for a Multi-Service Point Group?

- ☒ A. Apply to Group
- ☐ B. Configure line items
- ☐ C. Add to Cart
- ☒ D. Price and Validate



### Question 2 of 60



Choose 1 option.

A company wants to sell 10 different types of phones, and each type of phone has different color options. Customers need to select a color when ordering a phone.

How should the developer configure the products to support these requirements following best practices?

- ☐ A. Create an object type for each phone. Create a Color attribute, and assign it to each of the object types. On each object type, override the default picklist with custom picklists.
- ☐ B. Create Product2 record types for each phone. Create a Color attribute and assign it to the record types. Create global picklists for each set of possible colors, and assign the picklists to the record types.
- ☐ C. Create a Color formula field on the Product2 object. Use a function to display different values depending on a product code lookup.
- ☒ D. Create a Color attribute and assign it to an object type. Create products for each phone using the object type, and override the inherited Color attribute's picklist with a custom picklist.



Question 3 of 60

Choose 1 option.

In which sequence do rules execute to ensure a perfect order in the Cart?

- ☐ A. Advanced Rules Framework, Context Rules Framework, Compatibility Rules
- ☐ B. Context Rules Framework, Compatibility Rules Framework, Advanced Rules Framework
- ☒ C. Context Rules Framework, Advanced Rules Framework
- ☐ D. Eligibility Rules, Context Rules, Advanced Rules

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:01:04

31°C Sunny

11:25 26-10-2025

Question 4 of 60

Choose 2 options.

Which two responses are parts of a pricing element?

- ☐ A. The price category
- ☐ B. The pricing calculation
- ☒ C. The currency code
- ☒ D. The charge (amount)

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:01:19

31°C Sunny

11:25 26-10-2025

Question 5 of 60

Choose 1 option.

When adding products to the Cart, the developer notices that nothing renders in the cart. The developer uses the browser console network tab to troubleshoot the issue.

Which method should the developer look for in the responses to begin troubleshooting?

- ☐ A. createCart
- ☐ B. getBasketDetails
- ☒ C. postCartsItems
- ☐ D. getCartsItems

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:01:50

10 30

31°C Sunny

ENG

11:25 26-10-2025

Question 6 of 60

Choose 1 option.

How does the Cart represent products with a default quantity cardinality of 0?

- ☐ A. As an available product in the Search Item dialog
- ☐ B. In a yellow font as a Recommended Product
- ☒ C. As a line item with an Add to Cart button
- ☐ D. As a line item with a quantity of 0

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:02:20

10 30

31°C Sunny

ENG

11:25 26-10-2025

**Question 7 of 60**

Choose 1 option.

A developer creates a new bundle with 3 levels of child products, as shown below.

```
Bundle A ($0/month)
|-- Child A.1 ($20/month)
|   |-- Child A.1.1 ($10/month)
|   |-- Child A.1.2 ($15/month)
|       |-- Child A.1.2.1 ($5/month)
|-- Child A.2 ($10 one time)
```

To test the new bundle, the developer adds it to the Cart, but only the parent product displays.

What is causing this issue?

- ☐ A. One of the child products has an incorrect Selling Start Date or End Date.
- ☐ B. The bundle's hierarchy exceeds the limit of 2 levels of child products.
- ☐ C. The product hierarchy data in the platform cache has not been refreshed.
- ☒ D. The bundle is trying to roll up monthly prices, and one of the child products has a one-time price.

WhatsApp Video 2025-08-23 at 3:39:20 AM

00:03:16 00:17:25

31°C Sunny 11:26 26-10-2025

**Question 8 of 60**

Choose 2 options.

Which two jobs must be run when new product bundles are added to the shared catalog?

- ☒ A. Product Hierarchy Maintenance
- ☒ B. Refresh Platform Cache
- ☐ C. Load API Metadata
- ☐ D. EPCProductAttribJSONBatchJob

WhatsApp Video 2025-08-23 at 3:39:20 AM

00:04:50 00:15:51

31°C Sunny 11:26 26-10-2025

Question 9 of 60

Choose 1 option.

A company wants to charge different prices for the same product when it is contained in the context of different bundles. Where should the developer change the product's price in order to accomplish this?

- ☒ A. The product structure of the bundle
- ☐ B. In the One Time or Recurring order line item columns in the cart
- ☐ C. The price of child products within a bundle cannot be changed
- ☐ D. The price list where the price list entry is located

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:06:18

00:14:23

31°C Sunny

11:26 26-10-2025

Question 10 of 60

Choose 1 option.

A large communications company wants to create a product bundle that includes several services including a TV service. The marketing department decides that the TV service will be automatically included when the bundle is added to the cart. The customer should have the option to remove the TV service.

How should the developer configure the cardinality of the TV service product in the bundle?

- ☐ A. Minimum Cardinality = 1; Default Cardinality = 0; Maximum Cardinality = 0
- ☐ B. Minimum Cardinality = 0; Default Cardinality = 1; Maximum Cardinality = 0
- ☒ C. Minimum Cardinality = 0; Default Cardinality = 1; Maximum Cardinality = 1
- ☐ D. Minimum Cardinality = 1; Default Cardinality = 1; Maximum Cardinality = 1

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:06:18

00:14:23

31°C Sunny

11:26 26-10-2025

Question 11 of 60

Choose 1 option.

What does an attribute binding do?

- ☐ A. It binds an attribute to a picklist.
- ☐ B. It binds an attribute to a pricing variable.
- ☒ C. It binds an attribute to a field.
- ☐ D. It binds an attribute to a price list entry.

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:06:57 00:13:44

Windows taskbar: Type here to search, 31°C Sunny, 26-10-2025

Question 34 of 60

Choose 1 option.

Why would a developer use getCartProducts input parameters to reduce the number of products returned in a guided selling experience?

- ☒ A. To reduce the number of choices presented to the user
- ☐ B. To prevent hitting Salesforce transaction governor limits
- ☐ C. To ensure the results set does not exceed the maximum number of records
- ☐ D. Because the filters parameter is required

**Question 39 of 60**

Choose 1 option.

What must a developer set to allow a user to modify an attribute in the Cart's configuration window?

- ☐ A. Not Hidden property
- ☐ B. Filterable property
- ☒ C. Active property
- ☐ D. Run-time Configurable property

00:00:13:26

**Question 12 of 60**

Choose 3 options.

Which three ways can a developer filter the list of products when using the `getCartsProducts` method?

- ☐ A. Using a context rule that qualifies a set of products
- ☒ B. Using a product category
- ☒ C. Using a value that is contained within a Product2 field
- ☐ D. Using a value that is contained within a product attribute
- ☒ E. Using a value that will be matched exactly to a value in a Product2 field

00:12:36

What

00:00:00

31°C Sunny 11:27 26-10-2025

Question 13 of 60

Choose 1 option.

A developer needs to configure a new installation product that will not be charged to customers. The developer creates the product using the Installation object type and adds a product code MODEMSG-INST. To simplify configuration, the developer does not configure a price. The developer sets the Selling Start Date to 1 month from now.

To test the new product, the developer configures an order in the Cart and selects the default price list. The developer searches the products list, but the new product does not appear.

What is causing this issue?

- ☐ A. The product code contains a non-alphanumeric character (-).
- ☐ B. The Selling Start Date price is in the future.
- ☒ C. The developer did not configure a price.
- ☐ D. The developer did not run Refresh Platform Cache.

Type here to search

31°C Sunny

11:27

26-10-2025

Question 14 of 60

Choose 2 options.

A developer needs to create a context rule in a Digital Commerce guided selling experience to evaluate the technology configuration installed at the account's location. The developer configures a new context dimension for the rule as shown below.

| Property           | Value          |
|--------------------|----------------|
| Name               | AcctTechnology |
| Code               | AcctTech-Code  |
| Condition Weight   | [null]         |
| Data Type          | Text           |
| Domain Type        | Picklist       |
| Vlocity Picklist   | PXL_AcctTech   |
| Cacheable Mode     | True           |
| Default Value      | [null]         |
| Values for caching | [null]         |
| Active             | True           |

The developer prepares to test the rule by running the appropriate API cache job, but the job fails.

Which two properties are causing the job to fail?

- ☐ A. Code

Type here to search

31°C Sunny

11:27

26-10-2025



### Question 39 of 60



Choose 1 option.

What must a developer set to allow a user to modify an attribute in the Cart's configuration window?

- ☐ A. Not Hidden property
- ☐ B. Filterable property
- ☒ C. Active property
- ☐ D. Run-time Configurable property



### Question 14 of 60



Choose 2 options.

|                    |              |
|--------------------|--------------|
| Condition Weight   | [null]       |
| Data Type          | Text         |
| Domain Type        | Picklist     |
| Velocity Picklist  | PKL_AcctTech |
| Cacheable Mode     | True         |
| Default Value      | [null]       |
| Values for caching | [null]       |
| Active             | True         |

The developer prepares to test the rule by running the appropriate API cache job, but the job fails.

Which two properties are causing the job to fail?

- ☐ A. Code
- ☐ B. Data Type
- ☒ C. Values for caching
- ☒ D. Default Value

Question 15 of 60

Choose 1 option.

Which type of discount can be used to apply negotiated discounts to customer orders using frame/pricing agreements?

- ☐ A. Order
- ☐ B. Group
- ☐ C. Account
- ☒ D. Contract

WhatsApp Video 2025-08-23 at 3:39:20 AM

00:09:48

31°C Sunny

11:28 26-10-2025

Question 16 of 60

Choose 1 option.

A company wants to charge different prices for a service depending on the bandwidth and network selected by the customer.

- If bandwidth is 1 GB and network is "internal," then the price is \$10/monthly and \$5/one-time charge
- If bandwidth is 10 GB and network is "external," then the price is \$20/monthly and \$0/one-time charge

Which type of pricing should the developer configure to meet these requirements?

- ☒ A. Attribute Based Pricing
- ☐ B. Cost and Margin Pricing
- ☐ C. Usage Pricing
- ☐ D. Context rules for pricing adjustments

WhatsApp Video 2025-08-23 at 3:39:20 AM

00:09:48

31°C Sunny

11:28 26-10-2025

Question 17 of 60

Choose 1 option.

How can a developer require that the user enter a value for an attribute during order capture?

- ☐ A. By setting the Run-time Configurable attribute metadata property
- ☒ B. By setting the Required attribute metadata property
- ☐ C. By setting the product attribute type to Required
- ☐ D. By assigning the attribute to the Required product object type

Type here to search

31°C Sunny

11:29  
26-10-2025

Question 40 of 60

Choose 1 option.

When creating context rules, where can a developer create a failure message that will display for the product or promotion in the Disqualified tab in the Cart?

- ☐ A. Rule
- ☐ B. Context Dimension
- ☒ C. Rule Set
- ☐ D. Rule Condition

Type here to search

31°C Sunny

11:29  
26-10-2025

Question 18 of 60

Choose 1 option.

Asset-based ordering capabilities are powered by which Omnistudio features?

- ☐ A. Expression Sets and Decision Matrices
- ☐ B. Flexcards and Omniscript
- ☐ C. Omniscript and Decision Matrices
- ☒ D. Omniscript and Integration Procedures

00:12:00 00:08:41

31°C Sunny 26-10-2025

Question 20 of 60

Choose 2 options.

Which features are used to implement attribute-based pricing in Industries CPQ?

- ☐ A. Context Rules
- ☐ B. Product Configuration Procedures
- ☒ C. Pricing Plans
- ☒ D. Expression Sets and Decision Matrices

00:12:52 00:07:49

31°C Sunny 26-10-2025

### Question 41 of 60



Choose 1 option.

When the Cost & Margin feature is enabled, where are the upper and lower margin bounds data stored?

- ☐ A. In a Margin attribute
- ☒ B. In a decision matrix
- ☐ C. In a Cost price list entry
- ☐ D. In a price list

### Question 42 of 60



Choose 1 option.

A company creates a new product, as shown below.

**Product A**

- Selling Start Date: July 31, 2021
- Selling End Date: October 31, 2021
- Fulfillment Start Date: July 31, 2021
- End of Life Date: October 31, 2022

On November 22, 2021, which action can be taken on this product?

- ☐ A. Disconnect
- ☐ B. Move
- ☐ C. Add to Cart
- ☒ D. Change

00:02:16



00:11:40

Question 21 of 60

Choose 1 option.

Which functionality can a developer use to include or exclude an attribute picklist value based on the value of another attribute?

- ☐ A. Object types
- ☐ B. Context rules framework
- ☐ C. Attribute metadata
- ☒ D. Product configuration procedures

00:13:16 00:07:25

31°C Sunny 26-10-2025

Question 22 of 60

Choose 1 option.

What can a developer use to make sure a subscription ends at the end of the subscription plan?

- ☐ A. An Effective Until date
- ☐ B. An Effective From date
- ☐ C. A time plan
- ☒ D. A time policy

00:13:36 00:07:05

31°C Sunny 26-10-2025

Question 23 of 60

Choose 1 option.

A developer needs to create a new product bundle that includes a child product. There can only be one child product at a time in the bundle; it must be added automatically to the cart with the parent product. Users should be prevented from deleting it.

How should the developer meet these requirements?

- ☐ A. Create a configuration context rule
- ☐ B. Set the Auto-Add and No Delete properties
- ☒ C. Create a child product with a cardinality of 1, 1, 1
- ☐ D. Create an Auto-Add product configuration rule and a Requires product configuration rule

00:13:37

00:07:04

31°C Sunny

11:30

26-10-2025

Question 24 of 60

Choose 1 option.

In order to evaluate product attribute values, what must be set on the entity filter?

- ☐ A. Evaluation Criteria
- ☐ B. Formula for Conditions
- ☒ C. Attribute Lookup Field Name
- ☐ D. Entity Filter Type

11:30

26-10-2025

Question 25 of 60

Choose 1 option.

What is a context mapping?

☒ A. A link to data stored in sObjects, calculated using a function, or typed in during design-time

☐ B. The relational path from a root sObject, such as an Order, to related sObjects, such as Account

☐ C. A variable that stores rule condition values

☐ D. A multi-dimensional array of sObject data

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:14:58 00:05:43

Windows taskbar: Type here to search, 31°C Sunny, 26-10-2025, 11:30

Question 26 of 60

Choose 1 option.

A company is building a B2C website for its customers. The company wants to allow its customers to buy its products online, so they are designing the website to support a self-service selling journey. When the company launches new promotions, website traffic dramatically increases by several million API calls.

Which type of APIs should the developer use to meet these requirements?

☐ A. Cart-Based APIs

☒ B. Digital Commerce APIs

☐ C. Integration Procedure APIs

☐ D. Omnistudio Data Mapper APIs

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:15:25 00:05:16

Windows taskbar: Type here to search, 31°C Sunny, 26-10-2025, 11:30



Question 27 of 60

Choose 1 option.

How are promotions applied to an order in the Cart?

- ☐ A. By clicking the Take Me There configuration icon
- ☒ B. By clicking on Add to Cart for a promotion in the Promotions list
- ☐ C. By running the Promotion Hierarchy Batch job
- ☐ D. Automatically using context rules

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:15:55 00:04:46

Windows taskbar: Type here to search, 31°C Sunny, 11:30, 26-10-2025

Question 28 of 60

Choose 1 option.

A developer selects a smart thermostat from an account's list of assets and clicks Change to Order. While reviewing the order in the Cart, the developer notices the price of the existing asset in the Change order does not match the price that was displayed in the Service Asset Management view.

What is the reason for this discrepancy?

- ☐ A. The product's price has changed.
- ☐ B. The asset was originally priced for a different user.
- ☐ C. The asset has a status of Disconnect in Change orders.
- ☒ D. One-time charges are zeroed out on Change orders.

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:16:15 00:04:26

Windows taskbar: Type here to search, 30°C Sunny, 11:30, 26-10-2025

Question 29 of 60

Choose 1 option.

When creating a custom pricing plan step for attribute-based pricing in the Default Pricing Plan, where should the step be placed in the sequence?

- ☐ A. Between the step Initialize Pricing Context and the step Load Price List Entries
- ☒ B. Before the step Initialize Pricing Context
- ☐ C. After the step Apply Parent Variables
- ☐ D. Between the step Initialize Pricing Variables and the step Apply Offer Adjustments

WhatsApp Video 2025-08-23 at 3:39:20 AM

00:16:32

11:31 26-10-2025

Question 30 of 60

Choose 3 options.

When adding a new product to the shared catalog, which three conditions must be met in order for it to display in the Cart's product list?

- ☒ A. The Active property must be checked.
- ☒ B. The Orderable property must be checked.
- ☐ C. The Product Hierarchy Maintenance job must be run.
- ☐ D. The product must have an object type.
- ☒ E. The product must have a price list entry.

WhatsApp Video 2025-08-23 at 3:39:20 AM

00:16:53

00:03:48

11:31 26-10-2025

Question 31 of 60

Choose 1 option.

If a developer assigns a new attribute to an object type, how is that attribute propagated to all products linked to the object type?

☒ A. Dynamically through inheritance

☐ B. By running the EPCProductAttribBatchJob to regenerate the product attribute JSON field

☐ C. By running the Attribute Hierarchy Maintenance job on the CMT Administration screen

☐ D. Via a deep copy to Product2

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:17:46 00:02:55

Windows taskbar: Type here to search, 30°C Sunny, 11:31 26-10-2025

Question 32 of 60

Choose 1 option.

A developer wants to add product images to a guided selling experience.

What must the developer pass to the `getCartsProducts` method to enable this?

☐ A. Set the `Render` property to `true`

☐ B. Create a subaction to invoke `getProductImages`

☐ C. Set the `SearchBy` parameter to `Product2.Images`

☒ D. Set the `includeAttachment` parameter to `true`

WhatsApp Video 2025-08-23 at 3.39.20 AM

00:18:02 00:02:39

Windows taskbar: Type here to search, 30°C Sunny, 11:31 26-10-2025

Question 33 of 60

Choose 2 options.

Which two custom settings need to be set to true in order to avoid passing large sets of items to the configuration rules and the pricing engine?

- ☒ A. DeltaValidate
- ☐ B. CacheAPIFields
- ☒ C. DeltaPrice
- ☐ D. CacheAPI.TimeToLiveInDays

00:18:55 00:01:46

Windows taskbar: Type here to search, 11:31, 26-10-2025

Question 35 of 60

Choose 1 option.

The developer notices that the Digital Commerce APIs are returning incorrect or no results.

Which cache should the developer refresh?

- ☐ A. VlocityAPIResponse cache
- ☐ B. VlocityMetadata cache
- ☒ C. CachedAPIResponse cache
- ☐ D. CPQPartition cache

00:19:35 00:01:06

Windows taskbar: Type here to search, 11:32, 26-10-2025

Question 36 of 60

Choose 1 option.

What does a sales catalog define?

☒ A. A set of products and promotions

☐ B. A catalog of prices

☐ C. A set of products that are related through Relies On dependencies

☐ D. A catalog of technical and commercial products

11:32  
26-10-2025

Question 37 of 60

Choose 1 option.

What tasks must be done when moving product catalog data containing product attributes between orgs or spinning a sandbox?

☐ A. Run the Product Hierarchy Maintenance batch job

☐ B. Run Refresh Platform Cache

☐ C. Use Data Loader to load attribute record ids

☒ D. Regenerate the record ids stored in the JSONAttribute field

11:32  
26-10-2025

Question 38 of 60

Choose 1 option.

A product manager wants to create a product bundle that can only be ordered between January 5th and January 31st. How should the developer configure the product bundle to meet this requirement?

- ☒ A. Enable the Active property on January 5 and disable the Active property on January 31
- ☐ B. Set the Fulfillment Start Date to January 5 and the End of Life Date to January 31
- ☐ C. Set the Selling Start Date to January 5 and the Selling End Date to January 31
- ☐ D. Set the Fulfillment Start Date to January 4, Selling Start Date to January 5, and the End of Life Date to February 1

Windows taskbar: Type here to search, 11:32, 26-10-2025, ENG

Question 34 of 60

Choose 1 option.

Why would a developer use `getCartProducts` input parameters to reduce the number of products returned in a guided selling experience?

- ☒ A. To reduce the number of choices presented to the user
- ☐ B. To prevent hitting Salesforce transaction governor limits
- ☐ C. To ensure the results set does not exceed the maximum number of records
- ☐ D. Because the filters parameter is required

### Question 38 of 60



Choose 1 option.

A product manager wants to create a product bundle that can only be ordered between January 5th and January 31st. How should the developer configure the product bundle to meet this requirement?

- ☒ A. Enable the Active property on January 5 and disable the Active property on January 31
- ☐ B. Set the Fulfillment Start Date to January 5 and the End of Life Date to January 31
- ☐ C. Set the Selling Start Date to January 5 and the Selling End Date to January 31
- ☐ D. Set the Fulfillment Start Date to January 4, Selling Start Date to January 5, and the End of Life Date to February 1



### Question 43 of 60



Choose 1 option.

When should a developer use a percentage to discount the price of a product in a promotion instead of changing the price with an override?

- ☐ A. When the product can be returned
- ☐ B. When the cost of the product for the company is variable
- ☐ C. When the charge is only for one time
- ☒ D. When the charge recurs monthly

What

00:02



11:40



#### Question 44 of 60



Choose 2 options.

Which two line items actions will display in the Cart when performing a Move order from one account to another?

- ☒ A. Existing
- ☐ B. Suspend
- ☒ C. Disconnect
- ☐ D. Change



#### Question 45 of 60



Choose 1 option.

What is a context scope?

- ☐ A. A variable that stores rule condition values
- ☒ B. A link to data stored in sObjects, calculated using a function, or typed in during design-time
- ☐ C. The relational path from a root sObject, such as an Order, to related sObjects, such as Account
- ☐ D. A multi-dimensional array of sObject data



What

00:04



Navigation icons

09:50





### Question 46 of 60



Choose 2 options.

When a user performs a search on the product list in the Cart, which two fields are queried?

- ☐ A. Product Code
- ☒ B. Product Name
- ☒ C. Product Description
- ☐ D. List Price

### Question 47 of 60



Choose 1 option.

A company wants to offer a promotion only to new customers. The developer builds a context rule to meet this requirement.

The developer creates:

- A picklist named `Account Status` that contains values of `New`, `Active`, and `Closed`
- A context dimension named `Account Status` and links it to the `Account Status` picklist
- A context mapping that uses the `AnyAccountScope` and a source expression of `Status__c`
- A context rule called "New Customer Accounts" with a rule condition that will evaluate the `Account Status` context dimension using a `Hard Fail` Fail Level
- A rule set with a `Rule Type=Qualification` and an `Action Taken=Qualify`, adds the context rule to it, and then adds it to the promotion

The developer confirms that all context rule components are active and effective. The developer configures an order for a new account in the Cart, but the promotion does not appear in the list of qualified promotions.

What should the developer have done?

- ☐ A. Set the Rule Type to Evaluation.
- ☐ B. Create a context dimension name without a space.
- ☐ C. Run the Product Hierarchy Maintenance job.

### Question 47 of 60



Choose 1 option.

The developer creates:

- A picklist named `Account__Status` that contains values of `New`, `Active`, and `Closed`
- A context dimension named `Account__Status` and links it to the `Account Status` picklist
- A context mapping that uses the `AnyAccountScope` and a source expression of `Status__c`
- A context rule called "New Customer Accounts" with a rule condition that will evaluate the `Account Status` context dimension using a `Hard Fail` Fail Level
- A rule set with a `Rule Type=Qualification` and an `Action Taken=Qualify`, adds the context rule to it, and then adds it to the promotion

The developer confirms that all context rule components are active and effective. The developer configures an order for a new account in the Cart, but the promotion does not appear in the list of qualified promotions.

What should the developer have done?

- ☐ A. Set the Rule Type to Evaluation.
- ☒ B. Create a context dimension name without a space.
- ☐ C. Run the Product Hierarchy Maintenance job.
- ☐ D. Set the rule condition to have a Fail Level=Soft Fail.

### Question 48 of 60



Choose 2 options.

Which two of the following are features of the Product List in the Cart?

- ☒ A. It is based on a specific price list.
- ☐ B. It allows hierarchical product structures.
- ☐ C. It is displayed on the Opportunity tab.
- ☒ D. It uses rules to display available and eligible products.

### Question 49 of 60



Choose 1 option.

What is the purpose of the Collapse Hierarchy property when defining a product bundle?

- ☐ A. Restricts the product from retrieving cardinality settings from any linked object types
- ☐ B. Collapses the product hierarchy data key value pairs, in order to improve performance for very large bundles
- ☒ C. Enables a Search Item dialog for the product bundle in the cart line items pane
- ☐ D. Allows the product to inherit the parent product's cardinality

WhatsApp Video 2025-08-23 at 3.39.20 AM (1)

00:05:40



00:08:16



### Question 50 of 60



Choose 1 option.

A developer needs to create a new context rule for a B2B product that is sold using the full sales cycle of opportunity, quote to order and then to asset.

Which context scope should the developer configure when creating the context mapping?

- ☐ A. Opportunity
- ☐ B. Order, Quote, Opportunity, and Asset
- ☐ C. Order and Quote
- ☒ D. Any

WhatsApp Video 2025-08-23 at 3.39.20 AM (1)

00:06:40



00:07:16



### Question 51 of 60



Choose 1 option.

A company wants to automatically decrease the price of a smartphone product within specified time frames.

What should a developer configure to meet this requirement?

- ☐ A. A price list entry with effectivity time frames
- ☐ B. A context rule on the smartphone product and time policies
- ☒ C. Multiple price lists with effectivity time frames
- ☐ D. A promotion and time policies

### Question 52 of 60



Choose 1 option.

How can a user understand changes to pricing applied in the cart?

- ☐ A. Pricing adjustments do not display in the cart
- ☐ B. The display text in the Products list in the cart
- ☒ C. By clicking the Price Details icon on the line item
- ☐ D. Popup message window after the order is submitted

### Question 53 of 60



Choose 1 option.

A developer is creating a website for a communications company. As part of the site experience, the developer needs to retrieve products and display them to anonymous users for selection.

What should the developer use to meet this requirement?

- ☐ A. Digital Commerce API - Get Offers By Catalog (getOffersByCatalogCode)
- ☐ B. Cart-Based API - Get Cart Items (getCartItems)
- ☐ C. Cart-Based API - Get List of Products API (getCartProducts)
- ☒ D. Digital Commerce API - Get Offer Details (getOfferDetails)

WhatsApp Video 2023-06-23 at 3:39:20 AM (1)

00:08



00:15



### Question 54 of 60



Choose 1 option.

A developer has updated the price of a product but still sees the previous price in the Digital Commerce API response.

What job should the developer run to correct this issue?

- ☒ A. Regenerate Cached API Records job
- ☐ B. Migrate Cache Records job
- ☐ C. Populate API Cache job
- ☐ D. Delete Expired API Cache job

WhatsApp Video 2023-06-23 at 3:39:20 AM (1)

00:09:11



00:10:45



### Question 55 of 60



Choose 1 option.

How is a context key used by the Digital Commerce APIs?

- ☒ A. To submit an order for processing
- ☐ B. To price products using attribute-based pricing
- ☐ C. To describe the customer in rules processing
- ☐ D. To unlock web pages in anonymous sessions

What type of context key is used by the Digital Commerce APIs?

00:10:46



00:10:46



### Question 57 of 60



Choose 3 options.

compared to two telesales teams: one that does business in Russian and another that does business in English. The developer decides to implement the multi-language feature in the shared catalog. However, during testing, Russian translations do not display in the Cart.

Which three things should the developer verify?

- ☐ A. Russian translations for the products exist in the Translation Workbench.
- ☒ B. Russian translations for the products exist in the StringTranslation object.
- ☐ C. User's Locale is set to Russian.
- ☒ D. User's Language is set to Russian.
- ☒ E. The Russian Locale is activated in the Vlocity Locale Code picklist.

00:10:51



00:10:51



### Question 57 of 60



Choose 3 options.

A company has two telesales teams: one that does business in Russian and another that does business in English. The developer decides to enable the multi-language feature in the shared catalog. However, during testing, Russian translations do not display in the Cart.

Which three things should the developer verify?

- ☐ A. Russian translations for the products exist in the Translation Workbench.
- ☒ B. Russian translations for the products exist in the StringTranslation object.
- ☐ C. User's Locale is set to Russian.
- ☒ D. User's Language is set to Russian.
- ☒ E. The Russian Locale is activated in the Vlocity Locale Code picklist.

### Question 58 of 60



Choose 1 option.

A developer manages a very large catalog that includes over 5 million products. The developer needs to write a rule that will apply to all products in the catalog.

Which type of rule will be easiest for the developer to implement?

- ☐ A. Evaluation Rule
- ☒ B. Advanced Rule
- ☐ C. Qualification Rule
- ☐ D. Context Rule

WhatsApp Video 2023-08-23 at 3:35:20 AM (1)

### Question 59 of 60



Choose 1 option.

A developer configures a context rule to allow customers with Premium Service Level Agreements (SLA) to be eligible for Premium Device products. To test the rule, the developer creates an order for a Premium SLA customer and configures the order in the Cart. In the Cart, the developer notices the Premium Device product is displayed only under the Disqualified tab and cannot be added to the Cart.

What is causing this issue?

- ☒ A. The rule set has not been assigned to the Premium Device product.
- ☐ B. The rule does not have the active property selected.
- ☐ C. The Clear Managed Platform Cache job has not been run.
- ☐ D. The Product Hierarchy Maintenance job has not been run.

00:12



01:18

### Question 60 of 60



Choose 2 options.

A company has an existing bundle that contains a mobile phone product. Customers are allowed to purchase up to 3 phones as part of this bundle. The company decides that they want to increase the limit and allow customers to purchase up to 5 phones. The developer adjusts the maximum cardinality for the child product from 3 to 5. However, after making the change, the bundle still restricts users to 3 phones.

Which two actions should the developer take to troubleshoot this issue?

- ☒ A. Run Refresh Platform Cache
- ☒ B. Run Product Hierarchy Maintenance
- ☐ C. Run Load API Metadata
- ☐ D. Run EPCProductAttribJSONBatchJob

00:13:49



00:00:47



### Salesforce Certified Industries CPQ Developer Score Report

**CANDIDATE:** Gajendra Kumar

**DATE:** 8/15/2025

**CANDIDATE ID:** a9WRf0000002dHtMAI

**REGISTRATION NUMBER:** 513985054

**EXAM CODE:** Ind-Dev-201

**EXAM:** Salesforce Certified Industries CPQ Developer

**GRADE:** Pass

The report below shows the percentage of questions in each section that you answered correctly for the Salesforce Certified Industries CPQ Developer exam. You will receive this information in your exam results email and can also access it via My Dashboard in Trailhead Academy.

| SECTION NAME:            | PERCENT CORRECT: |
|--------------------------|------------------|
| Products                 | 83%              |
| Promotions and Discounts | 50%              |
| Pricing                  | 90%              |
| Rules                    | 88%              |
| APIs                     | 71%              |
| Ordering and Quoting     | 100%             |
| Troubleshooting          | 75%              |

WhatsApp Vid 025-08-23 at 3:39:20 AM (1)

00:13:33



04:00:21

