

Salesforce Certified Marketing Cloud Engagement Developer

Question 1

A developer is making an API REST call to trigger an emailSend. An access token is used to authenticate the call.

How long are Marketing Cloud v2 access tokens valid?

- A. Each API call requires a new access token.
- B. Access tokens expire after 20 minutes.
- C. Access tokens expire after 24 hours.

Question 2

A developer wants to use the RaiseError AMPscript function. When a subscriber does not have the necessary data to build anEmail.

Which outcome is possible using this function?

- A. The whole send is cancelled.
- B. The send is retried.
- C. An error message is sent to the From Address used in the email.

Question 3

A developer is building an integration with the MarketingCloud API.

In which way should the client ID and client secret credentials beStored?

- A. Set credentials as variables in application source code
- B. Store credentials in a key management system (KMS)
- C. Pass credentials in URL parameters over HTTPS

Question 4

Northern Trail Outfitters uses a number to uniquely identifyContacts across different marketing channels.

Which action should the developer take to ensure the contacts relateAcross channels in Marketing Cloud when working with the dataModel?

- A. Create Attribute Groups linking the unique identifier to the Contact for eachChannel.
- B. Use a unique identifier specific to each channel and automatically connectThem.
- C. Link the numeric field value to the Contact ID in Attribute Groups in ContactBuilder.

Question 5

A doctor's office creates Populations for staff, patients, and Vendors.

What is the maximum number of Populations that should be created to ensure performance?

- A. Unlimited
- B. One
- C. Three

Question 6

A developer wants to retrieve a row of data from a dataExtension using the SOAP API.

Which API Object should be used for this call?

- A. Row
- B. Data ExtensionObject
- C. DataExtension

Question 7

A developer used Lookup Rows to retrieve data when building a dynamic email.

What should be the next step before using this rowset within a FOR Loop?

- A. Use Row to return a specific row of the rowset
- B. Use RowCount to ensure the rowset contains data
- C. Close the delimited AMPscript Code Block

Question 8

Northern Trail Outfitters uses a numeric identifier for Subscriber Key. Customer data is stored in a data extension with the Subscriber Key set as a Primary Key.

Which step is required when creating relationships for this dataExtension in Data Designer?

- A. Set Subscriber Key as a text data type before linking the data extension to Contact Key
- B. Link the Contact Key to the Subscriber's email address when creating the Relationship
- C. Use a one-to-one cardinality when creating the relationship

Question 9

Northern Trail Outfitters' legal team is concerned about the Daily import process that adds subscribers to a Sendable DataExtension, even when records have already been targeted for Deletion.

What is the expected behavior if a send is initiated to this Sendable Data Extension?

- A. Records in the suppression phase will only be excluded if manually specified during send time.

- B. Records that have been deleted will be excluded from sends indefinitely.
- C. Records in the suppression phase will be excluded from sends.

Question 10

A developer is working on cross-channel campaign

Functions for the email team at Northern Trail Outfitters. They are reviewing available APIs for the different Marketing Cloud applications to determine the most appropriate solution for each.

Which application utilizes the REST API?

- A. Automation Studio
- B. Classic Content
- C. Content Builder

Question 11

A developer wants to build out a series of CloudPages that will interact with several REST APIs.

Which Marketing Cloud supported scripting tool should be used?

- A. SSJS
- B. GTL
- C. AMPscript

Question 12

Northern Trails Outfitters is using REST API to send emails to customers after a purchase.

Which considerations should be taken regarding the token used in the API call?

- A. Make a token API call and re-use the token for that subscriber.
- B. Make a token API call and re-use the token until the token expires.
- C. Make a token API call before each triggered send API call.

Question 13

Which aspect should a developer consider before creating an Server-to-Server Installed Package and associated API Integration in Marketing Cloud?

- A. Scope (Permissions) will be granted based on the User who is creating the Installed Package.
- B. Scope (Permissions) must be specifically granted when creating an API Integration component inside an Installed Package.
- C. Using an Installed Package, APIs will have access to resources in all Business Units.

Question 14

A developer wants to expand their knowledge of QueryActivities. They want to identify email addresses that have bounced in the last 30 days, along with the Bounce Reason and some additionalSubscriber specific data; however, the SQL they have written does not return any records. Below is the SQL statement:

```
SELECT S.EmailAddress, s.Subscriberkey, b.JobID,  
b.EventDate, b.SMTPBounceReason  
FROM Subscribers s JOIN Bounce b ON S.EmailAddress =  
b. EmailAddress  
WHERE b. Event Date > DateAdd (DAY, 30, GETDATE())
```

What updates should be made to ensure this SQL statement returns the desired results?

- A. Marketing Cloud Bounce data view does not contain EmailAddress. They should join on SubscriberID.
- B. Marketing Cloud does not allow use of GETDATE function. They should define specific date.
- C. Marketing Cloud does not allow DateAdd functions in Query Activities. They should define a specific date.

Question 15

Northern Trail Outfitters stores most of their customer data in Marketing Cloud. They do not mind their data being viewed in clear text within SFMC to users who have access, but they want to ensure the underlying database files are encrypted at rest in case the physical media is stolen.

Which encryption method should be used?

- A. Field-Level Encryption
- B. Encrypted Data Sending
- C. Transparent Data Encryption

Question 16

A developer wants to populate a data extension with the date of the most recent click for each subscriber.

Which query would accomplish this?

- A. `SELECT c.Subscriberkey, MAX(c.eventDate) As eventDate FROM Click GROUP BY c.Subscriberkey`
- B. `SELECT c.Subscriberkey, .eventDate FROM Click WHERE .IsUnique = 1`
- C. `SELECT c.subscriberkey, MIN(c.eventDate) AS eventDate FROM Click GROUP BY Subscriberkey`

Question 17

A developer, who is new to Marketing Cloud, needs to Design a landing page for a new customer. They choose to use Server-Side JavaScript (SSJS) due to their extensive knowledge of JavaScript From previous projects.

Which feature would the developer be able to leverage in their Server-Side code?

- A. External Libraries to extend functionality
- B. Include Try/Catch blocks within the code
- C. Direct modification of the DOM

Question 18

Northern Trail Outfitters wants to exclude sending an email At send time to those with a record on the 'Exclude' Data Extension. The primary key on this data extension is SubscriberKey.

How would a developer write the Exclusion Script?

- A. `SubscriberKey)) > Rowcount (LookupRows (Exclude', 'SubscriberKey",`
- B. `Rowcount (LookupRows ('Exclude', 'SubscriberKey", SubscriberKey!) >`
- C. `Lookup ('Exclude', 'Subscriberkey', 'EmailAddress", emailaddr_) == Emailaddr`

Question 19

Customer data has been imported into a staging data Extension and needs to be normalized before adding into the master Data extension. A text field named 'birthday' contains date values in Various formats. Some of the values are valid dates, but some are Not.

Which SQL keywords and functions could be used to write the query?

- A. WHERE, ISDATE, CONVERT CAST
- B. UPDATE, ISDATE, CONVERT CAST
- C. CASE, ISDATE, CAST

Question 20

A company needs to retrieve a large number of rows from a Data extension via the API.

Which solution would optimize the performance?

- A. Use the REST API instead of the SOAP API.
- B. Use a SimpleFilterPart to retrieve small sets of relevant data.
- C. Use the AMPscript API functions on a CloudPage.

Question 21

A developer wants to inject a Contact into a journey using API.

What method and route would be used to accomplish this?

- A. POST /contacts/v1/contacts

- B. `POST /interaction/vi/events`
- C. `PUT /hub/v1/dataevents/key: {key}/rows/{primaryKeys}`

Question 22

A field value returned from a data extension lookup contains a tab-delimited list of values.

Which AMPscript function could easily determine if a specific text string exists anywhere in the list?

- A. `IndexOf`
- B. `BuildRowSetFromString`
- C. `Substring`

Question 24

Northern Trail Outfitters puts the word TEST at the beginning of the name for each test email.

Which query would return the subscribers who were sent those emails?

- A. `SELECT * FROM Job INNER JOIN Sent ON JobID=JobID WHERE EmailName LIKE 'TEST%'`
- B. `SELECT FROM Job J INNER JOIN Sent S ON J.JobID = S.JobID WHERE J.EmailName = 'TEST%'`
- C. `SELECT * FROM Job J INNER JOIN Sent S ON J.JobID=S.JobID WHERE J.EmailName LIKE 'TEST%'`

Question 25

A developer wants to design a custom subscription center in CloudPages. The developer prefers to code in AMPscript, but is also skilled in Server-Side JavaScript. While the developer is confident their code is of high quality, they would still like to handle unexpected errors gracefully to ensure the best user experience.

Which feature should handle this scenario?

- A. Wrapping the code in an AMPscript `HandleError` block
- B. Using `RaiseError` AMPscript function when an error occurs
- C. Wrapping the code in a Server-Side JavaScript `Try/Catch` block

Question 26

A developer is writing a query to select unique subscribers who opened any emails sent since the beginning of the previous day. Which query would provide that result?

- A. `SELECT DISTINCT o.SubscriberKey FROM Open o INNER JOIN Job j ON j.JobID = 0.JobID`
- B. `WHERE a.SendDate > CONVERT(date, GETDATE()-1)) SELECT DISTINCT o.SubscriberKey FROM Open o`
- C. `WHERE a.OpenDate > CONVERT(date, GETDATE()-1)) SELECT DISTINCT n.SubscriberKey FROM Open o INNER JOIN Job On.JobID - o.JobID WHERE .PickupLine > CLIVER (date, GETDATE()-1))`

Question 27

Which AMPscript function group could most negatively impact send processing?

- A. String functions
- B. Data extension functions
- C. Date Time

Question 28

A developer wants to configure performance tracking of the Content dynamically created via AMPscript in an email.

Which step should be performed to achieve this objective?

- A. Enable impression tracking and utilize AMPscript impression function
- B. Configure a reference content block in Content Builder
- C. Add a unique impression identifier in the HTML tags within the generated Content

Question 29

A developer wants to add an image to Content Builder via The API and retrieve the image's published URL.

Which method should the developer use?

- A. GET using the REST API /asset/v1/content/assets and parse the FilePropertiesParameter
- B. Use the SOAP API to create a Portfolio object and identify the Source property
- C. POST to the REST API /asset/v1/content/assets and parse the FilePropertiesParameter

Question 30

A developer is experiencing timeouts when testing a SQLQuery Activity in Automation Studio.

How should the developer optimize the query?

- A. Use intermediate tables to break queries into smaller parts.
- B. Limit joins to the INNER JOIN within all SQL Query Activities.
- C. Ensure all SQL Query Activities are in the same step in the automation.

Question 31

A developer is using the legacy endpoint www.exacttargetapis.com and has been asked to switch to Tenant Specific Endpoints (TSES).

What is a benefit of switching to TSES?

- A. Improved API performance
- B. A longer lasting OAuth token
- C. API calls will no longer fail

Question 32

A developer wants to include an AMPscript If/ElseStatement in an email to satisfy the condition “if the subscriber’s tier is not premier then display heading encouraging them to upgrade.”

The tier value has already been set as a variable named @level. How could the developer write this AMPscript conditional statement?

- A. A%%=IIF(@level = 'premier', 'You are a premier member!', 'Upgrade to premierNow!')=%%
- B. %%=IF(@level IS 'premier', 'Upgrade to premier now!', "You are a premierMember!") %%
- C. %%=IIF(@level == 'premier', 'You are a premier member!', 'Upgrade toPremier now!')=%%

Question 33

A developer needs to create a fully-branded CloudPage which includes images hosted in Content Builder. The developer wants to secure the page and its elements using the SSL protocol.

What is the minimum number of SSL certificates required?

- A. One
- B. Two
- C. Three

Question 34

A company has chosen to use the REST API for triggeredSends, but they continue to get the following error during their testing: “Unable to queue Triggered Send request. There are no validSubscribers.” They were informed that the SOAP API provides more information about the error, and found that their payload did not include a required data extension field.

Which element of the SOAP API response provides this level of detail?

- A. ErrorCode
- B. ErrorDescription
- C. OverallStatus

Question 35

A developer needs to use the /contacts/ route of the REST API to update records in a data extension.

What should the developer verify before making the API call?

- A. Journey Builder should be configured to use the data extension.
- B. The data extension should be linked in an Attribute Group in Contact Builder.
- C. Each contact should already exist in All Subscribers.

Question 36

A data extension contains two fields which are being populated by a query activity. A third field has recently been added to the data extension.

Which SELECT statement would be optimal for returning all of the columns in the data extension?

- A. SELECT *, field1, field2, field3
- B. SELECT field1, field2, field3
- C. SELECT *

Question 37

A developer needs to process a payload from an external system in a CloudPage. What Marketing Cloud Server-Side JavaScript Platform function should

be used for converting a string payload in JSON format to a JavaScriptObject?

- A. Stringify
- B. CreateObject
- C. ParseJSON

Question 38

A developer wants to delete a batch of subscribers from Marketing Cloud. The developer performs a Contact Delete on a batch of records in a data extension in Contact Builder. Which scenario would cause subscriber records to remain in the data extension?

- A. Non-sendable data extension with SubscriberKey field
- B. Sendable data extension with SubscriberKey field
- C. Contact Delete process does not delete rows from data extensions

Question 39

A developer wants to review the available properties for using the DataExtension Field SOAP API object.

Where could the developer find this information?

- A. Contact Support and request the information
- B. Developer Center at <https://developer.salesforce.com>
- C. Open the Object Inspector in the Salesforce Developer Console

Question 40

A developer is troubleshooting why a parent-level data extension cannot be accessed by a child business unit.

What should the developer check to validate the data available can beAccessed for child business unit queries?

- A. The data extension is in the Salesforce Data Extensions folder and is accessibleTo the child business unit
- B. The data extension is in the Synchronized Data Extensions folder and the queryIncludes the ENT. Prefix
- C. The data extension is in the Shared Data Extensions folder and the queryIncludes the ENT. Prefix

Question 41

A developer identified a use case where a triggered send ofAn email is needed. The developer already successfully set upAuthentication with a client ID and client secret and has used them inSeveral REST calls. When the REST call is made, a “401 Unauthorized”Error is returned.

What should be checked first?

- A. The email interaction has been published.
- B. The send permissions have been granted for the client ID and client secretWithin Installed Packages.
- C. The automation permissions have been granted for the client ID and clientSecret within Installed Packages.

Question 42

A developer identified duplicate contacts and wants toDelete roughly 10 million subscribers using Contact Delete.

How could the process be expedited?

- A. Manually delete subscribers in All Contacts
- B. Delete any unnecessary Sendable Data Extensions
- C. Change the Suppression value to a larger value

Question 43

A developer is querying data from the Bounce data viewAnd storing it in a data extension. They have found that sometimesThe fields SMTPBounce Reason and SMTPCode exceed the 4000-Character limits for each field as specified in the DE schema. AfterConsulting with the original requestor, it was decided that they couldSimply store the first 4000 characters for each of those fields.

Which SQL function could be used for this purpose?

- A. RIGHT
- B. LEFT
- C. FIRST

Question 40

Question 44

A developer needs to configure an Email Send Logging DataExtension for a new business unit.

Which option should be used?

- A. Salesforce Support should create the data extension
- B. Create from a copy of an existing Send Log In another business unit
- C. **Create using the SendLog Data Extension Template**

Question 45

Northern Trail Outfitters uses data extensions to manageThe subscriber information used for their email sends, and those sendsInclude calls to update records with new or different subscriberInformation. The developer handling these records writes someAMPscript to check and see if the data extension containing thoseRecords updated using an InsertDE() call if the record doesn't yetExist.

Why would the developer receive an error stating the applicationCannot insert a duplicate value for the primary key in the dataExtension?

- A. The InsertDE function cannot be used at send time.
- B. **The InsertDE function comes after the system added the row as part of theEmail send.**
- C. The InsertDE function cannot be used with name and value pairs.

Question 46

A marketing director at Northern Trail Outfitters wants toAnalyze the Send, Click, and Open Data Views.

Which activities should the developer build to generate the dataBefore transferring it to the SFTP?

- A. Query Activity > Tracking Extract
- B. Filter Activity > Data Extension Extract
- C. **Query Activity > Data Extension Extract**

Question 47

Northern Trails Outfitters (NTO) has a sendable dataExtension with 1,500,000 contact records they want to delete.

Which step is required before deleting the contacts?

- A. Navigate to Contact Builder and delete the data extension
- B. Query the records Into a new sendable data extension and delete it
- C. **Divide the records in half and delete each resulting data extension**

Question 48

How should a developer write an Exclusion Script to Exclude sending an email at send time when comparing against a

Boolean field in the Sendable Data Extension?

- A. Lookup (Excluded', 'SendBool', 'SubscriberKey'SubscriberKey)=44
- B. Lookup (Excluded', 'SendBool', 'Subscriberkey',SubscriberKey)-94
- C. sendBool88 < 1

Question 49

A customer wants a list of subscribers who were sent anEmail within the past 12 months.

How should this request be completed?

- A. Query against the Job and Sent data views
- B. Run a tracking extract via the SOAP API
- C. Create a measure with criteria sont date is after today minus 365 days

Question 50

A developer is configuring a File Drop Automation andWants to use a Filename Pattern to allow for timestamps on the file.The file name will always start with the month and day (e.g. MAY15)The file is dropped onto the SFTP site.

Which configuration should be used for the automation to successfullyStart?

- A. %%year%%%%Month %%%%Day%%
- B. Begins With operator
- C. %%MMMMdd %%

Question 51

A developer is troubleshooting the cause of incompleteResults in the link tracking data for an email send.

How should the Redirect To AMPscript function be described as itRelates to link tracking?

- A. It ensures static link href values are recorded in tracking
- B. It ensures link href values containing AMPscript variables are recorded inTracking
- C. It ensures link href values containing HTML bookmarks or anchors are recordedIn tracking

Question 52

A developer is implementing a custom profile center and Using the LogUnsubEvent request.

Which required parameter in the Job Context section of the call will Successfully record an UnSubEvent?

- A. JobID, ListID, SubscriberID
- B. JobID, ListID, and BatchID
- C. JobID, BatchID, SubscriberID

Question 53

A sendable data extension with a text field named 'Balance' Contains the value '\$6.96' for a particular record. The following

AMPscript statement is included in an email:

```
IF (Balance > 6.00) THEN
```

```
SET @Result = 'Balance is more than $6.00'ENDIF
```

Why would this IF statement yield unintended results?

- A. Double quotes should be used instead of single quotes.
- B. The operands are not the same data type.
- C. The comparison should use the < operator.

Question 54

A developer wants to set a variable to use a field from a Sendable Data Extension.

Which option could be used in an AMPscript block to set the variable As a 'First Name' field from a Sendable Data Extension used to send The email?

- A. SET @firstName = "First Name"
- B. SET @firstName = %% First Name%%
- C. SET @firstName = AttributeValue("First Name")

Question 55

Why would a developer use LookupRows instead of the

Lookup AMPscript function?

- A. To access a data extension, as Lookup only targets lists
- B. To return a complete rowset from the data extension
- C. To see how many rows are in a data extension

Question 56

Northern Trail Outfitters uses an external CRM which only exports encrypted files. They want to use some of the subscriber data found in the CRM for future marketing sends.

Which action should be included in an automation given these requirements?

- A. File drop to the SFTP Root directory
- B. File transfer activity to the Safehouse for decryption
- C. File transfer activity to the Import directory for decryption

Question 57

A developer wants to create a Synchronized Data Extension containing Lead data from Sales Cloud. They only want to include records which contain a phone number. Each of the following fields

contains this information per these rules:

- PhoneExists is 'true' (Data Type = Boolean)
- Valid Phone is 'true' (Data Type = Formula (Boolean))

ContactType equals 'Phone' (Data Type = Text)

Which field could be used to select a subset of records in the Synchronization configuration?

- A. ContactType
- B. Valid Phone
- C. PhoneExists

Question 58

A developer wants to personalize a welcome email with the recipient's first name from the Customers data extension, which is different from the targeted sending data extension named NewSubscribers. Both data extensions contain the unique identifier in a field named CustomerKey.

Which AMPscript Syntax would populate the first name personalization as requested?

- A. %%=Lookup('Customers', 'FirstName', 'ContactID', CustomerKey)=%%
- B. %%=Lookup('Customers', 'FirstName', 'Customerkey', Customerkey)=%%
- C. %%Lookup('Customers', 'FirstName', 'Customerkey', 'CustomerKey')=%%

Question 59

A developer wants to upload a base64-encoded file to Content Builder using an API Installed Package but receives an 'Insufficient Privileges' error.

What should be checked to troubleshoot the error?

- A. Confirm the Component's Channel options are available
- B. Confirm the REST Base URI uses the correct subdomain

- C. Validate client ID and client secret are correct

Question 60

A developer is implementing a custom profile center and using the LogUnsubEvent request.

Which parameter is required for the event to be tied to the appropriate send?

- A. SubscriberKey
- B. JobID
- C. ListID

Question 61

A developer created a landing page in CloudPages which returns unique content when subscriber data is located on a relatedData extension. The developer does not know if all subscribers have rows in the related data extension, and wants default content to render if no subscriber data is found on the related data extension.

Which best practice should the developer follow to control the unique and default content?

- A. Use the RowCount function and an IF statement
- B. Use the LookupOrdered Rows and Row functions
- C. Use the Lookup, Row, and Field functions

Question 62

A developer needs to configure a process that can store encrypted data from Marketing Cloud as a file on an external server.

What steps should the developer take?

- A. Data Extract > File Transfer with Marketing Cloud Public Key
- B. Shield Platform Encryption is required for encrypted data export
- C. Create PGP Key > Data Extract > File Transfer with PGP checked

Question 63

A developer is notified the View Email As Web Page (VAWP) link, when clicked, displays the message, "The system is temporarily unavailable. We apologize for any inconvenience. Please try again later."

What could be a possible cause for the error?

- A. The data in the data extensions used for the send was overwritten.
- B. The data extension used for the send was moved to another folder.
- C. The email used for the send was deleted, updated, or moved.

Question 64

Northern Trail Outfitters has an Enterprise 2.0 account with 15 business units. Each business unit can access a Shared Data Extension named 'Inventory', which contains the details for each Product. A Boolean field named 'InStock' indicates whether the item is Available.

Which snippet of AMPscript would return all products which are Currently available?

- A. Lookup Rows ('Inventory', 'ItemName', 'Instock', 'true')
- B. Lookup Rows ('Inventory', 'Instack', 'true')
- C. Lookup Rows ('Ent. Inventory', 'InStock', 'true')

Question 65

A customer wants to export send data to their SFTP.

Which automation would accomplish this?

- A. Tracking Extract
- B. Tracking Extract > File Transfer
- C. Query (Data Views) > File Transfer

Question 66

A company needs to retrieve a large number of rows from a data extension via the API.

Which two solutions would optimize the performance?

Choose 2 answers

- A. Use the ContinueRequest feature.
- B. Use a SimpleFilterPart to retrieve small sets of relevant data.
- C. Use the AMPscript API functions on a CloudPage.
- D. Use the REST API instead of the SOAP API.

Question 67

A developer is making an API REST call to trigger an email send. An access token is used to authenticate the call.

How long are Marketing Cloud v2 access tokens valid?

- A. Access tokens expire after 20 minutes.
- B. Access tokens expire after 24 hours.
- C. Each API call
- D. REST calls do not require an access token.

Question 68

A marketer is planning a weekly promotional send.

Which two types of data extensions could be sent to?

Choose 2 answers

- A. Synchronized Data Extension
- B. Sendable Data Extension
- C. Salesforce Data Extension
- D. Send Log Data Extension

Question 69

A developer uses an API to send data to a Marketing Cloud data extension once every five minutes using the REST API. They notice dataDoes not always write to the data extension, leading to data loss.

Which three best practices would be recommended to avoid this issue?

Choose 3 answers

- A. Use Username and Password authentication instead of OAuth client ID and client secret.
- B. In case of 'Not Authorized' errors, request a new Access Token and attempt the call again.
- C. In case of Server errors, request a new Access Token before each request.
- D. In case of Server errors, ensure the Server is available and attempt the call again.
- E. Store the expiry of the access token to ensure a new token is requested if the old one is invalid.

Question 70

Which two AMPscript HTTP functions allow an OAuth token to be passed in a header?

Choose 2 answers

- A. HTTPPost2
- B. HTTPGet
- C. HTTPPost
- D. HTTPGet2

Question 71

Which parameter should be used to track subscriber behavior when appending data to links in ParameterManager?

- A. Contact Key
- B. Subscriber Key
- C. Subscriber ID
- D. Email Address

Question 72

Northern Trail Outfitters wants to trigger follow up messages after a subscriber opens an email.

What process would they use to get real-time engagement data?

- A. Query Activity
- B. Client-Side JavaScript
- C. WSpotify Service
- D. **Event Notification Services**

Question 73

A marketer is troubleshooting why an email send's tracking information is not available in Sales Cloud. TheMarketer confirms Marketing Cloud Connect is installed properly.

What should be confirmed next to continue troubleshooting the send's tracking information?

- A. The email was sent to the All Subscribers list.
- B. The tracking destination folder was set to My Tracking.
- C. **The audience was a Salesforce Data Extension containing the appropriate SFID.**
- D. The audience was built using a Triggered Send Data Extension template.

Question 74

A developer created an email with an AMPscript variable as the subject line. The subject line variable was testing the email, the wrong subject line continues to appear in the inbox. The developerThinks another, outdated, subject line variable is declared within the email.

Where could the outdated variable be located?

- A. In the Text body which is processed after the subject line
- B. In the HTML body which is processed after the subject line
- C. **In the Text body which is processed after the HTML body**
- D. In the HTML body which is processed after the Text body

Question 75

A developer needs to write AMPscript to ensure the expiration date on a coupon is the last day of the month.

What would produce the desired result?

- A. **Find the first day of next month and subtract one day**
- B. Add 30 days using DateAdd to Not
- C. Use the date format string for last day of month within FormatDate
- D. Add one month using DateAdd to Now

Question 76

Northern Trails Outfitters (NTO) developers want to use the Transactional Messaging API to send email receipts toCustomers.

What is the first step required to send using the API?

- A. POST to /messaging/v1/email/messages/with client_id
- B. Request a token using the v1/requestToken endpoint
- C. Request a token using the v2/authorize endpoint
- D. POST to /messaging/v1 with client_id and client_secret

Question 77

A developer wants to create a JavaScript Web Token using a key from Key Management.

What function should the developer use?

- A. ContentBlockByKey()
- B. GetJWTByKeyName()
- C. RegExMatch()
- D. GetJWT()

Question 78

A developer wants to create a complex dynamic email with three different sections and four different possibleContent blocks in each section. The email will be sent to an audience of over one million contacts.

Which best practice should the developer use to ensure a blank email will not be sent?

- A. Send a test of every possible version using Test Send
- B. Review every possible version using Subscriber Preview
- C. Create separate emails for each version
- D. Confirm every version has default content

Question 79

How many months of data can a developer query from the tracking data views (_Sent, _Open, _Click)?

- A. One Month
- B. There is no limit
- C. Six Months
- D. 12 Months

Question 80

Northern Trail Outfitters (NTO) has an Enterprise 2.0 account; subscribers unsubscribe from the business unitOnly. A developer is identifying subscribers who unsubscribed from any of the NTO child business units.

Which method would identify the most accurate status for subscribers of each business unit?

- A. Create Data Extracts of All Subscribers within the parent business unit
- B. Query unsubscribes from Subscribers within the parent business unit
- C. Create Data Extracts of All Subscribers within each child business unit
- D. Query status from ListSubscribers within the parent business unit

Question 81

A developer wants to populate a data extension with information about all emails deployed in the last seven days. The data extension needs to contain JobID, EventDate, and the counts of how many emails were sent with eachJobID.

Which data view is required to gather this information?

- A. Job
- B. Sent
- A. Journey
- B. Subscriber

Question 82

Contact Builder can be used to create a relational model of an organization's data within Marketing Cloud.

Which three factors should be taken into consideration when preparing data to be used in Contact Builder?

Choose 3 answers

- A. Verifying data addresses marketing needs
- B. Verifying each data extension has the required Email Address field populated
- C. Verifying all data extensions have a sendable value
- D. Assigning data relationships and primary keys across all channels
- E. Normalizing data to reduce redundancy

Question 83

A developer is creating a CloudPage which accepts secure parameters via an email link and will submit thoseParameters to another CloudPage for data upsert. The page currently captures an Appointment ID parameterPassed into it and sets the value to the variable @apptId. The developer does NOT want the Appointment ID to beVisible to anyone using the form.

What is the best method to ensure the parameters are passed successfully to the data upsert page?

- A. <input id="apptid" type="textareaa" value="%%=v(@apptId)=%%" readonly>

- B. `<form action="%Microsite URL(123,'apptId', @apptId)=%%" method="post">`
- C. `<form action="%Cloud Pages URL(123,'apptId', @apptId)=%%" method="post">`
- D. `<input id="apptId" type="text" value="%v(@apptId)=%%" hidden>`

Question 84

Northern Trail Outfitters (NTO) wants to import a data file. It will be uploaded at regular intervals to their Enhanced FTP Account where an automation will import the file into a data extension. NTO requires the file to be encrypted.

Which two file encryption options are supported when importing data files to Marketing Cloud?

Choose 2 answers

- A. PGP encryption
- B. RSA encryption
- C. GPG encryption
- D. AES encryption

Question 85

Northern Trail Outfitters has set up their North American business unit to unsubscribe at the business unit level. Which dataview would they query to identify all subscribers who are unsubscribed from that Business Unit?

- A. ListSubscribers
- B. ENT. Subscribers
- C. BusinessUnitUnsubscribes
- D. Subscribers

Question 86

Which action could the RaiseError AMPscript function be configured to perform?

- A. Log the source of the error
- B. Update the subscriber's status
- C. Delete the subscriber record

Question 87

A developer needs to import a file nightly that will be used for multiple SQL Query Activities. The file could arrive any time between 2 a.m. and 5 a.m., and one of the requirements is that there is a unique file name for each import, rather than overwriting the file on the FTP site.

Which action should be configured?

- A. Dynamic File Import
- B. File Drop Automation

C. Scheduled Automation

Question 88

A developer started a Contact Delete process that is noComplete.

In which place would the Contact Delete process remove data?

- A. Sendable Data Extensions
- B. Import Files on the Enhanced SFTP
- C. ALL Data Extension

Question 89

Which AMPscript function returns the result of interpretCode within a code block and includes the result in the renderedContent,

where the code block is located?

- A. Output
- B. TreatAs
- C. ContentArea

Question 90

A developer wants to create an HTML table where rows willAlternate background colors between white and red. The developerDoes not know how many rows will be sent within each email, andDecides to use a loop and assigns the RowCount() of the table rows toThe variable @numerator.

What AMPscript logic should be used to determine the backgroundColor of each table row within the loop?

- A. %% IF SUBSTRING(DIVIDE(@numerator,2),1) = 1 THEN SET @color = 'Red'ELSE SET @color = 'White' ENDIF 1%%
- B. %% IF @numerator/2 = 1 THEN SET @color = 'Red' ELSE SET @color='White' ENDIF]%%
- C. %%[IF MOD(@numerator,2) = 1 THEN SET @color = 'Red' ELSE SET @color='White' ENDIF]%%

Question 91

A developer needs to import a file into a data extensionWhich contains transactional data. The file includes a column labeledPurchase_Price with values varying from '\$.05' to '\$100'.

What Data Type should be used to prevent loss of data?

- A. Text
- B. Decimal(9,2)
- C. Number

Question 92

A developer wants to extract tracking data from the Marketing Cloud to an FTP site. A marketer created a Data Extract Activity in the user interface.

Which option would be available to extract the data?

- A. REST API
- B. Journey Builder
- C. Automation Studio

Question 93

A developer is working on cross-channel campaign functions for the email team at Northern Trail Outfitters. They are reviewing available APIs for the different Marketing Cloud applications to determine the most appropriate solution for each.

Which application utilizes the REST API?

- A. Classic Content
- B. Mobile Connect
- C. Automation Studio

Question 94

A developer receives Error Code 5 when performing a SOAP API call. The error states: "Cannot Perform 'Post' on objects of type 'SentEvent'".

What could be the issue?

- A. SOAP does not support POST; use REST.
- B. 'SentEvent' is not able to be updated using SOAP.
- C. The authentication token has expired.

Question 95

How should a developer optimize a query activity if it is currently timing out?

- A. Use intermediate tables to stage data
- B. Use SELECT to include all fields
- C. Use intrinsic functions in the WHERE clause

Question 96

A developer is configuring a new Marketing Cloud account and has decided to use a unique 10-digit integer as each customer's Contact Key.

Which data type should be used when representing the value of Contact Key?

- A. Number
- B. Text
- C. Decimal

Question 97

A developer wants to create a data model in Contact Builder.

Which application will be able to use this newly-created data model for segmentation?

- A. Email Studio
- B. Journey Builder
- C. Automation Studio

Question 98

Northern Trail Outfitters is using a mobile campaign to collect email addresses of interested subscribers. Using AMPscript's API functions they will send a confirmationEmail when an email is texted into their short code.

Which object is required to successfully create a TriggeredSend object?

- A. Contact
- A. B.Attribute
- B. C.TriggeredSendDefinition

Question 99

A developer wants CloudPages to work with a REST API returning data in JavaScript Object Notation. The developer wants to efficiently ingest the data and write it to a Data extension.

Which function should be used?

- A. AMPscript functionBuildRowsetFromString
- B. Guide Template Language {{.data}} tag
- C. Server-Side JavaScript function ParseJSON

Question 100

Which action could the Raise Error AMPscript function be configured to perform?

- A. A.Delete the subscriber record
- B. B.Log the source of the error
- C. Update the subscriber's status

Question 101

A developer started a Contact Delete process that is now complete.

In which place would the Contact Delete process remove data?

- A. A.ALL Data Extensions
- B. B.Import Files on the Enhanced SFTP
- C. C.Sendable Data Extensions

Question 102

A developer needs to import a file nightly that will be used for multiple SQL Query Activities. The file could arrive any time between 2 a.m. and 5 a.m., and one of the Requirements is that there is a unique file name for each import, rather than overwriting the file on the FTP site.

Which action should be configured?

- A. A.Scheduled Automation
- B. B.File Drop Automation
- C. C.Dynamic File Import

Question 103

Northern Trail Outfitters is using an asynchronous SOAP API call to the TriggeredSend object to send order confirmation emails to their customers.

Which API object and attribute should be used to retrieve the status of the API call?

- A. ResultItem Object and OrderID
- A. B.ResultItem Object and RequestID
- B. C.Result Object and EmailAddress

Question 104

A developer wants a link to be dynamic based on subscriber attributes. Rather than create numerous links, the developer uses AMPscript to set the link's value as aVariable. The variable will be used within the <a> tag.

What should the developer do within the <a> tag to ensure clicks are tracked for the variable?

- A. Wrap the variable in a RedirectTo function
- A. B.Wrap the variable in a V function
- B. Include a variable for the Alias attribute

Question 105

Cloud Kicks would like to encrypt and store form data submitted from a CloudPage in a data extension using AMPscript.

Which encryption option could be used?

- A. A.Asymmetric

- B. B.SAML
- C. C.Symmetric

Question 106

A developer wants to configure an automation to import files placed on the SFTP shared by a customer's data vendor. The automation will start when a file matching a specific naming pattern is encountered in the Import folder. The first step of the automation is a File Import Activity referencing a substitution string for the matchingFile.

Which substitution string represents the name of the file?

- A. %%FILENAME_FROM_IMPORT%%
- B. %%FILENAME_FROM_TRIGGER%%
- A. C. %%FILENAME%%

Question 107

A developer is troubleshooting why an API client_id and client_secret are authenticating yet failing to access data from a child business unit.

What should be checked to validate the installed package can access the child business unit data?

- B. A.The Installed Package has full Enterprise access to all available child business units
- C. B.The account_id and parent MID are included in the authorization call
- D. C.The Installed Package has access to the selected child business unit

Question 108

A developer needs to add From Addresses to Marketing Cloud and wants to ensure they are verified before being used for sending.

Which route would allow this?

- A. A.POST/messaging/v1/dataevents/domainverification
- B. B.OST/messaging/v1/push/domain/verification
- C. C.POST/messaging/v1/domainverification/bulk/insert

Question 109

A developer wants to aggregate monthly energy usage data over a four-month period for each subscriber within an email. The monthly usage values are stored in Variables for each month in the following way: SET @jan LOOKUP("energyusage", "jan", "subscriber_key", subscriberkey)

How should AMPscript be used to generate the total?

- A. A.SET @total ADD (@jan, ADD (8 feb, ADD (@mar, @apr)))
- B. B.SET @total ADD (((8jan, feb) mar) \$apr)
- C. C.SET @total (ADD (@jan, @feb), ADD (@mar, Gapr))

Question 110

A marketer from Cloud Kicks wants to make sure no email from their welcome journey gets sent to their competitor at Rainbow Run.

Which best practice should the developer use when setting up the Send Email Activity in the welcome journey?

- A. A.Create a Filter Activity in the journey that removes the Rainbow Run domain
- B. B.Create a data extension with the Rainbow Run domain for use with a Domain Exclusion
- C. C.Create a Suppression List with all possible email addresses from Rainbow Run

Question 111

A developer wants to implement a newsletter registration form on Northern Trail Outfitters' website. Prior to form submission, an email address provided by the visitorShould be validated.

Which option could be used to support this scenario?

- A. A.SOAP API, Perform method with ValidationAction object
- B. B.SOAP API, Describe method with EmailAddress object
- C. C.REST API, /address/v1/validateEmail route

Question 112

A developer is building an integration using the Marketing Cloud API.

Which configuration should be used for the API integration component in the associated Installed Package?

- A. Select the minimum required scope for the integration.
- A. B.Select the 'Require Secret for Web Server Flow' option.
- B. C.Select the 'Admin-approved users are pre-authorized' option under Permitted Users.

Question 113

A developer wants to expand the functionality of existing code which was written in AMPscript, but prefers to use Server-Side JavaScript (SSJS) for updates.

Which SSJS statement would retrieve the value of the AMPscript variable namedsubkey?

- A. Var.Get("subkey");
- B. Var.Retrieve("@subkey");
- C. Variable.GetValue("@subkey");

Question 114

Northern Trail Outfitters wants to use Personally Identifiable Information (PII) data to personalize email communications, but does not want to store PII data in Marketing Cloud.

Which feature could they use to personalize emails from an external data source?

- A. A.External Objects
- B. B.Tokenized Sending
- C. C.Salesforce Shield

Question 115

A developer is creating a CloudPage which accepts secure parameters via an email link and will submit those parameters to another CloudPage for data upsert. The page

Currently captures an Appointment ID parameter passed into it and sets the value to the variable @apptId. The developer does NOT want the Appointment ID to be visible to anyone using the form.

What is the best method to ensure the parameters are passed successfully to the data upsert page?

- A. A.<form action="*%%-CloudPages URL (123, 'apptId', @apptId) -%%" method="post">
- B. B.<input id="apptid" type="text" value="%%-v(@apptId)=%%" readonly>
- C. C.<input id="apptid" type="text" value="%%-v (@apptid)=%%" hidden>

Question 116

A developer is building a landing page in Marketing Cloud and an email with a Call-To-Action (CTA) link. The landing page will display personal information about the Subscriber.

In which way could the developer create the CTA link?

- A. A.Use the AMPscriptCloudPagesURL function.
- B. B.Append SubscriberKey to the URL as an encoded parameter.
- C. C.Append EmailAddress to the URL as an encoded parameter.

Question 117

Northern Trail Outfitters wants to exclude sends to specific subscribers based on a business rule, which is defined in an Exclusion Script.

Which type of send would support this functionality?

- A. A.Journey Builder Send SMS Activity
- B. B.Send Marketing Cloud Email in Sales or Service Cloud
- C. C.Automation Studio Send Email Activity

Question 118

A developer uses the messageDefinitionSends REST API endpoint to send a triggered send email. This method returns a 202 (success) response code.

How could the developer validate if the email was successfully sent?

- A. A.Confirm the record was successfully inserted into the associated Triggered Send Data Extension.
- B. B.Use the messageDefinitionSends/key: (key)/deliveryRecords REST endpoint with GET method.
- C. C.Use the validateEmail REST resource with POST method to obtain the email delivery details from the request.

Question 119

A marketer is sending an email with dynamic content contained in a series of conditionals.

Which AMPscript function should be used to track the different versions of the content within the email?

- A. A.BeginImpressionRegion
- B. ContentAreaByName
- C. ContentBlockByName

Question 120

A developer wants to create a Send Log Data Extension to increase efficiency with tracking email sends.

Which best practice should be utilized when configuring the Send Log Data Extension?

- A. A.Create a number of fields equal to the fields in the source data extension.
- B. B.Use Data Retention to limit the amount of data captured.
- C. C.Maximize the field size to accommodate all incoming data.

Question 121

A developer needs to identify all subscribers who were sent Job ID 420 but did not click any links.

Which SQL statement would produce the desired results?

- A. SELECT s.SubscriberkeyFROM Sent s LEFT JOIN Click con s.Subscriberkeyc.Subscriberkey AND S.JobID = c.JobID WHERE S.JobID=420
- B. SELECT s.SubscriberkeyFROM Sent s LEFT JOIN Click CON 5.Subscriberkey c.Subscriberkey AND s.JobID= c.JobID WHERE S.JobID=420 AND C.Subscriberkey IS NULL
- C. SELECT s.SubscriberkeyFROM Sent s JOIN Click c ON s.Subscriberkeyc.Subscriberkey AND s.JobID = c.JobIDWHERE S.JobID = 420

Question 122

A developer is using the REST Authorization Service to obtain an OAuth access token.

Which method should be used to include the access token in the API request?

- A. A.Include as a query parameter ?access_token=YOUR_ACCESS_TOKEN
- B. B.Include the header Authorization: Bearer YOUR_ACCESS_TOKEN
- C. C.Include the header Authorization: Basic YOUR_ACCESS_TOKEN

Question 123

A developer wants to extract tracking data from the Marketing Cloud to an FTP site. A marketer created a Data Extract Activity in the user interface.

Which option would be available to extract the data?

- A. A.REST API
- B. B.Journey Builder
- C. C.Automation Studio

Question 124

A developer built a complex dynamic email with many data variants. Rather than create test data manually, they want to use a subset of live data to validate theDynamic aspects of the email.

Which SQL function should be used to collect a representative sample from a larger data set?

- A. A.OVER
- B. B.NTILE
- C. C.HAVING

Question 126

Northern Trail Outfitters has created profile attributes including AGE under Profile Manager within their Enterprise 2.0 account.

How would a developer retrieve subscribers over 30 years of age?

- A. A.Create a query that references the _EnterpriseAttribute data view
- B. B.Create a query that references the _Subscribers data view
- C. C.The data cannot be retrieved with a query

Question 127

A developer wants to write a query to compile data originating from an HTML form so it can be exported in CSV format. However, the source dataextension may containLine breaks within the Comments field, which makes it difficult to read and sort the resulting CSV.

Which SQL functions could be used to change each line break to a single space?

- A. A. REPLICATE and NCHAR
- A. B.LTRIM and RTRIM
- B. C.REPLACE and CHAR

Question 128

A developer is working on cross-channel campaign functions for the email team at Northern Trail Outfitters. They are reviewing available APIs for the different MarketingCloud applications to determine the most appropriate solution for each.

Which application utilizes the REST API?

- A. **A.Mobile Connect**
- B. B.Automation Studio
- C. Classic Content

Question 129

In what order is AMPscript evaluated before an email is sent?

- A. A.Text Body, HTML Body, Subject Line
- B. B.Subject Line, HTML Body, Text Body
- C. **C.HTML Body, Text Body, Subject Line**

Question 130

A developer wants to trigger an SMS message to a subscriber using a form published on CloudPages.

How should the SMS message be triggered once the subscriber submits the form?

- A. **A.requestToken and messageContact REST API objects**
- B. B.InsertDataAMPscript function to add the subscriber to a MobileConnect list
- C. C.CreateSmsConversationAMPscript function

Question 131

Northern Trail Outfitters is reconsidering the requirement to have English, Spanish, and French versions of their email campaigns. They request a developer to create aQuery which aggregates clicks grouped by language of the recipient. Language is stored in a Profile Attribute.

Which Data View would be included in the query?

- A. EnterpriseAttribute and _Click
- A. **B.AllSubscribers and _Click**
- B. C.Subscribers and _Click

Question 132

What is the purpose of the IF statement below?

SET @rows – LookupRows(“DName”, ‘Subscriberkey, Subscriberkey)

```
IF RowCount (@rows) > @ THEN
```

```
15%SET @rowRow(@rows)
```

```
SET @image Field(@row, 'image')
```

```
<imgsrc="v(@image)->
```

```
AN ELSE
```

```
<imgsrc="image.jpg">
```

```
[ENDIF]
```

- A. To handle when there are multiple records in the data extension for the subscriber
- A. B.To handle when images are broken
- B. C.To handle when no row is returned by the LookupRows function

Question 132

A developer wants to build an email that dynamically populates the physical address of a company's locations using the variable @address. The deployment goes to Millions of subscribers and the developer wants the fastest possible performance.

Which AMPscript solution should be recommended?

- A. %%[SET @address Lookup Rows("Building Locations","Address","Id")]%%
- B. %% [SET @address Field (Row(Lookup Rows("Building Locations","Address","Id"),1),"Address")]%%
- A. C.%% [SET @address Lookup("Building Locations","Address","Id", @Id)] %%

Question 133

A developer wants to create an HTML table where rows will alternate background colors between white and red. The developer does not know how many rows will be sent within each email, and decides to use a loop and assigns the RowCount() of the table rows to the variable @numerator.

What AMPscript logic should be used to determine the background color of each table row within the loop?

- A. %%[IF MOD(@numerator,2) = 1 THEN SET @color = 'Red' ELSE SET @color = 'White' ENDIF]%%
- B. %%[IF @numerator/2 1 THEN SET @color 'Red' ELSE SET @color 'White' ENDIF]%%
- C. 9%[IF SUBSTRING(DIVIDE(@numerator,2),1) 1 THEN SET @color 'Red' ELSE SET @color = 'White' ENDIF]%%

Question 134

Northern Trail Outfitters uses a Send Log and sends more than one million emails per day. They want to execute daily reports on all subscriber activity without impacting Send performance.

Which set of best practices should be implemented?

- A. A.Copy new Send Log records to an Archive data extension, then run reports from the Archive data extension.
- B. B.Copy new Send Log records to an Archive data extension, then run reports from the Send Log data extension.
- C. C.Add a data retention policy to the Send Log, then run reports from the _Opens data view.

Question 135

A developer is leveraging the SOAP API to dynamically display Profile and Preference Attributes in a custom profile center.

Which method could be used to support the dynamic functionality?

- A. A.Configure
- B. B.Describe
- C. C.Extract

Question 136

An email requires custom AMPscript to append the subscriber's zip code to a link in the email. A field named zipcode already exists in the sending data extension. It is important Marketing Cloud tracks subscribers who click on the link.

Which two AMPscript functions should be used in the setup?

- A. A.Concat / RedirectTo
- B. B.Concat / Lookup
- C. C.Concat/ HTTPGet

Question 137

A developer needs to find all subscribers on the Customers data extension who made a purchase in the last 30 days. Purchase data is on the Orders data extension which contains a column called 'PurchaseDate'. Contacts are identified in both data extensions by a column called 'ContactKey', and the Orders data extension can contain many instances of the same subscriber.

Which SQL keyword should the developer use to achieve the desired result?

- A. OUTER JOIN
- A. B.ORDER BY PurchaseDate ASC
- B. INNER JOIN

Question 138

A developer needs to push real-time updates of the company's product catalog to a data extension.

Which API options is available?

- A. A.Use the DataExtensionObject SOAP object
- B. B.Upload a file to the Enhanced SFTP for import
- C. C.Use the DataExtension SOAP object

Question 139

A developer wants to create an AMPscript FOR loop that populates HTML table rows based on the number of rows and data in a target data extension.

Where should the developer place the FOR keyword to begin the loop?

- A. A.Before the <table> tag
- B. B.Before the <tr> tag
- C. C.Before the <td> tag

Question 140

An UpdateDEAMPscript function is used to update a column value in a data extension row when an email is sent. The email is being sent to 250,000 subscribers, butThe user decides to cancel the send during the sending process and only 400 emails are sent.

How many subscriber rows would be affected by the UpdateDE function?

- A. 400 subscribers who were sent the email
- A. B.No rows are updated
- B. C.Only subscribers who exist in All Subscribers

Question 141

A developer needs to import a file into a data extension which contains transactional data. The file includes a column labeledPurchase_Price with values varying from'\$.05' to '\$100'.

What Data Type should be used to prevent loss of data?

- A. A.Number
- B. B.Decimal(9,2)
- C. C.Text

Question 142

A developer wants to transform the date and time field 'Date Enrolled' from Daylight Savings time.

How would the developer change the time to fall back one hour?

- A. %%-DateAdd(Date_Enrolled, -1)-%%
- A. B.%%-DateAdd(Date Enrolled, -1, 'H')-%%
- B. C.%%-FormatDate(Date Enrolled, -1, 'HH', "en-us)=%%

Question 143

A developer wants to use the RaiseErrorAMPscript function when a subscriber does not have the necessary data to build an email.

Which outcome is possible using this function?

- A. A.The email is not sent to the particular subscriber.
- B. B.The send is retried.
- C. C.An error message is sent to the From Address used in the email.

Question 144

Northern Trail Outfitters mistakenly synced the User_Salesforce object which added to their billable contact count.

What should be recommended to remove these contacts?

- A. A.Put the synced records into a sendable data extension and use Contact Delete.
- B. B.Use the REST API to delete the contacts from the All Subscribers table.
- C. C.Update the sync to remove these contacts from the All Contacts table.

Question 145

A developer receives a request for tracking data for all sends associated with a specific JobID. The developer needs to see Sends, Opens, Clicks, and Bounces.

Which activity could be used?

- A. A.File Transfer Activity
- B. B.Campaign Data Extract
- C. C.SQL Query Activity

Question 146

A developer needs to know how many records are contained in a particular data extension. This will dictate what is displayed on a landing page.

Which AMPscript function returns the number of rows in a specified dataextension?

- A. A.Data ExtensionRowCount
- B. B.LookupRowCount
- C. C.RowCount

Question 147

A developer initiated a batch delete of Contacts in Contact Builder due to an import error during implementation. There are over two million records that need to beDeleted.

Which factor should be considered when batch deleting large volumes of contacts?

- A. The deletion process supersedes other automated account activities.
- A. B.To more quickly remove contact information, use the suppression period length of 14.
- B. C.Up to one million records can be deleted in each batch.

Question 148

A particular data extension needs to be configured to store six months of data.

How should data retention be added to the data extension?

- A. A.Import a file to overwrite the rows with six months of data.
- B. B.Run a query to overwrite the rows with six months of data.
- C. C.Update the data extensionconfiguration.

Question 149

Northern Trail Outfitters' account is configured with two child BU(s): US and Global. The account has a data extension in the Shared Data Extensions folder named 'MemberData'. This data extension contains basic address information, as well as Boolean fields labeled 'US' and 'Global' indicating to which business unit the subscriber belongs. An automation needs to be created in the US business unit to query all records in New York who are members of the business unit US.

SELECT FROM MemberData WHERE State NY" AND US = 1

What would cause this query to report the following error: "An error occurred while checking the query syntax. Errors: MemberData is not a known data extension or System data view. You can only query existing data extensions or system data views."?

- A. Incorrect syntax; Query Activities are written in SOQL
- B. Query should check for a US value of 'True'
- C. MemberData should be prefixed with ENT.

Question 150

Which aspect should a developer consider before creating an Server-to-Server Installed Package and associated API Integration in Marketing Cloud?

- A. A.Using an Installed Package, APIs will have access to resources only in the Business Unit where it was created.
- B. B.Using an Installed Package, APIs will have access to resources in all Business Units.
- C. C.Scope (Permissions) will be granted based on the User who is creating the Installed Package.

Question 151

Which AMPscript function returns the result of interpreted code within a code block and includes the result in the rendered content, where the code block is located?

- A. Output
- B. **TreatAsContentArea**

Question 152

Northern Trail Outfitters (NTO) wants to determine the best identifier for subscribers across all channels.

What should be recommended?

- A. A.Subscriber ID
- B. **B.Contact Key**
- C. C.Email Address

Question 153

A developer wants to programmatically inject Contacts into a journey via the REST API.

What route using POST data extension fields and values should be used?

- A. **/interaction/vi/interactions**
- B. /interaction/vi/events
- A. C./contacts/v1/contactEvents

Question 154

A developer receives a request to integrate Marketing Cloud with a lead capture tool. The lead capture tool will call the Marketing Cloud API to create a data extension Every time a new lead form is published. The created data extension's name should match the name of the form exactly.

Which API feature could be used to dynamically create these data extensions?

- B. A.REST API using POST on the /interaction/v1/EventDefinitions endpoint with Schema populated
- C. **B.SOAP API using Create Method and the DataExtension Object**
- D. C.Creating the data extension using API is not possible

Question 155

From which business unit could the Contact Delete feature be used within an Enterprise 2.0 account?

- A. **A.The top level business unit**
- B. B.Any business unit
- C. C.The business unit where the contact was introduced

Question 156

Northern Trail Outfitters wants to trigger a receipt email via the SOAP API whenever a customer makes a purchase. Their developer wrote the call using the

TriggeredSendDefinition object and the Create method, but no emails have been sent during his initial testing.

Which object and method should the developer use?

- A. A.TriggeredSend Definition object and Update method
- B. B.TriggeredSend object and Update method
- C. **TriggeredSend object and Create method**

Question 156

Which activity is required before a compressed file can be imported?

- A. A.Data Extract
- B. B.Import File
- C. **C.File Transfer**

Ravi- Hayatullah Team