

Question 63 of 65



Choose 1 option.

A developer is implementing a custom profile center and using the LogUnsubEvent request.

Which required parameter in the Job Context section of the call will successfully record an UnSubEvent?

- ☐ A. JobID, BatchID, SubscriberID
- ☒ B. JobID, ListID, SubscriberID
- ☐ C. JobID, ListID, and BatchID



Review



Comment

Back

Next



23°C Haze



ENG

22:41
22-08-2025

00:29:23



Question 62 of 65



Choose 1 option.

A data extension contains two fields which are being populated by a query activity. A third field has recently been added to the data extension.

Which SELECT statement would be optimal for returning all of the columns in the data extension?

- ☒ A. SELECT *
- ☐ B. SELECT field1, field2, field3
- ☐ C. SELECT *, field1, field2, field3



Review



Comment

Back

Next



23°C Haze



ENG

22:40
22-08-2025

00:29:03



Question 61 of 65



Choose 1 option.

A customer wants a list of subscribers who were sent an email within the past 12 months.

How should this request be completed?

- ☐ A. Run a tracking extract via the SOAP API
- ☐ B. Create a measure with criteria `sent_date is after today minus 365 days`
- ☒ C. Query against the `_Job` and `_Sent` data views



Review



Comment

Back

Next



23°C Haze



ENG

22:40
22-08-2025

00:28:44



Question 61 of 65



Choose 1 option.

A customer wants a list of subscribers who were sent an email within the past 12 months.

How should this request be completed?

- ☐ A. Run a tracking extract via the SOAP API
- ☐ B. Create a measure with criteria `sent_date is after today minus 365 days`
- ☐ C. Query against the `_Job` and `_Sent` data views



Review



Comment

Back

Next



23°C Haze



ENG

22:40
22-08-2025



00:28:26

Question 60 of 65



Choose 1 option.

A developer wants to configure performance tracking of the content dynamically created via AMPscript in an email.

Which step should be performed to achieve this objective?

- ☐ A. Add a unique impression identifier in the HTML tags within the generated content
- ☐ B. Configure a reference content block in Content Builder

☒ C. Enable impression tracking and utilize AMPscript impression function



Review



Comment

Back

Next



23°C Haze



ENG

22:39
22-08-2025

00:28:01



Question 59 of 65



Choose 1 option.

A developer is troubleshooting the cause of incomplete results in the link tracking data for an email send.

How should the RedirectTo AMPscript function be described as it relates to link tracking?

- ☒ A. It ensures link href values containing AMPscript variables are recorded in tracking
- ☐ B. It ensures static link href values are recorded in tracking
- ☐ C. It ensures link href values containing HTML bookmarks or anchors are recorded in tracking



Review



Comment

Back

Next



23°C Haze



ENG

22:39
22-08-2025



00:27:38

Question 58 of 65



Choose 1 option.

A developer wants to build out a series of CloudPages that will interact with several REST APIs.

Which Marketing Cloud supported scripting tool should be used?

- ☐ A. GTL
- ☒ B. SSJS
- ☐ C. AMPscript



Review



Comment

Back

Next



23°C Haze



ENG

22:39
22-08-2025

00:27:21



Question 57 of 65



Choose 1 option.

Which aspect should a developer consider before creating an Server-to-Server Installed Package and associated API Integration in Marketing Cloud?

- ☐ A. Using an Installed Package, APIs will have access to resources in all Business Units.
- ☐ B. Scope (Permissions) will be granted based on the User who is creating the Installed Package.
- ☒ C. Scope (Permissions) must be specifically granted when creating an API Integration component inside an Installed Package.



Review



Comment

Back

Next



23°C Haze



ENG

22:38
22-08-2025

00:27:05



Question 56 of 65



Choose 1 option.

A developer needs to configure an Email Send Logging Data Extension for a new business unit.

Which option should be used?

- ☐ A. Salesforce Support should create the data extension
- ☐ B. Create from a copy of an existing Send Log in another business unit
- ☒ C. Create using the SendLog Data Extension Template



Review



Comment

Back

Next



23°C Haze



ENG

22:38
22-08-2025

00:26:49



Question 55 of 65



Choose 1 option.

A developer needs to process a payload from an external system in a CloudPage.

What Marketing Cloud Server-Side JavaScript Platform function should be used for converting a string payload in JSON format to a JavaScript object?

- ☐ A. Stringify
- ☒ B. ParseJSON
- ☐ C. CreateObject



Review



Comment

Back

Next



23°C Haze



ENG

22:38
22-08-2025



00:26:29

Question 54 of 65



Choose 1 option.

A developer needs to use the `/contacts/` route of the REST API to update records in a data extension.

What should the developer verify before making the API call?

- ☒ A. The data extension should be linked in an Attribute Group in Contact Builder.
- ☐ B. Each contact should already exist in All Subscribers.
- ☐ C. Journey Builder should be configured to use the data extension.



Review



Comment

Back

Next



23°C Haze



ENG

22:37
22-08-2025

00:26:01



Question 53 of 65



Choose 1 option.

Northern Trail Outfitters has an Enterprise 2.0 account with 15 business units. Each business unit can access a Shared Data Extension named 'Inventory', which contains the details for each product. A Boolean field named 'InStock' indicates whether the item is available.

Which snippet of AMPscript would return all products which are currently available?

- ☒ A. `LookupRows ('Inventory', 'InStock', 'True')`
- ☐ B. `LookupRows ('Ent..Inventory', 'InStock', 'True')`
- ☐ C. `LookupRows ('Inventory', 'ItemName', 'InStock', 'true')`



Review



Comment

Back

Next



23°C Haze



ENG

22:37
22-08-2025



Question 52 of 65



Choose 1 option.

Northern Trails Outfitters is using REST API to send emails to customers after a purchase.

Which considerations should be taken regarding the token used in the API Call?

- ☒ A. Make a token API call and re-use the token until the token expires.
- ☐ B. Make a token API call before each triggered send API call.
- ☐ C. Make a token API call and re-use the token for that subscriber.



Review



Comment

Back

Next



23°C Haze



ENG

22:36
22-08-2025

00:24:43



Question 51 of 65



Choose 1 option.

A company has chosen to use the REST API for triggered sends, but they continue to get the following error during their testing: "Unable to queue Triggered Send request. There are no valid subscribers." They were informed that the SOAP API provides more information about the error, and found that their payload did not include a required data extension field.

Which element of the SOAP API response provides this level of detail?

☒ A. ErrorDescription

☐ B. OverallStatus

☐ C. ErrorCode



Review



Comment

Back

Next



23°C Haze



ENG

22:36
22-08-2025

00:24:24



Question 50 of 65



Choose 1 option.

A developer wants to delete a batch of subscribers from Marketing Cloud. The developer performs a Contact Delete on a batch of records in a data extension in Contact Builder.

Which scenario would cause subscriber records to remain in the data extension?

- ☐ A. Contact Delete process does not delete rows from data extensions
- ☐ B. Non-sendable data extension with SubscriberKey field

☒ C. Sendable data extension with SubscriberKey field



Review



Comment

Back

Next



23°C Haze



ENG

22:34
22-08-2025

00:23:17



Question 49 of 65



Choose 1 option.

A developer needs to configure a process that can store encrypted data from Marketing Cloud as a file on an external server.

What steps should the developer take?

- ☐ A. Data Extract > File Transfer with Marketing Cloud Public Key
- ☒ B. Create PGP Key > Data Extract > File Transfer with PGP checked
- ☐ C. Shield Platform Encryption is required for encrypted data export



Review



Comment

Back

Next



23°C Haze



ENG

22:34
22-08-2025

00:22:40



Question 49 of 65



Choose 1 option.

A developer needs to configure a process that can store encrypted data from Marketing Cloud as a file on an external server.

What steps should the developer take?

- ☐ A. Data Extract > File Transfer with Marketing Cloud Public Key
- ☐ B. Create PGP Key > Data Extract > File Transfer with PGP checked
- ☐ C. Shield Platform Encryption is required for encrypted data export



Review



Comment

Back

Next



23°C Haze



ENG

22:34
22-08-2025



00:22:36

Question 48 of 65



Choose 1 option.

Northern Trail Outfitters uses a number to uniquely identify contacts across different marketing channels.

Which action should the developer take to ensure the contacts relate across channels in Marketing Cloud when working with the data model?

- ☐ A. Create Attribute Groups linking the unique identifier to the Contact for each channel.
- ☐ B. Use a unique identifier specific to each channel and automatically connect them.
- ☒ C. Link the numeric field value to the Contact ID in Attribute Groups in Contact Builder.



Review



Comment

Back

Next



23°C Haze



ENG

22:34
22-08-2025

00:22:21



Question 47 of 65



Choose 1 option.

Why would a developer use LookupRows instead of the Lookup AMPscript function?

- ☒ A. To return a complete rowset from the data extension
- ☐ B. To access a data extension, as Lookup only targets lists
- ☐ C. To see how many rows are in a data extension



Review



Comment

Back

Next



23°C Haze



ENG

22:33
22-08-2025

00:21:43



Question 46 of 65



Choose 1 option.

A developer is making an API REST call to trigger an email send. An access token is used to authenticate the call.

How long are Marketing Cloud v2 access tokens valid?

- ☐ A. Each API call requires a new access token.
- ☒ B. Access tokens expire after 20 minutes.
- ☐ C. Access tokens expire after 24 hours.



Review



Comment

Back

Next



23°C Haze



ENG

22:33
22-08-2025

00:21:25



Question 46 of 65



Choose 1 option.

A developer is making an API REST call to trigger an email send. An access token is used to authenticate the call.

How long are Marketing Cloud v2 access tokens valid?

- ☐ A. Each API call requires a new access token.
- ☐ B. Access tokens expire after 20 minutes.
- ☐ C. Access tokens expire after 24 hours.



Review



Comment

Back

Next



23°C Haze



ENG

22:33
22-08-2025

00:21:24



Question 45 of 65



Choose 1 option.

A sendable data extension with a text field named 'Balance' contains the value '\$6.96' for a particular record. The following AMPscript statement is included in an email:

```
IF (Balance > 6.00) THEN  
  SET @Result = 'Balance is more than $6.00'  
ENDIF
```

Why would this IF statement yield unintended results?

- ☒ A. The operands are not the same data type.
- ☐ B. Double quotes should be used instead of single quotes.
- ☐ C. The comparison should use the < operator.



Review



Comment

Back

Next



23°C Haze



ENG

22:32
22-08-2025



Question 44 of 65



Choose 1 option.

Northern Trail Outfitters uses an external CRM which only exports encrypted files. They want to use some of the subscriber data found in the CRM for future marketing sends.

Which action should be included in an automation given these requirements?

- ☐ A. File transfer activity to the Import directory for decryption
- ☒ B. File transfer activity to the Safehouse for decryption
- ☐ C. File drop to the SFTP Root directory



Review



Comment

Back

Next



23°C Haze



ENG

22:32
22-08-2025



00:20:52

Question 44 of 65



Choose 1 option.

Northern Trail Outfitters uses an external CRM which only exports encrypted files. They want to use some of the subscriber data found in the CRM for future marketing sends.

Which action should be included in an automation given these requirements?

☐ A. File transfer activity to the Import directory for decryption

☒ B. File transfer activity to the Safehouse for decryption

☐ C. File drop to the SFTP Root directory



Review



Comment

Back

Next



23°C Haze



ENG

22:32
22-08-2025

00:20:51



Question 44 of 65



Choose 1 option.

Northern Trail Outfitters uses an external CRM which only exports encrypted files. They want to use some of the subscriber data found in the CRM for future marketing sends.

Which action should be included in an automation given these requirements?

- ☐ A. File transfer activity to the Import directory for decryption
- ☐ B. File transfer activity to the Safehouse for decryption
- ☐ C. File drop to the SFTP Root directory



Review



Comment

Back

Next



23°C Haze



ENG

22:32
22-08-2025



00:20:50

Question 44 of 65



Choose 1 option.

Northern Trail Outfitters uses an external CRM which only exports encrypted files. They want to use some of the subscriber data found in the CRM for future marketing sends.

Which action should be included in an automation given these requirements?

☐ A. File transfer activity to the Import directory for decryption

☒ B. File transfer activity to the Safehouse for decryption

☐ C. File drop to the SFTP Root directory



Review



Comment

Back

Next



23°C Haze



ENG

22:32
22-08-2025

00:20:49



Question 43 of 65



Choose 1 option.

A marketing director at Northern Trail Outfitters wants to analyze the Send, Click, and Open Data Views.

Which activities should the developer build to generate the data before transferring it to the SFTP?

- ☐ A. Filter Activity > Data Extension Extract
- ☐ B. Query Activity > Data Extension Extract
- ☒ C. Query Activity > Tracking Extract



Review



Comment

Back

Next



23°C Haze



ENG

22:32
22-08-2025

00:20:33



Question 42 of 65



Choose 1 option.

A developer wants to set a variable to use a field from a Sendable Data Extension.

Which option could be used in an AMPscript block to set the variable as a 'First Name' field from a Sendable Data Extension used to send the email?

- ☐ A. SET @firstName = %%First Name%%
- ☒ B. SET @firstName = AttributeValue("First Name")
- ☐ C. SET @firstName = "First Name"



Review



Comment

Back

Next



23°C Haze



ENG

22:31
22-08-2025



Question 41 of 65



Choose 1 option.

A company needs to retrieve a large number of rows from a data extension via the API.

Which solution would optimize the performance?

- ☒ A. Use a SimpleFilterPart to retrieve small sets of relevant data.
- ☐ B. Use the REST API instead of the SOAP API.
- ☐ C. Use the AMPscript API functions on a CloudPage.



Review



Comment

Back

Next



23°C Haze



ENG

22:31
22-08-2025



00:19:57

Question 40 of 65



Choose 1 option.

A developer is using the legacy endpoint `www.exacttargetapis.com` and has been asked to switch to Tenant Specific Endpoints (TSEs).

What is a benefit of switching to TSEs?

- ☐ A. A longer lasting OAuth token
- ☒ B. Improved API performance
- ☐ C. API calls will no longer fail



Review



Comment

Back

Next



23°C Haze



ENG

22:31
22-08-2025

00:19:33



Question 39 of 65



Choose 1 option.

A developer is working on cross-channel campaign functions for the email team at Northern Trail Outfitters. They are reviewing available APIs for the different Marketing Cloud applications to determine the most appropriate solution for each.

Which application utilizes the REST API?

- ☒ A. Content Builder
- ☐ B. Automation Studio
- ☐ C. Classic Content



Review



Comment

Back

Next



23°C Haze



ENG

22:30
22-08-2025



00:19:10

Question 38 of 65



Choose 1 option.

A developer identified a use case where a triggered send of an email is needed. The developer already successfully set up authentication with a client ID and client secret and has used them in several REST calls. When the REST call is made, a "401 Unauthorized" error is returned.

What should be checked first?

- ☐ A. The automation permissions have been granted for the client ID and client secret within Installed Packages.
- ☐ B. The email interaction has been published.

☒ C. The send permissions have been granted for the client ID and client secret within Installed Packages.



Review



Comment

Back

Next



23°C Haze



ENG

22:30
22-08-2025



Question 37 of 65



Choose 1 option.

A developer, who is new to Marketing Cloud, needs to design a landing page for a new customer. They choose to use Server-Side JavaScript (SSJS) due to their extensive knowledge of JavaScript from previous projects.

Which feature would the developer be able to leverage in their Server-Side code?

- ☐ A. Direct modification of the DOM
- ☐ B. External Libraries to extend functionality
- ☒ C. Include Try/Catch blocks within the code



Review



Comment

Back

Next



23°C Haze



ENG

22:30
22-08-2025

00:18:22



Question 36 of 65



Choose 1 option.

Northern Trail Outfitters stores most of their customer data in Marketing Cloud. They do not mind their data being viewed in clear text within SFMC to users who have access, but they want to ensure the underlying database files are encrypted at rest in case the physical media is stolen.

Which encryption method should be used?

- ☒ A. Transparent Data Encryption
- ☐ B. Encrypted Data Sending
- ☐ C. Field-Level Encryption



Review



Comment

Back

Next



23°C Haze



ENG

22:29
22-08-2025



00:18:01

Question 36 of 65



Choose 1 option.

Northern Trail Outfitters stores most of their customer data in Marketing Cloud. They do not mind their data being viewed in clear text within SFMC to users who have access, but they want to ensure the underlying database files are encrypted at rest in case the physical media is stolen.

Which encryption method should be used?

- ☐ A. Transparent Data Encryption
- ☐ B. Encrypted Data Sending
- ☐ C. Field-Level Encryption



Review



Comment

Back

Next



23°C Haze



ENG

22:29
22-08-2025



00:17:46

Question 35 of 65



Choose 1 option.

A developer is configuring a File Drop Automation and wants to use a Filename Pattern to allow for timestamps on the file. The file name will always start with the month and day (e.g. MAY15) the file is dropped onto the SFTP site.

Which configuration should be used for the automation to successfully start?

- ☐ A. %%Year%% %%Month%% %%Day%%
- ☐ B. Begins With operator
- ☒ C. %%MMMMdd%%



Review



Comment

Back

Next



23°C Haze



ENG

22:29
22-08-2025

00:17:40



Question 34 of 65



Choose 1 option.

A developer wants to review the available properties for using the DataExtensionField SOAP API object.

Where could the developer find this information?

- ☐ A. Open the Object Inspector in the Salesforce Developer Console
- ☒ B. Developer Center at <https://developer.salesforce.com>
- ☐ C. Contact Support and request the information



Review



Comment

Back

Next



23°C Haze



ENG

22:29
22-08-2025

00:17:22



Question 34 of 65



Choose 1 option.

A developer wants to review the available properties for using the DataExtensionField SOAP API object.

Where could the developer find this information?

☒ A. Open the Object Inspector in the Salesforce Developer Console

☐ B. Developer Center at <https://developer.salesforce.com>

☐ C. Contact Support and request the information



Review



Comment

Back

Next



23°C Haze



ENG

22:28
22-08-2025



00:17:12

Question 33 of 65



Choose 1 option.

A developer is experiencing timeouts when testing a SQL Query Activity in Automation Studio.

How should the developer optimize the query?

- ☒ A. Use intermediate tables to break queries into smaller parts.
- ☐ B. Ensure all SQL Query Activities are in the same step in the automation.
- ☐ C. Limit joins to the INNER JOIN within all SQL Query Activities.



Review



Comment

Back

Next



23°C Haze



ENG

22:28
22-08-2025



00:16:41

Question 32 of 65



Choose 1 option.

A developer wants to expand their knowledge of Query Activities. They want to identify email addresses that have bounced in the last 30 days, along with the Bounce Reason and some additional subscriber specific data; however, the SQL they have written does not return any records. Below is the SQL statement:

```
SELECT s.EmailAddress, s.SubscriberKey, b.JobID, b.EventDate, b.SMTPBounceReason  
FROM _Subscribers s JOIN _Bounce b ON s.EmailAddress = b.EmailAddress  
WHERE b.EventDate > DateAdd(DAY, -30, GETDATE())
```

What updates should be made to ensure this SQL statement returns the desired results?

- ☒ A. Marketing Cloud _Bounce data view does not contain EmailAddress. They should join on SubscriberID.
- ☐ B. Marketing Cloud does not allow DateAdd functions in Query Activities. They should define a specific date.
- ☐ C. Marketing Cloud does not allow use of GETDATE function. They should define a specific date.



Review



Comment

Back

Next



23°C Haze



ENG

22:27
22-08-2025



Question 31 of 65



Choose 1 option.

Northern Trail Outfitters wants to exclude sending an email at send time to those with a record on the 'Exclude' Data Extension. The primary key on this data extension is SubscriberKey.

How would a developer write the Exclusion Script?

- ☒ A. `RowCount(LookupRows('Exclude', 'SubscriberKey', _SubscriberKey)) > 0`
- ☐ B. `RowCount(LookupRows('Exclude', 'SubscriberKey', _SubscriberKey)) > 1`
- ☐ C. `Lookup('Exclude', 'SubscriberKey', 'EmailAddress', emailaddr_) == emailaddr_`



Review



Comment

Back

Next



23°C Haze



ENG

22:27
22-08-2025



00:15:46

Question 30 of 65



Choose 1 option.

Which AMPscript function group could most negatively impact send processing?

- ☐ A. Date Time
- ☒ B. Data extension functions
- ☐ C. String functions



Review



Comment

Back

Next



23°C Haze



ENG

22:26
22-08-2025

00:15:06



Question 30 of 65



Choose 1 option.

Which AMPscript function group could most negatively impact send processing?

☒ A. Date Time

☐ B. Data extension functions

☐ C. String functions



Review



Comment

Back

Next



23°C Haze



ENG

22:26
22-08-2025

00:15:04



Question 29 of 65



Choose 1 option.

A developer is building an integration with the Marketing Cloud API.

In which way should the client ID and client secret credentials be stored?

- ☐ A. Pass credentials in URL parameters over HTTPS
- ☒ B. Store credentials in a key management system (KMS)
- ☐ C. Set credentials as variables in application source code



Review



Comment

Back

Next



23°C Haze



ENG

22:25
22-08-2025



00:14:02

Question 28 of 65



Choose 1 option.

A customer wants to export send data to their SFTP.

Which automation would accomplish this?

- ☐ A. Query (Data Views) > File Transfer
- ☐ B. Tracking Extract
- ☒ C. Tracking Extract > File Transfer



Review



Comment

Back

Next



23°C Haze



ENG

22:25
22-08-2025

00:13:42



Question 27 of 65



Choose 1 option.

Northern Trail Outfitters uses data extensions to manage the subscriber information used for their email sends, and those sends include calls to update records with new or different subscriber information. The developer handling these records writes some AMPscript to check and see if the data extension containing those records updated using an InsertDE() call if the record doesn't yet exist.

Why would the developer receive an error stating the application cannot insert a duplicate value for the primary key in the data extension?

- ☒ A. The InsertDE function comes after the system added the row as part of the email send.
- ☐ B. The InsertDE function cannot be used at send time.
- ☐ C. The InsertDE function cannot be used with name and value pairs.



Review



Comment

Back

Next



23°C Haze



ENG

22:25
22-08-2025



Question 26 of 65



Choose 1 option.

A developer is troubleshooting why a parent-level data extension cannot be accessed by a child business unit.

What should the developer check to validate the data available can be accessed for child business unit queries?

- ☒ A. The data extension is in the Shared Data Extensions folder and the query includes the ENT. prefix
- ☐ B. The data extension is in the Salesforce Data Extensions folder and is accessible to the child business unit
- ☐ C. The data extension is in the Synchronized Data Extensions folder and the query includes the ENT. prefix



Review



Comment

Back

Next



23°C Haze



ENG

22:24
22-08-2025



00:12:46

Question 25 of 65



Choose 1 option.

A developer wants to create a Synchronized Data Extension containing Lead data from Sales Cloud. They only want to include records which contain a phone number. Each of the following fields contains this information per these rules:

- PhoneExists is 'true' (Data Type = *Boolean*)
- ValidPhone is 'true' (Data Type = *Formula(Boolean)*)
- ContactType equals 'Phone' (Data Type = *Text*)

Which field could be used to select a subset of records in the synchronization configuration?

- ☐ A. ContactType
- ☐ B. ValidPhone
- ☒ C. PhoneExists



Review



Comment

Back

Next



23°C Haze



ENG

22:23
22-08-2025



00:12:04

Question 24 of 65



Choose 1 option.

A developer wants to retrieve a row of data from a data extension using the SOAP API.

Which API Object should be used for this call?

- ☐ A. DataExtension
- ☐ B. Row
- ☒ C. DataExtensionObject



Review



Comment

Back

Next



23°C Haze



ENG

22:23
22-08-2025



00:11:24

Question 23 of 65



Choose 1 option.

A developer wants to include an AMPscript If/Else statement in an email to satisfy the condition "if the subscriber's tier is not premier then display heading encouraging them to upgrade." The tier value has already been set as a variable named @level.

How could the developer write this AMPscript conditional statement?

- ☐ A. %%=IIF(@level == 'premier', 'You are a premier member!', 'Upgrade to premier now!')=%%
- ☒ B. %%=IIF(@level = 'premier', 'You are a premier member!', 'Upgrade to premier now!')=%%
- ☐ C. %%=IF(@level IS 'premier', 'Upgrade to premier now!', 'You are a premier member!')=%%



Review



Comment

Back

Next



23°C Haze



00:10:53

22:22
22-08-2025



Question 22 of 65



Choose 1 option.

A developer identified duplicate contacts and wants to delete roughly 10 million subscribers using Contact Delete.

How could the process be expedited?

- ☒ A. Change the Suppression value to a larger value
- ☐ B. Delete any unnecessary Sendable Data Extensions
- ☐ C. Manually delete subscribers in All Contacts



Review



Comment

Back

Next



23°C Haze



ENG

22:22
22-08-2025

00:10:20



Question 21 of 65



Choose 1 option.

Northern Trails Outfitters (NTO) has a sendable data extension with 1,500,000 contact records they want to delete.

Which step is required before deleting the contacts?

- ☐ A. Navigate to Contact Builder and delete the data extension
- ☐ B. Divide the records in half and delete each resulting data extension
- ☒ C. Query the records into a new sendable data extension and delete it



Review



Comment

Back

Next



23°C Haze



ENG

22:21
22-08-2025

00:09:51



Question 20 of 65



Choose 1 option.

A developer wants to use the RaiseError AMPscript function when a subscriber does not have the necessary data to build an email.

Which outcome is possible using this function?

- ☐ A. An error message is sent to the From Address used in the email.
- ☐ B. The send is retried.
- ☒ C. The whole send is cancelled.



Review



Comment

Back

Next



23°C Haze



ENG

22:20
22-08-2025

00:09:02



Question 19 of 65



Choose 1 option.

A developer wants to design a custom subscription center in CloudPages. The developer prefers to code in AMPscript, but is also skilled in Server-Side JavaScript. While the developer is confident their code is of high quality, they would still like to handle unexpected errors gracefully to ensure the best user experience.

Which feature should handle this scenario?

- ☐ A. Using RaiseError AMPscript function when an error occurs
- ☐ B. Wrapping the code in an AMPscript HandleError block
- ☒ C. Wrapping the code in a Server-Side JavaScript Try/Catch block



Review



Comment

Back

Next



23°C Haze



ENG

22:20
22-08-2025



00:08:43

Question 18 of 65



Choose 1 option.

Northern Trail Outfitters uses a numeric identifier for Subscriber Key. Customer data is stored in a data extension with the Subscriber Key set as a Primary Key.

Which step is required when creating relationships for this data extension in Data Designer?

- ☐ A. Set Subscriber Key as a text data type before linking the data extension to Contact Key
- ☐ B. Link the Contact Key to the Subscriber's email address when creating the relationship
- ☒ C. Use a one-to-one cardinality when creating the relationship



Review



Comment

Back

Next



23°C Haze



ENG

22:20
22-08-2025



00:08:28

Question 17 of 65



Choose 1 option.

A doctor's office creates Populations for staff, patients, and vendors.

What is the maximum number of Populations that should be created to ensure performance?

- ☒ A. Three
- ☐ B. Unlimited
- ☐ C. One



Review



Comment

Back

Next



23°C Haze



ENG

22:19
22-08-2025



00:08:08

Question 17 of 65



Choose 1 option.

A doctor's office creates Populations for staff, patients, and vendors.

What is the maximum number of Populations that should be created to ensure performance?

☐ A. Three

☒ B. Unlimited

☐ C. One



Review



Comment

Back

Next



23°C Haze



ENG

22:19
22-08-2025



Question 16 of 65



Choose 1 option.

A developer wants to inject a Contact into a journey using API.

What method and route would be used to accomplish this?

☐ A. POST /contacts/v1/contacts

☒ B. POST /interaction/v1/events

☐ C. PUT /hub/v1/dataevents/key:{key}/rows/{primaryKeys}



Review



Comment

Back

Next



23°C Haze



ENG

22:19
22-08-2025



00:07:31

Question 16 of 65



Choose 1 option.

A developer wants to inject a Contact into a journey using API.

What method and route would be used to accomplish this?

- ☐ A. POST /contacts/v1/contacts
- ☐ B. POST /interaction/v1/events
- ☐ C. PUT /hub/v1/dataevents/key:{key}/rows/{primaryKeys}



Review



Comment

Back

Next



23°C Haze



ENG

22:18
22-08-2025



Question 15 of 65



Choose 1 option.

A developer needs to create a fully-branded CloudPage which includes images hosted in Content Builder. The developer wants to secure the page and its elements using the SSL protocol.

What is the minimum number of SSL certificates required?

☒ A. One

☐ B. Three

☐ C. Two



Review



Comment

Back

Next



23°C Haze



ENG

22:18
22-08-2025

00:06:42



Question 14 of 65



Choose 1 option.

Northern Trail Outfitters' legal team is concerned about the daily import process that adds subscribers to a Sendable Data Extension, even when records have already been targeted for deletion.

What is the expected behavior if a send is initiated to this Sendable Data Extension?

☐ A. Records in the suppression phase will be excluded from sends.

☒ B. Records that have been deleted will be excluded from sends indefinitely.

☐ C. Records in the suppression phase will only be excluded if manually specified during send time.



Review



Comment

Back

Next



23°C Haze



ENG

22:17
22-08-2025



Question 14 of 65



Choose 1 option.

Northern Trail Outfitters' legal team is concerned about the daily import process that adds subscribers to a Sendable Data Extension, even when records have already been targeted for deletion.

What is the expected behavior if a send is initiated to this Sendable Data Extension?

- ☒ A. Records in the suppression phase will be excluded from sends.
- ☐ B. Records that have been deleted will be excluded from sends indefinitely.
- ☐ C. Records in the suppression phase will only be excluded if manually specified during send time.



Review



Comment

Back

Next



23°C Haze



ENG

22:17
22-08-2025



Question 13 of 65



Choose 1 option.

A field value returned from a data extension lookup contains a tab-delimited list of values.

Which AMPscript function could easily determine if a specific text string exists anywhere in the list?

☒ A. IndexOf

☐ B. BuildRowSetFromString

☐ C. Substring



Review



Comment

Back

Next



23°C Haze



ENG

22:16
22-08-2025



00:04:46

Question 12 of 65



Choose 1 option.

A developer wants to create a CloudPage which is linked from an email.

```
%%  
SET @point = RequestParameter(favFood)  
SET @value = 5  
  
IF Length(@point) > 1 THEN SET @value = 1  
ELSEIF Length(@point) > 2 THEN SET @value = 2  
ELSEIF Length(@point) > 3 THEN SET @value = 3  
ELSEIF Length(@point) > 4 THEN SET @value = 4  
ENDIF  
%%
```

What is the expected value of @value if favFood = 'Tacos'?

- ☒ A. 1
- ☐ B. 4
- ☐ C. 5



Review



Comment

Back

Next



23°C Haze



ENG

22:16
22-08-2025



Question 11 of 65



Choose 1 option.

A developer is querying data from the _Bounce data view and storing it in a data extension. They have found that sometimes the fields SMTPBounceReason and SMTPCode exceed the 4000-character limits for each field as specified in the DE schema. After consulting with the original requestor, it was decided that they could simply store the first 4000 characters for each of those fields.

Which SQL function could be used for this purpose?

- ☐ A. RIGHT
- ☒ B. LEFT
- ☐ C. FIRST



Review



Comment

Back

Next



23°C Haze



ENG

22:15
22-08-2025



00:03:48

Question 10 of 65



Choose 1 option.

A developer created a landing page in CloudPages which returns unique content when subscriber data is located on a related data extension. The developer does not know if all subscribers have rows in the related data extension, and wants default content to render if no subscriber data is found on the related data extension.

Which best practice should the developer follow to control the unique and default content?

- ☐ A. Use the LookupOrderedRows and Row functions
- ☒ B. Use the RowCount function and an IF statement
- ☐ C. Use the Lookup, Row, and Field functions



Review



Comment

Back

Next



23°C Haze



ENG

22:15
22-08-2025



Question 9 of 65



Choose 1 option.

A developer is writing a query to select unique subscribers who opened any emails sent since the beginning of the previous day.

Which query would provide that result?

- ☐ A.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
WHERE o.OpenDate >= CONVERT(date, GETDATE()-1)
```
- ☒ B.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE o.SendDate >= CONVERT(date, GETDATE()-1)
```
- ☐ C.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE j.PickupTime >= CONVERT(date, GETDATE()-1)
```



Review



Comment

Back

Next



23°C Haze



ENG

22:14
22-08-2025

00:03:11



Question 8 of 65



Choose 1 option.

A developer is notified the View Email As Web Page (VAWP) link, when clicked, displays the message, "The system is temporarily unavailable. We apologize for any inconvenience. Please try again later."

What could be a possible cause for the error?

- ☐ A. The data extension used for the send was moved to another folder.
- ☐ B. The data in the data extensions used for the send was overwritten.
- ☒ C. The email used for the send was deleted, updated, or moved.



Review



Comment

Back

Next



23°C Haze



ENG

22:14
22-08-2025

00:02:31



Question 9 of 65



Choose 1 option.

A developer is writing a query to select unique subscribers who opened any emails sent since the beginning of the previous day.

Which query would provide that result?

- ☐ A.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
WHERE o.OpenDate >= CONVERT(date, GETDATE()-1)
```
- ☐ B.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE o.SendDate >= CONVERT(date, GETDATE()-1)
```
- ☒ C.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE j.PickupTime >= CONVERT(date, GETDATE()-1)
```



Review



Comment

Back

Next



23°C Haze



ENG

22:14
22-08-2025



00:02:19

Question 10 of 65



Choose 1 option.

A developer created a landing page in CloudPages which returns unique content when subscriber data is located on a related data extension. The developer does not know if all subscribers have rows in the related data extension, and wants default content to render if no subscriber data is found on the related data extension.

Which best practice should the developer follow to control the unique and default content?

- ☐ A. Use the LookupOrderedRows and Row functions
- ☐ B. Use the RowCount function and an IF statement
- ☐ C. Use the Lookup, Row, and Field functions



Review



Comment

Back

Next



23°C Haze



ENG

22:13
22-08-2025



Question 9 of 65



Choose 1 option.

A developer is writing a query to select unique subscribers who opened any emails sent since the beginning of the previous day.

Which query would provide that result?

- ☐ A.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
WHERE o.OpenDate >= CONVERT(date, GETDATE()-1)
```
- ☐ B.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE o.SendDate >= CONVERT(date, GETDATE()-1)
```
- ☒ C.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE j.PickupTime >= CONVERT(date, GETDATE()-1)
```



Review



Comment

Back

Next



23°C Haze



22:13
22-08-2025



Question 9 of 65



Choose 1 option.

A developer is writing a query to select unique subscribers who opened any emails sent since the beginning of the previous day.

Which query would provide that result?

- ☒ A.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
WHERE o.OpenDate >= CONVERT(date, GETDATE()-1)
```
- ☐ B.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE o.SendDate >= CONVERT(date, GETDATE()-1)
```
- ☐ C.

```
SELECT DISTINCT o.SubscriberKey
FROM _Open o
INNER JOIN _Job j ON j.JobID = o.JobID
WHERE j.PickupTime >= CONVERT(date, GETDATE()-1)
```



Review



Comment

Back

Next



23°C Haze



22:12
22-08-2025

00:01:15



Question 8 of 65



Choose 1 option.

A developer is notified the View Email As Web Page (VAWP) link, when clicked, displays the message, "The system is temporarily unavailable. We apologize for any inconvenience. Please try again later."

What could be a possible cause for the error?

- ☐ A. The data extension used for the send was moved to another folder.
- ☐ B. The data in the data extensions used for the send was overwritten.
- ☒ C. The email used for the send was deleted, updated, or moved.



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



00:01:12

Question 8 of 65



Choose 1 option.

A developer is notified the View Email As Web Page (VAWP) link, when clicked, displays the message, "The system is temporarily unavailable. We apologize for any inconvenience. Please try again later."

What could be a possible cause for the error?

- ☐ A. The data extension used for the send was moved to another folder.
- ☐ B. The data in the data extensions used for the send was overwritten.
- ☒ C. The email used for the send was deleted, updated, or moved.



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



00:00:40

Question 7 of 65



Choose 1 option.

A developer wants to upload a base64-encoded file to Content Builder using an API Installed Package but receives an 'Insufficient Privileges' error.

What should be checked to troubleshoot the error?

- ☐ A. Confirm the REST Base URI uses the correct subdomain
- ☐ B. Validate client ID and client secret are correct

☒ C. Confirm the Component's Channel options are available



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



00:00:37

Question 7 of 65



Choose 1 option.

A developer wants to upload a base64-encoded file to Content Builder using an API Installed Package but receives an 'Insufficient Privileges' error.

What should be checked to troubleshoot the error?

- ☒ A. Confirm the REST Base URI uses the correct subdomain
- ☐ B. Validate client ID and client secret are correct
- ☐ C. Confirm the Component's Channel options are available



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



Question 6 of 65



Choose 1 option.

Northern Trail Outfitters puts the word TEST at the beginning of the name for each test email.

Which query would return the subscribers who were sent those emails?

- ☒ A. `SELECT * FROM _Job INNER JOIN _Sent on JobID = JobID WHERE EmailName LIKE 'TEST%'`
- ☐ B. `SELECT * FROM _Job J INNER JOIN _Sent S ON J.JobID = S.JobID WHERE J.EmailName LIKE 'TEST%'`
- ☐ C. `SELECT * FROM _Job J INNER JOIN _Sent S on J.JobID = S.JobID WHERE J.EmailName = 'TEST%'`



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



00:00:31

Question 5 of 65



Choose 1 option.

Customer data has been imported into a staging data extension and needs to be normalized before adding into the master data extension. A text field named 'birthday' contains date values in various formats. Some of the values are valid dates, but some are not.

Which SQL keywords and functions could be used to write the query?

- ☒ A. CASE, ISDATE, CAST
- ☐ B. WHERE, ISDATE, CONVERT CAST
- ☐ C. UPDATE, ISDATE, CONVERT CAST



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



Question 4 of 65



Choose 1 option.

A developer wants to personalize a welcome email with the recipient's first name from the Customers data extension, which is different from the targeted sending data extension named NewSubscribers. Both data extensions contain the unique identifier in a field named CustomerKey.

Which AMPscript Syntax would populate the first name personalization as requested?

- ☒ A. %%=Lookup('Customers', 'FirstName', 'CustomerKey', CustomerKey)=%%
- ☐ B. %%=Lookup('Customers', 'FirstName', 'ContactID', CustomerKey)=%%
- ☐ C. %%=Lookup('Customers', 'FirstName', 'CustomerKey', 'CustomerKey')=%%



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



Question 3 of 65



Choose 1 option.

A developer used LookupRows to retrieve data when building a dynamic email.

What should be the next step before using this rowset within a FOR loop?

- ☐ A. Use Row to return a specific row of the rowset
- ☒ B. Use RowCount to ensure the rowset contains data
- ☐ C. Close the delimited AMPscript Code Block



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025

00:00:25



Question 2 of 65



Choose 1 option.

How should a developer write an Exclusion Script to exclude sending an email at send time when comparing against a Boolean field in the Sendable Data Extension?

- ☒ A. `%%=Lookup('Excluded', 'SendBool', 'SubscriberKey', _SubscriberKey)=%%`
- ☐ B. `%%SendBool%% < 1`
- ☐ C. `%%=Lookup('Excluded', 'SendBool', 'SubscriberKey', _SubscriberKey)=%%`



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



Question 1 of 65



Choose 1 option.

A developer wants to populate a data extension with the date of the most recent click for each subscriber.

Which query would accomplish this?

- ☒ A.

```
SELECT c.SubscriberKey, MAX(c.eventDate) AS eventDate
FROM _Click c
GROUP BY c.SubscriberKey
```
- ☐ B.

```
SELECT c.SubscriberKey, c.eventDate
FROM _Click c
WHERE c.ISUnique = 1
```
- ☐ C.

```
SELECT c.SubscriberKey, MIN(c.eventDate) AS eventDate
FROM _Click c
GROUP BY c.SubscriberKey
```



Review



Comment

Back

Next



23°C Haze



ENG

22:12
22-08-2025



Question 8 of 65



Choose 1 option.

A developer is notified the View Email As Web Page (VAWP) link, when clicked, displays the message, "The system is temporarily unavailable. We apologize for any inconvenience. Please try again later."

What could be a possible cause for the error?

- ☐ A. The data extension used for the send was moved to another folder.
- ☐ B. The data in the data extensions used for the send was overwritten.
- ☒ C. The email used for the send was deleted, updated, or moved.



Review



Comment

Back

Next



23°C Haze



ENG

22:11
22-08-2025



Question 7 of 65



Choose 1 option.

A developer wants to upload a base64-encoded file to Content Builder using an API Installed Package but receives an 'Insufficient Privileges' error.

What should be checked to troubleshoot the error?

- ☒ A. Confirm the REST Base URI uses the correct subdomain
- ☐ B. Validate client ID and client secret are correct
- ☐ C. Confirm the Component's Channel options are available



Review



Comment

Back

Next



23°C Haze



ENG

22:11
22-08-2025



Question 7 of 65



Choose 1 option.

A developer wants to upload a base64-encoded file to Content Builder using an API Installed Package but receives an 'Insufficient Privileges' error.

What should be checked to troubleshoot the error?

- ☐ A. Confirm the REST Base URI uses the correct subdomain
- ☒ B. Validate client ID and client secret are correct
- ☐ C. Confirm the Component's Channel options are available



Review



Comment

Back

Next



23°C Haze



ENG

22:11
22-08-2025



00:00:01

Question 65 of 65



Choose 1 option.

A developer is implementing a custom profile center and using the LogUnsubEvent request.

Which parameter is required for the event to be tied to the appropriate send?

☐ A. SubscriberKey

☒ B. JobID

☐ C. ListID



Review



Comment

Back

Next



23°C Haze



ENG

22:41
22-08-2025



00:30:16

Question 64 of 65



Choose 1 option.

A developer wants to add an image to Content Builder via the API and retrieve the image's published URL.

Which method should the developer use?

- ☒ A. POST to the REST API `/asset/v1/content/assets` and parse the `FileProperties` parameter
- ☐ B. GET using the REST API `/asset/v1/content/assets` and parse the `FileProperties` parameter
- ☐ C. Use the SOAP API to create a `Portfolio` object and identify the `Source` property



Review



Comment

Back

Next



23°C Haze



ENG

22:41
22-08-2025

00:29:43



Salesforce Certified Marketing Cloud Engagement Developer Score Report

CANDIDATE: [REDACTED]
CANDIDATE ID: a5 [REDACTED]
REGISTRATION NUMBER: [REDACTED]

DATE: 8/22/2025
EXAM CODE: MCE-Dev-201

EXAM: Salesforce Certified Marketing Cloud Engagement Developer

GRADE: Pass

The report below shows the percentage of questions in each section that you answered correctly for the Salesforce Certified Marketing Cloud Engagement Developer exam. You will receive this information in your exam results email and can also access it via My Dashboard in Trailhead Academy.

SECTION NAME:	PERCENT CORRECT:
Data Modeling	38%
Programmatic Languages	86%
API	100%
Data Management	50%
Security	75%



Close



23°C Haze



ENG

22:45
22-08-2025



00:33:36